



## DAFTAR PUSTAKA

- Abe, K., and Watada, A.E. (1991). Ethylene Absorbent to Maintain Quality of Lightly Processed Fruits and Vegetables. *J. Food Sci.* 56, 1589–1592.
- Abed, A. El, Elqebaj, S.E., Zakhour, M., Champeaux, M., and Darriet, J. (2001). Crystal Structure of a Modulated Composite Structure with Two Subsystems : Ba<sub>1.1064</sub>CoO<sub>3</sub>. *J. Solid State Chem.* 161, 300–306.
- Aguado, S., Bergeret, G., Daniel, C., and Farrusseng, D. (2012). Absolute Molecular Sieve Separation of Ethylene / Ethane Mixtures. *J. Am. Chem. Soc.* 134, 14635–14637.
- Alemdar, A., Oztekin, N., Erim, F.B., Ece, O.I., and Gungor, N. (2005). Effects of polyethyleneimine adsorption on rheology of bentonite suspensions. *Bull. Mater. Sci.* 28, 287–291.
- Alver, B.E., and Gunal, A. (2016). Thermal , structural and ethylene adsorption properties of Ag-, Cu- and Fe-modified bentonite from Turkey. *J. Therm. Anal. Calorim.* 126, 1533–1540.
- Alver, B.E., and Sakizci, M. (2012). Ethylene Adsorption on Acid-treated Clay Minerals. *Adsorpt. Sci. Technol.* 30, 265–273.
- Bailén, G., Guillén, F., Castillo, S., Serrano, M., Valero, D., and Martínez-Romero, D. (2006). Use of activated carbon inside modified atmosphere packages to maintain tomato fruit quality during cold storage. *J. Agric. Food Chem.* 54, 2229–2235.
- Bailey, S.W. (1980). Summary of Recommendations of AIPEA Nomenclature Committee. *Clay Miner.* 15, 85–93.
- Baksh, M.S.A., and Yang, R.T. (1992). Unique Adsorption Properties and Potential Energy Profiles of Microporous Pillared Clays. *AIChE J.* 38, 1357–1368.
- Bankovic, P., Mojovic, Z., Milutinovic-Nikolic, A., Jovic-Jovicic, N., Marinovic, S., and Jovanovic, D. (2010). Mixed pillared bentonite for electrooxidation of phenol. *Appl. Clay Sci.* 49, 84–89.
- Barrer, R.M., and MacLeod, D.M. (1955). Activation of montmorillonite by ion exchange and sorption complexes of tetra-alkyl ammonium montmorillonites. *Trans. Faraday Soc.* 51, 1290.
- Beaudry, R.M., Paz, N., Black, C.C., and Kays, S.J. (1987). Banana Ripening: Implications of Changes in Internal Ethylene and CO<sub>2</sub> Concentrations, Pulp Fructose 2,6-Bisphosphate Concentration, and Activity of Some Glycolytic Enzymes1. *Plant Physiol.* 85, 277–282.



- Bergaya, F., and Lagaly, G. (2013). General Introduction : Clays , Clay Minerals , and Clay Science. In *Handbook of Clay Science*, (Elsevier Ltd.), pp. 1–19.
- Bertella, F., and Pergher, S.B.C. (2015). Pillaring of bentonite clay with Al and Co. *Microporous Mesoporous Mater.* 201, 116–123.
- Bhattacharyya, K.G., and Gupta, S. Sen (2008). Adsorption of a few heavy metals on natural and modified kaolinite and montmorillonite : A review. *Adv. Colloid Interface Sci.* 140, 114–131.
- Blidi, A. El, Rigal, L., Malmary, G., Molinier, J., and Torres, L. (1993). Ethylene removal for long term conservation of fruits and vegetables. *Food Qual. Prefer.* 4, 119–126.
- BPS (2017). Perkembangan Ekspor NonMigas (Sektor) Periode : 2012-2017.
- Brindley, G.W., and Sempels, R.E. (1977). Preparation and properties of some hydroxy-aluminum beidellites. *Clay Miner.* 12, 229–237.
- Cao, J., Li, X., Wu, K., Jiang, W., and Qu, G. (2015). Preparation of a novel PdCl<sub>2</sub>-CuSO<sub>4</sub>-based ethylene scavenger supported by acidified activated carbon powder and its effects on quality and ethylene metabolism of broccoli during shelf-life. *Postharvest Biol. Technol.* 99, 50–57.
- Cool, P., and Vasant, E.F. (1998). Pillared Clays : Preparation , Characterization and Applications. In *Molecular Sieves*, (Wilrijk: Springer-Verlag Berlin Heidelberg), pp. 265–288.
- Crini, G. (2006). Non-conventional low-cost adsorbents for dye removal: A review. *Bioresour. Technol.* 97, 1061–1085.
- Dąbrowski, A., Podkościelny, P., Hubicki, Z., and Barczak, M. (2005). Adsorption of phenolic compounds by activated carbon - A critical review. *Chemosphere* 58, 1049–1070.
- Ding, M., Zuo, S., and Qi, C. (2015). Preparation and characterization of novel composite AlCr-pillared clays and preliminary investigation for benzene adsorption. *Appl. Clay Sci.* 115, 9–16.
- Do, D.D. (1998). Adsorption Analysis: Equilibria and Kinetics.
- Figlarz, M., Guenot, J., and Fievet-Vincent, F. (1976). Morphological and topotactical aspects of the reactions  $\text{Co(OH)}_2 \rightarrow \text{CoOOH}$  and  $\text{CoOOH} \rightarrow \text{Co}_3\text{O}_4$ . *J. Mater. Sci.* 11, 2267–2270.
- Fletcher, A. (2008). Porosity and Sorption Behaviour.
- Fujishima, A., Rao, T.N., and Tryk, D.A. (2000). Titanium dioxide photocatalysis. *J. Photochem. Photobiol. C Photochem. Rev.* 1, 1–21.



- Galeano, L.A., Gil, A., and Vicente, M.A. (2010). Effect of the atomic active metal ratio in Al/Fe-, Al/Cu- and Al/(Fe-Cu)-intercalating solutions on the physicochemical properties and catalytic activity of pillared clays in the CWPO of methyl orange. *Appl. Catal. B Environ.* 100, 271–281.
- Gil, A., Vicente, M.A., and Gandía, L.M. (2000). Main factors controlling the texture of zirconia and alumina pillared clays. *Microporous Mesoporous Mater.* 34, 115–125.
- Gil, A., Assis, F.C.C., Albeniz, S., and Korili, S.A. (2011). Removal of dyes from wastewaters by adsorption on pillared clays. *Chem. Eng. J.* 168, 1032–1040.
- Gournis, D., Lappas, A., Karakassides, M.A., Tobbens, D., and Moukarika, A. (2008). A neutron diffraction study of alkali cation migration in montmorillonites. *Phys Chem Miner.* 35, 49–58.
- Guggenheim, S., and Martin, R.T. (1995). Definition of Clay and Clay Mineral: Joint Report of The AIPEA Nomenclature and CMS Nomenclature Committees.
- Guo, H., and Ecker, J.R. (2004). The ethylene signaling pathway : new insights. *Curr. Opin. Plant Biol.* 7, 40–49.
- Haber, J., Block, J.H., and Delmon, B. (1995). Manual of methods and procedures for catalyst characterization (Technical Report). *Pure Appl. Chem.* 67, 1257–1306.
- Hagen, J. (2006). Industrial Catalysis: A Practical Approach (Weinheim, Germany: WILEY-VCH Verlag GmbH & Co. KGaA).
- Han, Y., Matsumoto, H., and Yamanaka, S. (1997). Preparation of new silica sol-based pillared clays with high surface area and high thermal stability. *Chem. Mater.* 4756, 2013–2018.
- HR, Y. (2010). Modifikasi Ampo melalui Metode Pilarisasi. In Seminar Rekayasa Kimia Dan Proses, (Semarang), pp. 1–7.
- Keller, G.E., Anderson, R.A., and Yon, C.M. (1987). Adsorption. In *Handbook of Separation Process Technology*, R.W. Rousseau, ed. (New York: John Wiley & Sons, Inc.), p. 644.
- Keller, N., Ducamp, M.N., Robert, D., and Keller, V. (2013). Ethylene removal and fresh product storage: A challenge at the frontiers of chemistry. Toward an approach by photocatalytic oxidation. *Chem. Rev.* 113, 5029–5070.
- Kloprogge, J.T. (1998). Synthesis of Smectites and Porous Pillared Clay Catalysts : A Review. *J. Porous Mater.* 5, 5–41.



- Kollár, M., Stefanis, A. De, Solt, H.E., Mihályi, M.R., Valyon, J., and Tomlinson, A.A.G. (2010). The mechanism of the Fischer – Tropsch reaction over supported cobalt catalysts. *J. Mol. Catal. A Chem.* 333, 37–45.
- Li, W., Zhang, Z., Wang, J., Qiao, W., Long, D., and Ling, L. (2016). Low temperature catalytic combustion of ethylene over cobalt oxide supported mesoporous carbon spheres. *Chem. Eng. J.* 293, 243–251.
- Liu, X., and Prewitt, C.T. (1990). High-Temperature X-ray Diffraction Study of Co<sub>3</sub>O<sub>4</sub>: Transition from Normal to Disordered Spinel. *Phys Chem Miner.* 17, 168–172.
- Martínez-Romero, D., Bailén, G., Serrano, M., Guillén, F., Valverde, J.M., Zapata, P., Castillo, S., and Valero, D. (2007). Tools to maintain postharvest fruit and vegetable quality through the inhibition of ethylene action: A review. *Crit. Rev. Food Sci. Nutr.* 47, 543–560.
- Melnitchenko, A., Thompson, J.G., Volzone, C., and Ortiga, J. (2000). Selective gas adsorption by metal exchanged amorphous kaolinite derivatives. *Appl. Clay Sci.* 17, 35–53.
- Mukti, N.I.F. (2015). Pemanfaatan Limbah Sisa Ekstraksi Kulit Manggis sebagai Bahan Pembuat Adsorben Penjerap Etilen untuk Pengawetan Buah. Universitas Gadjah Mada.
- Mukti, N.I.F., Prasetyo, I., and Mindaryani, A. (2015). Preparasi Karbon Teremban Oksida Cobalt Dari Limbah Kulit Manggis Sebagai Adsorben Penjerap Etilen Untuk Pengawetan Buah. *Reaktor* 15, 165–174.
- Nuruzzaman, M., Rahman, M.M., Liu, Y., and Naidu, R. (2016). Nanoencapsulation , Nano-guard for Pesticides : A New Window for Safe Application. *J. Agric. Food Chem.*
- Pereira, P.R., Pires, J., and Carvalho, M.B. de (1998). Zirconium Pillared Clays for Carbon Dioxide/Methane Separation. 1. Preparation of Adsorbent Materials and Pure Gas Adsorption. *Langmuir* 14, 4584–4588.
- Pinnavaia, T.J., Tzou, M., Landau, S.D., and Raythatha, R.H. (1984). On the pillaring and delamination of smectite clay catalysts by polyoxo cations of aluminum. *J. Mol. Catal.* 27, 195–212.
- Priyantini, H.R., Sediawan, W.B., Rochmadi, and Prasetyo, I. (2013). Pemodelan Kinetika Adsorpsi Zat Warna Basic Blue 41 dengan Bentonit Terpilar. In Seminar Nasional Kimia Dan Pendidikan Kimia V, (Surakarta: Program Studi Pendidikan Kimia Jurusan PMIPA FKIP UNS), pp. 231–238.
- Reynolds, T.D., and Richards, P.A. (1996). Unit Operations and Processes in Environmental Engineering (Boston: International Thomson Publishing Inc.).



- Rodríguez-Reinoso, F. (2001). Activated Carbon and Adsorption. *Encycl. Mater. Sci. Technol.* 22–34.
- Sakizci, M. (2013). Effect of salt modification and acid activation on ethylene adsorption properties of sepiolite. *Adsorption* 19, 1083–1091.
- Schoonheydt, R.A., Pinnavaia, T.O.M., Lagaly, G., Gangas, N., Kiel, È., and Chemie, È.A. (1999). Pillared clays and pillared layered solids (Technical Report). *Pure Appl. Chem.* 71, 2367–2371.
- Setyad jit, Sukasih, E., and Permana, A.W. (2012). Aplikasi 1-MCP Dapat Memperpanjang Umur Segar Komoditas Hortikultura. *Bul. Teknol. Pascapanen Pertan.* 8, 27–33.
- Sholihati, Abdullah, R., and Suroso (2015). Kajian Penundaan Kematangan Pisang Raja ( Musa paradisiaca Var. Sapientum L.) Melalui Penggunaan Media Penyerap Etilen Kalium Permanganat. *J. Rona Tek. Pertan.* 8, 76–89.
- Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouquerol, J., and Siemieniewska, T. (1985). REPORTING PHYSISORPTION DATA FOR GAS/SOLID SYSTEMS with Special Reference to the Determination of Surface Area and Porosity. *Pure Appl. Chem.*, 57, 603–619.
- Smith, A.W.J., Poulston, S., Rowsell, L., Terry, L.A., and Anderson, J.A. (2009). A new palladium-based ethylene scavenger to control ethylene-induced ripening of climacteric fruit. *Platin. Met. Rev.* 53, 112–122.
- Stern, K.H. (1972). High Temperature Properties and Decomposition of Inorganic Salts Part 3, Nitrates and Nitrites. *J. Phys. Chem. Ref. Data* 1, 747–772.
- Sue-aok, N., Srithanratana, T., Rangsriwatananon, K., and Hengrasmee, S. (2010). Study of ethylene adsorption on zeolite NaY modified with group I metal ions. *Appl. Surf. Sci.* 256, 3997–4002.
- Sukandarrumidi (2009). Bahan Galian Industri (Gadjah Mada University Press).
- Tang, C.-W., Wang, C.-B., and Chien, S.-H. (2008). Characterization of cobalt oxides studied by FT-IR , Raman , TPR and TG-MS. *Thermochim. Acta* 473, 68–73.
- Theodore, L., Dupont, R.R., and Ganesan, K. (2017). Unit Operations in Environmental Engineering (Beverly: Scrivener Publishing).
- Treybal, R.E. (1980). Mass Transfer Operations (Singapore: McGraw-Hill, Inc.).



- Urruchurto, C.M., Carriazo, J.G., Osorio, C., Moreno, S., and Molina, R.A. (2013). Spray-drying for the preparation of Al – Co – Cu pillared clays : A comparison with the conventional hot-drying method. *Powder Technol.* 239, 451–457.
- Utama, M.S. (2001). Penanganan pascapanen buah dan sayuran segar. 1–13.
- Vaughan, D.E.W., Lussier, R.J., and Magee, J.S. (1979). *Pillared Interlayered Clay Materials Useful as Catalysts and Sorbents* (New York: United States Patent).
- Vicente, M.A., Gil, A., and Bergaya, F. (2013). *Pillared clays and clay minerals* (Elsevier Ltd.).
- Vilas-boas, E.V. de B., and Kader, A.A. (2007). Effect of 1-methylcyclopropene (1-MCP) on softening of fresh-cut kiwifruit , mango and persimmon slices. *Postharvest Biol. Technol.* 43, 238–244.
- Wang, K., Yan, X., and Komarneni, S. (2018). CO<sub>2</sub> Adsorption by Several Types of Pillared Montmorillonite Clays. *Appl. Petrochemical Res.* 8, 173–177.
- Wijaya, K. (2010). *Nanomaterial Berlapis dan Berpori: Sintesis, Karakterisasi dan Peranannya sebagai Material Multi Fungsi* (Yogyakarta).
- Wijaya, K., Sugiharto, E., Tahir, I., and Liawati, I. (2004). Synthesis of Iron Oxide-Montmorillonite Composite and Study of Its Structural Stability Againts Sulfuric Acid. *Indones. J. Chem.* 4, 33–42.
- Wills, R.B.H., and Golding, J.B. (2016). *Postharvest: An Introduction to the Physiology and Handling of Fruit and Vegetables* (Sydney: UNSW Press).
- Wills, R.B.H., and Kim, G.H. (1995). Effect of ethylene on postharvest life of strawberries. *Postharvest Biol. Technol.* 6, 249–255.
- Wills, R.B.H., and Warton, M.A. (2004). Efficacy of Potassium Permanganate Impregnated into Alumina Beads to Reduce Atmospheric Ethylene. *J. Amer. Soc. Hort. Sci.* 129, 433–438.
- Yang, R.T. (2003). *Adsorbents: Fundamentals and Applications*.
- Zhao, D., Wang, G., Yang, Y., Guo, X., Wang, Q., and Ren, J. (1993). Preparation and Characterization of Hydroxy-FeAl. *Clays Clay Miner.* 41, 317–327.