



DAFTAR PUSTAKA

- Agadjanian, V. (2005) Fraught with ambivalence: Reproductive intentions and contraceptive choices in a sub-Saharan fertility transition. *Population Research and Policy Review*, 24 (6): 617-645.
- Agha, S. (2010) Intentions to use contraceptives in Pakistan: implications for behavior change campaigns. *BMC public health*, 10 (1): 450.
- Ali, M. M., Park, M. H. & Ngo, T. D. (2014) Levels and determinants of switching following intrauterine device discontinuation in 14 developing countries. *Contraception*, 90 (1): 47-53.
- Arifah, I., Sukamdi, S. & Wilopo, S. A. (2019) Karakteristik akseptor dan pola diskontinuitas kontrasepsi modern: analisis data SDKI 2012. *Proceeding of The URECOL*, 72-79.
- Ariyanti, L., Dasuki, D. & Wilopo, S. A. (2016) Ketersediaan sumber daya kesehatan dan kebutuhan KB tidak terpenuhi (unmet need): analisis tingkat provinsi. *Berita Kedokteran Masyarakat*, 33 (1): 49-54.
- Austin, A. (2015) Unmet contraceptive need among married Nigerian women: an examination of trends and drivers. *Contraception*, 91 (1): 31-38.
- Baird, D., Evers, J., Gemzell-Danielsson, K., Glasier, A., Killick, S., Van Look, P., Vercellini, P., Yildiz, B., Benagiano, G. & Cibula, D. (2012) Family planning 2011: better use of existing methods, new strategies and more informed choices for female contraception. *Human reproduction update*, 18 (6): 670-681.
- Barden-O'fallon, J., Speizer, I. S., Calhoun, L. M. & Corroon, M. (2018) Women's contraceptive discontinuation and switching behavior in urban Senegal, 2010–2015. *BMC women's health*, 18 (1): 35.
- Barden- O'fallon, J., Speizer, I. S., Cálix, J. & Rodriguez, F. (2011) Contraceptive discontinuation among Honduran women who use reversible methods. *Studies in family planning*, 42 (1): 11-20.
- Bertrand, J. T., Hardee, K., Magnani, R. J. & Angle, M. A. (1995) Access, quality of care and medical barriers in family planning programs. *International family planning perspectives*, 64-74.
- Bhat, P. M. & Halli, S. S. (1998) Factors influencing continuation of IUD use in South India: Evidence from a multivariate analysis. *Journal of biosocial science*, 30 (3): 297-319.
- BKKBN (2018) Survey Demografi dan Kesehatan Indonesia 2017.,



- Blanc, A. K., Curtis, S. L. & Croft, T. N. (2002) Monitoring contraceptive continuation: links to fertility outcomes and quality of care. *Studies in family planning*, 33 (2): 127-140.
- Bogale, B., Wondafrash, M., Tilahun, T. & Girma, E. (2011) Married women's decision making power on modern contraceptive use in urban and rural southern Ethiopia. *BMC Public Health*, 11 (1): 342.
- Brahm, U. (2009) *Ragam Metode Kontrasepsi*, Jakarta: EGC.
- Bruce, J. (1990) Fundamental elements of the quality of care: a simple framework. *Studies in family planning*, 21 (2): 61-91.
- Castle, S. & Askew, I. (2015) Contraceptive discontinuation: Reasons challenges and solutions. 2016.
- Chipeta, E. K., Chimwaza, W. & Kalilani-Phiri, L. (2010) Contraceptive knowledge, beliefs and attitudes in rural Malawi: misinformation, misbeliefs and misperceptions. *Malawi Medical Journal*, 22 (2).
- Choi, Y. (2018) Estimates of Side Effects Counseling in Family Planning Using Three Data Sources: Implications for Monitoring and Survey Design. *Studies in family planning*.
- Chola, L., Mcgee, S., Tugendhaft, A., Buchmann, E. & Hofman, K. (2015) Scaling up family planning to reduce maternal and child mortality: the potential costs and benefits of modern contraceptive use in South Africa. *PLoS One*, 10 (6): e0130077.
- Cleland, J., Conde-Agudelo, A., Peterson, H., Ross, J. & Tsui, A. (2012) Contraception and health. *The Lancet*, 380 (9837): 149-156.
- Cooper, D. (2011) *Myles Buku Ajar Bidan Edisi 14*, Jakarta: EGC.
- Curtis, S., Evens, E. & Sambisa, W. (2011) Contraceptive discontinuation and unintended pregnancy: an imperfect relationship. *International perspectives on sexual and reproductive health*, 37 (2): 58.
- Daniels, K., Daugherty, J. D. & Jones, J. (2014) Current contraceptive status among women aged 15-44: United States, 2011-2013.
- Darroch, J. E. (2013) Trends in contraceptive use. *Contraception*, 87 (3): 259-263.
- De Bocanegra, H. T., Chang, R., Howell, M. & Darney, P. (2014) Interpregnancy intervals: impact of postpartum contraceptive effectiveness and coverage. *American journal of obstetrics and gynecology*, 210 (4): 311. e1-311. e8.
- Dehlendorf, C., Fox, E., Sobel, L. & Borrero, S. (2016) Patient-centered contraceptive counseling: evidence to inform practice. *Current Obstetrics and Gynecology Reports*, 5 (1): 55-63.



- Dewi, P. H. C. & Notobroto, H. B. (2015) Rendahnya Keikutsertaan Pengguna Metode Kontrasepsi Jangka Panjang Pada Pasangan Usia Subur. *Biometrika dan Kependudukan*, 3 (1).
- Diedrich, J. T., Zhao, Q., Madden, T., Secura, G. M. & Peipert, J. F. (2015) Three-year continuation of reversible contraception. *American Journal of Obstetrics and Gynecology*, 213 (5): 662.e1-662.e8.
- Ejembi, C. L., Dahiru, T. & Aliyu, A. A. (2015) Contextual factors influencing modern contraceptive use in Nigeria.
- Ensor, T. & Cooper, S. (2004) Overcoming barriers to health service access: influencing the demand side. *Health policy and planning*, 19 (2): 69-79.
- FP2020 (2015) FP2020 Commitment to Action 2014-2015. Washington DC: FP2020.
- Gayathry, D., Moluguri, A., Gurnule, S., Vallepalli, C. & Guthi, V. R. (2019) Satisfaction and discontinuation with the use of family planning methods among eligible couples of rural and urban areas of Karimnagar. *International Journal Of Community Medicine And Public Health*, 6 (4): 1476-1481.
- Gebremariam, A. & Addissie, A. (2014) Intention to use long acting and permanent contraceptive methods and factors affecting it among married women in Adigrat town, Tigray, Northern Ethiopia. *Reproductive health*, 11 (1): 24.
- Gizaw, A. & Regassa, N. (2011) Family planning service utilization in Mojo town, Ethiopia: A population based study. *Journal of Geography and Regional Planning*, 4 (6): 355-363.
- Glasier, A., Scorer, J. & Bigrigg, A. (2008) Attitudes of women in Scotland to contraception: a qualitative study to explore the acceptability of long-acting methods. *BMJ Sexual & Reproductive Health*, 34 (4): 213-217.
- Gobena, T. & Mitiku, W. G. (2015) Use and Factors associated with long acting family planning methods among family planning clients in health facilities of Harari Region, Ethiopia. Doctoral dissertation, Haramaya University
- Gold, J., Burke, E., Cissé, B., Mackay, A., Eva, G. & Hayes, B. (2017) Increasing access to family planning choices through public-sector social franchising: the experience of Marie Stopes International in Mali. *Global Health: Science and Practice*, 5 (2): 286-298.
- Greene, M. E. & Biddlecom, A. E. (2000) Absent and problematic men: Demographic accounts of male reproductive roles. *Population and development review*, 26 (1): 81-115.



- Hameed, W., Azmat, S. K., Ali, M., Sheikh, M. I., Abbas, G., Temmerman, M. & Avan, B. I. (2014) Women's empowerment and contraceptive use: the role of independent versus couples' decision-making, from a lower middle income country perspective. *PloS one*, 9 (8): e104633.
- Hancock, N. L., Stuart, G. S., Tang, J. H., Chibwesha, C. J., Stringer, J. S. A. & Chi, B. H. (2016) Renewing focus on family planning service quality globally. *Contraception and Reproductive Medicine*, 1 (1).
- Handayani, L., Suharmiati, S., Hariastuti, I. & Latifah, C. (2012) Peningkatan Informasi tentang KB: Hak Kesehatan Reproduksi yang perlu Diperhatikan oleh Program Pelayanan Keluarga Berencana. *Buletin Penelitian Sistem Kesehatan*, 15 (3 Jul).
- Haq, S. M. A. & Ahmed, K. J. (2018) Changes in Age at Marriage, Birth Order, and Fertility Preference: A Study on a Flood Prone Area in Bangladesh. *Romanian Journal of Population Studies*, 12 (1): 71-101.
- Hawks, R. M., Mcginn, A. P., Bernstein, P. S. & Tobin, J. N. (2018) Exploring preconception care: Insurance status, race/ethnicity, and health in the pre-pregnancy period. *Maternal and child health journal*, 22 (8): 1103-1110.
- Heffron, R., Donnell, D., Rees, H., Celum, C., Mugo, N., Were, E., De Bruyn, G., Nakku-Joloba, E., Ngure, K. & Kiarie, J. (2012) Use of hormonal contraceptives and risk of HIV-1 transmission: a prospective cohort study. *The Lancet infectious diseases*, 12 (1): 19-26.
- Hofnie, K., Nelumbu, P. N. & Amakali, K. (2017) Information Provided by Nurses to Clients during Family Planning Counselling Sessions and Knowledge of Clients on Chosen Method. *Global Journal of Health Science*, 9 (10): 145.
- Honda, A., McIntyre, D., Hanson, K. & Tangcharoensathien, V. (2016) Strategic purchasing in China, Indonesia and the Philippines. *Manila: World Health Organization Regional Office for the Western Pacific*.
- Hotchkiss, D. R., Godha, D. & Do, M. (2011) Effect of an expansion in private sector provision of contraceptive supplies on horizontal inequity in modern contraceptive use: evidence from Africa and Asia. *International journal for equity in health*, 10 (1): 33.
- Hubacher, D. & Trussell, J. (2015) A definition of modern contraceptive methods. *Contraception*, 92 (5): 420-421.
- Huda, F. A., Robertson, Y., Chowdhuri, S., Sarker, B. K., Reichenbach, L. & Somrongthong, R. (2017) Contraceptive practices among married women of reproductive age in Bangladesh: A review of the evidence. *Reproductive health*, 14 (1): 69.



- Hutchinson, P. L., Do, M. & Agha, S. (2011) Measuring client satisfaction and the quality of family planning services: a comparative analysis of public and private health facilities in Tanzania, Kenya and Ghana. *BMC health services research*, 11 (1): 203.
- Jain, A. K. (2016) Examining progress and equity in information received by women using a modern method in 25 developing countries. *International perspectives on sexual and reproductive health*, 42 (3): 131-140.
- Jain, A. K. & Winfrey, W. (2017) Contribution of contraceptive discontinuation to unintended births in 36 developing countries. *Studies in family planning*, 48 (3): 269-278.
- Kamal, S. M. (2015) Socioeconomic factors associated with contraceptive use and method choice in urban slums of Bangladesh. *Asia Pacific Journal of Public Health*, 27 (2): NP2661-NP2676.
- Kavanaugh, M. L. & Jerman, J. (2018) Contraceptive method use in the United States: trends and characteristics between 2008, 2012 and 2014. *Contraception*, 97 (1): 14-21.
- Keesara, S. R., Juma, P. A. & Harper, C. C. (2015) Why do women choose private over public facilities for family planning services? A qualitative study of post-partum women in an informal urban settlement in Kenya. *BMC health services research*, 15 (1): 335.
- Kesehatan, K. (2014) Pedoman Manajemen Pelayanan Keluarga Berencana. *Jakarta: Kementerian Kesehatan RI*.
- Ketende, C., Gupta, N. & Bessinger, R. (2003) Facility-level reproductive health interventions and contraceptive use in Uganda. *International family planning perspectives*, 130-137.
- King, T. L., Brucker, M. C., Kriebs, J. M. & Fahey, J. O. (2013) *Varney's midwifery, 5th Edition*, Burlington, MA: Jones & Bartlett Learning.
- Ko, I., You, M., Kim, E., Lee, T., Kim, S., Kim, Y., Nam, J. & Lee, H. (2010) Family planning practice and related factors of married women in Ethiopia. *International nursing review*, 57 (3): 377-382.
- Kossler, K., Kuroki, L. M., Allsworth, J. E., Secura, G. M., Roehl, K. A. & Peipert, J. F. (2011) Perceived racial, socioeconomic and gender discrimination and its impact on contraceptive choice. *Contraception*, 84 (3): 273-279.
- Kumar, M. M. (2018) Long-Acting Reversible Contraceptives for Adolescents: More Complex Than "First-Line". *JAMA pediatrics*, 172 (1): 6-7.



- Lakew, Y., Reda, A. A., Tamene, H., Benedict, S. & Deribe, K. (2013) Geographical variation and factors influencing modern contraceptive use among married women in Ethiopia: evidence from a national population based survey. *Reproductive health*, 10 (1): 52.
- Lara-Torre, E., Spotswood, L., Correia, N. & Weiss, P. M. (2011) Intrauterine contraception in adolescents and young women: a descriptive study of use, side effects, and compliance. *Journal of pediatric and adolescent gynecology*, 24 (1): 39-41.
- Madden, T., Secura, G. M., Nease, R. F., Politi, M. C. & Peipert, J. F. (2015) The role of contraceptive attributes in women's contraceptive decision making. *American journal of obstetrics and gynecology*, 213 (1): 46. e1-46. e6.
- Marrone, G., Abdul-Rahman, L., De Coninck, Z. & Johansson, A. (2014) Predictors of contraceptive use among female adolescents in Ghana. *African journal of reproductive health*, 18 (1): 102-109.
- Mbizvo, M. T. & Phillips, S. J. (2014) Family planning: choices and challenges for developing countries. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 28 (6): 931-943.
- Miller, L. & Hughes, J. P. (2003) Continuous combination oral contraceptive pills to eliminate withdrawal bleeding: a randomized trial. *Obstetrics & Gynecology*, 101 (4): 653-661.
- Mozumdar, A., Gautam, V., Gautam, A., Dey, A., Saith, R., Achyut, P., Kumar, A., Aruldas, K., Chakraverty, A. & Agarwal, D. (2019) Choice of contraceptive methods in public and private facilities in rural India. *BMC health services research*, 19 (1): 421.
- Mumah, J. N., Casterline, J. B., Machiyama, K., Wamukoya, M., Kabiru, C. W. & Cleland, J. (2018) Method-Specific Attributes that Influence Choice of Future Contraception Among Married Women in Nairobi's Informal Settlements. *Studies in family planning*, 49 (3): 279-292.
- Najafi-Sharjabad, F., Yahya, S. Z. S., Hejar Abdul Rahman, M. H. & Manaf, R. A. (2013) Barriers of modern contraceptive practices among Asian women: A mini literature review. *Global Journal of health science*, 5 (5): 181.
- Nearns, J. (2009) Health insurance coverage and prescription contraceptive use among young women at risk for unintended pregnancy. *Contraception*, 79 (2): 105-110.
- O'neil, M. E., Peipert, J. F., Zhao, Q., Madden, T. & Secura, G. (2013) Twenty-four-month continuation of reversible contraception. *Obstetrics and gynecology*, 122 (5): 1083.



- Ochako, R., Izugbara, C., Okal, J., Askew, I. & Temmerman, M. (2016) Contraceptive method choice among women in slum and non-slum communities in Nairobi, Kenya. *BMC women's health*, 16 (1): 35.
- Odwe, G., Mumah, J., Obare, F., Wamukoya, M., Machiyama, K., Cleland, J. & Casterline, J. (2019) Factors influencing satisfaction with oral contraceptive pills and injectables among past users in Kenya. *Journal of biosocial science*, 51 (4): 491-504.
- Oesman, H. (2017) Pola Pemakaian Kontrasepsi Dan Pemanfaatan Kartu Badan Penyelengara Jaminan Sosial (Bpjjs) Kesehatan Dalam Pelayanan Keluarga Berencana Di Indonesia. *Indonesian Journal of Reproductive Health*, 8 (1): 15-29.
- Ogbe, C. O. A. & Okezie, C. (2010) Socio-economic determinants of contraceptive use among rural women in Ikwuano Local Government Area of Abia State, Nigeria. *International NGO Journal*, 5 (4): 74-77.
- Okech, T. C., Wawire, N. W. & Mburu, T. K. (2011) Contraceptive use among women of reproductive age in Kenya's city slums.
- Oktriyanto, O. (2016) penyelenggaraan pelayanan keluarga berencana dalam jaminan kesehatan nasional. *Jurnal Ilmu Keluarga & Konsumen*, 9 (2): 77-88.
- Ong, J., Temple-Smith, M., Wong, W. C., Mcnamee, K. & Fairley, C. (2012) Contraception matters: indicators of poor usage of contraception in sexually active women attending family planning clinics in Victoria, Australia. *BMC Public Health*, 12 (1): 1108.
- Pace, L. E., Dusetzina, S. B. & Keating, N. L. (2016) Early impact of the Affordable Care Act on oral contraceptive cost sharing, discontinuation, and nonadherence. *Health Affairs*, 35 (9): 1616-1624.
- Palamuleni, M. E. (2013) Socio-economic and demographic factors affecting contraceptive use in Malawi. *African journal of reproductive health*, 17 (3): 91-104.
- Pisani, E., Olivier Kok, M. & Nugroho, K. (2017) Indonesia's road to universal health coverage: a political journey. *Health policy and planning*, 32 (2): 267-276.
- Polis, C. B., Bradley, S. E., Bankole, A., Onda, T., Croft, T. & Singh, S. (2016) Typical-use contraceptive failure rates in 43 countries with Demographic and Health Survey data: summary of a detailed report. *Contraception*, 94 (1): 11-17.
- Qin, M., Padmadas, S. & Falkingham, J. (2017) Trends and determinants of contraceptive method choice in China. *China Population and Development Studies*, 1 (1).



- Quick, J., Jay, J. & Langer, A. (2014) Improving women's health through universal health coverage. *PLoS medicine*, 11 (1): e1001580.
- Rizali, M. I., Ikhsan, M. & Salmah, A. U. (2016) Faktor yang Berhubungan dengan Pemilihan Metode Kontrasepsi Suntik di Kelurahan Mattoangin Kecamatan Mariso Kota Makassar. *Media Kesehatan Masyarakat Indonesia*, 9 (3): 176-183.
- Rodriguez, J., Abutouk, M., Roque, K. & Sridhar, A. (2016) Personalized contraceptive counseling: helping women make the right choice. *Open access journal of contraception*, 7 89.
- Rusady, M. A. & Kes, M. (2017) Peranan BPJS Kesehatan dalam peningkatan pelayanan kesehatan. *BPJS Kesehatan: Rakerkesnas*.
- Sauer, M. V. (2015) Reproduction at an advanced maternal age and maternal health. *Fertility and sterility*, 103 (5): 1136-1143.
- Schivone, G. B. & Glish, L. L. (2017) Contraceptive counseling for continuation and satisfaction. *Current Opinion in Obstetrics and Gynecology*, 29 (6): 443-448.
- Stanback, J., Steiner, M., Dorflinger, L., Solo, J. & Cates, W. (2015) WHO tiered-effectiveness counseling is rights-based family planning. *Global health: science and practice*, 3 (3): 352-357.
- Steele, F., Curtis, S. L. & Choe, M. (1999) The impact of family planning service provision on contraceptive- use dynamics in Morocco. *Studies in family planning*, 30 (1): 28-42.
- Stuart, J. E., Secura, G. M., Zhao, Q., Pittman, M. E. & Peipert, J. F. (2013) Factors associated with 12-month discontinuation among contraceptive pill, patch, and ring users. *Obstetrics & Gynecology*, 121 (2): 330-336.
- Surjadi, C. & Santi, B. T. (2014) Tantangan Program Kependudukan dan Keluarga Berencana di Indonesia. *Cermin Dunia Kedokteran*, 41 (5): 389-392.
- Teal, S. B. & Sheeder, J. (2012) IUD use in adolescent mothers: retention, failure and reasons for discontinuation. *Contraception*, 85 (3): 270-274.
- Tessema, G. A., Gomersall, J. S., Mahmood, M. A. & Laurence, C. O. (2016) Factors determining quality of care in family planning services in Africa: A systematic review of mixed evidence. *PloS one*, 11 (11): e0165627.
- Teunissen, A. M., Grimm, B. & Roumen, F. J. (2014) Continuation rates of the subdermal contraceptive Implanon® and associated influencing factors. *The European Journal of Contraception & Reproductive Health Care*, 19 (1): 15-21.



- Tolley, E. E., Mckenna, K., Mackenzie, C., Ngabo, F., Munyambanza, E., Arcara, J., Rademacher, K. H. & Lendvay, A. (2014) Preferences for a potential longer-acting injectable contraceptive: perspectives from women, providers, and policy makers in Kenya and Rwanda. *Global Health: Science and Practice*, 2 (2): 182-194.
- Trisnantoro, L., Hendrartini, J., Susilowati, T., Miranti, P. a. D. & Aristianti, V. (2016) A critical analysis of selected healthcare purchasing mechanisms in Indonesia. *Strategic Purchasing in China, Indonesia and the Philippines*, 96.
- Trisnantoro, L., Marthias, T. & Harbianto, D. (2014) Universal health coverage assessment Indonesia. *Report for Global Network for Health Equity (GNHE)*.
- Tumlinson, K., Pence, B. W., Curtis, S. L., Marshall, S. W. & Speizer, I. S. (2015) Quality of care and contraceptive use in Urban Kenya. *International perspectives on sexual and reproductive health*, 41 (2): 69.
- Valdés, P. R., Alarcon, A. M. & Munoz, S. R. (2013) Evaluation of Informed Choice for contraceptive methods among women attending a family planning program: conceptual development; a case study in Chile. *Journal of clinical epidemiology*, 66 (3): 302-307.
- Wang, C. (2012) Trends in contraceptive use and determinants of choice in China: 1980–2010. *Contraception*, 85 (6): 570-579.
- Wang, W., Wang, S., Pullum, T. & Ametepi, P. (2012) How family planning supply and the service environment affect contraceptive use: Findings from four East African countries.
- White, K. O. C. & Westhoff, C. (2011) The effect of pack supply on oral contraceptive pill continuation: a randomized controlled trial. *Obstetrics & Gynecology*, 118 (3): 615-622.
- Who (2016) *WHO Country Cooperation Strategy 2014-2019: Indonesia*: World Health Organization. Regional Office for South-East Asia.
- Wilopo, S. A., Setyawan, A. & Pinandari, A. W. (2016) Indonesia: Levels , Trends and Determinants of Informed Choice in Family Planning in Indonesia. Yogyakarta: Center for Reproductive Health.
- Zimmerman, L., Olson, H., Group, P. P. I., Tsui, A. & Radloff, S. (2017) PMA2020: Rapid Turn- Around Survey Data to Monitor Family Planning Service and Practice in Ten Countries. *Studies in family planning*, 48 (3): 293-303.