

Daftar Pustaka

- Abbas, M., Hadijono, S., Emilia, O., & Hartono, E. (2017). Pengaruh konseling saat persalinan terhadap kepesertaan Keluarga Berencana Pasca Salin di Kabupaten Kolaka. *Jurnal Kesehatan Reproduksi*. No. 2. Vol.4:127-134.
- Adjei, D., Sarfo, J.O., Asiedu, M., & Sarfo, L.A. (2014). Psychological factors affecting contraceptive usage: A Case of Unmet Need in Ghana. *European Scientific Journal*, 10 (15).
- Affandi, Biran, Adriananz, Gunadi, E,R., & Koesno, H. (2011). *Panduan Praktis Pelayanan Kontrasepsi*. Jakarta: Tridasa Printer.
- Ahmed, S., Li, Q., Tsui, A.Q., & Liu, L. (2012). Maternal death averted by contraceptive use: an analisis of 172 countries, *Lancet* 2012;380 (9837): 111-25.
- Allison, M.J., & Keller, C. (2004). Self- efficacy intervention effect on physical activity in older adults. *Western Journal of nursing Research* 26, 31-46.
- American Academy Of Pediatrics & American College of Obstetricians dan Gynecologists. (2012). Pedoman untuk perawatan perinatal; Edisi ke-7. 2012. <http://ebooks.appublications.org/content/guidelines-for-perinatal-care-7th-edition>. Diakses 26 Jan 2016.
- Andari, N.H., Widagdo, L., & Widjanarko, B. (2016). Faktor-faktor yang berhubungan dengan perilaku penggunaan alat kontrasepsi pada Wanita usia subur di Puskesmas Jombang-Kota Tangerang Selatan. *Jurnal Kesehatan Masyarakat (e-Journal)* Volume4, Nomor 1, (ISSN:2356-3346) <http://ejournal-s1.Undip.ac.id/index.php/jkm>.
- Aries, M.L.F., Champion, J.D., & Soto, N.E.S. (2017). Adaption of the contraceptive self –efficacy scale for Heterosexual Mexican Men and Women of reproductive age. Applied Nursing Research. *Journal homepage: www.Elsevier.com/locate/apnr*.
- Asan, A. (2007). *Hak Reproduksi Sebagai Etika Global dan Implementasinya dalam Pelayanan KB/KR di NTT*. BKKBN. NTT.
- Azwar, A. (2005). *Kebijakan dan Strategi Nasional Kesehatan Nasional Kesehatan Reproduksi di Indonesia*. Jakarta: Dirjen Bina Kesehatan Masyarakat.

- Azwar, S. (2012). *Reliabilitas dan Validitas (4th ed)*. Yogyakarta: Pustaka Pelajar.
- Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN). (1998). *Faktor-Faktor Sosial Budaya yang Mempengaruhi Pemakaian Kontrasepsi Mantap Wanita (MOW) dan Kontrasepsi Mantap Pria (MOP) di Jawa Barat dan Nusa Tenggara Barat*. Kerjasama LDUI-PULDU BKKBN. Jakarta.
- Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN). (2005). *Peningkatan Partisipasi Pria dalam KB & KR*. BKKBN. Jakarta.
- Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN). (2011). Partisipasi Pria dalam Keluarga Berencana. Retrived from <http://sulbar.bkkbn.go.id/lists/Artikel/Dispform.aspx?ID=112>.
- Badan Pusat Statistik. (2015). Survei Penduduk Antar Sensus (SUPAS) . Tersedia Index.Php/dasar/Pdf?kd=2&th. Diakses tanggal 27 Januari 2017.
- Bandura, A., & Locke, E. A. (2003). *Negative self-efficacy and goal effects revisited*. *Journal of Applied Psychology*, 88(1), 87-99.
- CDC/ATSDR, (2006). Preconception care work group and select panel on preconception care. MMWR.55 (RR-6).
- Crawford, P.B., Gosliner, W., Strode, P., Samuels, S.E., & Burnett, C., Craypo, L.,...& Yancey, A.K. (2004). Walking the talk: Fit WIC wellness programs improve self-efficacy in Pediatric Obesity Prevention Counseling. *American Journal of Public Health* 9, 1480- 1485.
- Dehne, K.L., & Riedner, G. (2005). Sexually transmitted infections among Adolescent: The need for adequate health services. *World Health Organization and Deutsche Gesellschaft Fuer Technische Zusammenarbeit, Geneva*.
- Dharma, K.K. (2011). *Metodologi Penelitian Keperawatan Panduan Melaksanakan Dan Menerapkan Hasil Penelitian*. Jakarta: Trans Info Media.
- Dewa Ayu, (2014). Faktor pendukung dan penghambat Istri pasangan usia subur dalam penggunaan alat kontrasepsi Implant di Puskesmas Denpasar Utara. Laporan Akhir Penelitian Karya Tulis Ilmiah Fakultas Kedokteran Universitas Udayana Denpasar.
- Dijkstra, A., & Wolde, G.T. (2005). On Going interpretations of accomplishments in smoking cessation: Positive and negative self-efficacy interpretations. *Addictive Behaviors* 30, 219–234.

- Donadiki, E.M., Garcia, R.J., & Velonakia, (2013). Factors related to contraceptive methods among Female higher education Students in Greece. *Journal of Pediatric and adolescent Gynecology*, vol.26, no.6,pp. 334-339.
- Effendi, N. (1998). *Dasar-Dasar Keperawatan Kesehatan Masyarakat*. Jakarta: EGC.
- Elfhag, K., & Rossner, S. (2005). Who succeeds in maintaining weight loss ? A conceptual review of factors associated with weight loss maintenance and weight regain. *Obesity reviews* 6, 67-85.
- Eliason, S., Balden ,F., Quansah, A.G., Graham, H.Y., Bonsu, D., Phiplips, J., & Awusabo, A.K. (2013). Factors influencing the intention of women in rural Ghana to adopt postpartum family planning. *Reproductive Health*, 10(1),34. Doi: 10.1186/1742-4755-10.34.
- Ensor, T., & Cooper, S. (2004). Overcoming barriers to health service access: influencing the demand side. *Health policy plan* 19(2):69-7.
- Faqih, A. (2010). *Kependudukan, Teori dan Masalah*. Yogyakarta: Dee Publish.
- Fienalis, R.A. (2012). Faktor-faktor yang berhubungan dengan kontrasepsi jangka panjang (MKJP) di Wilayah Kerja Puskesmas Pancoran Mas Kota Depok Tahun 2011. Jakarta. Diakses melalui <http://www.google.com/urt>.
- Fitriani, (2016). Peran perempuan dalam penggunaan alat kontrasepsi. *Jurnal Kebudayaan dan Politik*, 29(3):121-132.
- Fitrianingsih & Asti Dewi, R.F. (2016). Faktor penyebab Akseptor KB suntik tidak memilih kontrasepsi jangka panjang (MKJP) di Kecamatan Tambaksari Surabaya. Skripsi Fakultas Kesehatan Masyarakat Universitas Airlangga.
- Frost, J.J., & Darroch, J.E. (2008). *Factors associated with contraceptive choice and inconsistent method use United States, Perspectives on Sexual and Reproductive Health*, 40(2).
- Green, L.W., & Lewin, F.M. (1994). *Measurement and evaluation in health education and health promotion*, California: Mayfield Publishing Company, Palo Alto.

- Gribble, J.N., Murray, N., & Menotti E.P. (2008). Reconsidering childhood undernutrition: can birth spacing make a difference? An analysis of the 2002–2003 El Salvador National Family Health Survey. *Matern Child Nutr* 5(1):49–63. doi:10.1111/j.1740-8709.00158.x
- Gebre, E.D., Medhanyie, A.A., Alemayehu, M., & Tesfay, F.H. (2017). Prefalence and predictore of implanon utilization among women productive age group in Tgray region, Northen Ethiopia. *Reproductive Health*, 11(24).
- Hamidi, O.P., Deimling, T., Lehman, E., Weisman, C., & Chuang, C. (2018). High self efficacy is associated with prescription contraceptive use. *Women Health Issues* 28-6. 509-513.
- Hartanto, (2004). *Keluarga Berencana dan Kontrasepsi*. Jakarta: Pustaka Sinar Harapan.
- Hartanto, (2010). *Keluarga Berencana dan Kontrasepsi*. Jakarta: Pustaka Sinar Harapan.
- Handayani, S. (2010). *Pelayanan Keluarga Berencana*. Yogyakarta: Pustaka Rihama.
- Hung, K.J., Scott, J., Ricciotti, H.A., Johnson, T.R., & Tsai, A.C. (2012). Community-level and individual-level influences of intimate partner violence on birth spacing in sub-Saharan Africa. *Obstet Gynecol* 119(5):975–982. doi:10.1097/AOG.0b013e31824fc9a0.
- Irianto, K. (2014). *Pelayanan Keluarga Berencana Dua Anak Cukup*. Bandung: Alfabeta
- Kementrian Kesehatan RI. (2012). *Pedoman Pelayanan Keluarga Berencana Pasca Persalinan Di Fasilitas Kesehatan*, Jakarta: Kemenkes RI.
- Kementerian Kesehatan RI. (2013). *Pusat Data dan Informasi*. Jakarta Selatan: Kemenkes RI.
- Kementrian Kesehatan RI. (2014). *Pedoman Pelayanan Keluarga Berencana Pasca Persalinan*. Jakarta: Kemenkess RI.
- Ketende, C., Gupta, N., & Bessinger, R. (2003). Facility-level reproductive health interventions and contraceptive use in Uganda. *Int Fam Plan Perspect* 29(3):130–137. doi:10.2307/3181079.

- Kiene, S.M., Sileo, K., Wanyenze, R.K., Lule, H., Bateganya, M.H., Jasperse, J.,...& Nantaba, H., Jayaratne, K. (2013). Barriers to and acceptability of provider-initiated HIV testing and counseling and adopting HIV prevention behaviors in rural Uganda: a qualitative study. *J Health Psychol*. doi:10.1177/1359105313500685.
- Kristen, M., Jeffrey, P., Jennifer, A., Maureen, P. & Collen, R. (2006). Unplanned pregnancy : does past experience influence the use of a contraceptive method? *Obstretics & Gynecology* 107, 121-127.
- Longmore, M.A., Manning, W.D., Giordono, P.c., & Rudolph, J.R. (2003). Contraceptive self efficacy: Does it influence Adolescents contraceptive use? *Journal of Health and Social Behaviour*.
- Lowdermik, D.L., Perry, S.E., Cashion, K., & Alden, K.R. (2016). *Maternity and Women's health care 11th edition*. China: Elsevier.
- Lunenburg, F.C. (2011). Self efficacy in the workplace: Implication for motivation and performance. *International Journal Of Management, Business and Administration* voume 14, Number 1, 2011.
- Law, A., Pilon, D., Lynen, R., Lalibere, F., Gozalo, L., Lefebvre, P., & Duh, M.S. (2016). Retrospective analysis of the impact of increasing access to long acting reversible contraceptives in a commercially insured population, *Reproductive health* , 13 (1). <https://doi.org/10.1186/s12978-016-0211-3>.
- Maghfiroh, A., Budihastuti, U.R., & Nurhaeni, I.D.A. (2019). Path analysis on factors affecting the choice of female surgical contraceptive method in Kendal, Central Java. *Journal of Maternal and Child Health* (2019), 4 (3):146-157..
- Manuaba, IAC., I Bagus, & IB Gde, (2012). *Ilmu Kebidanan, Penyakit Kandungan dan KB untuk Pendidikan Bidan. Edisi Kedua*. Jakarta: EGC.
- Molloy, G.J.H.G. & McGuinness, H. (2012). Adherence to the oral contraceptive pill: a cross sectional of survey of modifiable behavioural determinants. *BMC Public Health*, vol.12, no.1, article 838.
- Muhindo, R., Nankumbi, O. J., Groves, S., & Chenault, M. (2015). Predictor of contraceptive adherence among women seeking family planning services at Reproductive Health Uganda, Mityana Branch. <http://dx.doi.org/10.1155/2015/574329>.

- Melka, A.S., Takelab, T., & Wirtu, D. (2015). Determinants of long acting and permanent contraceptive methods utilization among married women of reproductive age groups in Western Ethiopia:a cross-sectional study. *Pan African Medical Journal*, 21, 1-10. <https://doi.org/10.11604/pamj.21.246.5835>.
- Najafi-Sharjabad, F., Zainiyah Syed Yahya S, Abdul Rahman H, Hanafiah Juni M, & Abdul Manaf, R. (2013). Hambatan praktek kontrasepsi modern di kalangan Wanita Asia: Tinjauan literatur mini. *global j kesehatan sci*. 2013; 5: 181 – 92.
- Nalwadda, G., Mirembe, F., Byamugisha, J., & Faxelid, E. (2010). Persistent high fertility in Uganda: young people recount obstacles and enabling factors to use of contraceptives. *BMC Public Health* 10:530. doi:10.1186/1471-2458-10-530.
- Notoadmodjo, Soekodjo. (2010). *Promosi Kesehatan Teori dan Aplikasi*. Jakarta: Rineka Cipta.
- Okazie, C.A., Oghe, O.A., & Okazie, C.R. (2010). Socio-economic determinants of contraceptive use among rural Women in Ikwuano local government area of Arbia state, Nigeria. *International NGO Journal*. 5 (4), 74-77.
- Okech, T.C., Wawire, N.W., & Mburu, T. (2011). Contraceptive use among women of reproductive age in Kenya’s City Slums. *Int J Bus Soc Sci* 2(1):22–43.
- Palamuleni, (2013). Socio-economic and demographic factor affecting contraceptive use in Malawi. *African Journal of Reproductive Health*, 17 (3), 91-104. *Benn City: Women’s Health and Action Research Centre*.
- Peterson, A.E., Peres-Escamilla, R., Labbok, M.H., Hight, V., Von Heterson, H., Van Look, P. (2000). *Multicenter Study of the Lactational Amenorrhea Method (LAM) III: effectiveness duration and satisfaction with reduced client-provider contact*. *Contraception*: 62:221-30.
- Peyman, N., Hidarnia, A., Ghofranipour, F., Kazemnezhad, A., Oakley, D., Khodae, G., & Aminshokravi, F. (2009). Self - Efficacy: Does it predict the effectiveness of contraceptive use in Iranian Women. *La Revue de Santé de la Méditerranée Orientale*, 15(5), 1254–1262.
- Phelan, S. (2010). Pregnancy: a “teachable moment” for weight control and obesity prevention. *Am J Obstet Gynecol* 202(2): 135.e1–135.e8.

- Pinath, Indraguna, G.N., Megumi, K., & Wether, M. (2010). Desir for more children, contraceptive use and unmeet need for family planning in a remote area of Bali, Indonesia. Diakses Tanggal 12 Juni 2019. <http://search.proquest.com/>.
- Rijsdijk L, Bos A, Lie R, Ruiten R, Leerlooijer J, Kok, G. (2012) Correlates of delayed sexual intercourse and condom use among adolescents in Uganda: a cross-sectional study. *BMC Public Health* 12(1):817. doi:10.1186/1471-2458-12-817.
- Rohmawati, E. (2011). Perbedaan pengetahuan sebelum dan sesudah penyuluhan tentang kontrasepsi Implan (Studi pada WUS di RW IV Desa WonolopoKecamatan Mijen Kota Semarang). <http://jurnal.unimus.ac.id>. Diakses pada 12 juni 2019.
- Romauli, S., & Vindari, A.V. (2011). *Kesehatan Reproduksi Buat Mahasiswa Kebidanan*. Yogyakarta: Tuha Medika.
- Rutstein, S.O. (2011). *Trends in birth spacing. DHS Comparative Reports No. 28. ICF Macro, Calverton, MD.* <http://www.measuredhs.com/pubs/pdf/CR28/CR28.pdf>. Accessed 1 June 2014.
- Rizali, (2013). Faktor yang berhubungan dengan pemilihan metode kontrasepsi Suntik di Kelurahan Mattoangin Kecamatan Mariso Kota Makasar. *Jurnal Kesehatan Masyarakat*. Fakultas Kesehatan Masyarakat Universitas Hasanudin Makasar. Diunduh di <http://media.neliti.com-publicationsnpada> tanggal 03/11/2018.
- Saskara & Marhaeni, (2015). Pengaruh faktor sosial ekonomi dan demografi terhadap penggunaan kontrasepsi di Denpasar. *Jurnal Ekonomi Kuantitatif Terapan*.8(2): 151-121.
- Sekanto, S. (2006). *Sosiologi Suatu Pengantar*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Shiffman, J., & Quissell, K. (2012). Family planning: a Political issue. *Lancet*;380:87.
- Siregar, F. (2003). Pengaruh nilai dan jumlah Anak pada keluarga terhadap Norma Keluarga Kecil Bahagia dan Sejahtera (NKKBS). <http://library.usu.ac.id/modules.php?op=modload&name=Downloads&ndx&req=getit&lid=625>.

- Siregar, M. (2010). Analisis penggunaan alat kontrasepsi Suntik pada Akseptor KB di Kelurahan Harjosari I Kecamatan Medan Amplas Tahun 2010. Skripsi Fakultas Kesehatan Masyarakat. Universitas Sumatera Utara . Medan.
- Siswusudarmo, (2002). *Tehnologi Kontrasepsi*. Yogyakarta: Gadjah Mada University Press.
- Sulaiman, U., Batara, S., Hamzah, W., & Syam, N. (2018). Korelasi *self efficacy* terhadap pemakaian alat kontrasepsi pada pasangan usia subur (PUS) di Kelurahan Tallo kota Makasar. *Wnidow of Health. Jurnal Kesehatan*. Vol.1 No.4 (Oktober 2018).
- Sundari, A., Bhisma, M., & Endang, Sutrisna, (2017). The Influencial factors on counselling effectiveness using Decision-Making Tools in Selecting long-term contraceptive methods in Kendal District. *Journal of Medicine* (2017), 2(1):10-20.
- Survey Demografi dan Kesehatan Indonesia (SDKI), (2012). *Angka Kematian IBU*. Retrived from <http://cnhrl.org/pelatihan-demografi-SDKI.pdf>
- Tommaszewsky, D., Aronson, D.B., Kading, M., & Morisky, D. (2017). Relation between self efficacy and patient knowledge on adherence to oral contraceptives using the Morisky Medication Adherence Scale (MMAS-8). Tomaszewsky et al. *Reproductive Health*.14:110.
- Trussell, J. (2011). *Contraceptive efficacy*. In: Hatcher RA, Trussell J, Nelson AL, Cates W, Kowal D, Policar M, editors. *Contraceptive technology: twentieth revised edition New York (NY): Ardent Media*.
- Wan Yim, I.p., Louise, L.Y., & Chan, D.SK. (2008). Contraceptive self efficacy and contraceptive knowledge of Hongkong Chinese Women with unplanned pregnancy. *Midwery And Women's Health. Journal of Clinical Nursing*, 18, 2416-2425. Doi: 10.1111/j.1365-2702.2009.02829.x
- Wang, R.H., Cheng, C.P. & Chou, F.H. (2008). A causal model of contraceptive intention and its gender comparison among Taiwanese sexually inexperienced Adolescents. *Journal of Clinical Nursing* 17, 930 – 939.
- Warren, C., Mwangi, A., Oweya, E., Kamunya, R., & Koskei, N. (2010). Safe guarding maternal and newborn health: improving the quality of postnatal care in Kenya. *Int J Qual Health Care* 22:24–30. doi: 10.1093/intqhc/mzp050.

- Wawan, A., Dewi, M. (2010). *Teori dan Pengukuran Pengetahuan, Sikap dan perilaku Manusia*. Yogyakarta: Nuha Medika.
- WHO. (2012). Family planning. www.unfa.org. Retrived 2018-03-06.
- Widiastuti. (2011). *Kesehatan Reproduksi*. Yogyakarta: Fitramaya.
- Wiknojosastro, G. (2005). *Panduan Praktis Pelayanan Kontrasepsi*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Wiknjosastro, G.(2007). *Ilmu Kebidanan*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- William, S.P. Cit Peyman, (2009). Self Efficacy: does it the effectiveness of contraceptive use in Iranian Women. *Eastern Mediteranean Health Journal*, Vol. 15, No.5, 2009.
- Yustina, I. (2007). *Pemahaman Keluarga tentang Kesehatan Reproduksi*. Medan: Pustaka Bangsa Press.
- Yee, L.M., Farner, K.C., King. E., & Simon, M.A. (2015). What do Women want? Experiences of low-income Women with postpartum contraception and contraceptive counseling. *J Pregnancy Child Health* 2015 october;2(5):.doi:10.4172/2376-127X.1000191.