

DAFTAR PUSTAKA

- Abdullah, A., Hort, K., Butu, Y. & Simpson, L. (2016) Risk factors associated with neonatal deaths: a matched case–control study in Indonesia. *Global health action*, 9(1): 30445.
- Aday, L. A. & Andersen, R. (1974) A framework for the study of access to medical care. *Health services research*, 9(3): 208.
- Agha, S. & Tappis, H. (2016) The timing of antenatal care initiation and the content of care in Sindh, Pakistan. *BMC pregnancy and childbirth*, 16(1): 190.
- Agha, S. & Williams, E. (2016) Quality of antenatal care and household wealth as determinants of institutional delivery in Pakistan: Results of a cross-sectional household survey. *Reproductive health*, 13(1): 84.
- Agrawal, M. & Bhatnagar, K. (2017) Maternal determinants affecting perinatal mortality: a multivariate statistical approach. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 6(3): 1052-1056.
- Akinyemi, J. O., Bamgboye, E. A. & Ayeni, O. (2015) Trends in neonatal mortality in Nigeria and effects of bio-demographic and maternal characteristics. *BMC pediatrics*, 15(1): 36.
- Akter, T., Dawson, A. & Sibbritt, D. (2017) What impact does antenatal and postnatal care have on neonatal deaths in low-and lower-middle-income countries? Evidence from Bangladesh. *Health care for women international*, 38(8): 848-860.
- Al-Shahethi, A. H., Zaki, R. A., Al-Serouri, A. W. A. & Bulgiba, A. (2019) Maternal, prenatal and traditional practice factors associated with perinatal mortality in Yemen. *Women and Birth*, 32(2): e204-e215.
- Al Kibria, G. M., Burrowes, V., Choudhury, A., Sharmeen, A., Ghosh, S., Mahmud, A. & Angela, K. (2018) Determinants of early neonatal mortality in Afghanistan: an analysis of the Demographic and Health Survey 2015. *Globalization and health*, 14(1): 47.
- Allanson, E. R., Muller, M. & Pattinson, R. C. (2015) Causes of perinatal mortality and associated maternal complications in a South African province: challenges in predicting poor outcomes. *BMC pregnancy and childbirth*, 15(1): 37.
- Alhabe, F., Moore, J. L., Gibbons, L., Berrueta, M., Goudar, S. S., Chomba, E., Derman, R. J., Patel, A., Saleem, S. & Pasha, O. (2015) Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. *Reproductive health*, 12(2): S8.
- Arunda, M., Emmelin, A. & Asamoah, B. O. (2017) Effectiveness of antenatal care services in reducing neonatal mortality in Kenya: analysis of national survey data. *Global health action*, 10(1): 1328796.

- Bai, J., Wong, F. W., Bauman, A. & Mohsin, M. (2002) Parity and pregnancy outcomes. *American journal of obstetrics and gynecology*, 186(2): 274-278.
- BPS (2017a) Laporan Survei Demografi Kesehatan Indonesia 2017. In: Berencana, B. K. d. K. (ed.). Jakarta.
- BPS (2017b) *Laporan Survei Demografi Kesehatan Indonesia 2017*, Jakarta:Kementerian Kesehatan RI.
- Conde-Agudelo, A., Rosas-Bermúdez, A. & Kafury-Goeta, A. C. (2006) Birth spacing and risk of adverse perinatal outcomes: a meta-analysis. *Jama*, 295(15): 1809-1823.
- De Lange, T. E., Budde, M. P., Heard, A. R., Tucker, G., Kennare, R. & Dekker, G. A. (2008) Avoidable risk factors in perinatal deaths: a perinatal audit in South Australia. *Australian and New Zealand journal of obstetrics and gynaecology*, 48(1): 50-57.
- Doku, D. T. & Neupane, S. (2017) Survival analysis of the association between antenatal care attendance and neonatal mortality in 57 low-and middle-income countries. *International journal of epidemiology*, 46(5): 1668-1677.
- Edmond, K. M., Quigley, M. A., Zandoh, C., Danso, S., Hurt, C., Agyei, S. O. & Kirkwood, B. R. (2008) Aetiology of stillbirths and neonatal deaths in rural Ghana: implications for health programming in developing countries. *Paediatric and perinatal epidemiology*, 22(5): 430-437.
- Essén, B., Bödker, B., Sjöberg, N. O., Langhoff-Roos, J., Greisen, G., Gudmundsson, S. & Östergren, P. O. (2002) Are some perinatal deaths in immigrant groups linked to suboptimal perinatal care services? *BJOG: an International Journal of Obstetrics & Gynaecology*, 109(6): 677-682.
- Falle, T. Y., Mullany, L. C., Thatte, N., Khattry, S. K., LeClerq, S. C., Darmstadt, G. L., Katz, J. & Tielsch, J. M. (2009) Potential role of traditional birth attendants in neonatal healthcare in rural southern Nepal. *Journal of health, population, and nutrition*, 27(1): 53.
- Fink, G., Ross, R. & Hill, K. (2015) Institutional deliveries weakly associated with improved neonatal survival in developing countries: evidence from 192 Demographic and Health Surveys. *International journal of epidemiology*, 44(6): 1879-1888.
- Flenady, V., Koopmans, L., Middleton, P., Frøen, J. F., Smith, G. C., Gibbons, K., Coory, M., Gordon, A., Ellwood, D. & McIntyre, H. D. (2011) Major risk factors for stillbirth in high-income countries: a systematic review and meta-analysis. *The lancet*, 377(9774): 1331-1340.
- Gizaw, M., Molla, M. & Mekonnen, W. (2014) Trends and risk factors for neonatal mortality in Butajira District, South Central Ethiopia,(1987-2008): a prospective cohort study. *BMC pregnancy and childbirth*, 14(1): 64.

- Gupta, S., Yamada, G., Mpembeni, R., Frumence, G., Callaghan-Koru, J. A., Stevenson, R., Brandes, N. & Baqui, A. H. (2014) Factors associated with four or more antenatal care visits and its decline among pregnant women in Tanzania between 1999 and 2010. *PloS one*, 9(7): e101893.
- Hong, R. & Ruiz-Beltran, M. (2007) Impact of prenatal care on infant survival in Bangladesh. *Maternal and child health journal*, 11(2): 199-206.
- Kamal, S. M. (2015) What is the association between maternal age and neonatal mortality? An analysis of the 2007 Bangladesh Demographic and Health Survey. *Asia Pacific Journal of Public Health*, 27(2): NP1106-NP1117.
- Kananura, R. M., Tetui, M., Mutebi, A., Bua, J. N., Waiswa, P., Kiwanuka, S. N., Ekirapa-Kiracho, E. & Makumbi, F. (2016) The neonatal mortality and its determinants in rural communities of Eastern Uganda. *Reproductive health*, 13(1): 13.
- Kementerian Kesehatan RI (2017) Profil Kesehatan Indonesia 2016. Jakarta: Kementerian Kesehatan RI.
- Kozuki, N., Sonneveldt, E. & Walker, N. (2013) Residual confounding explains the association between high parity and child mortality. *BMC public health*, 13(3): S5.
- Lawn, J. E., Blencowe, H., Oza, S., You, D., Lee, A. C., Waiswa, P., Lalli, M., Bhutta, Z., Barros, A. J. & Christian, P. (2014) Every Newborn: progress, priorities, and potential beyond survival. *The Lancet*, 384(9938): 189-205.
- Lawn, J. E., Blencowe, H., Waiswa, P., Amouzou, A., Mathers, C., Hogan, D., Flenady, V., Frøen, J. F., Qureshi, Z. U. & Calderwood, C. (2016) Stillbirths: rates, risk factors, and acceleration towards 2030. *The Lancet*, 387(10018): 587-603.
- Målqvist, M., Hoa, D. P. T., Persson, L.-Å. & Selling, K. E. (2015) Effect of facilitation of local stakeholder groups on equity in neonatal survival; results from the NeoKIP trial in Northern Vietnam. *PloS one*, 10(12): e0145510.
- Mosley, W. H. & Chen, L. C. (1984) An analytical framework for the study of child survival in developing countries. *Population and development review*, 10(0): 25-45.
- Neal, S. E. & Matthews, Z. (2013) Investigating the role of health care at birth on inequalities in neonatal survival: evidence from Bangladesh. *International journal for equity in health*, 12(1): 17.
- Racape, J., Schoenborn, C., Sow, M., Alexander, S. & De Spiegelaere, M. (2016) Are all immigrant mothers really at risk of low birth weight and perinatal mortality? The crucial role of socio-economic status. *BMC pregnancy and childbirth*, 16(1): 75.
- Rai, C., Kharka, L. V., Dutta, S. & Kumar, N. (2018) A retrospective analysis of the risk factors leading to perinatal mortality at a tertiary care hospital of

Sikkim, India. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 7(6): 2295-2298.

- Selemani, M., Mwanyangala, M. A., Mrema, S., Shamte, A., Kajungu, D., Mkopi, A., Mahande, M. J. & Nathan, R. (2014) The effect of mother's age and other related factors on neonatal survival associated with first and second birth in rural, Tanzania: evidence from Ifakara health and demographic surveillance system in rural Tanzania. *BMC pregnancy and childbirth*, 14(1): 240.
- Sinha, S., Aggarwal, A. R., Osmond, C., Fall, C. H., Bhargava, S. K. & Sachdev, H. S. (2016) Maternal age at childbirth and perinatal and under-five mortality in a prospective birth cohort from Delhi. *Indian pediatrics*, 53(10): 871-877.
- Villar, J., Bergsjö, P., Carroli, G. & Gulmezoglu, M. (2003) The WHO new antenatal care model: the way forward. *Acta obstetrica et gynecologica Scandinavica*, 82(11): 1065-1066.
- Vogel, J. P., Habib, N. A., Souza, J. P., Gülmezoglu, A. M., Dowswell, T., Carroli, G., Baaqeel, H. S., Lumbiganon, P., Piaggio, G. & Oladapo, O. T. (2013) Antenatal care packages with reduced visits and perinatal mortality: a secondary analysis of the WHO Antenatal Care Trial. *Reproductive health*, 10(1): 19.
- World Health Organization (2006) Neonatal and perinatal mortality: country, regional and global estimates. Geneva, Switzerland.
- World Health Organization (2015) Pregnancy, childbirth, postpartum and newborn care: a guide for essential practice. Geneva, Switzerland.
- World Health Organization (2016) WHO Recommendations on Antenatal Care For a Positive Pregnancy Experience. . Geneva, Switzerland.