

## DAFTAR PUSTAKA

- [1] H. Du, C. Zhang, Q. Ye, W. Xu, P. L. Kibenge, and K. Yao, "A Hybrid Outdoor Localization Scheme With High-Position Accuracy and Low-Power Consumption," *Eurasip J. Wirel. Commun. Netw.*, vol. 2018, no. 1, 2018.
- [2] J. Wang, J. Luo, S. J. Pan, and A. Sun, "Learning-based outdoor localization exploiting crowd-labeled WiFi hotspots," *IEEE Trans. Mob. Comput.*, vol. 18, no. 4, pp. 896–909, 2019.
- [3] W. Choi, Y. Chang, Y. Jung, and J. Song, "Low-Power LoRa Signal-Based Outdoor Positioning Using Fingerprint Algorithm," pp. 1–15, 2018.
- [4] H. Sallouha, A. Chiumento, and S. Pollin, "Localization in Long-range Ultra Narrow Band IoT Networks using RSSI."
- [5] H. X. Jian and W. Hao, "WIFI Indoor Location Optimization Method Based on Position Fingerprint Algorithm," *Proc. - ICSGEA 2017*, no. 3, pp. 585–588, 2017.
- [6] S. Wielandt *et al.*, "2.4 GHz Single Anchor Node Indoor Localization System With Angle of Arrival Fingerprinting," *2017 Wirel. Days*, pp. 152–154, 2017.
- [7] N. Pirzada, M. Y. Nayan, F. Subhan, A. Abro, M. F. Hassan, and H. Sakidin, "WLAN Location Fingerprinting Technique for Device-free Indoor Localization System," *Wirel. Pers. Commun.*, pp. 650–655, 2016.
- [8] G. H. Yi, G. W. Bin Djaswadi, M. H. Bin Md Khir, and N. Ramli, "An Adaptive Wi-Fi Trilateration-Based Indoor Localization," *Int. Conf. Intell. Adv. Syst. ICIAS 2018*, 2018.
- [9] G. Pecoraro, S. Di Domenico, E. Cianca, and M. De Sanctis, "CSI-based fingerprinting for indoor localization using LTE Signals," *EURASIP J. Adv. Signal Process.*, vol. 2018, no. 1, 2018.
- [10] J. Zhang, G. Han, N. Sun, and L. Shu, "Path-loss-based fingerprint localization approach for location-based services in indoor environments," *IEEE Access*, vol. 5, pp. 13756–13769, 2017.
- [11] P. Cherntanomwong, "Indoor Localization System using Wireless Sensor Networks for Stationary and Moving Target," no. December, 2011.
- [12] J. Yang and Y. Chen, "Indoor Localization Using Improved RSS-Based Lateration Methods.pdf," *IEEE GLOBECOM*, vol. 4, 2009.
- [13] H. Sallouha, A. Chiumento, and S. Pollin, "Localization in Long-range Ultra Narrow Band IoT Networks using RSSI," *2017 IEEE Int. Conf. Commun.*, pp. 1–6, 2017.
- [14] J. Vallet, O. Kaltiokallio, M. Myrsky, J. Saarinen, and M. Bocca, "Simultaneous RSS-based Localization and Model Calibration in Wireless Networks With a Mobile Robot," *Procedia Comput. Sci.*, vol. 10, pp. 1106–1113, 2012.
- [15] Z. Nadir and M. I. Ahmad, "Pathloss Determination Using Okumura-Hata Model And Cubic Regression For Missing Data For Oman," *Lect. Notes Eng. Comput. Sci.*, vol. II, no. 1, pp. 17–20, 2010.
- [16] M. Shechekotov, "Indoor Localization Methods Based on Wi-Fi Lateration and Signal Strength Data Collection," *Conf. Open Innov. Assoc. Fruct*, vol.

- 2015-June, no. June, pp. 186–191, 2015.
- [17] S. He and S. H. G. Chan, “Wi-Fi fingerprint-based indoor positioning: Recent advances and comparisons,” *IEEE Communications Surveys and Tutorials*, vol. 18, no. 1, 2016.
  - [18] J. Luo and L. Fu, “A Smartphone Indoor Localization Algorithm Based on WLAN Location Fingerprinting with Feature,” *Sensors (Switzerland)*, vol. 17, no. 2, 2017.
  - [19] Q. D. Vo and P. De, “A Survey of Fingerprint-Based Outdoor Localization,” *IEEE Commun. Surv. Tutorials*, vol. 18, no. 1, pp. 491–506, 2016.
  - [20] S. Yiu, M. Dashti, H. Claussen, and F. Perez-Cruz, “Wireless RSSI fingerprinting localization,” *Signal Processing*, vol. 131, pp. 235–244, 2017.
  - [21] *Jukka Talvitie Algorithms and Methods for Received Signal Strength Based Wireless Localization*. 2016.
  - [22] T. S. Priya, S. P. N. Pillay, M. Saargunawathy, and D. Madhavan, “An Investigation on the Use of ITU-R P . 1411-7 in IEEE 802 . 11N Path Loss Modelling,” *Prog. Electromagn. Res. Lett.*, vol. 50, no. October, pp. 91–98, 2014.
  - [23] R. B. International Telecommunications Union, “Propagation data and prediction methods for the planning of indoor radiocommunication systems and radio local area networks in the frequency range 300 MHz to 100 GHz Recommendation, I.-R. (2015). Propagation data and prediction methods for the planning of,” “*Recommendation ITU- R P.1411-7: Propagation data and prediction methods for the planning of short-range outdoor radiocommunication systems and radio local area networks in the frequency range 300MHz to 100 GHz*. 2013.
  - [24] D. Halliday, R. Resnick, and J. Walker, *Fundamentals of Physics*. 2017.
  - [25] DITJEN POSTEL, “Penataan Spektrum Frekuensi Radio Layanan Akses Pita Lebar Berbasis Nirkabel ( Broadband Wireless Access / Bwa ),” *DEPKOMINFO*, 2006.
  - [26] DITJEN POSTEL, “Penyelenggaraan Layanan Akses Broadband Menggunakan Spektrum Frekuensi Broadband Wireless Access (Bwa) Dan Dalam Rangka Seleksi Penyelenggara Telekomunikasi Layanan Akses Pita Lebar Nirkabel (Bwa) Pada Pita Frekuensi Radio 2,3 GHz Dan 3,3 GHz,” *DEPKOMINFO*, 2008.
  - [27] Menteri Perhubungan Republik Indonesia, *Penggunaan Pita Frekuensi 2400-2483.5 MHz*. Indonesia, Indonesia, 2005.
  - [28] J. D. Kraus, *Antennas*, Internatio. McGraw-Hill, 1988.
  - [29] “2.4 GHz Omni directional WiFi Antennas,” *L-com Glocal Connectivity*, 2011. [Online]. Available: <http://www.l-com.com/content/Article.aspx?Type=N&ID=9763>. [Accessed: 01-Apr-2019].
  - [30] SAF Tehnika, “An Introduction to Microwave Radio Link Design.” pp. 4–5, 2002.
  - [31] M. F. Young, “Planning a Microwave Radio Link.” Falls Church, VA, pp. 2–7, 2003.
  - [32] J. Bardwill, *Converting Signal Strength Percentage to dBm Values*, no. November. WildPackets, Inc, 2002.

- [33] D-Link, "Wireless LAN Calculator," *D-Link*. D-Link, 2007.
- [34] K. R. Patel and R. Kulkarni, "Indoor Radio Propagation Model Analysis Wireless Node Distance and Free Space Path Loss Measurements and Using Ultra-wideband ( UWB ) Technology," *J. Eng. Res. Appl.*, vol. 5, no. 6, pp. 20–32, 2015.
- [35] S. K. Rakesh, N., & Srivatsa, "A Study on Path Loss Analysis for GSM Mobile Networks for Urban, Rural and Suburban Regions of Karnataka State.," *Int. J. Distrib. Parallel Syst. (IJ DPS)*, vol. 4, no. 1, p. 14, 2013.
- [36] W. Debus, "RF Path Loss & Transmission Distance Calculations," *Axonnn, LLC*. Axonn, LLC, pp. 1–5, 2006.
- [37] C. Suganthini, S. Saranya, and V. S. Sowmiya, "Prevention of battery life depletion from Wireless Ad-Hoc Sensor Networks using Signal Strength," *Int. J. Comput. Sci. Inf. Technol.*, vol. 5, no. 2, pp. 1540–1544, 2014.
- [38] T. S. Rappaport, *Wireless Communications : Principles and Practise*, 2nd ed. Prentice Hall, 2002.
- [39] F. Imansyah *et al.*, "Analisis simulasi pengaruh uji kuat sinyal wifi dari bahan-bahan obstacle 1,2,3)." *IEEE Trans. Wirel. Commun.*, vol. 5, no. 12, pp. 3626–3633, 2006.
- [40] X. Li, "RSS-based location estimation with unknown pathloss model," *IEEE Trans. Wirel. Commun.*, vol. 5, no. 12, pp. 3626–3633, 2006.
- [41] C. Evrendilek and H. Akcan, "On the complexity of trilateration with noisy range measurements," *IEEE Commun. Lett.*, vol. 15, no. 10, pp. 1097–1099, 2011.
- [42] D. E. Manolakis, "Efficient solution and performance analysis of 3-D position estimation by trilateration," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 32, no. 4, pp. 1239–1248, 1996.
- [43] S. Honickman and H. Staras, "The Accuracy of Vehicle Location by Trilateration in a Dense Urban Environment," *IEEE Trans. Veh. Technol.*, vol. 21, no. 1, pp. 38–43, 1972.
- [44] Z. Yang and Y. Liu, "Quality of trilateration: Confidence-based iterative localization," *IEEE Trans. Parallel Distrib. Syst.*, vol. 21, no. 5, pp. 631–640, 2010.
- [45] T. S. Rappaport, *Wireless Communications : Principles and Practise*, 2nd ed. Prentice Hall, 2002.
- [46] J. S. Seybold, *Introduction to RF Propagation*. Hoboken, New Jersey: Wiley & Sons Inc., 2005.
- [47] L. Bruno, P. Addesso, and R. Restaino, "Indoor Positioning in Wireless Local Area Networks with Online Path-Loss Parameter Estimation," *Sci. World J.*, vol. 2014, pp. 1–12, 2014.
- [48] Google Inc, "WifiInfo," *Google Inc*. [Online]. Available: <https://developer.android.com/reference/android/net/wifi/WifiInfo.html>. [Accessed: 20-Jun-2016].
- [49] Microsoft Inc., "WifiAvailableNetwork Class." [Online]. Available: <https://msdn.microsoft.com/en-us/library/windows/apps/windows.devices.wifi.wifiavailablenetwork>. [Accessed: 20-Jun-2016].
- [50] T. Pavani, G. Costa, M. Mazzotti, A. Conti, and D. Dardari, "Experimental Results on Indoor Localization Techniques through Wireless Sensors

- Network,” *2006 IEEE 63rd Veh. Technol. Conf.*, vol. 2, no. c, pp. 663–667, 2006.
- [51] C. Fitting, R. Linier, R. Eksponensial, and R. Polynomial, “Regresi Curve Fitting : Kasus 1,” pp. 1–18.
  - [52] J. S. Armstrong, “Illusions in regression analysis,” *International Journal of Forecasting*, vol. 28, no. 3, pp. 689–694, 2012.
  - [53] D. Freedman, *Statistical Models: Theory and Practice*. Cambridge University Press, 2009.
  - [54] Hanafi, “Aplikasi Pemantauan Keberadaan Lokasi Dan Kecepatan Pada Kendaraan Dengan Menggunakan Teknologi Mobile Data Dan Gps Dengan Digitalisasi Peta,” *J. Teknol.*, vol. 8, pp. 143–150, 2015.
  - [55] Rianandra, Arsali, and A. A. Bama, “Studi Perbandingan Penentuan Posisi Geografis Berdasarkan Pengukuran dengan GPS ( Global Positioning System), Peta Google Earth, dan Navigasi.Net,” *J. Penelit. Sains Mipa UNSRI*, vol. 17, pp. 82–90, 2015.
  - [56] M. Sharma, “Location Tracking using Google Geolocation API,” *Int. J. Sci. Technol. Eng.*, vol. 1, no. 11, pp. 29–32, 2015.
  - [57] Sutiyo, R. Hidayat, I. W. Mustika, and Sunarno, “Wireless Fingerprinting Technique for Outdoor Access Point Distance Estimation System,” in *The 12th SEATUC Symposium Engineering Education and Research for Sustainable Development*, 2018, pp. 265–268.