

DAFTAR PUSTAKA

- Acharya, D., Singh K, J., Kadel, R., Yoo, S.-J., Park, J.-H., & Lee, K. (2018). Maternal Factors and Utilization of the Antenatal Care Services during Pregnancy Associated with Low Birth Weight in Rural Nepal : Analyses of the Antenatal Care and Birth Weight Records of the. *International Journal of Environmental Research and Public Health Article*, 1–14. <https://doi.org/10.3390/ijerph15112450>
- Adanri, O. A. (2018). Maternal health literacy, antenatal care, and pregnancy outcomes in Lagos, Nigeria., 78(10–B(E)), No Pagination Specified-No Pagination Specified.
- Ahmed, S., Hassen, K., & Wakayo, T. (2018). A health facility based case-control study on determinants of low birth weight in Dasse town , Northeast Ethiopia : the role of nutritional factors, 1–10.
- Akbarinejad, F., Soleymani, M. R., & Shahrzadi, L. (2017). The relationship between media literacy and health literacy among pregnant women in health centers of Isfahan. <https://doi.org/10.4103/2277-9531.204749>
- Al-shorbaji, N., Borycki, E. M., Kimura, M., Lehmann, C. U., Dawidowski, A. R., Gonzalez, F., & Quiros, B. De. (2017). Discussion of “ Representation of People ’ s Decisions in Health Infor- mation Systems : A Complementary Approach for Understanding Health Care Systems and Population Health ”, 20–29.
- Alwan, N., Siddiqi, K., Thomson, H., Lane, J., & Cameron, I. (2010). Can a community-based ‘ smoke-free homes ’ intervention persuade families to apply smoking restrictions at homes ?, 33(1), 48–54. <https://doi.org/10.1093/pubmed/fdq073>
- Andriani, H., & Kuo, H. (2014). Adverse effects of parental smoking during pregnancy in urban and rural areas, 1–15. <https://doi.org/10.1186/s12884-014-0414-y>
- Anhar, V. Y., Prabandari, Y. S., & Padmawati, R. S. (2018). Intensi Perilaku Asertif Ibu Hamil Terhadap Perilaku Merokok di Rumah. *Universitas Gadjah Mada*.
- Azhar, B. S., Islam, K. S., Ferdouse, A., & Afrin, S. (2014). Maternal Obstetric and Morbidity Factors in Relation to Infant Birth Weight, 2, 539–547.
- Bachok, N., & Omar, S. (2014). The Effect of Second-Hand Smoke Exposure during Pregnancy on the Newborn Weight in Malaysia, (5).
- Badan Pusat Statistik Kabupaten Lombok Utara. (2018). *Statistik Kesejahteraan Rakyat Kabupaten Lombok Utara Tahun 2018*.
- Badan Pusat Statistik Lombok Utara. (2018). *Statistik Daerah Kabupaten Lombok Utara Tahun 2018*. Kabupaten Lombok Utara. <https://doi.org/1101002.5208>

- Badan Pusat Statistik Provinsi Nusa Tenggara Barat. (2017). *Provinsi Nusa Tenggara Barat dalam Angka 2017*.
- Badan Pusat Statistik Kabupaten Lombok Utara. (2017). *Indikator Kesejahteraan Rakyat Kabupaten Lombok Utara Tahun 2017*.
- BKKBN.(2006). *Deteksi Dini Komplikasi Persalinan*. Jakarta: BKKBN
- Carrara, V. I., Hogan, C., Pree, C. De, Nosten, F., & Mcgready, R. (2011). Improved pregnancy outcome in refugees and migrants despite low literacy on the Thai-Burmese border : results of three cross-sectional surveys.
- Dalstrom, M. (2019). Medicaid , motherhood , and the challenges of having a healthy pregnancy amidst changing social networks. *Women and Birth*. <https://doi.org/10.1016/j.wombi.2019.06.010>
- Das, A., & Sarkar, M. (2014). Pregnancy-related health information-seeking behaviors among rural pregnant women in India: Validating the Wilson Model in the Indian context. *Yale Journal of Biology and Medicine*, 87(3), 251–262.
- Dinas Kesehatan Kabupaten Lombok Utara. (2017). *Profil Kesehatan 2016*. Lombok Utara.
- Dinas Kesehatan Provinsi Nusa Tenggara Barat. (2017). *Provinsi Nusa Tenggara Barat Tahun 2017*.
- Domple, V. K., Doibale, M. K., & Rajput, P. S. (2019). Assessment of maternal risk factors associated with low birth weight neonates at a tertiary hospital , Nanded , Maharashtra Abstract Background : Materials and Methods : Results : Conclusion :, 1–6.
- Drope, J., Schluger, N. W., Cahn, Z., Drope, J., Hamil, S., Islami, F., ... Stoklosa, M. (2018). *The Tobacco Atlas*.
- Dubey, M., Rout, A. J., Ram, R., Saha, J. B., Chakraborty, M., & Biswas, N. (2015). Relationship between low birth weight of babies and antenatal care of mothers : A cross sectional study at a tertiary care hospital of Kishanganj , Bihar, 4(6).
- Etrawati, F., Utama, F., Epidemiologi, D., Universitas, F. K. M., Promosi, D., & Fkm, K. (2014). Studi Intervensi Kawasan Tanpa Rokok pada Tingkat Rumah Tangga Interventional Study of Non-Smoking Area at Household Level, 375–381.
- Grimes, H. A., Lecturer, M., Forster, D. A., App, D., Nurs, S., Nurs, B., ... Nursing, S. (2014). Sources of information used by women during pregnancy to meet their information needs. *Midwifery*, 30(1), e26–e33. <https://doi.org/10.1016/j.midw.2013.10.007>
- Gujjula, S., Reddy, T. M., Naramishilu, S., Reddy, K. K., & Reddy, K. S. (2017). Prevalence and Correlates of Low Birth Weight in Chittoor District of Andhra Pradesh, India. *Obstetrics & Gynecology International Journal*, 7(1),

1–5. <https://doi.org/10.15406/ogij.2017.07.00233>

- Haftu, A., Hagos, H., Mehari, M. A. B., & Brhane, G. (2018). Pregnant women adherence level to antenatal care visit and its effect on perinatal outcome among mothers in Tigray Public Health institutions , 2017 : cohort study. *BMC Research Notes*, 1–6. <https://doi.org/10.1186/s13104-018-3987-0>
- Hamid, N. Z. A. (2017). Knowledge , Attitude and Behavior in Avoiding Secondhand Smoke (SHS) Exposure Among Non-Smoking People London Journals Press. *London Journals Press*, 17(3).
- Inoue, S., Naruse, H., Yorifuji, T., Kato, T., Murakoshi, T., & Doi, H. (2016). Association between Short Maternal Height and Low Birth Weight : A Hospital-based Study in Japan, 353–359.
- Jayasinghe, U. W., Harris, M. F., Parker, S. M., Litt, J., van Driel, M., Mazza, D., ... Taylor, R. (2016). The impact of health literacy and life style risk factors on health-related quality of life of Australian patients. *Health and Quality of Life Outcomes*, 14(1), 68. <https://doi.org/10.1186/s12955-016-0471-1>
- Kemenkes RI. (2013). *Riset Kesehatan Dasar*. Jakarta: Kementrian Kesehatan RI
- Kemenkes RI. (2016). *Profil Kesehatan Indonesia Tahun 2015*. Kementrian Kesehatan RI.
- Khorasani, E. C., Peyman, N., & Esmaily, H. (2017). Measuring Maternal Health Literacy in Pregnant Women Referred to the Healthcare Centers of Mashhad , Iran , in 2015, (10). <https://doi.org/10.22038/JMRH.2017.9613>
- Kilfoyle, K. A., Conor, R. O., Bailey, S. C., & Vitko, M. (2016). Health Literacy and Women ' s Reproductive Health :, 25(12). <https://doi.org/10.1089/jwh.2016.5810>
- Kosim S.M, Yunanto A, Dewi R, Gatot IS, Usman A. (2008). *Buku Ajar Neonatologi*. Jakarta: IDAI
- Lazuras, L., Zlatev, M., Rodafinos, A., & Eiser, J. R. (2012). Smokers ' compliance with smoke-free policies , and non-smokers ' assertiveness for smoke-free air in the workplace : a study from the Balkans, 769–775. <https://doi.org/10.1007/s00038-012-0338-0>
- Lemeshow, S., Jr, Hosmer, W.D., Lwanga, K.S., & Klar, J. (1997). *Adequacy of Sample Size in Health Studies*. University of Massachusetts and World Health Organization. Terjemahan: Universitas Gadjah Mada Yogyakarta.
- Lin, P., Huang, H., Lu, K., Chen, T., Lin, W., Lee, C., & Hsu, H. (2010). Second-hand smoke exposure and the factors associated with avoidance behavior among the mothers of pre-school children : a school-based cross-sectional study.
- Liu, Y., Liu, L., Li, Y., & Chen, Y. (2015). Relationship between Health Literacy , Health-Related Behaviors and Health Status : A Survey of Elderly Chinese, 9714–9725. <https://doi.org/10.3390/ijerph120809714>

- Lori, J. R., Dahlem, C. H. Y., Ackah, J. V, Adanu, R. M. K., Reduction, R., Arbor, A., ... Hospital, M. D. (2015). Examining Antenatal Health Literacy in Ghana, *46*(6), 432–440. <https://doi.org/10.1111/jnu.12094>. Examining
- Mackert, M., Guadagno, M., Lazard, A., Donovan, E., Rochlen, A., Garcia, A., & Damásio, M. J. (2017). Engaging Men in Prenatal Health Promotion : A Pilot Evaluation of Targeted e-Health Content. <https://doi.org/10.1177/1557988316679562>
- Manuaba.(2010). Ilmu Kebidanan, Kandungan dan KB. Jakarta: EGC.
- Mohammed, S., Bonsing, I., Yakubu, I., & Wondong, W. P. (2019). Maternal obstetric and socio-demographic determinants of low birth weight : a retrospective cross-sectional study in Ghana, 1–8.
- Monirujjaman Md, Azhar S.B, Islam S.K, Ferdouse A, Afrin S & Hossain S.Md.(2014). Maternal Obstetric and Morbidity Factors in Relation to Infant Birth Weight. *Scholars Journal of Applied Medical Science (SJAMS)*, 2014; 2 (2A):539-547.
- Mumbare, S. S., Maindarkar, G., Darade, R., Yenge, S., Tolani, M. K., & Patole, K. (2012). Maternal Risk Factors Associated with Term Low Birth Weight Neonates : A Matched-Pair Case Control Study. *Indian Pediatrics, Volume 49*.
- Niu, Z., Xie, C., Wen, X., Tian, F., Yuan, S., Jia, D., & Chen, W.-Q. (2016). Potential pathways by which maternal second-hand smoke exposure during pregnancy causes full-term low birth weight. *Scientific Reports*, 6(1), 24987. <https://doi.org/10.1038/srep24987>
- Nutbeam, D. (2015). Defining , measuring and improving health literacy, (MAY).
- Nutbeam, D. (2017). Health literacy as a population strategy for health promotion. *Japanese Society of Health Education and Promotion*.
- Nutbeam, D., McGill, B., & Premkumar, P. (2017). Improving health literacy in community populations : a review of progress, (November), 1–11. <https://doi.org/10.1093/heapro/dax015>
- Paasche-orlow, M. K., Wolf, M. S., Paasche-orlow, M. K., & Profes-, A. (2007). Literacy to Health Outcomes. *Am J Health Behav.*, 19–26.
- Paneru D.P, Naik A.V, Nilgar R.B, Mallapur D. M. (2014). Obstetric Risk Factors for Low Birth Weight amongst Full Term Babies Born at a Tertiary Care Hospital of Belgaum District, South India. *Natl J Community Med* 2014; 5(1): 81-84.
- Pantiawati, I. (2010). Bayi dengan BBLR (Berat Badan Lahir Rendah). Yogyakarta: Nuha Medika
- Poels, M., Stel, H. F. Van, Franx, A., Koster, M. P. H., Poels, M., Stel, H. F. Van, ... Koster, M. P. H. (2018). The effect of a local promotional campaign on preconceptional lifestyle changes and the use of preconception care. *The*

European Journal of Contraception & Reproductive Health Care, 0(0), 38–44. <https://doi.org/10.1080/13625187.2018.1426744>

- Prawirohardjo S. (2009). *Ilmu Kebidanan*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Proverawati, Ismawati. (2010). *BBLR, Berat Badan Lahir Rendah*. Yogyakarta: Nuha Medika.
- Quinlan, P., Price, K. O., Magid, S. K., Lyman, S., Mandl, L. A., & Stone, P. W. (2013). The Relationship Among Health Literacy , Health Knowledge , and Adherence to Treatment in Patients with Rheumatoid Arthritis, 42–49. <https://doi.org/10.1007/s11420-012-9308-6>
- Rahim, F. K., Suksaroj, T., & Jayasvasti, I. (2016). Social Determinant of Health of Adult Smoking Behavior : Differences between Urban and Rural Areas in Determinan Sosial Kesehatan Perilaku Merokok pada Orang Dewasa : Perbedaan antara Wilayah Pedesaan dan Perkotaan di Indonesia, 11(2), 51–55. <https://doi.org/10.21109/kesmas.v11i2.1237>
- Razazi, R., Aliha, J. M., Amin, A., Taghavi, S., Ghadrdoost, B., & Naderi, N. (2018). The Relationship between Health Literacy and Knowledge about Heart Failure with Recurrent Admission of Heart Failure Patients. <https://doi.org/10.4103/rcm.rcm>
- Restrepo-méndez, M. C., Lawlor, D. A., Horta, B. L., Matijasevich, A., Santos, I. S., Menezes, A. M. B., ... Victora, G. (2015). The Association of Maternal Age with Birthweight and Gestational Age : A Cross-Cohort Comparison, 31–40. <https://doi.org/10.1111/ppe.12162>
- Saito, J., Tabuchi, T., Shibnuma, A., Yasuoka, J., Nakamura, M., & Jimba, M. (2019). ‘ Only Fathers Smoking ’ Contributes the Most to Socioeconomic Inequalities : Changes in Socioeconomic Inequalities in Infants ’ Exposure to Second Hand Smoke over Time in Japan, 1–9.
- Smith, S. A., & Carroll, L. N. (2017). Data-driven maternal health literacy promotion and a postscript on its implications. *Health Literacy: New Directions in Research, Theory and Practice*, 37, 144–165. <https://doi.org/10.3233/978-1-61499-790-0-144>
- Singh, A. (2015). Factors Effecting Exposure To Second-Hand Smoke In India With Special Focus On The Role Of Knowledge Of Health Hazard Of Tobacco. *International Journal of Humanities and Social Sciences (IJHSS)*.
- Solhi, M., Abbasi, K., Ebadi, F., & Azar, F. (2019). Effect of Health Literacy Education on Self- Care in Pregnant Women : A Randomized Controlled Clinical Trial Original Article, 7(1), 2–12.
- Sørensen, K., Broucke, S. Van Den, Fullam, J., Doyle, G., & Pelikan, J. (2012). Health literacy and public health : A systematic review and integration of definitions and models. *BMC Public Health*, 12(1), 80. <https://doi.org/10.1186/1471-2458-12-80>

- Sørensen, K., Broucke, S. Van Den, Pelikan, J. M., Fullam, J., Doyle, G., Slonska, Z., ... Brand, H. (2013). Measuring health literacy in populations : illuminating the design and development process of the European Health Literacy Survey Questionnaire (HLS-EU-Q).
- Squiers, L., Peinado, S., Berkman, N., Boudewyns, V., Squiers, L., Peinado, S., ... Cormack, L. M. (2012). The Health Literacy Skills Framework The Health Literacy Skills Framework, 0730. <https://doi.org/10.1080/10810730.2012.713442>
- Steiner, M. K. (2017). Impact of Beginnings Pregnancy Guides on Maternal Health Literacy among Medicaid Patients in Group Prenatal Care, 1–44. Retrieved from https://www.scms.edu.in/uploads/journal/articles/article_12.pdf
- Steward, D., Vidrine, J. I., Shete, S., Spears, C., Cano, M., Correa-Fernández, V., ... McNeill, L. (2016). Health literacy, smoking, and health indicators in African American adults, 20(0 2), 24–33. <https://doi.org/10.1080/10810730.2015.1066465>.Health
- Stylianou-riga, P., Kouis, P., Kinni, P., Rigas, A., & Papadouri, T. (2018). Maternal socioeconomic factors and the risk of premature birth and low birth weight in Cyprus : a case – control study, 1–8.
- Sumarmi, S., Airlangga, U., & Mulyorejo, C. C. (2016). Maternal Short Stature and Neonatal Stunting : an Inter-Generational, 265–272.
- Sutan, R., Mohamed, N., Tamil, M., & Yusof, A. (2016). Women ’ s Health & Gynecology Scient Open Access A Case Control Study on Maternal Health-Seeking Behavior at Pre- Pregnancy Stage among Mothers with Low Birth Weight Babies, 2(7).
- Svensson, P., Carlzén, K., & Agardh, A. (2017). Exposure to culturally sensitive sexual health information and impact on health literacy : a qualitative study among newly arrived refugee women in Sweden. *Culture, Health & Sexuality*, 1058, 1–15. <https://doi.org/10.1080/13691058.2016.1259503>
- Syed, W., & Kamathi, V. C. (2012). Maternal short stature: A risk factor for low birth weight in neonates. *Journal of Medical & Allied Sciences*, 2(2), 62–65.
- Sykes, Wills, J., Popple, K., & Rowlands, G. (2013). Understanding critical health literacy : a concept analysis.
- Uche, G., Iloh, P., & Collins, P. I. (2017). Awareness of health effects of exposure to secondhand smoke from cigarettes : A cross - sectional study of never - smoked adult primary care patients in Eastern Nigeria.
- UNICEF. (2011). Undernourishment in the Womb Can Lead to Diminished Potential and Predispose Infants to Early Death. Diakses dari <http://data.unicef.org/topic/nutrition/low-birthweight/#> pada 7 November 2017 pukul 19.30.
- Vir, S. C. (2016). Review Article Improving women ’ s nutrition imperative for

rapid reduction of childhood stunting in South Asia : coupling of nutrition specific interventions with nutrition sensitive measures essential, 12, 72–90.
<https://doi.org/10.1111/mcn.12255>

Wahabi, H. A., Mandil, A. A., Alzeidan, R. A., Bahnassy, A. A., & Fayed, A. A. (2013). The independent effects of second hand smoke exposure and maternal body mass index on the anthropometric measurements of the newborn. *BMC Public Health*, 13(1), 1058. <https://doi.org/10.1186/1471-2458-13-1058>

Wakefield, M. A., Loken, B., & Hornik, R. C. (2014). Use of mass media campaigns to change health behaviour. *National Institutes of Health*, 376(9748), 1261–1271. [https://doi.org/10.1016/S0140-6736\(10\)60809-4](https://doi.org/10.1016/S0140-6736(10)60809-4). Use

Ward, P. R., & Regan, A. (2017). Applying Precision Public Health to Prevent Preterm Birth, 5(April), 1–16. <https://doi.org/10.3389/fpubh.2017.00066>

World Health Organization. Global targets 2025. To improve maternal, infant and young child nutrition.

World Health Organization. (2015). Health in 2015: from MDGs to SDGs SDG Health and Health-Related Targets. Geneva: World Health Organization.

World Health Organization. (2016). WHO recommendation on antenatal care for a positive pregnancy experience. Geneva: World Health Organization.

Wright, S. C., Biya, T. T., & Chokwe, M. E. (2014). The effectiveness of a pregnancy leaflet to promote health in Tshwane, South Africa. *Health SA Gesondheid*, 19(1), 1–7. <https://doi.org/10.4102/hsag.v19i1.764>

Yadegari, L., Dolatian, M., Mahmoodi, Z., Shahsavari, S., & Sharifi, N. (2017). The Relationship Between Socioeconomic Factors and Food Security in Pregnant Women, 18(1), 1–6. <https://doi.org/10.17795/semj41483>. Research

Yu, S., Duan, Z., Redmon, P. B., Eriksen, M. P., & Koplan, J. P. (2017). mHealth Intervention is Effective in Creating Smoke-Free Homes for Newborns : A Randomized Controlled Trial Study in China. *Scientific Reports*, (July), 1–9. <https://doi.org/10.1038/s41598-017-08922-x>

Zamawe, C. O. F., Banda, M., & Dube, A. N. (2016). The impact of a community driven mass media campaign on the utilisation of maternal health care services in rural Malawi. *BMC Pregnancy and Childbirth*, 1–8. <https://doi.org/10.1186/s12884-016-0816-0>

Zhou, H., Wang, A., Huang, X., Guo, S., Yang, Y., Martin, K., ... Id, Y. W. (2019). Quality antenatal care protects against low birth weight in 42 poor counties of Western China, 1–14.