

DAFTAR PUSTAKA

- Ao, B., Zhang, Z., Tang, T., and Zhao Y., 2015, Role of Cu concentration in the photocatalyst activities of Cu-doped TiO₂ from GGA+U calculation, *Solid State Commun.*, 204, 23-27.
- Avif, N.A., 2017, Sintesis Nanokomposit Fe₃O₄/SiO₂/TiO₂-Ag dan Uji Aktivitasnya Sebagai Fotokatalis untuk Reduksi ion Cr (VI), *Tesis*, FMIPA UGM, Yogyakarta.
- Banisarif, A., Elahi, S.H., Firooz, A.A., Khodadi, A.A., and Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalyst for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9, 193-202.
- Bashiri, R., Mohamed, N.M., Kait, C.F., and Sufian, S., 2015, Hydrogen Production from Water photosplitting using Cu/TiO₂ nanoparticles: Effect of hydrolysis rate and reaction medium, *Int. J. HydrogN., Energy*.40.6021-6037.
- Chen, Z., and Fu, L.M., 2018, Recyclable magnetic Fe₃O₄@SiO₂/β-NaYF₄:Yb³⁺,Tm³⁺/TiO₂ composites with NIR enhanced photocatalytic activity, *Mat. Research. Bullet.*, 107, 194-203.
- Chen, X., and Mao, S., 2010, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modification, and Applications, *Chem. Rev.*, 7, 2891-2959.
- Cheng, J.P., Ma, R., Li, M., Wu, J.S., Liu, F., and Zhang, X.B., 2012, Anatase Nanocrystal Coating on silica-coated magnetite: role polyacrylic acid treatment and its photocatalytic properties, *J. Chem. Eng.*, 210, 80-86.
- Choi, J., Park, H., and Hoffman, M.R., 2009, Effect of Single Metal-Ion Doping on the Visible-Light Photo-Reactivity of TiO₂, *J. Phys. Chem. C*. 17-56.
- Di Paola, A., Garcia-lopez, E., Marci, G., and Palmisano, L., 2012, A survey of Photocatalytic Materials For Environmental Remediation, *J. Hazard Mater.*, 211-212, 3-29.
- Fan, Y., Ma, C., Li, W. and Yin, Y., 2012, Synthesis and Properties of Fe₃O₄/SiO₂/TiO₂ Nanocomposite by Hydrothermal Synthetic Method, *Mater. Sci. Semicond. Process.*, 15(2012), 582-585.
- Farmany, A., Mortazavia, S.S., and Mahdavi, H., 2016, Ultrasound-Assisted Synthesis of Fe₃O₄ Core/Shell with Enhanced Adsorption Capacity for Diazene Removal, *J.Magn. Magn. Meter.*, 416:75-80.

- Firnando, H.G., dan Astuti, 2015, Pengaruh Suhu pada Proses Sonikasi Terhadap Morfologi Partikel dan kristalinitas nanopartikel Fe₃O₄, *Jurnal Fisika Unand.*, 4(1),1-5.
- Fu, R., Jin, X., Liang, J., Zheng, W., Zhuang, J., and Yang, W., 2011, Preparation of nearly monodispersed Fe₃O₄/SiO₂ composite particles from aggregates of Fe₃O₄ nanoparticles, *J. Mater. Chem.*, 21, 15352-15356
- Fujishima, A., and Nakata, K., 2012 TiO₂ Photocatalysis: Design dan Applications, *J. Photochem. Photobiol*, 13 (3), 169 –189.
- Gupta, S.M., and Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chin. Sci. Bull.*, 16(56), 1639-1657.
- Hamadani, M., Vanani, R.A., and Majedi, A., 2010, Synthesis, Characterization And Effect of Caltinaiton Temperature on Phase Transformation and Photocatalytic Activity of Cu, S-Codoped TiO₂ Nanoparticeles, *Appl. Surf. Sci* 256, 1873-1844.
- Hoffman, M.R., Martin, S.T., Choi, W., and Bahneman, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Huang, X., Li, X., Pan, B., Li, H., Zhang, Y., and Xie, B., 2015, Self-enhanced ozonation of benzoic acid at acidic pHs, *Water Res*, 73, 9-16.
- Jindo, K., Mizumoto, H., Sawada, Y., Sanchez-Monodero, M.A., and Sonoki, T., 2014, Physical and Chemical Characterization of Biochar Derived from Different Agricultural Residues, *Bio-Geosci.*, 11, 6613-3321.
- Jiang, L., and Zhang, Z., 2016, Efficient transfer hydrogenation of nitro compounds over a magnetic palladium catalyst, *Int. J. Hydrogen Energy*, 41, 22983–22990.
- Kebir, M., Boudjemaa, A., and Bachari, K., 2015 Enhanchement photo-catalytic degradation of benzoic acid using the heterosystem NiCO₂/ZnO, *Mater. Sci. Semicond. Procesing*, 39, 300-307.
- Khaki, D. R.M., Shafeeyan, S. M., Raman, A. A. A., Daud, and W. A. M. W., 2018, Evaluating the efficiency of nano-sized Cu doped TiO₂/ZnO photocatalyst under visible light irradiation, *J. Mol. Liq*, 258, 354-365.
- Kumar, A., Khan, M., Zeng, X., and Lo, I.M.C., 2018, Development of g-C₃N₄/TiO₂/Fe₃O₄@SiO₂ heterojunction via sol-gel route: A magnetically recyclable direct contact Z-scheme nanophotocatalyst for enhanced photocatalytic removal of ibuprofen from real sewage effluent under visible light, *Chem. Eng. J.*, 353, 645–656.

- Kunarti, E. S., Roto, R., and Pradipta, A.R., 2017, Fe₃O₄/SiO₂/TiO₂ core-shell nanoparticles as catalyst for Ag(I) ions, *Orien. J. Chem.*, 33, 1933-1940.
- Latif, A.H.M., and Yahya, L.F., 2015, Prepatration and Characterization of New Magnetic Montmorillonite Clay Mineral by Intercalation of Iron Oxides in West Iraqi Layered Bentonite, *Chem Mater. Res.*, 7(8), 55-62.
- Li Y., Yi, H., Tamg, X., Liu, X., Wang, Y., and Zhao, S., 2016, Study on the performance of simultaneous desulfurization and denitrification of Fe₃O₄-TiO₂ composites, *Chem. Eng. J.*, 304, 89-97.
- Linsebigler, A.L., Lu, G., and Yates, J.T., 1995. Photocatalysis on TiO₂ surfaces: Principles, mechanisms, and selected results. *Chem Rev.* vol 95, no 3: 735-758.
- Liu, J., Zuo, S., Yu, L., Yu, Y., Li, B., and Chen, P., 2013, Visible light photodegradation of methylene blue by AgBr-TiO₂/SiO₂@Fe₃O₄ magnetic photocatalysts, *Particulogy.*, 11, 728-731.
- Liu, N., Ding, L., Li, H., Jia, M., Zhang, W., An, N., and Yuan, X., 2017, N-doped nanoporous carbon as efficient catalyst: Thermocatalytic and photochatalytic elimination of thr poisonous nitrobenzene derivates form wastewater under natural condition, *J. Alloys Compd.*, 695, 60-69.
- Mahy, J.G., Lambert, S.D., Leonard, G.L., Zubiaur, A., Olu, P., Mahmoud, A., Boschini, A., and Heinrichs, B., 2016, Toward a Large Scale Aqueous Sol-gel Synthesis of TiO₂: Study of Various Metallic Dopings for the Photocatalytic Degradation of *p*-nitrophenol, *J. Photoch. Photobio. A: Chem.*, 329, 189-202.
- Malengraux, C.M., Pirard, S.L., Bartlet, J. R., and Heinrichs, B., 2014, Kinetic Study of 4-Nitrophenol Photocatalytic Degradation Over a Zn²⁺ Doped TiO₂ Catalyst Prepared Through An Enviromentally Friendly Aqueous Sol-Gel Process, *Chem. Eng. J.*, 245, 180-190.
- Mohite, V. V., Ganbavle, V. V., Patil V. V., and Rajpure, K.Y., 2016, Photoelectrocatalytic degradation of benzoic acid using immobilized tungsten trioxide photocatalyst, *Mat. Chem. Phys.*, 183, 439-446.
- Mussawa M. M., 2016, Preparasi Nanokomposit Fe₃O₄/SiO₂/TiO₂-Cu sebagai Fotokatalis untuk Degradasi Metilena Biru (MB) di Bawah Radiasi Sinar Tampak, *Tesis*, FMIPA UGM, Yogyakarta.

- Nasikhudin, Diantoro, M., Kusummatmaja, A., and Triyana, K., 2018, Study on Photocatalytic Properties of TiO_2 Nanoparticle in Various pH Condition, *J. Phys: Conf.Ser.* 1011 012069
- Okube, M., Yasue, T. and Sasaki, Sasaki, S., 2012, Crystal structure of magnetite in the origin at center, *J. Synchrotron Rad.*, 19, 759-767.
- Ramadhan, M., Pradipta, A. R., and Kunarti, E. S., 2017, Synthesis of $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2\text{-Co}$ nanocomposite as model of photocatayst with magnetic properties, *Mater. Sci. Forum*, 901, 14-19.
- Riyanto, A., Listiawati, D., Suharyadi, E., dan Abraha, K., 2012, Analisis Struktur Kristal dan sifat Magnetik pada Nanopartikel Magnetik (Fe_3O_4) sebagai Bahan Aktif Biosensor *Surface Plasmon Resonance* (SPR), *Pros. Pertem. Ilm. XXVI HFI*, 203–207, 14 april, Purworejo.
- Segne, T.A., Tirukkovalluri, R.S., and Challapalli, S., 2011, Studies on Characterization and Photocatalytic Activities of Visible Light Sensitive TiO_2 Nano Catalysts Co-doped with Magnesium and Copper *Int. Res. J. Pure Appl. Chem.*,1(3): 84-103.
- Shi, G.Y., Mao, Y.F., Ren, G.Z., Gong, L.J., and Zhi, Z.G., 2014, Synthesis and photolysis of $\text{NaYF}_4@\text{SiO}_2/\text{TiO}_2$ core-shell nanocomposites, *Opt. Commun.*, 332, 219–222.
- Shinde, S.S, Shinde, P.S., Bhosale, C.H., and Rajpure, K.Y., 2011, Zinc oxide mediated heterogenous photocatalytic degradation of organic species under solar radiation, *J. of Photochem. Photobiol.*,104, 425–433.
- Sreethawong, T., and Yoshikawa, S., 2005. Comparative investigation on photocatalytic hydrogen evolution over Cu-, Pd-, and Au-loaded mesoporous TiO_2 photocatalysts. *Catal. Commun*, 6(10), 661–668.
- Susanti, A.D., 2014. Sintesis nanopartikel core shell $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ sebagai fotokatalis pada degradasi Brilliant Blue, *Tesis*, Magister Program, Chemistry Department, Faculty of Mathematics and Natural Science, Universitas Gadjah Mada, Yogyakarta.
- Teixeira, S., Mora, H., Blasse, M.L Martins, P.M., Carabineiro, S.A.C., Méndez, L.S., Kühn, K., and Cuniberti. G., 2017, Photocatalytic degradation of recalcitrant micropollutants by reusable $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ particles, *J. Photochem. Photobio.*, 345, 27-35.
- Vedha, H. B. N., Kumar P. S., and Devi D.R., 2011, Comparative In-vitro Anthelmintic Activity of The Latex of *Ficus religinosa*, *Ficus elastica*, and *Ficus bengalensis*, *J. Phytol*, 3 (3), 26-30.

- Wang, R., Wang, X., Xi, X., Hu, R., and Jiang, G., 2012, Preparation and Photocatalytic Activity of Magnetic Fe₃O₄/SiO₂/TiO₂ Composite, *J. Mater. Sci. Chem. Eng.*, 409379, 1-8.
- Wang, J., Zhou, J., Li, Z., Liu, Qi., and Yang, P., 2010, Design of Magnetic and Fluorescent Mg-Al Layered Double Hydroxide by Introducing Fe₃O₄ Magnetic Nanoparticles and Eu³⁺ Ions for Interaction of Glycine, *Mater. Res. Bull.*, 45, 640-645.
- Wei, Y., Han, B., Hu, X., Lin, Y., Wang, X., and Deng, X., 2011, Synthesis of Fe₃O₄ nanoparticles and their magnetic properties, *Proc. Eng.*, 27, 632-637.
- Yu, X., Liu, S. and Yu, J., 2011, Superparamagnetic gamma-Fe₂O₃@SiO₂@TiO₂ Composite Microspheres with Superior Photocatalytic Properties, *Appl. Catal. B: Environ.*, 104(2011), 12-20
- Zhang, S., Zhang, Y., Liu, J., Xu, Q., Xu, H., Wang, X., and Xu, H., 2013, Thiol Modified Fe₃O₄@SiO₂ as a robust, high effective, and recycling magnetic sorbent for mercury removal, *Chem. Eng. J.*, 226, 30-38.
- Zhou, X.-T., Ji, H.-B., and Huang, X.-J. (2012). Photocatalytic Degradation of Methyl Orange over Metalloporphyrins Supported on TiO₂ Degussa P25. *Molecules.*, 17(2), 1149–1158.