

REFERENCES

- ACI. (2008). *Building Code Requirements for Structural Concrete (ACI 318-02)* . Farmington Hills: American Concrete Institute.
- Awaludin , A., Firmanti, A., Muslikh, Theodarmo, H., & Astuti, D. (2017). Wood Frame Floor Model of LVL Paraserianthes Falctaria. *Sustainable Civil Engineering Structures and Construction Materials 2016* (pp. 113-120). Denpasar: Elsevier.
- Awaludin, A. (2005). *Dasar-dasar Perencanaan Sambungan Kayu*. Yogyakarta: Biro Penerbit Keluarga Mahasiswa Teknik Sipil UGM.
- Awaludin, A., Irawati, I. S., & Sulhan, M. A. (2019). Two-dimensional finite element analysis of the flexural resistance of LVL Sengon non-prismatic beams. *Case Studies in Construction Materials*, 1-12.
- Awaludin, A., Shahidan, S., Basuki, A., Zuki, S. S., & Nazri, F. M. (2018). Laminated Veneer Lumber (LVL) Sengon : An Innovative Sustainable Building Material in Indonesia. *International Journal of Integrated Engineering Vol.10 No.1*, 17-22.
- AWC. (2012). *National Design Specification for Wood Construction* (2012 ed.). Leesburg: American Wood Council.
- Bathe, K. J. (1996). *Finite Element Procedures*. New Jersey: Prentice Hall.
- BSN. (2013). *SNI 1727:2013 Beban Minimum untuk Perancangan Bangunan Gedung dan struktur Lain*. Jakarta: Badan Standarisasi Nasional.
- D.Yeoh, M. Fragiacommo, B.Deam. (2011). Experimental Behaviour of LVL-Concrete Composite Floor Beams at Strength Limit State. *Engineering Structure* 33, 2697-2707.
- Dias, A. M. (2005). *Mechanical Behavior of Timber-Concrete Joint, Ph.D Thesis*. Delft : Universiteit Delft.
- Dias, A. M., Martins, A. R., Simoes, L. M., Providencia, P. M., & Andrade, A. A. (2015). Statistical Analysis of Timber–Concrete Connections – Mechanical Properties. *Computers and Structure* 155, 67-84.

- Du, K., Sun, J., & Xu, W. (2012). Evaluation of Section and Fiber Integration Point in Fiber Model. *15th World Conference on Earthquake Engineering* (pp. 9789-9796). New York: Curran Associates, Inc.
- Eratodi, I., & Awaludin, A. (2107). Bending Capacity of Non-Prismatic LVL Beams *Paraserianthes falctaria*. 1361369.
- Gorst, N. J., Williamson, S. J., Pallet, P. F., & Clark, L. A. (2003). *Friction in Temporary Work*. Birmingham: Health and Safety Executive.
- Hassanieh, A., Valipour, H. R., Bradford, M. A., & Sandhaas, C. (2017). Modelling of steel-timber composite connections: Validation of finite element model and parametric study. *Engineering Structures* 138, 35-49.
- Haukaas, T. (2017). Beam on Elastic Foundation. Lecture Notes. Columbia: University of British Columbia.
- Izzi, M., Rinaldin, G., & Fragiaco, M. (2016). Numerical Modelling of Steel to Timber Joints and Connectors for CLT Structures. *World Conference on Timber Engineering 2016*. Austria: WTCE.
- Jelusic, P., & Kravanja, S. (2017). Optimal Design of Timber-Concrete Composite Floors Based on the Multi-parametric MINLP Optimization. *Composite Structure* 179, 285-293.
- Khorsandnia, N., Valipour, H. R., & Crews, K. (2012). Experimental and Analytical Investigation of Short-Term Behaviour of LVL-Concrete Connection and Beams. *Construction and Building Materials* , 37, 229-238.
- Krisnawati, H., Varis, E., Kallio, M., & Kanninen, M. (2011). *Paraserienthes falctaria (L.) Nielsen : Ecology, silviculture, and productivity*. Bogor: CIFOR.
- Laboratory, F. P. (2010). *Wood Handbook-Wood as an Eneineering Material.General Technical Report FPL-GTR-190*. Madison: United States Department of Agriculture.

- Marwala, T. (2010). *Finite-element-model Updating Using Computational Intelligence Techniques. Applications to Structural Dynamics*. London: Springer.
- Meghlat, E. M., Oudjene, M., Aider, H. A., & Batoz, J. L. (2013). A New Approach to Model Nailed and Screwed Timber Joints using the Finite Element Method. *Construction and Building Materials* 41, 263-269.
- Nishiyama, N., & Ando, N. (2003). Analysis of Load-Slip Characteristics of Nailed Wood Joints: Application of a Two-Dimensional Geometric Nonlinear Analysis. *Journal of Wood Science* 49, 505-512.
- Oudjene, M., Meghlat, E. M., Ait-Aider, H., & Batoz, J. L. (2013). Non-linear Finite Element Modelling of the Structural Behaviour of Screwed Timber-to-Concrete Composite Connections. *Composite Structure* 102, 20-28.
- Oudjene, M., Meghlat, E. M., Ait-Aider, H., Lardeur, P., Khelifa, M., & Batoz, J. L. (2018). Finite element modelling of the nonlinear load-slip behaviour of full-scale timber-to-concrete composite T-shaped beams. *Composite Structure*, 196, 117-126.
- Porteous, J., & Kermany, A. (2007). *Structural Timber Design to Eurocode 5*. Victoria: Blackwell Science Ltd.
- Rao, G. A., & Arora, J. (2013). Strength and Modes of Failure of Adhesive Anchors in Confined Concrete Under Direct Tensile Load. *VIII International Conference on Fracture Mechanics of Concrete and Concrete Structures*, (pp. 1-11). Toledo, Spanyol.
- Suhendro, B. (2000). *Metode Elemen Hingga dan Aplikasinya*. Yogyakarta: Departemen Teknik Sipil dan Lingkungan UGM.
- Suriani, E. (2012). *Perilaku Sambungan Komposit Kayu-beton Dengan Alat Sambung Sekrup Kunci Terhadap Beban Lateral* (Tesis ed.). Yogyakarta: Departemen Teknik Sipil dan Lingkungan UGM.

- Tajnik, M., Dobrila, P., & Pemrov, M. (2007). Analysis of Composite T Beam Composed of Timber, Concrete, and Carbon Strip. *WSEAS Transaction on Applied and Theoretical Mechanical*, 2(9), 177-186.
- Thelandersson, S., Larson, H. J., Johansson, C. J., Isaksson, T., Lam, F., Prion, H., . . . Prion, H. G. (2003). *Timber Engineering*. Chichester: John Wiley & Sons Ltd.
- Tjondro, J. A., Budianto, H., & Aryakusuma, W. (2011). The Flexural Strength and Rigidity of Albasia Nail-Laminated Beam. *Civil Engineering Forum Vol XX/1*, 1211-1218.
- Wrigger, P. (2008). *Non-Linear Finite Element Methods*. Hannover: Springer.
- Yost, J. R., Dinehart, D. W., Gross, S. P., Pote, J. J., & Gargan, B. (2004). Strength and Design of Open Web Steel Joist with Crimped-End Member. *Journal of Structural Engineering*, 715-724.