



DAFTAR PUSTAKA

- Abdelbar, O.H., 2017, "Histological analysis of the developmental stages of direct somatic embryogenesis induced from *in vitro* leaf explants of date palm, *Methods Mol. Biol.*, 1637. 145-162.
- Abass, M.H., Al-Utbi, S.D., & Al-Samir, E.A.R.H., 2017, "Genotoxicity assessment of high concentrations of 2,4-D, NAA and dicamba on date palm callus (*Phoenix dactylifera* L.) using protein profile and RAPD markers", *J. Genet. Eng. Biotechnol.*, 15(1). 287-295.
- Abdelaleem, K.G., 2015, "In vitro organogenesis of (*Solanum tuberosum* L.) plant cultivar alpha through tuber segment explant callus", *Int. J. Curr. Microbiol. Appl. Sci.*, 4(2). 267-276.
- Abrahamsson M., Valladares, S., Larsson, E., Clapham, D., & von Arnold, S., 2012, "Patterning during somatic embryogenesis in Scots pine in relation to polar auxin transport and programmed cell death", *Plant Cell Tissue Organ Cult.*, 109, 391-400.
- Afshari, R.T., & Kalantari, R.A., 2011, "Effects of light and different plant growth regulators on induction of callus growth in rapeseed (*Brassica napus* L.) genotypes". *Plant Omics J.*, 4. 60-67.
- Ahn, J.W., Kim, M., Lim, J.H., & Kim, G.T., 2004, "Phytoalexin controls the proliferation and differentiation fates of cells in plant organ development", *Plant J.*, 38. 969-981.
- Aichinger, E., Villar, C.B.R., Farrona, S., Reyes, J.C., Hennig, L., & Kohler, C., 2009, "CHD3 proteins and polycomb group proteins antagonistically determine cell identity in *Arabidopsis*", *PLoS Genet.*, 5(8): e1000605.
- Aida, M., Beis, D., Heidstra, R., Willemsen, V., Blilou, I., Galinha, C., Nussaume, L., Noh, Y.S., Amasino, R., & Scheres, B., 2004, "The PLETHORA genes mediate patterning of the *Arabidopsis* root stem cell niche", *Cell*, 119. 109-120.
- Akaneme, F.I., & Eneobong, E.E., 2008, "Tissue culture in *Pinus caribaea* Mor. Var. *Hondurensis* barr. And golf. II: effects of two auxins and two cytokinins on callus growth habits and subsequent organogenesis, *Afr. J. Biotechnol.*, 7. 757-765.
- Aksakal, O., Aygun Erturk, F., Sunar, S., Bozar, S., & Agar, G., 2013, "Assesment of genotoxic effects of 2,4-dichlorophenoxyacetic acid on maize by using RAPD analysis", *Ind. Crop Prod.*, 4(1). 552-557.



- Akula, A., & Dodd, W.A., 1998, "Direct somatic embryogenesis in a selected tea clone, 'TRI-2025' (*Camellia sinensis* (L.) O. Kuntze) from nodal explants", *Plant Cell Rep.*, 17. 804–809.
- Akula, A., Akula, C., & Bateson, M., 2000, "Betaine a novel candidate for rapid induction of somatic embryogenesis in tea (*Camellia sinensis* (L.) O. Kuntze)", *Plant Growth Regul.*, 30. 241–246.
- Al-Mazrooei, S., Bhatti, M.H., Henshaw, G.G., Taylor, N.J., & Blakesley, D., 1997, "Optimization of somatic embryogenesis in fourteen cultivars of sweet potato [*Ipomoea batatas* (L.) Lam.]", *Plant Cell Rep.*, 16. 710-714.
- Andriankaja, M.E., Danisman, S., Mignolet-Spruyt, L.F., Claeys, H., Kochanke, I., Vermeersch, M., De Milde, L., De Bodt, S., Storme, V., Skirycz, A., Maurer, F., Bauer, P., Muhlenbock, P., Van Breusegem, F., Angenent, G.C., Immink, R.G., & Inze, D., 2014, "Transcriptional coordination between leaf cell differentiation and chloroplast development established by TCP20 and the subgroup Ib bHLH Transcription factors", *Plant Mol. Biol.*, 85. 233-245.
- Ali, A.M.A., El-Nour, M.E.M., & Yagi, S.M., 2016, "Callus induction, direct, and indirect organogenesis of ginger (*Zingiber officinale* Rosc)", *Afr. J. Biotechnol.* 15: 2106-2114.
- Ali, M., Mujib, A., Tonk, D., & Zafar, N., 2017, "Plant regeneration through somatic embryogenesis and genome size analysis of *Coriandrum sativum* L", *Protoplasma*, 254. 343-352.
- Aloni, R., Aloni, E., Langhans, M., & Ullrich, C.I., 2006, "Role of cytokinin and auxin in shaping root architecture: regulating vascular differentiation, lateral root initiation, root apical dominance and root gravitropism", *Ann. Bot.*, 97(5). 883-893.
- Alwael, H.A., Naik, P.M., & Al-Khayri, J.M., 2017, "Synchronization of somatic embryogenesis in date palm suspensin culture using abscisic acid", *Methods Mol. Biol.*, 1637. 215-226.
- Anzola, J.M., Sieberer, T., Ortbauer, M., Butt, H., Korbei, B., Weinhofer, I., Mullner, A.E., & Luschnig, C., 2010, "Putative Arabidopsis transcriptional adaptor protein (PROPORZ1) is required to modulate histone acetylation in response to auxin", *Proc. Natl. Acad. Sci. USA.*, 107. 10308–10313.
- Aoshima, Y., 2005, "Efficient embryogenesis in the callus of tea (*Camellia sinensis*) enhanced by the osmotic stress or antibiotics treatment", *Plant Biotechnol.*, 22. 277-280.



- Ardebili, S.H., Shariatpanahi, M.E., Amiri, R., Emamifar, M., Oroojlo, M., Nematzadeh, G., Noori, S.A.S., & Heberle-Bors, E., 2011, "Effect of 2,4-D as a novel inducer of embryogenesis in microspores of *Brassica napus* L.", *Czech J. Genet. Plant Breed.*, 47(3). 114-122.
- Ashrafadeh, S., Gaw, S., Glover, C.N., & Leung, D.W.M, 2015, "Differential cadmium resistance of two morphologically distinct types of potato (*Solanum tuberosum*) callus", *Biologia (Bratisl.)*, 70(5). 581-587.
- Aslam, J., Khan, S.A., Cheruth, A.J., Mujib, A., Sharma, M.P., & Srivastava, P.S., 2011, "Somatic embryogenesis, scanning electron microscopy, histology and biochemical analysis at different developing stages of embryogenesis in six date palm (*Phoenix dactylifera* L.) cultivars", *Saudi J. Biol. Sci.*, 18. 369-380.
- Aslam, J., Mujib, A., & Sharma, M.P., 2014, "Somatic embryos in *Catharanthus roseus*: a scanning electron microscopic study", *Not. Sci. Biol.*, 6. 167-17.
- Auer, C.A., Laloue, M., & Cohen, J.D., 1992, "Uptake and metabolism of benzyladenine during shoot organogenesis in *Petunia* leaf explants", *Plant Growth Regul.*, 11(2). 105-114.
- Aviles-Vinas, S.A., Lecona-Guzman C.A., Canto-Flick, A., Lopez-Erosa, S., & Santana-Buzzy, N., 2012, "Morpho-histological and ultrastructure study on direct somatic embryogenesis of *Capsicum chinense* Jacq. in liquid medium", *Plant Biotechnol. Rep.*, 7(3). 277-286.
- Azka, N.A., 2018, Karakterisasi Penanda Morfologi dan SSR Tiga Klon Teh (*Camellia sinensis* (L.) O. Kuntze) Assamica dan Dua Klon Teh Sinensis, Skripsi: Universitas Gadjah Mada.
- Bailey, M.A., Boerma, H.R., & Parrot, W.A., 1993, "Genotype effects on proliferative embryogenesis and plant regeneration of soybean", *In Vitro Cell. Dev. Biol.*, 29. 102-108.
- Bakhshaie, M., Babalar, M., Mirmasoumi, M., & Khalighi, A., 2010, "Effects of light, sucrose, and cytokinins on somatic embryogenesis in *Lilium ledebourii* (Baker) Bioss. via transverse thin cell-layer cultures of bulblet microscales", *J. Hortic. Sci. Biotechnol.*, 85. 491-496.
- Balen, B., Milo, J., & Rasol, M.K., 2002, "Glycoprotein patterns related to morphogenesis in *Mammillaria gracillis* Pfeiff.", *Tissue Cult. Food Technol. Biotechnol.* 40: 275-280.



- Banno, H., Ikeda, Y., Niu, Q.W., & Chua, N.H., 2001, "Overexpression of *Arabidopsis* ESR1 induces initiation of shoot regeneration", *Plant Cell*, 13. 2609–2618.
- Bao, Y., Dharmawardhana, P., Mockler, T.C., & Strauss S.H., 2009, "Genome scale transcriptome analysis of shoot organogenesis in *Populus*", *BMC Plant Biol.*, 17(9). 132
- Bao, B., Su, Y.H., Yuan, J., & Zhang, X.S., 2013, "Induction of somatic embryos in *Arabidopsis* requires local YUCCA expression mediated by the down-regulation of ethylene biosynthesis", *Mol. Plant*, 6(4). 1247-1260.
- Bashandy, T., Guillemot, J., Vernoux, T., Caparros-Ruiz, D., Ljung, K., Meyer, Y., & Reichheld, J.P., 2010, "Interplay between the NADP-linked thioredoxin and glutathione systems in *Arabidopsis* auxin signaling", *Plant Cell*, 22. 376-391.
- Bassuner, B.M., Lam, R., Lukowitz, W., & Yeung, E.C., 2006, "Auxin and root initiation in somatic embryos of *Arabidopsis*", *Plant Cell Rep.*, 26. 1-11.
- Baum, S.F., & Rost, T.L., 1996, "Root apical organization in *Arabidopsis thaliana*", *Protoplasma*, 192. 178-188.
- Bekheet, S.A., El-Bahr, M.K., Sanaa, A., Ali, S.A., & Hamed, M.A., 2014, "Callus production of globe artichoke and milk thistle: in vitro hypolipidemic and antioxidant activities", *World J. Pharm. Res.*, 3. 1-17.
- Bellini, C., Pacurar, D.I., & Perrone, I., 2014, "Adventitious roots and lateral roots: similarities and differences", *Annu. Rev. Plant Biol.*, 65. 639-666.
- Benelli, C., Germana, M.A., Ganino, T., Beghe, D., & Fabbri, A., 2010, "Morphological and anatomical observations of abnormal somatic embryos from anther cultures of *Citrus reticulata*", *Biol. Plantarum*, 54(2). 224-230.
- Benina, M., Ribeiro, D.M., Gechev, T.S., Mueller-Roeber, B., & Schippers, H.H.M., 2015, "A cell type-specific view on the translation of mRNAs from ROS-responsive genes upon paraquat treatment of *Arabidopsis thaliana* leaves", *Plant Cell Environ.*, 38. 349-363.
- Benkova, E., Michniewicz, M., Sauer, M., Teichmann, T., Seifertova, D., Jurgens, G., & Friml, J., 2003, "Local, efflux-dependent auxin gradients as common module for plant organ formation", *Cell*, 115. 591-602.



- Benkova, E., Ivanchenko, M.G., Friml, J., Shishkova, S., & Dubrovsky, J.G., 2009, "A morphogenetic trigger: is there an emerging concept in plant developmental biology?", *Trends Plant Sci.*, 14. 189–193.
- Berckmans, B., Vassileva, V., Schmid, S.P.C., Maes, S., Parizot, B., Naramoto, S., Magyar, Z., Kamei, C.L.A., Koncz, C., Bogre, L., Persiau, G., Jaeger, G.D., Friml, J., Simon, R., Beeckman, T., & De Veylder, L., 2011, "Auxin-dependent cell cycle reactivation through transcriptional regulation of Arabidopsis E2Fa by lateral organ boundary proteins", *Plant Cell* 23. 3671–3683.
- Berke, L., & Snel, B., 2015, "The plant Polycomb repressive complex1 (PRC1) existed in the ancestor of seed plants and has a complex duplication history", *BMC Evol. Biol.*, 15. 44.
- Bertram, L., & Lercari, B., 2000, "Phytochrome A and phytochrome B1 control the acquisition of competence for shoot regeneration in tomato hypocotyl", *Plant Cell Rep.*, 19. 604-609.
- Bhatia, P., & Ashwath, N., 2005, "Effect of duration of light: dark cycles on in vitro shoot regeneration of tomato", *Asian J. Plant Sci.*, 4(3). 255-260.
- Bidarigh, S., & Azarpour, E., 2013, "Evaluation of the effect of MS medium levels on rooting in micro cuttings of tea (*Camellia sinensis* L.) under *in vitro* culture condition", *ARNP J. Agric. Biol. Sci.*, 8. 24-28.
- Bienfait, H., Frits, D., Letty, A., & Kramere, D., 1987, "Control of the development of iron-efficiency reactions in potato as a response to iron deficiency is located in the roots", *Plant Physiol.*, 83. 244-247.
- Boamponsem, A.B., & Leung, D.W.M., 2017, "Use of compact and friable callus cultures to study adaptive morphological and biochemical responses of potato (*Solanum tuberosum*) to iron supply", *Sci. Hort.*, 219. 161-172.
- Boerjan, W., Cervera, M.T., Delarue, M., Beeckman, T., Dewitte, W., Bellini, C., Caboche, M., Van Onckelen, H., Van Montagu, M., & Inze, D., 1995, "Superroot, a recessive mutation in *Arabidopsis*, confers auxin overproduction", *Plant Cell*, 7. 1405–1419.
- Boniotti, M.B., & Griffith, M.E., 2002, "Cross talk between cell division cycle and development in plants", *Plant Cell*, 14. 11-16.
- Boonerjee, S., Hoque, M.I., & Sarker, R.H., 2013, "Development of in vitro micro propagation system in tea plant (*Camellia Sinensis* (L.) O. Kuntze) using shoot tip and nodal segment explants", *Tea J. Bangl.*, 42. 21-30.



- Borchetia, S., Das, S.C., Handique, P.J., & Das, S., 2009, "High multiplication frequency and genetic stability for commercialization of the three varieties of micropropagated tea plants (*Camellia spp.*)", *Sci. Hort.*, 120(4). 544-550.
- Bostock, R.M., & Stermer, B.A., 1989, "Perspectives on wound healing in resistance to pathogens", *Annu. Rev. Phytopathol.*, 27. 343-371.
- Bourgaud, F., Gravot, A., Milesi, S., & Gontier, E., 2001, "Production of plant secondary metabolites: A historical perspective" *Plant Sci.*, 161. 839-851.
- Boutilier, K., Offringa, R., Sharma, V.K., Kieft, H., Ouellet, T., Zhang, L., Hattori, J., Liu, C.-M., van Lammeren, A.A.M., Miki, B.L.A., Custers, J.B.M., & van Lookeren Campagne, M.M., 2002, "Ectopic expression of BABY BOOM triggers a conversion from vegetative to embryonic growth", *Plant Cell*, 14. 1737-1749.
- Bowman, J.L., & Floyd, S.K., 2008, "Patterning and polarity in seed plant shoots", *Annu. Rev. Plant Biol.*, 59. 67-88.
- Bradley, D.E., Bai, Y., Tallury, S.P., & Qu, R., 2001, "Scanning electron microscopic study on in vitro somatic embryogenesis of perennial ryegrass and tall fescue", *Int. Turfgrass Soc. Res. J.*, 9. 146-151.
- Braybrook, S. A., Stone, S. L., Park, S., Bui, A. Q., Le, B. H., Fischer, R. L., Goldberg, R.B., Harada, J. J., 2006, "Genes directly regulated by LEAFY COTYLEDON2 provide insight into the control of embryo maturation and somatic embryogenesis. *Proc. Natl. Acad. Sci. U. S. A.*, 103. 3468-3473.
- Brownfield, D.L., Todd, C.D., Stone, S.L., Deyholos, M.K., & Gifford, D.J., 2007, "Patterns of storage protein and triacylglycerol accumulation during loblolly pine somatic embryo maturation", *Plant Cell Tissue Organ Cult.*, 88. 217-223.
- Buechel, S., Leibfried, A., To, J.P.C., Zhao, Z., Andersen, S.U., Kieber, J.J., & Lohmann, J.U., 2010, "Role of A-type ARABIDOPSIS RESPONSE REGULATORS in meristem maintenance and regeneration", *Eur. J. Cell Biol.*, 89(2-3). 279-284.
- Burritt, D.J., & Leung, D.W.M., 1996, "Organogenesis in cultured petiole explants of *Begonia x erythrophylla*: the timing and specificity of the inductive stimuli", *J. Exp. Bot.*, 47(297). 557-567.
- Caffarri, S., Tibiletti, T., Jennings, R.C., & Santabarbara, S., 2014, "A comparison between plant photosystem I and photosystem II architecture and functioning", *Curr. Prot. Pept. Sci.*, 15. 296-331.



- Calonje, M., 2015, "PRC1 marks the difference in plant PcG repression", *Mol. Plant*, 7. 459-471.
- Cao, R., Tsukada, Y.I., & Zhang, Y., 2005, "Role of Bmi-1 and Ring1A in H2A ubiquitylation and Hox gene silencing", *Mol. Cell.*, 20. 845-854.
- Cao, J.L., Zhang, X.L., Jin, S.X., Yang, X.Y., Zhu, H.G., Fu, L.L., 2008, "An efficient culture system for synchronization control of somatic embryogenesis in cotton (*Gossypium hirsutum* L.)", *Acta Agronomica Sinica.*, 34(2). 224-231.
- Carabelli, M., Turchi, L., Ruzza, V., Morelli, G., & Ruberti, I., 2013, "Homeodomain-Leucine zipper II family of transcription factors to the timelight", *Plant Signal Behav.*, 8(9). e25447.
- Carr, M.K.V., & Stephems, W., 1992, "Climate, weather and yield of tea", dalam *Tea: Cultivation to Consumption*, Diedit oleh K.C. Wilson & M.N Clifford. London: Chapman & Hall, hal. 87-135.
- Cenkci, S., Yildiz, M., Cigerci, T.H., Bozdog, A., Terzi, H., & Terzi, E.S.A., 2010, "Evaluation of 2,4-D and dicamba genotoxicity in bean using comet and RAPD assays", *Ecotox. Environ. Safe.*, 73(7). 1558-1564.
- Chalupa, V., 1989, "Micropropagation of *Larix decidua* Mill. and *Pinus sylvestris* L.", *Biol. Plantarum.*, 31(5). 400-407.
- Chandler, J.W., Cole, M., Flier, A., Grewe, B., & Werr, W., 2007, "The AP2 transcription factors DORNRO SCHEN and DORNRO SCHEN-LIKE redundantly control *Arabidopsis* embryo patterning via interaction with PHAVOLUTA", *Dev.*, 134. 1653-1662.
- Chatfield, S.P., Capron, R., Severino, A., Penttila, P.A., Alfred, S., Nahal, H., & Provart, N.J., 2013, "Incipient stem cell niche conversion in tissue culture: using a systems approach to probe early events in WUSCHEL dependent conversion of lateral root primordia into shoot meristems", *Plant J.*, 73. 798-813.
- Chatterjee, C., Gopal, R., & Dube, B.K., 2006, "Impact of iron stress on biomass, yield, metabolism, and quality of potato (*Solanum tuberosum* L.), *Sci. Horticult.*, 108. 1-6.
- Chavan, J.J., Gaikwad, N.B., Umdale, S.D., Kshirsagar, P.R., Bhat, K.V., & Yadav, S.R., 2014, "Efficiency of direct and indirect shoot organogenesis molecular profiling, secondary metabolite production and antioxidant activity of micropropagated *Ceropegia santapau*", *Plant Growth Regul.*, 72. 1-15.



- Chen, L.J., & Luthe, D.S., 1987, "Analysis of proteins from embryogenic and non-embryogenic rice (*Oryza sativa* L.) calli", *Plant Sci.*, 48. 181-188.
- Chen, X., Hao, S., Wang, L. Fang, W., Wang, Y., & Li, X., 2012, "Late-acting self-incompatibility in tea plant (*Camellia sinensis*)", *Biol.*, 67(2). 347-351.
- Cheng, Y., Dai, X., & Zhao, Y., 2006, "Auxin biosynthesis by the YUCCA flavin monooxygenases controls the formation of floral organs and vascular tissues in *Arabidopsis*", *Gene Dev.*, 20. 1790–1799.
- Chengalrayan, K., Hazra, S., & Gallo-Meagher, M., 2001, "Histological analysis of somatic embryogenesis and organogenesis induced from mature zygotic embryo-derived leaflets of peanut (*Arachis hypogaea* L.)", *Plant Sci.*, 161. 415-421.
- Chung, W. J., & Pedersen, H., 1998, "Precipitated proteins improves the production of carrot somatic embryos", *Biotechnol. Tech.*, 12(5). 417-420.
- Chupeau, M.C., Granier, F., Pichon, O., Renou, J.P., Gaudin, V., & Chupeau, Y., 2013, "Characterization of the early events leading to totipotency in an *Arabidopsis* protoplast liquid culture by temporal transcript profiling", *Plant Cell*, 25. 2444-2463.
- Cleland, R.E., 1995, Auxin and Cell Elongation, dalam *Plant hormones: Physiology, Biochemistry and Molecular Biology*, Diedit oleh P.J. Davies, The Netherland: Kluwer Academic Publishers, pp. 214–227.
- Da Gloria, B.A., Vieira, M.L.C., & Dornelas, M.C., 1999, "Anatomical studies of *in vitro* organogenesis induced in leaf-derived explants of passion fruit", *Pesq. Agropec., Bras., Brasilia*, 34(11). 2007-2013.
- Das, S., Jha, T.B., & Jha, S., 1996, "Organogenesis and regeneration from pigmented callus in *Camellia sinensis* (L.) O. Kuntze cv. Nandadevi, an elite Darjeeling tea clone", *Plant Sci.*, 121. 207-212.
- da Silva, J.A.T., 2012, "Is BA (6-Benzyladenine) BAP (6-Benzylaminopurine) ?", *Asian Australas J. Plant Sci. Biotechnol.*, 6. 121-124.
- de Alcantara, G.B., Dibax, R., de Oliveira, R.A., Filho, J.C.B., & Daros, E., 2014, "Plant regeneration and histological of the somatic embryogenesis of sugarcane (*Saccharum* spp.) cultivars RB855156 and RB72454", *Acta Sci. Agron.*, 36(1): 63-72.



- De Almeida, W.A.B., Santana, G.S., Rodriguez, A.P.M., Costa, M.A.P.C., 2002, "Optimization of a protocol for the micropropagation of pineapple", *Rev. Bras. Frutic. Jaboticabal.*, 24(2). 296-300.
- de Moura Vale, E. D., Heringer, A. S., Barroso, T., da Silva Ferreira, A. T., da Costa, M. N., Perales, J. E. A., Santa-Catarina, C., & Silveira, V., 2014, "Comparative proteomic analysis of somatic embryo maturation in *Carica papaya* L", *Proteome Sci.*, 12. 37-53.
- Dean Rider, S.Jr., Henderson, J.T., Jerome, R.E., Edenberg, H.J., Romero-Severson, J., & Ogas, J., 2003, "Coordinate repression of regulators of embryonic identity by PICKLE during germination in *Arabidopsis*", *Plant J.*, 35. 33-43.
- Deghani, M., Nasser, S., & Karamimanesh, M., 2014, "Removal of 2,4-Dichlorophenoxyacetic acid (2,4-D) herbicide in the aqueous phase using modified granular activated carbon", *J. Environ. Health Sci. Eng.*, 12. 28.
- de-la- Pena, C., Galaz-Avalos, R.M., & Layola-Vargas, V.M., 2008, "Possible role of light and polyamines in the onset of somatic embryogenesis of *Coffea canephora*", *Mol. Biotechnol.*, 39. 215–224.
- Dello Ioio, R., Linhares, F.S., Scacchi, E., Casamitjana-Martinez, E., Heidstra, R., Costantino, P., & Sabatini, S., 2007, "Cytokinins determine Arabidopsis root-meristem size by controlling cell differentiation", *Curr. Biol.*, 17. 678-682.
- D'Onofrio, C., Morini, S., & Bellocchi, G., 1998, "Effect of light quality on somatic embryogenesis of quince leaves", *Plant Cell Tissue Organ Cult.*, 53. 91-98.
- De Veylder, L., Beeckman, T., Beemster, G.T., de Almeida Engler, J., Ormenese, S., Maes, S., Naudts, M., Van Der Schueren, E., Jacquard, A., Engler, G., & Inze, D., 2002, "Control of proliferation, endoreduplication and differentiation by the Arabidopsis E2Fa-DPa transcription factor", *EMBO J.*, 21.1360-1368.
- Dewitte, W., Riou-Khamlichi, C., Scofield, S., Healy, J.M., Jacquard, A., Kilby, N.J., & Murray, J.A., 2003, "Altered cell cycle distribution, hyperplasia, and inhibited differentiation in *Arabidopsis* caused by the D-type cyclin CYCD3", *Plant Cell*, 15. 79-92.
- Dodeman, V.L., Ducreux, G., & Kreis, M., 1996, "Zygotic embryogenesis versus somatic embryogenesis", *J. Exp. Bot.*, 48(313). 1493-1509.



- Duclercq, J., Sangwan-Norreel, B., Catterou, M., & Sangwan, R.S, 2011, “De novo shoot organogenesis: from art to science”, *Trends in Plant Sci.*, 16. 597-606.
- Duditis, D., Gyorgyey, J., Borge, L., & Bako, L., 1995, “Molecular biology of somatic embryogenesis”, dalam *In Vitro Embryogenesis in Plant*, Diedit oleh T.A. Thorpe. London: Kluwer Academic Publishers, hal. 267-308.
- Dust, K.A.N., 2002, A morphological and histological study of callus initiation and somatic embryogenesis in *rosa hybrida*, M. Sci, Thesis: University of Manitoba.
- Ekayanti, M., Ardiana, L., Najib, S.Z., Sauriasari, R., & Elya, B., 2017, “Pharmacognostic and phytochemical standardization of white tea leaf (*Camellia sinensis* L. Kuntze) ethanolic extracts”, *Pharmacogn J.*, 9. 221-226.
- Elhiti, M., Stasolla, C., & Wang, A., 2013, “Molecular regulation of plant somatic embryogenesis”, *In Vitro Cell. Dev. Biol.*, 49(6). 631-642.
- El-Showk, S., Ruonala, R., & Helariutta, Y., 2013, “Crossing paths: cytokinin signalling and crosstalk”, *Dev.*, 140. 1373-1383.
- Ewais, E.A., Desouky, S.A., & Elshazly, E.H., 2015, “Evaluation of Callus Responses of *Solanum nigrum* L. exposed to biologically synthesized silver nanoparticles”, *Nanosci. Nanotechnol.*, 5: 45-56.
- Fadel., D., Kintzios, S., Economoul, A.S., Moschopoulou, G., & Condtantinidou, H.I.A., 2010, “Effect of different strength of medium on organogenesis, phenolic accumulation and antioxidant activity of spearmint (*Mentha spicata* l.)”, *Open Hortic. J.*, 3. 31-35.
- Fan, M., Xu, C., Xu, K., & Hu, Y., 2012, “LATERAL ORGAN BOUNDARIES DOMAIN transcription factors direct callus formation in Arabidopsis regeneration” *Cell Res.*, 22. 1169–1180.
- Feher, A., 2015, “Somatic embryogenesis-stress-induced remodeling of plant cell fate”, *Biochim. Biophys. Acta*, 1849: 385-401.
- Feher, A., & Magyar, Z., 2015, “Coordination of cell division and differentiation in plants in comparison to animals”, *Acta Biol. Szegediensis*, 59. 275-289.
- Fellers, J.P., Guenzi, A.C., & Porter, D.R., 1997, “Marker proteins associated with somatic embryogenesis of wheat callus cultures”, *J. Plant Physiol.*, 151. 201-208.



- Feng, W., Kita, D., Peaucelle, A., Cartwright, H.N., Doan, V., Duan, Q., Liu, M.C., Maman, J., Steinhof, L., Schmitz-Thom, I., Yvon, R., Kudla, J., Wu, H.M., Cheung, A.Y., & Dinneny, J.R., 2018, "The FERONIA receptor kinase maintains cell-wall integrity during salt stress through CA²⁺ signaling", *Curr. Biol.*, 28. 666-675.
- Fernandez-Marcos, M., Sanz, L., Lewis, D.R., Muday, G.K., & Lorenzo, O., 2013, "Control of auxin transport by reactive oxygen and nitrogen species", *Signal. Commun. Plants*, 17. 103-117.
- Fernando, J.A., Melo, M., Soares, M.K.M., & Appezzato-da-Gloria, B., 2001, "Anatomy of somatic embryogenesis of *Carica papaya* L.", *Braz. Arch. Biol. Technol.*, 45(3). 277-286.
- Filippov, M., Miroshnichenko, D., Vernikovskaya, D., & Dolgov, S., 2006, "The effect of auxins, time exposure to auxin and genotypes on somatic embryogenesis from mature embryos of wheat", *Plant Cell Tissue Organ Cult.*, 84: 213–222.
- Flaus, A., Martin, D.M., Barton, G.J., & Owen-Hughes, T., 2006, "Identification of multiple distinct Snf2 subfamilies with conserved structural motifs", *Nucleic Acids Res.*, 34. 2887-2905.
- Fraga, H.P.F., Vieira, L.N., Caprestano, C.A., Steinmacher, D.A., Micke, G.A., Spudeit, D.A., Pescador, R., & Guerra, M.P., 2012, "5-Azacytidine combined with 2,4-D improves somatic embryogenesis of *Acca sellowiana* (O. Berg) Burret by means of changes in global DNA methylation levels", *Plant Cell Rep.*, 31. 2165–2176.
- Frank, M., Rupp, H.M., Prinsen, E., Motyka, V., Van Onckelen, H., & Schmulling, T., 2000. "Hormone autotrophic growth and differentiation identifies mutant lines of *Arabidopsis* with altered cytokinin and auxin content or signaling", *Plant Physiol.*, 122. 721–729.
- Franklin, K.A., 2008, "Shade avoidance", *New Phytol.*, 179. 930–944.
- Fraterova, L., Salaj, T., Matusikova, I., & Salaj, J. (2013). The role of chitinases and glucanases in somatic embryogenesis of black pine and hybrid firs. *Cent. Eur. J. Biol.*, 8(12). 1172-1182.
- Friml, J., Wisniewska, J., Benkova, E., Mendgen, K., & Palme, K., 2002, "Lateral relocation of auxin efflux regulator PIN3 mediates tropism in *Arabidopsis*", *Nature* 415. 806–809.



- Gaj, M., 2004, "Factors influencing somatic embryogenesis induction and plant regeneration with particular reference to *Arabidopsis thaliana* (L.) Heynh", *Plant Growth Regul.*, 43. 27–47.
- Gallois, J.L., Nora, F.R., Mizukami, Y., & Sablowski, R., 2004, "WUSCHEL induces shoot stem cell activity and developmental plasticity in the root meristem", *Gene Dev.*, 18. 375–380.
- Galinha, C., Hofhuis, H., Luijten, M., Willemsen, V., Blilou, I., Heidstra, R., & Scheres, B., 2007, "PLETHORA proteins as dose-dependent master regulators of *Arabidopsis* root development. *Nature*, 449. 1053–1057.
- George, E.G., & Sherrington, P.D., 1984, "*Plant propagation by tissue culture*", Handbook and directory of commercial operations. Exegetics Ltd., Basingstoke, hal. 709.
- Ghanati, F., & Ishka, M.R., 2009, "Investigation of the interaction between abscisic acid (ABA) and excess benzyladenine (BA) on the formation of shoot in tissue culture of tea (*Camellia sinensis* L.)", *Int. J. Plant Prod.*, 3. 7-14.
- Goel, M.K., Kukreja, A.K., & Bisht, N.S., 2009, "In vitro manipulations in St. John's wort (*Hypericum perforatum* L.) for incessant and scale up micropropagation using adventitious roots in liquid medium and assessment of clonal fidelity using RAPD analysis", *Plant Cell Tissue. Organ Cult.*, 96. 1-9.
- Gomes, F.L.A.F., Heredia, F.F., Silva, P.B., Faco, O., & Campos, F., 2006, "Somatic embryogenesis and plant regeneration in *Opuntia ficus-indica* (L.) Mill. (Cactaceae)", *Sci. Hortic.*, 108. 15–21.
- Gonbad, R.A., Siniah, U.R., Azis, M.A., & Mohamad, R., 2014, "Influence of cytokinins in combination with GA3 on shoot multiplication and elongation of tea clone Iran 100 (*Camellia sinensis* (L.) O. Kuntze)", *Sci. World J.*, doi. 10.1155/2014/943054.
- Gordon, S.P., Heisler, M.G., Reddy, G. V., Ohno, C., Das, P. & Meyerowitz, E.M., 2007, "Pattern formation during de novo assembly of the *Arabidopsis* shoot meristem", *Dev.*, 134. 3539-3548.
- Goren, R., Altman, A., & Giladi, I., 1979, "Role of ethylene in abscisic acid-induced callus formation in citrus bud cultures", *Plant Physiol.*, 63. 280–282.
- Griga, M., Horacek, J., Klenoticova, H., 2007, "Protein patterns associated with *Pisum sativum* somatic embryogenesis, *Biol. Plantarum*, 51(2). 201-211.



- Grubb, C.D., & Abel, S., 2006, "Glucosinolate metabolism and its control", *Trends Plant Sci* 11. 89–100.
- Gueye, B., Said-Ahmed, H., Morcillo, F., Borgel, A., Sane, D., Hilbert, J.L., Verdeil, J.L., & Blevacq, A.S., 2009, "Callogenesis and rhizogenesis in date palm leaf segments: are there similarities between the two auxin-induced pathways?", *Plant Cell Tissue Organ Cult.*, 98. 47-58.
- Gunasekare, M.T.K., & Evans, P.K., 2000, "In vitro shoot organogenesis in callus derived from stem tissue of tea (*Camellia sinensis* L.)", *S.L.J. Tea Sci.*, 66(1/2). 16-26.
- Gunasekare, M.T.K., 2013, "Tea Plant (*Camellia sinensis*) Breeding in Sri Lanka", chapter dari "Global Tea Breeding" hal. 125-176.
- Hagen, G., & Guilfoyle, T., 2002, "Auxin-responsive gene expression: Genes, promoters and regulatory factors", *Plant Mol. Biol.*, 49. 373–385.
- Hakan-Mo, L., Egertsdotter, U., & von Arnold, S., 1996, "Secretion of specific extracellular proteins by somatic embryos of *Picea abies* is dependent on embryo morphology", *Annals Bot.*, 77. 143-152.
- Hakman, I., Hallberg, H., & Palovaara, J., 2009, "The polar auxin transport inhibitor NPA impairs embryo morphology and increases the expression of an auxin efflux facilitator protein PIN during *Picea abies* somatic embryo development", *Tree Physiol.*, 29: 483–496.
- Halliday, K.J., & Fankhauser, C., 2003, "Phytochrome-hormonal signalling networks", *New Phytol.*, 157. 449–463.
- Halliday, K.J., Martinez-Garcia, J.F., & Josse, E.M., 2009, "Integration of light and auxin signaling", *Cold Spring Harb. Perspect Biol.*, 00:a001586.
- Han, H., Sun, X., Xie, Y., Feng, J., & Zhang, S., 2014, "Transcriptome and proteome profiling of adventitious root development in hybrid larch (*Larix kaempferi* x *Lrix olgensis*)", *BMC Plant Biol.*, 14. 305-317.
- Hancock, J.T., Henson, D., Nyirenda, M., Desikan, R., Harrison, J., Lewis, M., Hughes, J., & Neill, S.J., 2005, "Proteomic identification of glyceraldehyde 3-phosphate dehydrogenase as an inhibitory target of hydrogen peroxide in *Arabidopsis*", *Plant Physiol. Biochem.*, 43. 828–835.
- Harding, E.W., Tang, W., Nichols, K.W., Fernandez, D.E., & Perry, S.E., 2003, "Expression and maintenance of embryogenic potential is enhanced through constitutive expression of AGAMOUSLike 15", *Plant Physiol.*, 133. 653–663.



- Hartmann, H.T., Kester, D.E., Davies, F.T., & Geneve, R., 2010, "Hartmann & Kester's plant propagation: principles and practices" 8th edn. Englewood Cliffs, NJ, USA: Prentice-Hall.
- Hasbullah, N.A., Taha R.M., & Awal, A., 2008, "Growth optimization and organogenesis of *Gerbera jamesonii* Bolus ex. Hook f. in vitro", *Pak. J. Biol. Sci.*, 11(11). 1449-1454.
- Hoecker, U., Toledo-Ortiz, G., Bender, J., & Quail, P.H., 2004, "The photomorphogenesis-related mutant red1 is defective in CYP83B1, a red light-induced gene encoding a cytochrome P450 required for normal auxin homeostasis", *Planta* 219. 195–200.
- Horstman, A., Berner, M., & Boutilier, K., 2016, "A transcriptional view on somatic embryogenesis", *Regeneration* 4. 201–216.
- Hu, Y., Bao, F., & Li, J., 2000, "Promotive effect of brassinosteroid on cell division involves a distinct CycD3-induction pathway in *Arabidopsis*", *Plant J.*, 24. 693–701.
- Hu, Y., Zhu, N., Wang, X., Yi, Q., Zhu, D., Lai, Y., & Zhao, Y., 2013, "Analysis of rice Snf2 family proteins and their potential roles in epigenetic regulation", *Plant. Physiol. Biochem.*, 70. 33-42.
- Huang, H., Yao, Q., Xia, E., & Gao, L., 2018, "Metabolomic and transcriptomics analyses reveal nitrogen influences on the accumulation of flavonoids and amino acids in young shoots of tea plant (*Camellia sinensis* L.) associated with tea flavor", *J. Agric. Food Chem.*, 66(37): 9828-9838.
- Hwang, I., Sheen, J., & Muller, B., 2012, "Cytokinin signaling Networks", *Annu. Rev. Plant Biol.*, 63. 353–380.
- Ikeda, Y., Banno, H., Niu, Q.W., Howell, S.H., & Chua, N.H., 2006, "The ENHANCER OF SHOOT REGENERATION 2 gene in *Arabidopsis* regulates CUP-SHAPED COTYLEDON 1 at the transcriptional level and controls cotyledon development", *Plant Cell Physiol.*, 47. 1443 1456.
- Ikeuchi, M., Sugimoto, K., Iwase, A., 2013, "Plant callus: mechanism of induction and repression", *Plant Cell*, 25. 3159-3173.
- Ikeuchi, M., Ogawa, Y., Iwase, A., & Sugimoto, K., 2016, "Plant regeneration: cellular origins and molecular mechanisms", *Dev.*, 143. 1442-1451.



- Iliev, I., & Kitin, P., 2009, "Origin, morphology, and anatomy of fasciation in plants cultured in vivo and in vitro", *Plant Growth Regul.*, 63(2). 115-129.
- Inze, D., & De Veylder, L., 2006, "Cell cycle regulation in plant development", *Annu. Rev. Genet.*, 40. 77–105.
- Ipekci, Z., & Gozukirmizi, N., 2003, "Direct somatic embryogenesis and synthetic seed production from *Paulownia elongata*", *Plant Cell Rep.*, 22(1). 16-24.
- Iwase, A., Mitsuda, N., Koyama, T., Hiratsu, K., Kojima, M., Arai, T., Inoue, Y., Seki, M., Sakakibara, H., Sugimoto, K., Ohme-Takagi, M., 2011, "The AP2/ERF transcription factor WIND1 controls cell dedifferentiation in *Arabidopsis*", *Curr. Biol.*, 21: 508–514.
- Jalali, M.A., Sirmandi, H.B., & Hatamzadeh, A., 2017, "Effects of carbohydrate source and polyethylene glycol on maturation and germination of somatic embryos in walnut (*Juglans regia* L.)", *J.Crop Sci. Biotechnol.*, 20(1) 29-35.
- Jensen, W.A., 1962, "Botanical Histochemistry: Principles and Practice. W.H. Freeman and Co., Berkeley, USA., hal. 96-97.
- Jia, H., McCarty, D.R., & Suzuki, M., 2013, "Distinct roles of LAFL network genes in promoting the embryonic seedling fate in the absence of VAL repression", *Plant Physiol.*, 163. 1293–1305.
- Jiang, K., Meng, Y.L., & Feldman, L.J., 2003, "Quiescent centre formation in maize roots is associated with an auxin-regulated oxidizing environment", *Dev.*, 130. 1429-1438.
- Jimenez, M., Gatica, A., Sanchez, E., & Valdez, M., 2012, "Ultrastructural analysis of the ontogenetic development of shoot induced from embryonic axes of Costa Rican bean varieties (*Phaseolus vulgaris* L.) under *in vitro* conditions by scanning electronic microscopy", *Am. J. Plant Sci.*, 3. 489-494.
- Joyner, E.Y., Boykin, L.S., & Lodhi, M.A., 2010, "Callus induction and organogenesis in soybean [*Glycine max* (L.) Merr.] cv. Pyramid from mature cotyledons and embryos", *Open Plant Sci. J.*, 4. 18-21.
- Jung, J.K., & McCouch, S., 2013, "Getting to the roots of it: Genetic and hormonal control of root architecture", *Front. Plant Sci.*, 4. 186-217.
- Kang, B.G., & McMahan, C., 2014, "Medium and calcium nitrate influence on shoot regeneration from leaf explants of guayule", *Ind. Crop Prod.*, 60. 92-98.



- Kareem, A., Durgaprasad, K., Sugimoto, K., Du, Y., Pulianmackal, A. J., Trivedi, Z. B., Abhayadev, P. V., Pinon, V., Meyerowitz, E. M., Ben Scheres, & Prasad, K., 2015, "PLETHORA genes control regeneration by a two-step mechanism", *Curr. Biol.*, 25. 1017-1030.
- Kaviani, B, 2013, "Somatic embryogenesis and plant regeneration from embryonic axes and cotyledons explants of tea (*Camellia sinensis* L.)", *J. Ornamental Plants*, 3. 33-38.
- Ke, Y., Han, G., He, H., & Li, J., 2009, "Differential regulation of proteins and phosphoproteins in rice under drought stress", *Biochem. Biophys. Res. Comm.*, 379. 133-138.
- Keith, K., Kraml, M., Dengler, N. G., & McCourt, P., 1994, "fusca3: a heterochronic mutation affecting late embryo development in *Arabidopsis*". *Plant Cell*, 6. 589–600.
- Kermode, A.R., Dumbroff, E.B., & Bewley, J.D., 1989, "The role of maturation drying in the transition from seed development to germination", *J. Exp. Bot.*, 40. 303-313.
- Kevers, C., Gaspar, T., & Dommes, J., 2002, "The beneficial role of different auxins and polyamines at successive stages of somatic embryo formation and development of *Panax ginseng* in vitro", *Plant Cell Tissue Organ Cult.*, 70:181-188.
- Kim, J.I., Sharkhuu, A., Jin, J.B., Li, P., Jeong, J.C., Baek, D., Lee, S.Y., Blakeslee, J.J., Murphy, A.S., Bohnert, H.J., Hasegawa, P.M., Yun, D.J., & Bressan, R.A., 2007, "yucca6, a dominant mutation in *Arabidopsis*, affects auxin accumulation and auxin-related phenotypes", *Plant Physiol.*, 145. 722–735.
- Kim, Y.J., Lee, H.M., Wang, Y., Wu, J., Kim, S.G., Kang, K.Y., Park, K.H., Kim, Y.C., Choi, I.S., Agrawal, G.K., Rakwal, R., & Kim, S.T., 2013, "Depletion of abundant plant RuBisCO protein using the protamine sulfate precipitation method", *Proteomics.*, 13. 2176-2179.
- Kirch, T., Simon, R., Grunewald, M., & Werr, W., 2003, "The DORNROSCHEN/ENHANCER OF SHOOT REGENERATION1 gene of *Arabidopsis* acts in the control of meristem cell fate and lateral organ development", *Plant Cell*, 15. 694-705.
- Kiyosue, T., Dong, J., Satoh, S., Kamada, H., & Harada, H., 1990, "Detection of an embryogenic cell antigen in carrot", *Plant Cell Physiol.*, 31(7). 947-950.



- Kono, A., Umeda-Hara, C., Lee, J., Ito, M., Uchimiya, H., & Umeda, M., 2003, "Arabidopsis D-type cyclin CYCD4; is a novel cyclin partner of B2-type cyclin-dependent kinase", *Plant Physiol.*, 132. 1315-1321.
- Koszegi, D., Johnston, A.J., Rutten, T., Czihal, A., Altschmied, L., Kumlehn, J., Wust, S.E.J., Kirioukhova, O., Gheyselinck, J., Grossniklaus, U., & Baumlein, H., 2011, "Members of the RKD transcription factor family induce an egg cell-like gene expression program", *Plant J.*, 67. 280–291.
- Koyuncu, F., & Balta, F., 2004, "Adventitious root formation in leaf-bud cutting of tea (*Camellia sinensis* L.)", *Pak. J. Bot.*, 36. 763-768.
- Krishna, H., & Singh, D., 2013, "Micropropagation of lasora (*Cordia myxa* Rpxb.)", *Indian J. Hortic.*, 70. 323-327.
- Krishna, H., Alizadeh, M., Singh, D., Singh, U., Chauhan, N., Eftekhari, M., & Sath, R.K., 2016, "Somaclonal variations and their application in horticultural crops improvement", *3 Biotech.*, 6. 54.
- Kshirsagar, P.R., Chavan, J.J., Umdale, S.D., Nimbalkar, M.S., Dixit, G.B., & Gaikwad, N.B., 2015, "Highly efficient in vitro regeneration, establishment of callus and cell suspension cultures and RAPD analysis of regenerants of *Swertia lawii* Burkill", *Biotechnol. Rep.*, 6. 79-84.
- Kumar, N., & Reddy, M.P., 2011, "In vitro plant propagation", *J. Forest Sci.*, 27. 61-72.
- Kyozuka, J., 2007, "Control of shoot and root meristem function by cytokinin", *Curr. Opin. Plant Biol.*, 10: 442-446.
- Laux, T., Mayer, K.F., Berger, J., & Jurgens, G., 1996, "The WUSCHEL gene is required for shoot and floral meristem integrity in *Arabidopsis*", *Dev.*, 122. 87–96.
- Lee, D.K., Geisler, M., & Springer, P.S., 2009, "LATERAL ORGAN FUSION1 and LATERAL ORGAN FUSION2 function in lateral organ separation and axillary meristem formation in *Arabidopsis*", *Dev.*, 136. 2423–2432.
- Lee, K., Park, O.S., Jung, S.J., & Seo, P.J., 2016, "Histone deacetylation mediated cellular dedifferentiation in *Arabidopsis*", *J. Plant Physiol.*, 191. 95–100.
- Leibfried, A., To, J.P., Busch, W., Stehling, S., Kehle, A., Demar, M., Kieber, J.J., & Lohmann, J.U., 2005, "WUSCHEL controls meristem function by direct regulation of cytokinin-inducible response regulators", *Nature*, 438(7071). 1172-1175.



- Lelu-Walter, M.A., Gautier, F., Eliasova, K., Sanchez, L., Teyssier, C., Lomenech, A.M., Mette, C.L., Hargreaves, C.L., Trontin, J.F., & Reeves, C., 2018, "High gellan gum concentration and secondary somatic embryogenesis: two key factors to improve somatic embryo development in *Psedotsuga menziesii* [Mirb.]", *Plant Cell Tissue Organ Cult.*, 132. 137-155.
- Lema-Ruminska, J., & Kulus, D., 2012, "Induction of somatic embryogenesis in *Astrophytum asterias* (Zucc.) Lem. in the aspect of light conditions and auxin 2,4-D concentrations", *Acta Sci. Polonorum Hortorum Cultus*, 11. 77-87.
- Leshem, B., & Sussex, I.M., 1990, " Polypeptides of cultured melon cotyledons serve as markers of root and shoot organogenesis", *J. Plant Physiol.*, 137(2). 155-159.
- Lestari, E.G., 2006, "In vitro selection and somaclonal variation for biotic and abiotic stress tolerance", *Biodiversitas*, 7. 297-301.
- Li, H.C., Chuang, K., Henderson, J.T., Dean Rider, S. Jr., Bai, Y., & Zhang, H., 2005, "PICKEL acts during germination to repress expression of embryonic traits", *Plant J.*, 44. 1010-1022.
- Li, Q., Huangm J., Liu, S., Li, J., Yang, X., Liu, Y., Liu, Z., 2011, "Proteomic analysis of young leaves at three developmental stages in an albino tea cultivar", *Proteome Sci.*, 9. 44-55.
- Li, Q., Deng, M., Zhang, J., Zhao, W., Song, Y., Li, Q., & Huang, Q., 2013, " Shoot organogenesis and plant regeneration from leaf explants of *Lysionotus serratus* D. Don", *Sci. World J.*, 280384. doi: 10.1155/2013/280384
- Li, Q., Li, J., Liu, S., Huang, J., Lin, H., Wang, K., Cheng, X., & Liu, Z., 2015, "A comparative proteomic analysis of the buds and the young expanding leaves of the tea plant (*Camellia sinensis*)", *Int. J. Mol. Sci.*, 16. 14007-14038.
- Li, S.Q., Li, X.M., Qiao, R.Y., Shen, E.H., Lin, X.M., Lu, J.L., Ye, J.H., Liang, Y.R., & Zheng, X.Q., 2018, "De novo transcriptome assembly of fluorin accumulator tea plant *Camellia sinensis* with fluoride treatments", *Sci. Data.*, 5. 180194.
- Lima-Brito, A., Resende, S.V., Lima, C.O.C., Alvim, B.M., Carneiro, C.E., & de Santana, J.R.F., 2011, "In vitro morphogenesis of *Syngonanthus mucugensis* Giul: subsp.mucugensis", *Ciencia e Agrotecnologia.*, 35. 502-510.
- Lin, R., & Wang, H., 2005, "Two homologous ATP-binding cassette transporter proteins, AtMDR1 and AtPGP1, regulate *Arabidopsis* photomorphogenesis



- and root development by mediating polar auxin transport”, *Plant Physiol.*, 138. 949–964.
- Liu, C.M., Xu, Z.H., & Chua, N.H., 1993, “Auxin polar transport is essential for the establishment of bilateral symmetry during early plant embryogenesis”, *Plant Cell*, 5:621–630.
- Liu, J., Sheng, L., Xu, Y., Li, J., Yang, Z., Huang, H., & Xu, L., 2014, “WOX11 and 12 are involved in the first-step cell fate transition during de novo root organogenesis in *Arabidopsis*”, *Plant Cell*, 26. 1081-1093.
- Liu, H., Yu, C., Li, H., Ouyang, B., Wang, T., & Zhang, J., 2015, “Overexpression of ShDHN, a dehydrin gene from *Solanum habrochaites* enhances tolerance to multiple abiotic stresses in tomato”, *Plant Sci.*, 231. 198–211.
- Liu, Y., Song, Q., Li, D., Yang, X., & Li, D., 2017, “Multifunctional roles of plant dehydrins in response to environmental stresses”, *Front. Plant Sci.*, 8. 1018.
- Lotan, T., Ohto, M., Yee, K.M., West, M.A., Lo, R., Kwong, R.W., Yamagishi, K., Fischer, R.L., Goldberg, R.B., & Harada, J.J., 1998, “*Arabidopsis* LEAFY COTYLEDON1 is sufficient to induce embryo development in vegetative cells”, *Cell*, 93. 1195–1205.
- Lu, G., Sehnke, P.C., & Ferl, R.J., 1994, “Phosphorilation and calcium binding properties of an *Arabidopsis* GF14 brain protein homolog”, *Plant Cell*, 6. 501-510.
- Lu, J., Chen, R., Zhang, M., da Silva, J.A.T., & Ma, G., 2013, “Plant regeneration via somatic embryogenesis and shoot organogenesis from immature cotyledons of *Camellia nitidissima* Chi”, *J. Plant Physiol.*, 170. 1202-1211.
- Lu, Y., Liu, Z., Lyu, M., Yuan, Y., Wu, B., 2019, “Characterization of JsWOX1 and JsWOX4 during callus and root induction in the shrub species *Jasminum sambac*”, *Plants*, 8. 79-91.
- Ma, Z., Cooper, C., Kim, H.J., & Buckner, D.J., 2009, “A Study of rubisco through western blotting and tissue printing techniques”, *CBE—Life Sciences Education.*, 8(2). 140–146.
- Ma, Q., Zhou, W., & Zhang, P., 2015, “Transition from somatic embryo to friable embryogenic callus in cassava: dynamic changes in cellular structure, physiological status, and gene expression profiles”, *Front. Plant Sci.*, 6. 824.



- Malamy, J.E., & Benfey, P.N., 1997, "Organization and cell differentiation in lateral roots of *Arabidopsis thaliana*", *Dev.*, 124. 33–44.
- Mahalakshmi, A., Khurana, J.P., & Khurana, P., 2003, "Rapid induction of somatic embryogenesis in leaf explants of wheat (*Triticum aestivum*)", *Plant Biotechnol.*, 20. 267-273.
- Marhavy, P., Duclercq, J., Weller, B., Feraru, E., Bielach, A., Offringa, R., Friml, J., Schwechheimer, C., Murphy, A., & Benkova, E., 2014, "Cytokinin controls polarity of PIN1-dependent auxin transport during lateral root organogenesis", *Curr. Biol.*, 24(9). 1031-1037.
- Mariani, T.S., Miyake, H., & Takeoka, Y., 1998, "Changes surface structure during direct somatic embryogenesis in rice scutellum observed by scanning electron microscopy", *Plant Prod. Sci.*, 1(3). 223-231.
- Marks, T.R., Ford, Y.Y., Cameron, R.W.F., Goodwin, C., Myers, P.E., & Judd, H.L., 2002, "A role for polar auxin transport in rhizogenesis", *Plant Cell Tissue Organ Cult.*, 70. 189-198.
- Mayer, K.F., Schoof, H., Haecker, A., Lenhard, M., Jurgens, G., & Laux, T., 1998, "Role of WUSCHEL in regulating stem cell fate in the *Arabidopsis* shoot meristem" *Cell*, 95. 805–815.
- Mazraei, M., 2016, "Influence of drought stress on lipids, root growth, PS2 activity and rubisco in crop plants", *J. Sci. Eng. Res.*, 3(4). 457-460.
- Meinke, D.W., Franzmann, L.H., Nickle, T.C., & Yeung, E.C., 1994, "Leafy Cotyledon mutants of *Arabidopsis*. *Plant Cell*, 6. 1049–1064.
- Meratan, A.A., Ghaffari, S.M., & Niknam, V., 2009, "*In vitro* organogenesis and antioxidant enzymes activity in *Acanthophyllum sordidum*", *Biol. Plantarum*, 53(1). 5-10.
- Merini, W., Romero-Campero, F. J., Gomez-Zambrano, A., Zhou, Y., Turck, F., & Calonje, M., 2017, "The *Arabidopsis* Polycomb Repressive Complex 1 (PRC1) components AtBMI1A, B, and C impact gene networks throughout all stages of plant development", *Plant Physiol.*, 173. 627–641.
- Meziani, R., Jaiti, F., Mazri, M.A., Anjarne, M., Chitt, M.A., El Fadile, J., & Alem, C., 2015, "Effects of plant growth and light intensity on the micropropagation of date palm (*Phoenix dactylifera* L.) cv. Mejhoul", *J. Crop Sci. Biotechnol.*, 18(5). 325-331.



- Minina, E.A., Filonova, L.H., Sanchez-Vera, V., Suarez, M.F., Daniel, G., & Bozhkov, P.V., 2013, "Detection and measurement of necrosis in plants", *Methods Mol. Biol.*, 1004. 229-248.
- Mishra, S., Sanyal, I., & Amla, D.V., 2012, "Changes in protein pattern during different developmental stages of somatic embryos in chickpea", *Biol. Plantarum*, 56. 613-619.
- Mo, L. H., Egertsdotter, U., & von Arnold, S., 1996, "Secretion of specific extracellular protein by somatic embryos of *Picea abies* is dependent on embryo morphology", *Annals Bot.*, 77. 143-152.
- Mondal, T., Bhattacharya, A., Sood, A., & Ahuja, P.S., 1998, "Micropropagation of tea (*Camellia sinensis* (L.) O. Kuntze) using Thidiazuron", *Plant Growth Reg.*, 26: 57-61.
- Mondal, T., Bhattacharya, A., & Ahuja, P.S., 2001, "Induction of synchronous secondary somatic embryogenesis in *Camellia sinensis* (L.) O. Kuntze", *J. Plant Physiol.*, 158. 945-951.
- Mondal, T.K., Bhattacharya, A., Laxmikumaran, M., & Ahuja, P.S., 2004, "Recent advances of tea (*Camellia sinensis*) biotechnology", *Plant Cell Tissue Organ Cult.*, 76. 195-254.
- Mousavizadeh, S.J., Mashayekhia, K., & Hassandokht, M.R., 2017, "Indirect somatic embryogenesis on rare octoploid *Asparagus breslerianus* plants", *Sci. Hort.*, 226. 184-190.
- Mozgova, I., Munoz-Viana, R., & Hennig, L., 2017, "PRC2 represses hormone-induced somatic embryogenesis in vegetative tissue of *Arabidopsis thaliana*", *PLoS Genet.*, 13(1): e1006562.
- Mudunkothge, J.S., & Krizek, B.A., 2012, "Three Arabidopsis AIL/PLT genes act in combination to regulate shoot apical meristem function", *Plant J.*, 71. 108-121.
- Mukherjee, P., Misra, S.C., Husain, N., & Rao, V.S., 2010, "In vitro propagation of grape rootstock, deGrasset (*Vitis champinii* Planch.): Effects of medium compositions and plant growth regulators", *Sci. Hort.*, 126(1). 13-19.
- Muller, J., Hart, C.M., Francis, N.J., Vargas, M.L., Sengupta, A., & Wild, B., 2002, "Histone methyltransferase activity of a Drosophila Polycomb group repressor complex", *Cell*, 111. 197-208.
- Munivenkatappa, N., Sarikonda, S., Rajagopal, R., Balakrishnan, R., & Nagarathana, C.K., 2018, "Variation in quality constituents of green tea



- leaves in response to drought stress under south Indian condition” *Scientia Horticulturae*, 233. 359: 369.
- Murashige, T., & Skoog, F., 1962, “A revised medium for rapid growth and bio assay with tobacco tissue cultures”, *Physiol. Plantarum*, 15. 473-497.
- Mursyanti, E., Purwantoro, A., Moeljopawiro, S., & Semiarti, E., 2015, “Induction of somatic embryogenesis through overexpression of *ATRKD4* genes in *Phalaenopsis* “Sogo Vivien””, *Ind. J. Biotechnol.*, 20(1). 42-53.
- Mustafa, N., Rania, A., Hasan, S., & Nagwa, 2013, “Effect of medium strength and carbon source on in vitro shoot multiplication of two *Ficus carica* cultivars”, *J. Appl. Sci. Res.*, 9. 3068-3074.
- Nagpal, P., Walker, L.M., Young, J.C., Sonawala, A., Timpte, C., Estelle, M., Reed, J.W., 2000, “*AXR2* encodes a member of the Aux/IAA protein family”, *Plant Physiol.*, 123. 563–574.
- Nakamura, Y., 1987, “Shoot tip culture of tea cultivar Yabukita”, *Tea Res. J.*, 65. 1-7.
- Namasivayam, P., Skepper, J., & Hanke, D., 2006, “Identification of a potential structural marker for embryogenic competency in the *Brassica napus* spp. *Oleifera* embryogenic tissue”, *Plant Cell Rep.*, 25(9). 887-895.
- Naz, R., Anis, M., & Alatar, A.A., 2017, “Embling production in *Althaea officinalis* L., through somatic embryogenesis and their appraisal via histological and scanning electron microscopical studies”, *Appl. Biochem. Biotechnol.*, 182(3). 1182-1197.
- Nedunchezian, N., Muthuchelian, K., & Bertamini, M., 2000, “Photosystem 2 efficiency and thylakoid protein pattern in DCMU-treated wheat seedlings during senescence”, *Photosynth.*, 38. 607-614.
- Nomura, K., & Komamine, A., 1985, “ Identification and isolation of single cells that produce somatic embryos at a high frequency in a carrot suspension culture”, *Plant Physiol.*, 79. 988-991.
- Novak, S.D., & Whitehouse, G.A., 2013, “Auxin regulates first leaf development and promotes the formation of protocorm trichomes and rhizome-like structures in developing seedlings of *Spathoglottis plicata* (Orchidaceae)”, *AoB Plants* 5. pls053.
- Ogas, J., Kaufmann, S., Henderson, J., & Somerville, C., 1999, “PICKLE is a CHD3 chromatin-remodeling factor that regulates the transition from



- embryonic to vegetative development in *Arabidopsis*”, *Proc. Natl. Acad. Sci. U.S.A.* 96. 13839-13844. 19.1073/pnas.96.24.13839.
- Oggema, J.N., Kinyua, M.G., & Ouma, J.P., 2007, “Optimum 2,4-D concentration suitable for embryogenic callus induction in local Kenyan sweet potato cultivars”, *Asian J.Plant Sci.*, 6(3). 484-489.
- Ogita, S., Yeung, E.C, & Sasamoto, H., 2004, “Histological analysis in shoot organogenesis from hypocotyl explants of *Kandelia candel* (Rhizophoraceae), *J. Plant Res.*, 117(6). 457-464.
- Okushima, Y., Fukaki, H., Onoda, M., Theologis, A., & Tasaka, M., 2007, “ARF7 and ARF19 regulate lateral root formation via direct activation of LBD/ASL genes in *Arabidopsis*”, *Plant Cell* 19. 118–130.
- Opik, H., & Rolfe, S., 2005, “The Physiology of Flowering Plants”, 4th., pp. 392, UK: Cambridge University Press.
- Overvoorde, P., Fukaki, H., & Beeckman, T., 2010, “Auxin control of root development”, *Cold Spring Harb. Perspect. Biol.*, 2(6). A001537.
- Ozawa, S., Yasutani, I., Fukuda, H., Komamine, A., & Sugiyama, M., 1998, “Organogenic responses in tissue culture of *srd* mutants of *Arabidopsis thaliana*”, *Dev.*, 125. 135-142.
- Palanivel, S., Parvathi, S., Muniappan, V., Deepa, C., & Abuthahir, A., 2014, “*Arachis hypogea* L. direct organogenesis and SDS-PAGE analysis in groundnut” *British Biotechnol. J.*, 4(6). 720-732.
- Panigrahi, J., Behera, M., Maharana, S., & Mishra, R.R., 2007, “Biomolecular changes during *in vitro* organogenesis of *Asteracantha longifolia* (L.) Nees—A medical herb”, *Indian J. Exp. Biol.*, 45. 911-919.
- Parcy, F., Valon, C., Kohara, A., Misera, S., & Giraudat, J., 1997, “The ABSCISIC ACID-INSENSITIVE3, FUSCA3, and LEAFY COTYLEDON1 loci act in concert to control multiple aspects of *Arabidopsis* seed development”, *Plant Cell*, 9. 1265–1277.
- Parikrama, R., & Esyanti, R.R., 2014, “Effect of UV elicitation on callus growth, alkaloid and terpenoid contents in *Eurycoma longifolia* Jack”, *Int. J. Adv. Chem. Eng. Biol. Sci.*, 1. 12-15.
- Peret, B., De Rybel, B., Casimiro, I., Benkova, E., Swarup, R., Laplaze, L., Beeckman, T., & Bennett, M.J., 2009, “*Arabidopsis* lateral root development: an emerging story”, *Trends Plant Sci.*, 14(7). 399-408.



- Perrot-Rechenmann, 2010, Cellular responses to auxin: division versus expansion, *Cold Spring Harb Perspect Biol.* 2: a001446.
- Pien, S., Wyrzykowska, J., McQueen-Mason, S., Smart, C., & Fleming, A., 2001, “Local expression of expansin induces the entire process of leaf development and modifies leaf shape”, *Proc. Natl. Acad. Sci. USA*, 98. 11812-11817.
- Poluboyarova, T.V., Novikova, T.I., Vinogradova, G.Y., & Andronova, E.V., 2014, “Morpho-histological analysis of direct shoot organogenesis induced in flower buds cultures of *Allium altissimum*”, *Am. J. Plant Sci.*, 5. 2015-2022.
- Pottier, M., Glilis, D., & Boutry, M., 2018, “The hidden face of Rubisco”, *Trends Plant Sci.*, 23. 382-392.
- Puigderrajols, P., 2001, “Ultrastructure of early secondary embryogenesis by multicellular and unicellular pathways in cork oak (*Quercus suber* L.)”, *Ann. Bot.*, 87. 179–189.
- Qosim, W.A., Purwanto, R., Wattimena, G.A., & Witjaksono, 2013, “Indirect organogenesis and histological analysis of *Garcinia mangostana* L.”, *Asian J. Plant Sci.*, 12(6-8). 279-284.
- Quinga, L.A.P., Heringer, A.S., Fraga, H.P.F., Vieira, L.N., Silveira, V., Steinmacher, D.A., & Guerra, M.P., 2018, “Insight into the conversion potential of *Theobroma cacao* L. somatic embryos using quantitative proteomic analysis”, *Sci. Hortic.*, 229. 65-76.
- Quiroz-Figueroa, F.R., Fuentes-Cerda, C.F.J., Rojas-Herrera, R., & Loyola-Vargas, V.M., 2002, “Histological studies on the developmental stages and differentiation of two different somatic embryogenesis systems of *Coffea arabica*”, *Plant Cell Rep.*, 20. 1141–1149.
- Ramirez-Carvajal, G.A., Morse, A.M., Dervinis, C., & Davis, J.M., 2009, “The cytokinin type-B response regulator PtRR13 is a negative regulator of adventitious root development in *Populus*”, *Plant Physiol.*, 150(2). 759-771.
- Rani, R., Vudew, D.R., Babu, P.P., & Gudipalli, P., 2005, “Changes in protein profiles associated with somatic embryogenesis in peanut”, *Biol. Plantarum* 49: 347-354.
- Rathore, J.S., Rai, M.K., & Shekhawat, N.S., 2012, “Induction of somatic embryogenesis in gum arabic [*Acacia senegal* (L.) Wild]”, *Physiol. Mol. Biol. Plants.*, 18(4). 387-392.
- Raven, P.H., & Johnson, G.B., 2009, *Biology Ninth Edition*. USA: McGraw-Hill.



- Reed, R.C., Brady, S.R., & Muday, G.K., 1998, "Inhibition of auxin movement from the shoot into the root inhibits lateral root development in *Arabidopsis*", *Plant Physiol.*, 118. 1369–1378.
- Reinhardt, D., Frenz, M., Mandel, T., & Kuhlemeier, C., 2003, "Microsurgical and laser ablation analysis of interactions between the zones and layers of the tomato shoot apical meristem", *Dev.*, 130. 4073-4083.
- Reyes-Diaz, J.I., Arzate-Fernandez, A.M., Pina-Escutia, J.L., & Vazquez-Garcia, L.M., 2017, "Media culture factors affecting somatic embryogenesis in *Agave angustifolia* Haw", *Ind. Crop Prod.*, 108. 81-85.
- Reynolds, T.L., & Kitto, S.L., 1992, "Identification of embryoid-abundant genes that temporally expressed during pollen embryogenesis in wheat anther cultures", *Plant Physiol.*, 100. 1744-1750.
- Rezali, N.I., Sidik, N.J., Saleh, A., Osman, N.I., & Adam, N.A.M., 2017, "The effects of different strength of MS media in solid and liquid media on in vitro growth of *Typhonium flagelliforme*", *Asian Pac. J. Trop Biomed.*, 7:151–156.
- Riou-Khamlichi, C., Huntley, R., Jacquard, A., & Murray, J.A., 1999, "Cytokinin activation of *Arabidopsis* cell division through a D-type cyclin", *Science*, 283. 1541–1544.
- Ribeiro, I.G., Gayer, C.R.M., de Castro, T.C., Coelho, M.G.P., & Albarello, N., 2015, "Compact callus cultures and evaluation of the antioxidant activity of *Hovenia dulcis* Thunb. (*Rhamnaceae*) under in vivo and in vitro culture conditions", *J. Med. Plants Res.*, 9. 8-15.
- Roig-Villanova, I., Bou-Torrent, J., Galstyan, A., Carretero- Paulet, L., Portoles, S., Rodriguez-Concepcion, M., & Martinez-Garcia, J.F., 2007, "Interaction of shade avoidance and auxin responses: A role for two novel atypical bHLH proteins", *Embo J.*, 26. 4756–4767.
- Rost, T.L., 2011, "The organization of roots of dicotyledonous plants and the positions of control points", *Ann.Bot.*, 107. 1213-1222.
- Saad A.I.M., & Elshahed, A.M., 2012, "Plant tissue culture media. In Leva, A., & Rinaldi, U.M.R. (Eds), *Recent advances in plant in vitro culture*. Chapter 2 (hal. 30-40). doi: <http://doi.org/10.52670/BF02796489>. ISBN:978-953-51-0787-3.



- Saeed, T., & Shahzad, A., 2015, "High frequency plant regeneration in Indian siris via cyclic somatic embryogenesis with biochemical, histological, and SEM investigation", *Ind. Crops Prod.*, 76. 623-637.
- Salisbury, F.J., Hall, A., Grierson, C.S., & Halliday, K.J., 2007, "Phytochrome coordinates Arabidopsis shoot and root development", *Plant J.*, 50. 429–438.
- Sandal, I., Kumar, A., Bhattacharya, A., Sharma, M., Shanker, A., & Ahuja, P.S., 2005, "Gradual depletion of 2,4-D in the culture medium for indirect shootregeneration from leaf explants of *Camellia sinensis* (L.) O. Kuntze", *Plant Growth Regul* 5T., 47. 21–127.
- Sangwan, R.S., Sangwan-Norreel, B.S., & Harada, H., 1997," In vitro techniques and plant morphogenesis: fundamental aspects and practical applications", *Plant Biotechnol.* 14. 93–100.
- Sarkar, N.K., Kundnani, P., & Grover, A., 2013, "Functional analysis of Hsp70 superfamily proteins of rice (*Oryza sativa*)", *Cell Stress Chaperones.*, 18. 427-437.
- Sato, A., & Yamamoto, K.T., 2008, "What's the physiological role of Domain II-less Aux/IAA proteins?", *Plant Signal. Behav.*, 3(7). 496-497.
- Scarpella, E., Barkoulas, M., & Tsiantis, M., 2010, "Control of leaf and vein development by auxin", *Cold Spring Harb. Perspect Biol.*, 2(1). a001511.
- Schmidt, R., & Schippers, J.H., 2015, "ROS-mediated redox signaling during cell differentiation in plants", *Biochim. Biophys. Acta.*, 1850. 1497-1508.
- Scofield, S., Dewitte, W., Nieuwland, J., & Murray, J.A.H., 2013, "The Arabidopsis homeobox gene SHOOT MERISTEMLESS has cellular and meristem-organisational roles with differential requirements for cytokinin and CYCD3 activity", *Plant J.*, 75: 53-66.
- Sealy, J.R., 1958, *A Revision of the Genus Camellia*, London: The Royal Horticultural Society.
- Selivankina, S.Y., Karavaiko, N.N., Maslova, G.G., Zubkova, N.K., Prokoptseva, O.S., Smith, A.R., Hall, M.A., & Kulaeva, O.N., 2004, "Cytokinin-binding protein from *Arabidopsis thaliana* leaves participating in transcription regulation", *Plant Growth Regul.*, 43. 15–26.
- Sena, G., Wang, X., Liu, H.Y., Hofhuis, H., & Birnbaum, K.D., 2009, "Organ regeneration does not require a functional stem cell niche in plants", *Nature* 457. 1150-1153.



- Seran, T.H., Hirimburegama, K., & Gunasekare, M.T.K., 2006, "Somatic embryogenesis from embryogenic leaf callus of tea (*Camellia sinensis* (L.) Kuntze), *Trop. Agric. Res.*, 18. 367-375.
- Seran, T.H., Hirimburegama, K., & Gunasekare, M.T.K., 2006, "Direct somatic embryogenesis from explants obtained from in vitro germinated embryonic axes of *Camellia sinensis* (L.) O Kuntze", *J. Hortic. Sci. Biotechnol.*, 81. 883-890.
- Shimizu-Sato, S., & Mori, H., 2001, "Control of outgrowth and dormancy in axillary buds", *Plant Physiol.*, 127. 1405-1413.
- Skirycz, A., Radziejowski, A., Busch, W., Hannah, M.A., Czeszejko, J., Kwaśniewski, M., Zanor, M.I., Lohmann, J.U., De Veylder, L., Witt, I., & Mueller-Roeber, B., 2008, "The DOF transcription factor OBP1 is involved in cell cycle regulation in *Arabidopsis thaliana*", *Plant J.* 56. 779–792
- Skoog, F., & Miller, C.O., 1957, "Chemical regulation of growth and organ formation in plant tissues cultured in vitro", *Symp. Soc. Exp. Biol.*, 11. 118–130.
- Smith, J.A., Krauss, M.R., Borkird, C., & Sung, Z.R., 1988, "A nuclear protein associated with cell divisions in plants", *Planta*, 174(4). 462-472.
- Song, Y., 2013, "Insight into the mode of action of 2,4-dichlorophenoxyacetic acid (2,4-D) as an herbicide", *J. Integr Plant Biol.*, 56. 106-113.
- Solle, H.R.L.S., & Semiarti, E., 2016, "Micropropagation of sandalwood (*Santalum album* L.) endemic plant from East Nusa Tenggara, Indonesia", *AIP Conference Proceedings*, 1744, 020026. doi: 10.1063/1.4953500.
- Sorefan, K., Girin, T., Liljegren, S.J., Ljung, K., Robles, P., Galvan-Ampudia, C.S., Offringa, R., Friml, J., Yanofsky, M.F., & Ostergaard, L., 2009, "A regulated auxin minimum is required for seed dispersal in *Arabidopsis*", *Nature*, 459. 583–586.
- Stepanova, A.N., Robertson-Hoyt, J., Yun, J., Benavente, L.M., Xie, D.Y., Dolezal, K., Sclereth, A., Jurgens, G., & Alonso, J.M., 2008, "TAA1-mediated auxin biosynthesis is essential for hormone crosstalk and plant development", *Cell*, 133(1). 177-191.
- Stone, S.L., Kwong, L.W., Yee, K.M., Pelletier, J., Lepiniec, L., Fischer, R.L., Goldberg, R.B., & Harada, J.J., 2001, "LEAFY COTYLEDON2 encodes



- a B3 domain transcription factor that induces embryo development”, *Proc. Natl. Acad. Sci. USA.*, 98. 11806–11811.
- Suganthi, M., Arvinth, S., & Raj Kumar, R., 2012, “Impact of osmotica and abscisic acid on direct somatic embryogenesis in tea”, *Int. J. Plant Res.*, 2. 22-27.
- Sugimoto, K., Jiao, Y., & Meyerowitz, E.M., 2010, “*Arabidopsis* regeneration from multiple tissues occurs via a root development pathway”, *Dev. Cell* 18. 463-471.
- Sunandar, A., Dorly, & Supena, E.D.S., 2017, “Induction of somatic embryogenesis in Sengon (*Falcataria moluccana*) with thidiazuron and light treatments”, *HAYATI J. Biosci.*, 24. 105-108.
- Sung, Z., & Okimoto, R., 1981, “Embryonic proteins in somatic embryos of carrot”, *Proc., Natl., Acad., Sci., USA*, 78. 3683-3687.
- Suzuki, M., Wang, H.H.Y., & McCarty, D.R., 2007, “Repression of the LEAFY COTYLEDON 1/B3 regulatory network in plant embryo development by VP1/ABSCISIC ACID INSENSITIVE 3-LIKE B3 genes. *Plant Physiology*, 143. 902–911.
- Tabaeizadeh, Z., Chamberland, H., Yu, L.X., Bellemare, G., & Lafontaine, J.G., “Identification and immunolocalization of a 65 kDa drought induced protein in cultivated tomato *Lycopersicon esculentum*”, *Protoplasma*, 186. 208-219.
- Tahardi, J.S., Raisawati, T., Riyadi, I., & Dodd, W.A., 2000, “Direct somatic embryogenesis and plant regeneration in tea by temporary liquid immersion” *Menara Perkebunan*, 68. 1-9.
- Tahardi, J.S., Riyadi, I., Dodd, W.A., 2003, “Enhancement of somatic embryo development and plantlet recovery in *Camelia sinensis* by temporary liquid immersion”, *Jurnal Bioteknologi Pertanian* 8: 1-7.
- Tahir, M.S., Victor, K., & Abdulkadir, S., 2011, “The effect 2,4-Dichlorophenoxy acetic acid (2,4-D) concentration induction in sugarcane (*Saccharum officinarum*)”, *Nigerian J. Basic Applied Sci.* 19: 213-217.
- Takebe, I., Labib, G., & Melchers, G., 1971, “Regeneration of whole plants from isolated mesophyll protoplasts of tobacco”, *Naturwissenschaften*, 58. 318-320.
- Tao, Y., Ferrer, J.L., Ljung, K., Pojer, F., Hong, F., Long, J.A., Li, L., Moreno, J.E., Bowman, M.E., Ivans, L.J., Cheng, Y., Lim, J., Zhao, Y., Ballare, C.L., Sandberg, G., Noel, J.P., & Chory, J., 2008, “Rapid synthesis of auxin via a



- new tryptophan-dependent pathway is required for shade avoidance in plants”, *Cell*, 133. 164–176.
- Tian, Q., Uhlir, N.J., & Reed, J.W., 2002, “Arabidopsis SHY2/IAA3 inhibits auxin-regulated gene expression”, *Plant Cell*, 14. 301–319.
- Taryono, 1997, “Embriogenesis somatik sebagai cara penyediaan bibit tanaman keras”, *Buletin Agro Industri*, 3. 63-76.
- Teixeira da Silva, J.A., 2012, “Is BA (6-benzyladenine) BAP (6-benzylaminopurine)?” *The Asian and Australian J. Plant Sci. Biotechnol.*, 6. 121-124.
- Tetsumura, T., Matsumoto, Y., Sato, M., Honsho, C.H., Yamashita, K., Komatsu, H., Sugimoto, Y., & Kunitake, H., 2008, “Evaluation of basal media for micropropagation of four highbush blueberry cultivars”, *Sci. Hort.*, 119. 72-4.
- Thorat, A.S., Sonone, N.A., Choudhari, V.V., Devarumath, R.M., & Babu, K.H., 2017, “Plant regeneration from cell suspension culture in *Saccharum officinarum* L. and ascertaining of genetic fidelity through RAPD and ISSR markers”, *3 Biotech.*, 7. 16. 10. 1007/s13205-016-0579-3.
- Thorat, A.S., Sonone, N.A., Choudhari, V.V., Devarumath, R.M., & Babu, K.H., 2018, “Plant regeneration from direct and indirect organogenesis and assessment of genetic fidelity in *Saccharum officinarum* using DNA-based markers”, *Biosci. Biotech. Res. Comm.*, 11(1). 60-69.
- Tiwari, S.B., Hagen, G., & Guilfoyle, T., 2003, “The roles of auxin response factor domains in auxin-responsive transcription”, *Plant Cell*, 15(2). 533-543.
- Tonietto, A., Sato, J.H., Teixeira, J.B., de Souza, E.M., Pedrosa, F.O., Franco, O.L., & Mehta, A., 2012, “Proteomic analysis of developing somatic embryos of coffee arabica”, *Plant Mol. Biol. Rep.*, 30. 1393–1399.
- Torne, J.M., Moysset, L., Santos, M., & Simon, E., 2001, “Effect of light quality on somatic embryogenesis in *Araujia sericifera*”, *Physiol. Plant.*, 111. 405-411.
- Trehin, C., Planchais, S., Glab, N., Perennes, C., Tregear, J., & Bergounioux, C., 1998, “Cell cycle regulation by plant growth regulators: involvement of auxin and cytokinin in the re-entry of *Petunia* protoplasts into the cell cycle”, *Planta*, 206. 215-24.



- Tsukagoshi, H., Busch, W., & Benfey, P.N., 2010, "Transcriptional regulation of ROS controls transition from proliferation to differentiation in the root", *Cell*, 143. 606-616.
- Usman, M.G., Rafii, M.Y., Martini, M.Y., Yusuf, O.A., Ismail, M.R., & Miah, G., 2017, "Molecular analysis of Hsp70 mechanisms in plants and their function in response to stress", *Biotechnol. Genet. Eng. Rev.*, 33. 26-39.
- Uyttewaal, M., Burian, A., Alim, K., Landrein, B., Borowska-Wykret, D., Dedieu, A., Peaucelle, A., Ludynia, M., Traas, J., & Boudaoud, A., 2012, "Mechanical stress acts via katanin to amplify differences in growth rate between adjacent cells in *Arabidopsis*", *Cell*, 149. 439-451.
- Vega, R., Vasquez, N., Espinoza, A.M., Gatica, A.M., & Melara, M.V., 2009, "Histology of somatic embryogenesis in rice (*Oryza sativa* cv. 5272)", *Rev. Biol. Trop.*, 57. 141-150.
- Verdail, J.L., Laurence, A., Nicolas, N., & Tranbarger, T.J., 2007, "Pluripotent versus totipotent plant stem cells: dependence versus autonomy?", *Trends in Plant Sci.*, 12(6). 245-252.
- Verma, S.K., Das A.K., Gantait, S., Gurel, S., & Gurel, E., 2018, "Influence of auxin and its polar transport inhibitor on the development of somatic embryos in *Digitalis trojana*", *3 Biotech*, 8. 1-8.
- Vernoux, T., Brunoud, G., Farcot, E., Morin, V., Van den Daele, H., Legrand, J., Oliva, M., Das, P., Larrieu, A., Wells, D., Guedon, Y., Armitage, L., Picard, F., Guyomarch, S., Cellier, C., Parry, G., Koumproglou, R., Doonan, J.H., Estelle, M., Godin, C., Kepinski, S., Bennett, M., De Veylder, L., & Traas, J., 2011, "The auxin signalling network translates dynamic input into robust patterning at the shoot apex", *Mol. Syst. Biol.*, 7. 508.
- Vieitez, A.M., & Barciela, J., 1990, "Somatic embryogenesis and plant regeneration from embryonic tissues of *Camellia japonica* L.", *Plant Cell Tissue Organ Cult.*, 21. 267-274.
- Vitamvas, P., Urban, M.O., Skodacek, Z., Sosova, K., Pitelkova, I., Vitamvas, J., Renault, J., & Prasil, I.T., 2015, "Quantitative analysis of proteome extracted from barley crowns grown under different drought conditions", *Frontiers in Plant Sci.*, 6. 1-18.
- Wachira F, Ogada J. 1995. In vitro regeneration of *Camellia sinensis* (L.) O. Kuntze by somatic embryogenesis. *Plant Cell Rep.* 14: 463-466.
- Waki, T., Hiki, T., Watanabe, R., Hashimoto, T., & Nakajima, K., 2011, "The Arabidopsis RWP-RK protein RKD4 triggers gene expression and pattern formation in early embryogenesis", *Curr. Biol.*, 21. 1277-1281.



- Wang, M., Zou, Z., Li, Q., Sun, K., Chen, X., & Li, X., 2017, "The CsHSP17.2 molecular chaperone is essential for thermo tolerance in *Camellia sinensis*", *Sci. Rep.*, 7(1). 1237.
- Werner, T., Holst, K., Pors, Y., Guivarch, A., Mustroph, A., Chriqui, D., Grimm, B., & Schmulling, T., 2008, "Cytokinin deficiency causes distinct changes of sink and source parameters in tobacco shoots and roots", *J. Exp. Bot.*, 59(10). 2659-2672.
- Wight, W., 1959, "Nomenclature and classification of the tea plant", *Nature*, 183(4677). 1726-1728.
- Wickramasuriya, A.M., & Dunwell, J.M., 2015, "Global scale transcriptome analysis of *Arabidopsis* embryogenesis in vitro", *BMC Genomics*, 16. 301-323.
- Wojcikowska, B., Jaskola, K., Gasiorek, P., Meus, M., Nowak, K., & Gaj, M.D., 2013, "LEAFY COTYLEDON2 (LEC2) promotes embryogenic induction in somatic tissues of *Arabidopsis*, via YUCCA-mediated auxin biosynthesis. *Planta*, 238. 425-440.
- Woodward, C., Bemis, S.M., Hill, E.J., Sawa, S., Koshiba, T., & Torii, K.U., 2005, "Interaction of auxin and ERECTA in elaborating *Arabidopsis* inflorescence architecture revealed by the activation tagging of a new member of the YUCCA family putative flavin monooxygenases", *Plant Physiol.*, 139. 192-203.
- Xu, Q., Ni, H., Chen, Q., Sun, F., Zhou, T., Lan, Y., & Zhou, Y., 2013, "Comparative proteomic analysis reveals the cross-talk between the responses induced by H₂O₂ and by long-term rice black-streaked dwarf virus infection in rice", *Plos One.*, 8. 1-14.
- Yadav, O.P., Sood, A., Sharma, M., & Ahuja, P.S., 1999, "Grafting micropropagated tea [*Camellia sinensis* (L.) O. Kuntze] shoots on tea seedlings – A new approach to tea propagation.", *Plant Cell Rep.*, 18(10). 883-888.
- Yang, T., & Poovaiah, B.W., 2000, "Molecular and biochemical evidence for the involvement of calcium/calmodulin in auxin action" *J. Biol. Chem.*, 275. 3137-3143.
- Yang, X., Yang, X., Guo, T., Gao, K., Zhao, T., Chen, Z., & An, X., 2018, "High efficiency somatic embryogenesis from seedlings of *Koeleruteria paniculata* Laxm.", *Forest.*, 9. 769-785.



- Yi, W.S., Qin, L.H., & Cao, J.B., 2011, "Investigation of morphological change of green tea polysaccharides by SEM and AFM", *Scanning*, 33. 450-454.
- Zaidi, M.A., Khan, S., Jahan, N., Yousafzai, A., & Mansoor, A., 2012, "Micropropagation and conservation of three *Juniperus* species (*Cupressaceae*)", *Pak. J. Bot.*, 44. 301-304.
- Zhang, Y., & Dong, J., 2018, "Cell polarity: compassing cell division and differentiation in plants" *Curr. Opin. Plant Biol.*, 45. 127-135.
- Zhao, Y., 2014, "Auxin biosynthesis", *The Arabidopsis Book/American Society of Plant Biologists*, 12, e0173.
- Zhao, P., Wang, D., Wang, R., Kong, N., Zhang, C., Yang, C., Wu, W., Ma, H., & Chen, Q., 2018, "Genome-wide analysis of the potato Hsp20 gene family: identification, genomic organization and expression profiles in response to heat stress", *BMC Genomics.*, 19. 61.
- Zhen, Y., Zhao, Z. Z., Zheng, R. H., & Shi, J., 2012, "Proteomic analysis of early seed development in *Pinus massoniana* L", *Plant Physiol. Biochem.*, 54. 97-104.
- Zheng, M.Y., & Konzak, C.F., 1999, "Effect of 2,4-dichlorophenoxyacetic acid on callus induction and plant regeneration in anther culture of wheat (*Triticum aestivum* L.)", *Plant Cell Rep.*, 19(1). 69-73.
- Zheng, Y., Ren, N., Wang, H., Stromberg, A.J., & Perry, S.E., 2009, "Global identification of targets of the Arabidopsis MADS domain protein AGAMOUS-Like15. *Plant Cell*, 21, 2563-2577.
- Zhou, L., Xu, H., Mischkr, S., Meinhardt, L.W., Zhang, D., Zhu, X., Li, X., & Fang, W., 2014, "Exogenous abscisic acid significantly affects proteome in tea plant (*Camellia sinensis*) exposed to drought stress", *Hortic. Res.*, 1. 14029-14038.
- Zhou, Q., Chen, Z., Lee, J., Li, X., & Sun, W., 2016, "Proteomic analysis of tea plants (*Camellia sinensis*) with purple young shoots during leaf development", *Plos One*, 12. 1-18.
- Zhou, Q., Chen, Z., Lee, J., Li, X., & Sun, W., 2017, "Proteomic analysis of tea plants (*Camellia sinensis*) with purple young shoots during leaf development", *Plos One.*, 12(5). 1-18.
- Zhu, Y.M., Hoshino, Y., Nakano, M., Takahashi, E., & Mii, M., 1997, "Highly efficient system of plant regeneration from protoplasts of grapevine (*Vitis*



vinifera L.) through somatic embryogenesis by using embryogenic callus culture and activated charcoal”, *Plant Sci.*, 123. 151-157.

Zimmerman, J.L., 1993, “Somatic embryogenesis: A model for early development in higher plants”, *Plant Cell* 5. 1411–1423.

Zoglauer, D.K., Behrendt, U., Rahmat, A., Ross, H., & Taryono, 2003, “Somatic embryogenesis: the gate to biotechnology in conifers”, dalam *Plant Tissue Culture*, Diedit oleh U.P.D.M. Laimer & U.D.D.W Rucker. Vienna: Springer, hal. 175-202.

Zuo, J., Niu, Q.W., Frugis, G., & Chua, N.H., 2002, “The WUSCHEL gene promotes vegetative to embryonic transition in *Arabidopsis*”, *Plant J.*, 30. 349–359.