



DAFTAR PUSTAKA

- Abd El-Wahab R. H. 1995. Reproduction ecology of wild trees and shrubs in Southern Sinai, Egypt. Masters Dissertation. Suez Canal University. Ismailia. Egypt.
- Abubakar, B. Y., S. MuA'zu, A. U. Khan & A. K. Adamu. 2011. Morpho-anatomical variation in some accessions of *Moringa oleifera* Lam. from Northern Nigeria. African Journal of Plant Science Vol. 5(12), pp. 742-748.
- Adamu U. A., I. A., Adamu, B. M., Bello, T. T., Gashua, A. G & I. A Kurawa. 2017. Effects of nitrogen levels and harvest frequency on the growth and leaf quality of Moringa (*Moringa oleifera* Lam) in Sudan Savanna of Nigeria. *Bayero Journal of Pure and Applied Sciences*, 10(1): 66 – 71.
- Akunda, E., M. W., Akunda & D. Kumar. 1981. A simple technique for timing irrigation in coffee using cobalt chloride paper disks. In : Irrig. Sci (1981) 3: 57.
- Al Hagrey, S.A. & J. Michaelsen. 1999. resistivity and percolation study of preferential flow in Vadose Zone at Bokhorst, Germany. J. Geophysics. 64(3): 746 – 753
- Ali, H. A. M, O. Y., Samia, & B. H., Nada. 2015. Chemical analysis of *Moringa oleifera* and *M. Peregrina* and their growth responses to Water stress under semi-desert condition of Sudan. Journal of Applied Life Sciences International. 3(1): 7-14.
- Alsamadany, H., A. Alrashedi & Y. Al-Zahrani. 2018. Interactive effect of drought and seawater treatments on metabolic profile of two different Moringa species. International Journal of Biosciences (IJB). Vol. 12, No.1, p.168-177.
- Amzeri, A. 2014. Hubungan kekerabatan jagung lokal Madura (*Zea mays* L) berdasarkan karakter morfologis, kariotipe dan molekuler. Disertasi. Sekolah Pascasarjana. Universitas Gadjah Mada. Yogyakarta.
- Andarwulan, N & R. H. F. Faradilla. 2012. Senyawa fenolik pada beberapa sayuran indigenous dari Indonesia. SEAFAST Center. IPB. Bogor
- Anni, I. A, E. Saptiningsih & S. Haryanti. 2013. Pengaruh naungan terhadap pertumbuhan dan produksi tanaman bawang daun (*Allium fistulosum* L.) di Bandungan, Jawa Tengah. Jurnal Biologi, Volume 2 No 3, Agustus 2013 Hal. 31-400.
- Anonymous. 2009. Kelor. <http://www.plantamor.com/index.php?plant=866>. Diakses tanggal 1 November 2014.
- Arifin, Z & E.T.S. Putra, 2015. Panduan alat geolistrik. Laboratorium Ilmu Tanaman. Jurusan Agronomi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Arifin, Z, M. Sarwendah & E.T.S. Putra. 2015. Metode geolistrik dalam penentuan sebaran akar kelapa sawit. Prosiding Seminar Nasional. Fakultas Pertanian. Universitas Gadjah Mada



- Arjenaki, F.G., R. Jabbari, & A. Morshed. 2012. Evaluation of drought stress on relative water content, chlorophyll content and mineral elements of wheat (*Triticum aestivum L.*) varieties. *Intl. J. Agri. Crop Sci.* 4:726- 729.
- Arnon, D. I. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant Physiology*. Volume 24 January 1949 Number 1.
- Aslam, M., F. Anwar, R. Nadeem, U. Rashed, T,G, Kazi & M. Nadeem. 2005. Mineral Composition of *Moringa oleifera* Leaves and Pods from Different Regions of Punjab, Pakistan. *AJPS* 4(4) 417-421
- Auliya, D., D. Saptadi & Kuswanto. 2017. Eksplorasi tanaman Kelor (*Moringa oleifera Lam.*) di Kabupaten Banyuwangi Jawa Timur. Prosiding Seminar Nasional Peripi Komda Jatim.
- Ayhan, C. 2000. Catalytic oxidation of p-Cresl by ascorbate feroxidase. *Archive of Biochemistry and Biophysics* 373 :175-181
- Baker, D. J. 1992. Physiological respons of sorghum and six forage grasses to water deficits. In *Sorghum and Milles Abstracts*. Vol. 17 (6). 26 p.
- Balai Penelitian Tanah. 2005. Petunjuk teknis analisis kimia tanah, tanaman, air dan pupuk. Balai Penelitian Tanah. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Barselia, A. W., M. Yasir, E. H. Prameisti, Y. Permanasari, H. L. Rizkia, N. L. P. S., Dewi, D. R. Sinaga, W. Busse, S. Ulbricht, M. P. Koentjoro, & E. N. Prasetyo 2014. Integrated Study of *Moringa oleifera* as highpotential comodity in small island: case study Poteran island, Sumenep. SIDI ITS Surabaya.
- Baiyeri, K. P., P. Apeh, G. C. Stevens, O. O. Ndukwe, S. C. Aba, & G. T. Otituju, 2015. Growth performance and nutrient quality of three *Moringa oleifera* accessions grown as potplant under varied manure rates and watering interval. *AcademicJournals*. Vol 14(24).pp1996-2004.
- Bates, L. S., R. P. Waldren & I. D. Teare, 1973. Rapid determination of free proline for water stress studies. *Plant and Soil*, 39 : 205-207.
- Borsani, O., P. Diaz, M. F, Agius, V. Valpuesta & J. Monza. 2001. Water stress generates an oxidative stress through the induction of a specific Cu/Zn superdioxide dimutase in *Lotus corniculatus* leaves. *Plant sci* 161 : 757-763
- BPS Kabupaten Sumenep, 2010. Sumenep dalam angka. Kabupaten Sumenep. Madura.
- Brandao, A. D & L. Sodek. 2009. Nitrate uptake and metabolism by root of soybean plants under oxygen deficiency. *Brazi J Plant Physiol* 21(1) : 13-23, 2009
- Budiana, I N & I. G. K. D. Arsana. 2014. Kajian budidaya tanaman kelor(*Moringa oleifera*) sebagai sayuran alternatif pemanfaatan sumber daya genetik lokal di-Bali. Prosiding Seminar Nasional dalam Rangka Dies Natalies ke 68 FP UGM



Pengembangan dan Pemanfaatan IPTEKS untuk Kedaulatan Pangan. Yogyakarta.

- Baiyeri, K. P, P. Apeh, G. C. Stevens, O. O. Ndukwe, S. C. Aba, & G. T. Otitoju, 2015. Growth performance and nutrient quality of three *Moringa oleifera* accessions grown as potplant under varied manure rates and watering interval. AcademicJournals. Vol 14(24).pp1996-2004, 17 June 2015
- Bates, L.S., R. P. Waldren & I. D. Teare. 1973. Rapid determination of free proline for water stress studies. *Plant and Soil*, 39 : 205-207.
- Bunyamin, Z. & M. Aqil. 2010. Analisis iklim mikro tanaman jagung (*Zea mays L.*) pada sistem tanam sisip. Balai Penelitian Tanaman Serealia. Sulawesi Utara. Prosiding Pekan Serealia Nasional. 294-300.
- Campbell, N.A, J. B. Reece & L.G. Mitchell. 2003. Biologi Jilid 1 (Terjemahan) Erlangga. Jakarta.
- Chumark, P, Khunawat , P, Sanvarinda, Y, Phonrnchirasilp, S, Morales, P N, Phivtong-ngam, L, Ratanachanong, P, Srisawat, S & K. S Pongrapeporn. 2008. The in vitro and ex vivo antioxidant properties, hypolipidaemic and anti atheroslerotic activities of water extract *Moringa oleifera* Lm leaves. *J of Etnopharmacology*, 116, 439-446.
- Dainy, N.C. 2006. Produksi dan kandungan flavonoid daun sambung nyawa (*Gynura procumbens* [Lour]. Merr) pada berbagai tingkat naungan dan umur pemangkasan. Skripsi. Fakultas Pertanian. IPB. Bogor.
- Desiawati, D. 2013. Tinjauan Konservasi Kelor (*Moringa oleifera* Lam.) : Studi Kasus di Desa Cikarawang Kec. Dramaga, Kab. Bogor. Skripsi Fakultas Kehutanan IPB. Tidak Dipublikasikan.
- Dispera Kabupaten Sumenep, 2014. Sumenep dalam angka 2014. Kabupaten Sumenep. Madura.
- Doyle, J.J. & J.L, Doyle. 1990. Isolation of plant DNA from fresh tissue. Focus. 12: 13-15.
- Efendi, R & M. Azrai. 2015. Kriteria indeks toleran jagung terhadap cekaman kekeringan dan nitrogen rendah. Prosiding Seminar Nasional Serealia, 2015
- Fahey, J. W. 2005. *Moringa oleifera* : a review of medicine evidence for its nutritional, therapeutic and prophylactic properties : Part I. *Trees Life* J : 1 :5-5.
- Farooq, M., Wahid, A., Kobayashi, N., Fujita, D & S. M. A Basra. 2009. Plant drought stress : effects, mechanisms and managemenet in Departement of Agronomy. University of Agriculture. Faisal abad .Pakistan. Sustainable Agriculture.
- Flexas, J & H. Medrano. 2002. Drought-inhibition of photosynthesis in C3 plants : stomatal and non-stomatal limitations revisited, *Annals of Botany* 89 : 183 - 189



- Foth, H. D. 1994. Dasar dasar ilmu tanah. Terjemahan E. D Purbayanti., D. R Lukiwati. R. Trimulatsih. Gadjah Mada University Press, Yogyakarta.
- Fuglie, L. J. 2001. Combating malnutrition with Moringa in: Lowel Fugile, J. (Ed). The miracle tree: the multiple attributes of Moringa. CTA Publication Wageningen.The Netherlands. Pp.117-136
- Fuglie, L. J. & K. V , Sreeja. 2010. Cultivation of moringa. Retrieved on 3rd February 2010 from <http://www.Moringafarm.com>
- Gadner, F. B., R. B. Pearce & R. L. Mitchell. 1991. Fisiologi tanaman budidaya. Penerjemah Herawati Susilo. Universtas Indonesia Press. Jakarta
- Goewono, S. 1983. Sifat dan ciri tanah. Departemen Ilmu Tanah. Institut Pertanian Bogor.
- Gomez, K. A. & A. A. Gomez. 1995. Prosedur statistik untuk penelitian pertanian. Universitas Indonesia. Jakarta. 698 p.
- Griffin, H. G & A. M, Griffin. 1994. PCR technology. CRC Press. London. 416 p.
- Hale, M. G., & M. O. David. 1987. Physiology of plant under stress. John Wiley & Sons. New York. 206p.
- Hamim, K. A & T. Miftahudin. 2008. Anaysis of water statud, proline and antioxidant enzyme of drought sensitive, toleran and wild line soybean. Agrivita 30(3): 201–210.
- Handoko, 1995. Klimatologi Dasar, Landasan pemahaman fisika atmosfer dan unsur-unsur iklim. IPB, Bogor.
- Harborne, J.B. & C.A., Williams. 2000. Advance in flavonoid research since 1992, Phytocemistry 55: 481-504.
- Harnowo, D. 1993. Respon tanaman kedelai terhadap pemupukan kalium dan cekaman kekeringan pada fase reroduktif. IPB. Bogor. hal. 27.
- Hartmann, H. T. and D. E. Kester Hartmann, H. T. and D. E. Kester., F.T. Davies, Jr, R.L.Geneve. 2002. Plant Propagation: Principles and Practices. 7th edition. Prentice Hall Inc: p. 770.
- Hasan, M. M., H. F. Alharby, A. S. Hajar, K. R. Hakeem & Y. Alzahrani. 2018. Effects of magnetized water on phenolic compounds, lipid peroxidation and antioxidant activity of *Moringa* species under drought stress. The J. Anim. Plant Sci. 28(3):2018
- Herawati, T & R. Setiamihardja, 2000. Pemuliaan tanaman lanjutan. Program Pengembangan Kemampuan Peneliti Tingkat S1 Non Pemuliaan Dalam Ilmu Dan Teknologi Pemuliaan. Universitas Padjadjaran, Bandung
- Herrera A, M. D Fernandez & M. D. Tisma. 2000. Effect of drought and water relations in plant of *Peperomia carnevalii*. Ann Bot. 86: 511-517, 2000



- Holst, S. 2000. *Moringa: nature's medicine cabinet*. Sierra Sunrise Publishing, California.
- Indradewa, D. 2001. Gatra agronomis dan fisiologis pengaruh genangan dalam parit pada tanaman kedelai. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Iqbal, S & M. I. Bhanger. 2006. Effect of season and production location on antioxidant activity of *Moringa oleifera* leaves grown in Pakistan. JFCA. 19 (2006) 544–551.
- Irawan, B & K. Purbayanti. 2008. Karakterisasi dan kekerabatan kultivar padi lokal di Desa Rancakalong, Kecamatan Rancakalong, Kabupaten Sumedang. Seminar Nasional PTTI 21-23.
- Islami, T & W. H. Utomo, 1995. Hubungan tanah, air dan tanaman. IKIP Semarang Press. 297p.
- Jafar, S. H., A. Thomas, J. I. Kalangi & M. T. Lasut. 2012. Pengaruh frekuensi pemberian air terhadap pertumbuhan bibit jabol merah (*Anthocephalus macrophyllus* (Roxb.) Havil)<http://download.portalgaruda.org/article.php?article=80925&val=1027>. Diakses tanggal 29 April 2016.
- Jacob, D. E, N. Ben, S. Ajayi & I. U. 2016. Nelson. Comparative study of propagations methods on the early growth rate of *Moringa oleifera* Lamk. International Journal Research. Vol 03 Issue 09 May.
- Jannah, M., I. G. M. A, Parwata & I. K. Ngawit. 2018. Karakterisasi buah dan biji kelor (*Moringa oleifera* Lamk) di Desa Salut Kecamatan Kayangan Kabupaten Lombok Utara. Jurnal Crop Agro.
- Jagtap, V., S. Bhargava, P. Strep, & J. Feierabend. 1998. Comparative effect of water, heat and light stresses on photosynthetic reactions in sorghum. Journal of Experimental Botany. 49 (327) : 1715-1721.
- Jiang, Y & B. Huang. 2001. Drought and stress injury to two cool season turfgrasses in relation to antioxidant metabolism and lipid peroxidation. J Crop sci. 41: 436-442
- Jones, M., M. Tuner, N. C & C. B, Osmond. 1981. Mechanisms of drought resistencae. P: 15-53 in Paleg LG, Aspinall D (Eds). *The physiology and biochemistry of drought resistance in plants*. Academic Press. New York
- Jones, C.J., K.J. Edwards, S. Castagiole, M.O. Winfield, F. Sala, C. van del Wiel, G. Bredemeijer, B. Vosman, M. Matthes, A. Daly, R. Brettsschneider, P. Bettini, M. Buiatti, E. Maestri, A. Malcevschi, N. Marmiroli, R. Aert, G. Volckaert, J. Rueda, R. Linacero, A. Vasquez & A. Karp. 1997. A reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. Molecular Breeding 3 (5): 382-390.
- Julisaniah, N. I., L. Sulistyowati & A. N. Sugiharto. 2008. Analisis kekerabatan mentimun (*Cucumis sativus* L.) menggunakan metode RAPD-PCR dan Isozym. Biodiversitas, 9(2):99-102



- Kadekoh. 2007. Komponen hasil kacang tanah berbeda jarak tanam dalam sistem tumpang sari dengan jagung yang di defoliasi pada musim kemarau dan musim hujan. Jurnal Agroland. Vol 14(1): 1-7.
- Kasolo, J. N., G. S. Bimeyo, L. Ojok, J. Ocheang, J. W. Okwal-okeng. 2010. Phytochemical and use of *Moringa oleifera* leaves in Uganda Rural Communities. J. Med Plant Res. Vol 4(9) : 753-757
- Kasper, T. C., Taylor, H. M. & R. C, Shibles,. 1984. Tap root elongation rates of soybean cultivars in the glasshouse and their relation to field rooting depth. Crop Sci., 24:916-920.
- Khanuja, S. P. S., A. K. Shahany, A. Pawar, R. K, Lal, M. P, Darokar, A. A., Naqvi, S., Rajkumar, V. N, Sundaresan & S. Kumar. 2005. Essential oil constituents and RAPD markers to establish species relationship in *Cymbopogon spreng* (*Poaceae*). Biochemical systematics and ecology 33 (2) : 171-186.
- Kim, O. S. 2005. Radical scavenging capacity and antioxidant activity of the vitamin fraction in rice bran. *J Food Sci.* (3): 208-213
- Kiragu, J. W, P. Mathenge & E. Kireger. 2015. Growth performance of *Moringa oleifera* planting materials derived from cuttings and seeds. International Journal of Plant Science and Ecology. Vol. 1, No. 4, 2015, pp. 142-148. <http://www.aiscience.org/journal/ijpse>
- Kirkham, M. B. 1990. Plant responses to water deficits. pp. 323-342. In B.A. Stewart and D.R. Nielsen (Eds). Irrigation of Agricultural Crops. Madison, Wisconsin USA.
- Kishor , P. B. K, S. Sangam, R. N, Amrutha, P. Sri Laxmi, K. R, Naidu, Rao, Sreenath Rao, K. J. Reddy, P. Theriappan & N. Sreenivasulu. 2005. Regulation of proline biosynthesis, degradation, uptake and transport in higher plants: its implication in plant growth and abiotic stress tolerance. Curr Sci 88 (3) : 424–435.
- Kluge, M. 1976. Carbon and nitrogen metabolism under water stress. p. 243-252. In O.L. Lange, L. Kappen & E.D. Schulze (Eds.). Water and plant life. Problem and modern approaches. Springer-Verlag. Berlin.
- Kramer PJ & Boyer JS. 1995. Stomata and gas exchange. In: Kramer PJ, Boyer JS, eds. Water relations of plants. San Diego: Academic Press, 257–282.
- Krisnadi, D A. 2014. Kelor super nutrisi. Kelorina.com. Pusat Informasi dan Pengembangan Tanaman Kelor Indonesia. LSM-MEPELING. Blora. 141p.
- Kristina N. N & S. F, Syahid. 2014. Pemanfaatan tanaman kelor (*Moringa oleifera*) untuk meningkatkan produksi air susu ibu. Warta penelitian dan pengembangan tanaman industri. Volume 20 no 3. Desember 2014 : 26-29.
- Kurniasih. 2014. Khasiat dan manfaat daun kelor untuk penyembuhan berbagai penyakit. Pustaka Baru Press. Yogyakarta. 183p.



- Levitt, J. 1980. Responses of plant to environmental stress: water, radiation, salt and others stress. Volume II. Academic Press. Inc. New York. 607p.
- Listia, E. 2014. Pengaruh iklim mikro di beberapa ketinggian tempat terhadap aktivitas fisiologis, pertumbuhan, hasil dan rendemen minyak kelapa sawit. Tesis. Program Pascasarjana. Fakultas Pertanian. UGM. Yogyakarta.
- Liu, F. 2004. Physiological regulation of pod set in soybean (*Glycine max* L. Merril) during drought at early reproductive stages. Dissertation. Department of Agriculture Sciences. The Royal Veterinary and Agricultural University. Copenhagen. Denmark.
- Luthfiyah, F. 2012. Potensi gizi daun kelor (*Moringa oleifera*) Nusa Tenggara Barat. Media Bina Ilmiah Volume 6, No. 2, Maret 2012 ISSN No. 1978-3787
- Mansfield, T.A. & C. J. Atkinson. 1990. Stomata behaviour in water stress plants. P.241-246. dalam Alscher and Cumming (Ed). Stress response in plant: Adaptation and acclimation mechanisms. Wiley-liss inc. New York.
- Mahmood, K.T., T. Mugal & I. U. Haq. 2010. *Moringa oleifera* : a natural gift-a review. J. Phar.Sci. Res., 2 : 775-781
- Makkar & Becker, 1996. Nutrient and antiquity factors in different morphological parts of the *Moringa oleifera* tree. J.Agric. Sci. Cambridge. 128, 311-322.
- Manzoor, M, F. Anwar, T. Iqbal, & M. I. Bhanger. 2007. Physico-chemical characterization of *Moringa concanensis* seeds and seed oil. J. Amer. Oil. Chem. Soc. 84:413–419.
- Mapegau. 2006. Effect of water stress on growth and yield of soybean crops. Kultura Agricultural Scientific Journal, 41 (1), 43-51. In Indonesian
- Mariay, I. F. 2013. Karakter morfologis perakaran kultivar kedelai tahan kekeringan. Tesis. Program studi Agronomi. Pascasarjana Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Meda A, C. E. Lamien, M. Romito, J. Milogo & O. G. Nacoulma. 2005. Determination of the total phenolic, flavonoid and proline contents in Burkina Faso honey, as well as their radical scavenging activity. Food chemistry. 91 (2005) 571-577.
- Mgendi, M. Godwin, M. K. Manoko, & A. M. Nyomora. 2010. Genetic diversity between cultivated and non-cultivated *Moringa oleifera* Lam. provenances assessed by RAPD markers. Journal of Cell and Molecular Biology 8(2): 95-102, 2010 Haliç University, Printed in Turkey.<http://jcmb.halick.edu.tr>
- Molyneux, P. 2004. The use of the stable free radical diphenyl picrylhydrazyl (DPPH) for estimating antioxidant activity.
- Mubyantoro, B. M. 1997. Tanggapan tanaman kopi terhadap cekaman air. Warta Puslit Kopi dan Kakao 13. Hortikultura. (2): 83-95.



Mubvuma, M. T., S. Mapanda & E. Mashonjowa,. 2013. Effect of storage temperature and duration on germination of moringa seeds (*Moringa oleifera*). Greener J. of Agricultural Sciences. 3(5):427-432.

Muis, A. 2015. Perubahan aktivitas biokimia dan fisiologis empat progeni kelapa sawit (*Elaeis guineensis* Jacq) pada berbagai aras lengas tanah. Tesis. Universitas Gadjah Mada. Yogyakarta.

Nagur, Y. K., 2017. Kajian berbagai bahan organik tanah terhadap produktivitas lahan tanaman padi di Desa Kebonagung. Prodi Agroteknologi Fakultas Pertanian UPN Veteran Yogyakarta.

Nazari, Y. A & Sota, I. 2012. Deteksi sebaran akar kelapa sawit dengan metode geolistrik resistivitas. Agroscientiae. Vol 19 no 2 Agustus 2012 :112-115.

Nazari, Y. A., Fakhrurrazie, N. Aidawati, & Gunawan. 2015. Deteksi perakaran kelapa sawit pada lubang biopori modifikasi dengan metode geolistrik resistivitas. Ziraa'ah. Vol 40 No 1, Pebruari 2015 : 31-39.

Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small numbers of individuals. Genetics 89: 583-590

Nouman W, M.T Siddiqui, S. M. A Basra, I. Afzal & H. Rehman. 2012. Enhancement of emergence potential and stand establishment of *Moringa oleifera* Lam. by seed priming. Turkish Journal of Agriculture and Forestry 36: 227–235

Olivier, C. 2009. Intensive *Moringa oleifera* cultivationIn the North Senigal. Retrieved on 3rdFebruary, 2010 from www.syfia.com/fr/article

Olson, M. E & S. Carlquist. 2002. Stem and root anatomical correlations with life form diversity, ecology, and systematics in *Moringa* (Moringaceae). Bot. J. Linn. Soc. 135:315-348.

Opare-Obuobi, K. 2012. Characterisation of local and exotic accessions of Moringa (*Moringa oleifera* Lamarck). Department of Crop Science. College of Agriculture and Consumer Sciences.University of Ghana. Thesis

Oukarroum A, S. E Madidi, G. Schansker, R. J Strasser. 2007. Probing the responses of barley cultivars (*Hordeum vulgare* L.) by chlorophyll a fluorescence OLKJIP under drought stress and rewetting. Environ Exp Bot 60: 438-46.

Padayachee, B & H. Baijnath. 2012. An overview of the medicinal importance of Moringaceae. Journal of Medicinal Plants Research Vol. 6(48), pp. 5831-5839, 17 December, 2012. Available online at <http://www.academicjournals.org/JMPR>

Pakade, V, E. Cukrowska & L. Chimuka. 2013. Metal and flavonol contents of *Moringa oleifera* grown in South Africa. South African Journal of Science. Volume 109 | Number 3/4 March/April 2013. <http://www.sajs.co.za>.



- Pakade, V., E. Cukrowska & L. Chimuka. 2013. Comparison of antioxidant activity of *Moringa oleifera* and selected vegetables in South Africa. *South African Journal of Science*. Volume 109 | Number 3/4.March/April 2013. <http://www.sajs.co.za>
- Palada M. C & L. C. Chang. 2003. Suggested cultural practices for Moringa International Cooperators' Guide. AVRDC pub # 03-545
- Paliwal, R., V. Sharma & Pracheta 2011. A review on horse radish tree (*Moringa oleifera*): A multipurpose tree with high economic and commercial importance. *Asian J. Biotechnol.* 3:317-328.
- Palupi, E. R & Dedywiriyanto. 2008. Kajian karakter toleransi cekaman kekeringan pada empat genotipe bibit kelapa sawit (*Elaeis guineensis* Jacq). *Bul Agron.* 36(1) : 24-32.
- Pandey, R. N., R. P. Adam, & L. E. Flournoy. 1998. Inhibition of random amplified polymorphic DNAs (RAPDs) by plant polysaccharides. *Plant Molec. Biol. Reporter* 14:15-22.
- Pandey, R & R. M. Agarwal. 1998. Water stress-induced changes in proline contents and nitrat reductase activity in rice under light and dark conditions. *Physiol. Mol. Biol. Plants* 4: 53-57.
- Pantilu, L. I., F. R. Mantin, S. N, Ai, & D. Pandiangan,. 2012. Respons Morfologi dan Anatomi Kecambah Kacang Kedelai (*Glycine max (L.) Merill*) terhadap Intensitas Cahaya yang Berbeda. *Jurnal Bioslogos* 2(2).
- Parwata, I. G. M. A. 2011. Kajian fisiologis dan agronomis ketahanan kekeringan varietas tanaman jarak pagar (*Jatropha curcas* L) di lahan pasir pantai di Kabupaten Purworejo. Disertasi. Program Pascasarjana. Fakultas Pertanian. UGM. Yogyakarta.
- Pemkab Sumenep. 2013. Bupati terima delegasi ITS dan Wismar University Germany dalam program sustainable island development initiatives (SIDI). <http://humaspemkabsumenep.com/2013/11/bupati-terima-delegasi-its-dan-wismar-university-germany-dalam-program-sustainable-island-development-initiatives-sidi/>. Diakses tanggal 30 November 2015.
- Popoola, J. O., B. O. Oluvisola & O. O. Obembe. 2014. Genetic diversity in *Moringa oleifera* from Nigeria using Fruit Morpho-Metric Characters & Random Amplified Polymorphic DNA (RAPD) markers. *Covenant Journal of Physical and Life Sciences (CJPL)* Vol. 1, No. 2.
- Powell, W., M. Morgante, C. Andre, M. Hanafey, J. Vogel, S. Tingey & A. Rafalski. 1996. The comparison of RFLP, RAPD, AFLP and SSR (microsatellite) markers for gemplasm analysis. *Molecular Breeding* 2:225-238.
- Prana, K.D., & Hartati, N.S. 2003. Identifikasi sidik jari DNA talas (*Colocasia esculenta* L. Schott) Indonesia dengan teknik RAPD (Random Amplified Polymorphic DNA). Skrining primer dan optimasi kondisi PCR. *J. Natur Indonesia*, 5(2), 107- 112



- Pujisiswanto, H. 2015. Kajian mekanisme dan efektivitas asam asetat sebagai herbisida pada gulma tanaman jagung. Disertasi. Program Pascasarjana. Fakultas Petanian. UGM. Yogyakarta.
- Rabeta, M. S., & N. Faraniza, 2013. Total phenolic content and ferric reducing antioxidant power of the leaves and fruits of *Garcinia atroviridis* and *Cynometra cauliflora*. International Food Research Journal 20(4): 1691-1696
- Rahayuningsih, S. E. A, D. Indradewa, E. Sulistyaningsih & A. Maas, 2017. The tolerance of photosynthesis of some maize cultivars. (*Zea mays L.*) to waterlogging at different stages of growth. International Journal on Advance Science Engineering Information Technology. Vol.7 (2017) No. 4
- Rahmat, H. 2009. Identifikasi senyawa flavonoid pada sayuran *indigenous* Jawa Barat. Skripsi. Fakultas Teknologi Pertanian Institut Pertanian Bogor. Bogor
- Rakhmad, B. 2014. Marongghi dari cabe jamu menjadi tiang penyangga kesejahteraan. Pokja Nurul Jannah. Desa Pakandangan Sangra. Kecamatan Bluto. Kabupaten Sumenep.
- Ramachandran, C., K. V. Peter & P. K., Gopalakhrisan. 1980. Drumstick (*Moringa oleifera*) : a multipurpose Indian vegetable. Economic Botany, 34(3), 1980. pp.276-283.
- Redha, A. 2010. Flavonoid: struktur, sifat antioksidatif dan peranannya dalam sistem biologis. Jurnal Belian Vol. 9 No. 2 Sep. 2010: 196 – 202.
- Rufai, S, M. M Hanafi, M.Y. Rafii, & S. Ahmad. 2013. Genetic dissection of new genotypes of drumstick tree (*Moringa oleifera* Lam) using Random Amplified Polymorphic DNA maker. BioMed Research International. Volume 2013
- Sale, F.A, E.S.Attah & P. Yahaya, 2015. Influence of soil locations and watering regimes on early growth of *Moringa oleifera* Lams. International Journal of Applied Science and Technology Vol. 5, No. 2; April 2015
- Salisbury, F.B. & C. W. Ross. 1995. Fisiologi tumbuhan. Jilid I. Bandung : Penerbit ITB, Bandung. 241p.
- Santoso, B. B & I. G. M. A, Pawarta. 2017. Viability of seeds and growth of *Moringa oleifera* Lamk seeds. J. Science of Technology & Environment, 3 (2): 1-8.
- Singh, R. H., & B. D. Chaudhary. 1979. Biometrical methods in quantitative genetics analysis. Kalyani Publishers, Ludhiana, India
- Singh, A.K., N. Ahmed, R. Narayan, & S. Narayan. 2007. Genetic divergence studies in okra under temperate conditions. Haryana Journal of Horticultural Science 36(3/4):348-351.
- Singh, D. R., P. K. Singh, M. M. Syamal, & S.S. Gautam. 2009. Studies on combining ability in okra. Indian Journal of Horticulture 66:277-280



- Sitompul, S. M & B. Guritno. 1995. Analisis pertumbuhan tanaman. Gadjah Mada University Press. Yogyakarta. 367 p.
- Sofianingsih, D. 2014. Dinamika pertumbuhan akar tomat (*Solanum lycopersicum*) kultivar dataran rendah dengan aplikasi zinc dalam kondisi cekaman kekeringan. Tesis. Program studi Agronomi. Pascasarjana Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Song, N & Y. Banyo. 2011. Konsentrasi klorofil daun sebagai indikator kekurangan air pada tanaman. Jurnal Ilmiah Sains Vol. 11 No. 2. Hal 169-170.
- Stace, 1979. Plant taxonomy and biosystematics. 2nd ed Edward Arnold. London pp. 13,26
- Steenis, C. G. G. J van, G. den Hoed, S. Bloembergen & P.J. Eyma, 2006. Flora untuk sekolah di Indonesia. PT. Pradnya Paramita. Jakarta. 483p.
- Stevenson, J. 1997. humus chemistry: genesis, composition, reaction. John Wiley and Sons. New York
- Stevi G. D, Dewa G K, & S. K, Vanda. 2012. Aktifitas antioksidan ekstrak fenolik dari buah manggis (*Garsinia mongostana* L). Jurnal MIPA online 1(1) 11-15. UNSRAT Manado.
- Suardi. 2002. Perakaran padi dalam hubungannya dengan toleransi tanaman terhadap kekeringan dan hasil. Jurnal Litbang Pertanian 21 (3) : 100-108
- Sudarmadji, C. 1989. Analisis bahan makanan dan pertanian. Penerbit Liberty. Yogyakarta.
- Sukartini. 2001. Analisis Jarak Genetik dan Hubungan Kekerabatan Pisang (*Musa spp*) menggunakan Penanda Morfologis dan Random Amplified Polymorphic DNA. [Tesis]. Malang: Program Pascasarjana Universitas Brawijaya.
- Sulistyaningsih, E, Kurniasih, B & Kurniasih, E. 2005. Pertumbuhan dan hasil caisin pada berbagai warna sungkup plastik. Ilmu Pertanian 12(1):65-76
- Supijatno. 2012. Studi mekanisme toleransi genotipe padi gogo terhadap cekaman ganda pada lahan kering di bawah naungan. Disertasi. Institut Pertanian Bogor. Bogor
- Supranto, J. 2004. Analisis multivariat, arti dan interpretasi. rineka cipta, jakarta.
- Suprianto, E, 1998. Evaluasi beberapa varietas dan galur padi pada kondisi kekeringan. Skripsi. Institut Pertanian Bogor, Bogor.
- Supriyadi, S. 2007. Kesuburan Tanah di Lahan Kering Madura. Embryo. 4(2). 124-131hal.
- Suryadi, L., Y. Kusandari & Gunawan. 2004. Karakterisasi plasma nutfah mentimun. Buletin plasma nutfah. Balai Penelitian Tanaman Sayuran. Lembang. 10 (1) : 28.



- Suryani E. & Nurmansyah. 2009. Inventarisasi dan karakterisasi tanaman kayu manis seilon (*Cinnamomus zeylanicum* Blume) di kebun percobaan Laing Solok. Buletin Penelitian Rempah dan Obat 20 (2): 100.
- Susanto, R.,H & R. H. Purnomo. 1998. Pengantar Fisika Tanah. Mitra Gama Widya. Yogyakarta.
- Suwahyono, U. 2008. Khasiat Ajaib Si Pohon Gaib, Mengupas Rahasia Tersembunyi Pohon Kelor. LILY PUBLISHER: Yogyakarta.
- Taiz, L. & E. Zeiger. 2002. Plant Physiology. Third Edition. Sinauer Associate Inc.Publisher Sunderland, Massachusetts. 667 p
- Tingey, S. V., J. A. Rafalski, & M. K. Hanafey. 1994. Genetic analysis with RAPD markers. In: Coruzzi, C. and P. Puidormenech (eds.). Plant Molecular Biology. Belin: Springer-Verlag
- Toruan-Mathius, N., S.I.I. Bangun & Maria-Bintang. 2002. Analisis abnormalitas tanaman kelapa sawit (*Elaeis guineensis* Jacq.) hasil kultur jaringan dengan teknik Random Amplified Polymorphic DNA (RAPD). Menara Perkebunan, 69(2), 58-70.
- Treshow, M. 1970. Environmental and Palnt Response. New York : Hill Book Company, Inc.
- Verdcourt, B. 1985. A synopsis of the Moringaceae. Kew Bull. 40(1):1-23.
- Wang, L. 2014. Physiological and molecular responses to drought stress in rubber tree (*Hevea brasiliensis* Muell. Arg.). Plant Physiology and Biochemistry, 83, 243–249. <https://doi.org/10.1016/j.plaphy.2014.08.012>
- Wati, H. D. 2017. Identification of the characteristics of the response of *Moringa olifera* (L) genotype growth to drought stress. Cemara Vol 14 No 1 November 2017. In Indonesian
- Waugh, R. 1997. RAPD Analysis: use for genome characterization, tagging traits and mapping. P.154-175. In. M.S. Clark (Ed.) Plant Molecular Biology A Laboratory Manual. Springer-Verlag, Berlin, Heidelberg.
- Weier, T. E., 1982. Botany : an introduction to plant biology. New York. Brisbane. Wiley. 720p.
- Wisnubroto, S.1991. Meterologi Pertanian Indonesia. Departemen Ilmu Tanah Fakultas Pertanian. UGM
- Wiyata, A. L., 2002. Carok : konflik kekerasan dan harga diri orang Madura. LKiS, Yogyakarta.
- Yoshida, Y., T. Kiyosue, K. Y. Shinozaki, & K. Shinozaki. 1997. Regulation of levels of proline as an osmolyte in plants under drought stress. Plant Cell Physiology. 38 (10) : 1095-1102.



Xu, Z & G. Zhou. 2008. Responses of leaf stomatal density to water status and its relationship with photosynthesis in a grass. *J Exp Bot.* 59:3317–3325

Yuniarti. 2011. Inventarisasi dan karakterisasi morfologis tanaman durian (*Durio zibethinus* Murr.) di Kabupaten Tanah Datar. *Jurnal Plasma Nutfah.*

Zakaria, A. T, Sirajuddin, & R. Hartono. 2012. Penambahan tepung daun kelor pada menu makanan sehari-hari dalam upaya penanggulangan gizi kurang pada anak balita. *Media Gizi Pangan*, Vol.XIII, Edisi 1, 2.

Zaghloul, M.S., R.H, Abd El-Wahab & A. A, Moustafa. 2010. Ecological assessment and phenotypic variation of Sinai's remnant populations of *Moringa peregrina*. *Appl. Ecol. Environ. Res.* 8(4):351-366.