

DAFTAR PUSTAKA

- Al Faridhi, K.K., Lunggani, A.T. dan Kusdiyantini, E. 2013. Penambahan filtrat tepung umbi dahlia (*Dahlia variabilis* W.) sebagai prebiotik dalam pembuatan yoghurt sinbiotik. *bioma*. 15 (2): 64-72.
- AOAC (Association of Official Analytical and Chemists). 1995. Official Methods of Analysis the 16th ed. Virginia Inc. Arlington.
- Apolinario, A.C., Damasceno, B.P.G.de L., Beltrao, N.E.de M., Pessoa, A., Converti, A. and Silva, J.A. 2014. Inulin-type fructans: A review on different aspects of biochemical and pharmaceutical technology. *Carbohydr. Polym.* 101: 368-378.
- Astawan, M., Wresdiyati, T, Arief, I.I. dan Suhesti, E. 2011. Gambaran hematologi tikus putih (*Rattus norvegicus*) yang diinfeksi *Escherichia coli* *Enteropatogenik* dan diberikan probiotik. *J. of animal sci. and technol.* 34: 7-13.
- Astawan, M., Wresdiyati, T., Suliantari, Nababan, Y.M.S. 2012. Yoghurt sinbiotik berbasis probiotik lokal dapat mencegah diare dan mengubah status hematologi tikus. *Jurnal Veteriner*: 13 (2): 145-153.
- Audisio, M.C., Oliver, G. and Apella M.C. 2001. Effect of different complex carbon sources on growth and bacteriocin synthesis of *Enterococcus faecium*. *Int. J. Food Microbiol.* 63: 235-241.
- Azmi, A.F., Mustafa, S., Hashim, D.M., Manap, YA. 2012. Prebiotic activity of polysaccharides extracted from *Gigantochloa levis* (Buluh beting) shoots. *Molecules*. 17(2):1635-1651.
- Bañuelos, O., Fernández, L., Corral, J.M., Valdivieso-Ugarte, M., Adrio, J., Velasco-Alvarez, J. 2008. Metabolism of prebiotic products containing β (2–1) fructan mixtures by two *Lactobacillus* strain. *Anaerobe*. 14(3):184-189.
- Barclay, T., Ginic-Markovic, M., Johnston, M.R., Cooper, P.D. and Petrovsky, N. 2010. Analysis of the hydrolysis of inulin using real time ¹H NMR spectroscopy. *Carbohydr. Res.* 352: 117-125.
- Barkhatova, T.V., Nazarenko, M. N., Kozhukhova, M. A. and Khripko, I.A. 2015. Obtaining and identification of inulin from Jerusalem artichoke (*Helianthus tuberosus*) Tubers. *Foods and Raw Materials*. 3 (2): 13-22.
- Barrangou, R., Altermann, R., Hutkin, R., Cano, R., and Klaenhammer, T.R. 2003. Functional and comparative genomic analyses of an operon involved in fructooligosaccharide utilization by *Lactobacillus acidophilus*. *Proc. Natl. Acad. Sci. USA*. 100 (15): 8957-8962.
- Bridson, E.Y., and Oxoid, Ltd., 1998. *The Oxoid Manual*. 8th Edition. Basingstoke, Hampshire.
- Bringans, S., Eriksen, S., Kendrick, T., Gopalakrishnakone, P., Livk, A., Lock, R. and Lipscombe, R., 2008, Proteomics analysis of the venom of *Heterometrus longimanus* (*Asian black scorpion*). *Proteomics*. 8: 1081-1096.
- Brock, T.D. and Madigan, M.T. 1991. *Biology of Microorganism*. 6th Edition. "Prentice Hall" Englewood Cliffs. New Jersey.

- Bruggencate, S.J., Bovee-Oudenhoven, I.M., Lettink-Wissink, M.L., Katan, M.B. and van der Meer, R. 2006. Dietary fructooligosaccharide affect intestinal barrier function in healthy men. *J. Nutr.* 136 (1): 72-74.
- Byrd, J.A., Hargis, B.M., Caldwell, D.J., Bailey, R.H., Herron, K.L., McReynolds, J.L., Brewer, R.L., Anderson, R.C., Bischoff, K.M., Callaway, T.R. and Kubena, L.F. 2001. Effect of Lactic Acid Administration in the Drinking Water During Preslaughter Feed Withdrawal on Salmonella and Campylobacter Contamination of Broilers. *Poultry Sci.* 80 (3): 278-283.
- Calinescu, I., Ciuculescu, C., Popescu, M., Bajenaru, S. and Epure, G. 2001. Microwaves Assisted Extraction of Active Principles from Vegetal Material. *Proceeding of 12th Romanian International Conference on Chemistry and Chemical Engineering*. Romania.
- Castro, G.R., Baigori, M.D. and Sineriz, F. 1995. A plate technique for screening of inulin degrading microorganisms. *J. Microbiol. Methods*. 22: 51-56.
- Cerantola, S., Kervarec, N., Pichon, R., Magne, C., Bessieres, M.A. and Deslandes, E. 2004. NMR characterisation of inulin-type fructooligosaccharides as the major water-soluble carbohydrates from *Matricaria maritima* (L). *Carbohydr. Res.* 339 (14): 2445-9.
- Cerutti, A. and Rescigno, M. 2008. The biology of intestinal immunoglobulin A responses. *Immunity*. 28 (6): 740-750.
- Chen, C., Zhao, G. Chen, W. and Guo, B. 2015. Metabolism of fructooligosaccharides in *Lactobacillus plantarum* ST-III via differential gene transcription and alteration of cell membrane fluidity. *Appl. Environ. Microbiol.* 81 (22): 7697-7707.
- Chen, C., Zhou, F., Ren, J., Ai, L., Dong, Y., Wu, Z., Liu, Z., Chen, W. and Guo, B. 2014. Cloning, expression and functional validation of a β -fructofuranosidase from *Lactobacillus plantarum*. *Process Biochem.* 49 (5): 758-767.
- Collado, M.C., Surono, I., Meriluoto, J. and Salminen, S. 2007. Indigenous dadih lactic acid bacteria: cell-surface properties and interactions with pathogens. *J. Food Sci.* 72 (3): 89-93.
- Cowan and Steel. 1993. *Manual for the identification of medical bacteria*. Cambridge University press.
- Davis, W.W. and Stout, T.R. 1971. Disc plate methods of microbiological antibiotic assay. *J. Microbiol.* 4: 659-665.
- De Souza Oliveira, R.P., Perego, P., De Oliveira, M.N. and Converti, A. 2011. Effect of inulin as prebiotic and synbiotic interactions between probiotics to improve fermented milk firmness. *J. Food Eng.* 107 (1): 36-40.
- De Souza Oliveira, R.P., Perego, P., De Oliveira, M.N. and Converti, A. 2012. Growth, organic acids profile and sugar metabolism of *Bifidobacterium lactis* in co-culture with *Streptococcus thermophilus*: The inulin effect. *Food Res. Int.* 48: 21-27.
- Doucette, P.A., Whitson, L.J., Cao, X., Schirf, V., Demeler, B., Valentine, J.S., Hansen, J.C. and Hart, P.J. 2004. Dissociation of human copper-zinc sueroxide dismutase dimers using chaotrope and reductant. Insights into the molecular basis for dimer stability. *J. Biol. Chem.* 279: 54558-54566.

- Dubois, M., Gilles, K.A., Hamilton, J.K., Rebers, P.A. and Smith, F. 1956. Colorimetric method for determination of sugars and related substances. *Anal. Chem.* 28 (3): 350-356.
- Fallah, R., Kiani, A. and Azarfar, A., 2013. A review of the role of five kinds of alternatives to infeed antibiotics in broiler production. *J. Vet. Med. Anim. Health.* 5: 317-321.
- Fardiaz. 1993. *Penuntun praktikum mikrobiologi pangan*. Fateta IPB. Bogor.
- Farrar, J.F. and Pollock, C.J. 1993. *The Biology of Fructans*. University Press. Cambridge.
- Fernandes, J., Su, W., Rahat-Rozenbloom, S., Wolever, T.M.S., and Comelli, E.M. 2014. Adiposity, gut microbiota and faecal short chain fatty acids are linked in adult humans. *Nutr. Diabetes.* 4 (6): 121-127.
- Franck, A. and De Leenheer, L. 2005. Inulin. *Biopolym. Online.* 6: 439-448.
- Fukushima, Y., Kawata, Y., Hara, H., Terada, A. and Mitsuoka, T. 1998. Effect of a probiotic formula on intestinal immunoglobulin A production in healthy children. *Int. J. Food Microbiol.* 42 (1-2): 39-44.
- Fuller, R. 1989. Probiotics in man and animals. *J. Appl. Bacteriol.* 66(5): 365-378.
- Ganzle, M.G. and Follador, R. 2012. Metabolism of oligosaccharides and starch in lactobacilli: A review. *Front. Microbiol.* 3: 1-15.
- Garbutt, J. 1997. *Essential of food microbiology*. 2nd Edition. Hodder Arnold Publication. London.
- Gibson, G.R. 1999. Dietary modulation of the human gut microflora using the prebiotics oligofructose and inulin. *J. of Nutrition.* 129: 1438-1441.
- Gibson, G.R. and Roberfroid, M.B. 1995. Dietary Modulation of the Human Colonic Microbiota: Introducing the Concept of Probiotics. *J. Nutr.* 125 (2): 1401-1412.
- Gibson, G.R., Probert, H.M., Van Loo, J., Rastall, R.A. and Roberfroid, M.B. 2004. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr. Res. Rev.* 17: 259-275.
- Goh, Y.J., Lee, J.H. and Hutkins, R.W. 2007. Functional Analysis of the Fructooligosaccharide Utilization Operon in *Lactobacillus paracasei* 1195. *Appl. Environ. Microbiol.* 73 (18): 5716-5724.
- Goh, Y.J., Zhang, C., Benson, A.K., Schlegel, V., Lee, J. and Hutkins, R.W. 2006. Identification of a putative operon involved in fructooligosaccharide utilization by *Lactobacillus paracasei*. *Appl. Environ. Microbiol.* 72 (12): 7518-7530.
- Goutara dan Wijandi, S. 1975. *Dasar Pengolahan Gula*. Departemen Teknologi Hasil Pertanian IPB. Bogor.
- Grube, M., Bekers, M., Uptie, D. and Kaminska, E. 2002. Infrared spectra of some fructans. *Spectroscopy.* 16: 289-296
- Hames, B.D. and Rickwood, D. 1990. *Gel electrophoresis of protein: A practical approach*. 2nd Edition. Oxford University Press. New York.
- Hardy, H., Harris, J., Lyon, E., Beal, J. and Foey, A.D. 2013. Probiotics, prebiotics and immunomodulation of gut mucosal defences: homeostasis and immunopathology. *Nutrients.* 5 (6): 1869-1912.

- Hariono, M., Akbar, M.F., Sularsih, I., Najihah, L., Purwadi S. and Nugrahani, A.W. 2009. Extraction, Identification and Acetylation of Inulin from dahlia tuber (*Dahlia pinnata* cav.). *Proceeding The 9th National Symposium on Polymeric Materials*. Indonesia.
- Harish, K. and Varghese, T. 2006. Probiotic in humans-evidence based review. *Cal. Med. J.* 4 (4): 31-41.
- Hijova, E. and Chmelarova, A. 2007. Short chain fatty acids and colonic health. *Bratisl. Lek. Listy*. 108 (8): 354-358.
- Holt, S.M., Miller-Fosmore, C.M. and Cote, G.L. 2005. Growth of various intestinal bacteria on alternansucrase-derived oligosaccharides. *Lett. Appl. Microbiol.* 40: 385-390.
- Holzapfel, W.H. 2005. *Probiotics in Food Safety and Human Health*. Goktepe, I., V.K. Juneja, M. Ahmedna (eds.). CRC Taylor and Francis Group. Boca Raton.
- Huebner, J., Wehling R.L., and Hutkins, R.W. 2007. Functional activity of commercial prebiotics. *Int. Dairy J.* 17 (7): 770-775.
- Huebner, J., Wehling, R.L., Parkhurst, A. and Hutkins, R.W. 2008. Effect of processing conditions on the prebiotic activity of commercial prebiotics. *Int. Dairy J.* 18 (3): 287-293.
- Ishikawa, H., Akedo, I., Otani, T., Suzuki, T., Nakamura, T., Takeyama, I., Ishiguro, S., Miyaoka, E., Sobue, T. and Kakizoe, T. 2005. Randomized trial of dietary fiber and *Lactobacillus casei* administration for prevention of colorectal tumors. *Int. J. Cancer*. 116 (5): 762-767.
- Kabir, A.M., Aiba, Y., Takagi, A., Kamiya, S., Miwa, T. and Koga, Y. 1997. Prevention of *Helicobacter pylori* infection by Lactobacilli in a gnotobiotic murine model. *Gut*. 41 (1): 49-55.
- Kaplan, H. and Hutkins, R.W. 2003. Metabolism of fructooligosaccharides by *Lactobacillus paracasei* 1195. *Appl. Environ. Microbiol.* 69 (4): 2217-2222.
- Kaur, N. and Gupta, A.K. 2002. Application of inulin and oligofructose in health and nutrition. *J. Biosci.* 27 (7): 703-714.
- Kays, S.J. and Nottingham, S.F. *Biology and Chemistry of Jerusalem artichoke: Helianthus tuberosus* L. 2008. CRC Press. Boca Raton.
- Kim, M.H., Kang, S.G., Park, J.H., Yanagisawa, M. and Kim, C.H. 2013. Short-chain fatty acids activate GPR41 and GPR43 on intestinal epithelial cells to promote inflammatory responses in mice. *Gastroenterology*. 145 (2): 396-406.
- Kim, Y., Faqih, M. N. and Wang, S.S. 2001. Factors affecting gel formation of inulin. *Carbohydr. Polym.* 46: 135-145.
- Kraus, D., Yang Q. and Kahn, BB. 2015. Lipid extraction from mouse feces. *Bio. Protoc.* 5 (1): 1-5.
- Kulminskaya, A.A., Arand, M., Eneyskaya, E.V. Ivanen, D.R., Shabalin, KA., Shishlyannikov, S.M., Saveliev, A.N., Korneeva, O.S. and Neustroev, K.N. 2003. Biochemical characterization of *Aspergillus awamori* exoinulinase: substrate binding characteristics and regioselectivity of hydrolysis. *Biochim. Biophys. Acta*. 1650 (1-2): 22-29.

- Kusharto, C.M. 2006. Serat makanan dan peranannya bagi kesehatan (Dietary Fiber and Its Role for Health). *Jurnal Gizi dan Pangan*. 1(2): 45-54.
- Kuzuwa, S., Yokoi, K.J., Kondo, M., Kimoto, H., Yamakawa, A., Taketo, A. and Kodaira, K. 2012. Properties of the inulinase gene levH1 of *Lactobacillus casei* IAM 1045; cloning, mutational and biochemical characterization. *Gene*. 495: 154-162.
- Kvan, O.V., Gavrish, I.A., Lebedev, S.V., Korotkova, A.M., Miroshnikova, E.P., Serdaeva, V.A., Davydova, N.O. 2018. Effect of probiotics on the basis of *Bacillus subtilis* and *Bifidobacterium longum* on the biochemical parameters of the animal organism. *Env. Scie. and Pollution Research*. 25: 2175–2183.
- Laurence, D.R. and Bacharach, A.L. 1964. *Evaluation of drug activities: Pharmacometrics*. Academic press. London.
- Laurenzo, K.S., Navia, J.L. and Neiditch, D.S. 1999. *Preparation of inulin products*. US. Patent No. 5968365A.
- Lee, S., Prosky, L. and De Vries, J.W. 1992. Determination of total, soluble, and insoluble dietary fiber in foods: Enzymatic-gravimetric method, MES-TRIS buffer: Collaborative study. *J. AOAC Int*. 75 (3): 395-416.
- Lestari, L.A., Soesatyo, M.H.N.E., Irvati, S. dan Harmayani, E. 2012. Peningkatan aktivitas fagositosis dan produksi nitrit oksida pada makrofag peritoneum tikus *Sprague Dawley* yang diberi *Lactobacillus plantarum* Mut7 dan ekstrak serat ubi jalar. *Jurnal Gizi Klinik Indonesia*. 9 (2): 64-72.
- Li, D., Kim, J.M., Jin, Z. and Zhou, J., 2008. Prebiotic Effectiveness of Inulin Extracted from Edible Burdock. *Anaerob*. 14: 29-34.
- Lin, M.Y., de Zoete, M.R., van Putten, J.P., Strijbis, K. 2015. Redirection of Epithelial Immune Responses by Short-Chain Fatty Acids through Inhibition of Histone Deacetylases. *Front Immunol*. 6: 554-561.
- Lingyun, W., Jianhua, W., Xiaodong, Z., Da, T., Yalin, Y., Chenggang, C., Tianhua, F. and Fan, Z. 2007. Studies on the extracting technical conditions of inulin from Jerusalem artichoke tubers. *J. Food Eng*. 79 (3): 1087-1093.
- Livak, K.J. and Schmittgen, T.D. 2001. Analysis of relative gene expression data using Real-Time Quantitative PCR and the $2^{-\Delta\Delta ct}$ Method. *Methods*. 25 (4): 402-408.
- López-Molina, D., Navarro-Martínez, M.D., Rojas, M.F., Hiner, A.N., Chazarra, S. and Rodríguez-López, J.N. 2005. Molecular properties and prebiotic effect of inulin obtained from artichoke (*Cynara scolymus* L.). *Phytochem*. 66 (12): 1476-1484.
- Lou, Z., Wang, H., Wang, D. and Zhang, Y. 2009. Preparation of inulin and phenols-rich dietary fibre powder from burdock root. *Carbohydr. Polym*. 78 (4): 666-671.
- Louis, P., Scott, K.P., Duncan, S.H., Flint, H.J. 2007. Understanding the effects of diet on bacterial metabolism in the large intestine. *J. Appl. Microbiol*. 102: 1197-1208.
- Lu, L. and Walker, W.A. 2001. Pathologic and physiologic interactions of bacteria with the gastrointestinal epithelium. *Am. J. Clin. Nutr*. 73:1124S-30S.

- Luisa, M., Nunes, M.I. Sequeira, F.M. and Baptista, A.E. 2005. Characterisation of inulin from chicory and salsify cultivated in Portugal. *Alim. Nutr. Araraquara*. 16 (3): 221-225.
- Luque-Garcia, J.L. and De Castro, M.D.L. 2003. Ultrasound: a powerful tool for leaching. *Trends Analyt. Chem.* 22 (1): 41-47.
- Macfarlane, G., Steed, H. and Macfarlane, S. 2007. Bacterial metabolism and health-related effects of galactooligosaccharides and other prebiotics. *J. Appl. Microbiol.* 104: 305-344.
- Mahasri, G., Ulia, F., and Sri, S. 2010. Karakterisasi Protein *Lenaea cyprinacea* dengan Metode Elktroforesis SDS-PAGE. *Jurnal Ilmiah Perikanan dan Kelautan*. 2: 61-66.
- Makras, L., Van Acker, G. and De Vuyst. L. 2005. *Lactobacillus paracasei* subsp. *paracasei* 8700:2 degrades inulin-type fructans exhibiting different degrees of polymerization. *Appl. Environ. Microbiol.* 71 (11): 6531-6537.
- Mandal, V., Mohan, Y., & Hemalatha, S. 2007. Microwave Assisted Extraction-An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Pharmacognosy Reviews*. 1 (1): 7-18.
- Manderson, K., Pinart, M., Tuohy, K.M., Grace, W.E., Hotchkiss, A.T., Widmer, W., Yadhav, M.P., Gibson, G.R. and Rastall R.A. 2005. In vitro determination of prebiotic properties of oligosaccharides derived from an orange juice manufacturing by-product stream. *Appl. Environ. Microbiol.* 71 (12): 8383-9.
- Manning, T.S. and Gibson, G.R. 2004. Prebiotics. *Best. Pract. Res. Clin. Gastroenterology*. 18: 287-298.
- Maryati, Y., Nuraida, L., Hariyadi, R.D. 2016. Kajian Isolat Bakteri Asam Laktat dalam Menurunkan Kolesterol Secara In Vitro dengan Keberadaan Oligosakarida. *Agritech*. 36 (2): 37-45.
- Mason, T. and Lorimer, J. 1988. *Sonochemistry: Theory, applications and uses of ultrasound in chemistry*. Ellis Horwood Limited. Chichester.
- Matias, J., González, J., Royano, L. and Barrena, R.A. 2011. Analysis of sugars by liquid chromatography-mass spectrometry in Jerusalem artichoke tubers for bioethanol production optimization. *Biomass Bio energy*. 35 (5): 2006-2012.
- McLeod, Anette. 2010. *Lactobacillus sakei* metabolism and diversity. Philosophiae Doctor (PhD) Thesis: Department of Chemistry, Biotechnology and Food Science Norwegian University of Life Sciences. As-Norway.
- Melanie, H., Susilowati, A., Iskandar, Y.M., Lotulung, P.D. and Andayani, D.G.S. 2015. Characterization of inulin from local dahlia (*Dahlia* sp. L) tubers by infrared spectroscopy. *Procedia. Chem.* 16: 78-84.
- Metzler, B., Bauer, E. and Mosenthin, R. 2005. Microflora management in the gastrointestinal tract of piglets. *Asian-Australas J. Anim. Sci.* 18 (9): 1353-1362.
- Michail, S. and Abernathy, F. 2002. *Lactobacillus plantarum* reduces the in vitro secretory response of intestinal epithelial cell to enteropathogenic *Escherichia coli* infection. *J. Pediatr. Gastroenterol Nutr.* 35 (3): 350-355.

- Miller, G.L. 1959. Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Anal. Chem.* 31 (3): 426-428.
- Moat, A.G., Foster, J.W. and Spector MP. 2002. *Microbial Physiology*. 4th Edition. A Willey Interscience Publication. John Willey and sons. New York.
- Murtini, S., Nurhayati, T., Purwanto, S.B. and Wibawan, I.W.T. 2005. Pengembangan metode produksi antigen protease *Escherichia coli* Enteropatogenik (EPEC). *J. MeJ. Vet. Indones.* 9 (1): 27-31.
- Muza-Moons, M.M. Schneeberger, E.E. and Hecht, G.A. 2004. Enteropathogenic *Escherichia coli* infection leads to appearance of aberrant tight junction strands in the lateral membrane of intestinal epithelial cells. *Cell Microbiol.* 6 (8): 783-793.
- Myllyluoma, E., Kajander, K. and Saxelin, M. 2007. Functional dairy products for gastrointestinal infections and dysfunction. In: Maria Saarela (Eds.). Functional Dairy Products. Woodhead Publishing Limited Cambridge.
- Nagao, F., Nakayama, M., Muto, T. and Okumura, K. 2000. Effects of a fermented milk drink containing *Lactobacillus casei* strain Shirota on the immune system in healthy human subjects. *Biosci. Biotechnol. Biochem.* 64 (12): 2706-2708.
- Nagem, R.A., Rojas, A.L., Golubev, A.M., Korneeva, O.S., Eneyskaya, E.V., Kulminskaya, A.A., Neustroev, K.N. and Polikarpov, I. 2004. Crystal structure of exo-inulinase from *Aspergillus awamori*: the enzyme fold and structural determinants of substrate recognition. *J. Mol. Biol.* 344 (2): 471-480.
- Naidu, A.S. 2000. *Natural Food Antimicrobial Systems*. CRC Press. Boca Raton.
- Nelson, D.L. and Cox, M.M. 1970. *Lehninger principle of biochemistry*. 4th Edition. W.H. Freeman. New York.
- O'Sullivan, L., Murphy, B., McLoughlin, P., Duggan, P., Lawlor, P. G., Hughes, H., and Gardiner, G.E. 2010. Prebiotics from Marine Macroalgae for Human and Animal Health Applications. *Mar. Drugs*. 8: 2038–2064.
- Ogawa, M., Shimizu, K., Nomoto, K., Takahashi, M., Watanuki, M., Tanaka, R., Tanaka, T., Hamabata, T., Yamasaki, S. and Takeda, Y. 2001. Protective effect of *Lactobacillus casei* strain Shirota on Shiga toxin-producing *Escherichia coli* O157:H7 infection in infant rabbits. *Infect. Immun.* 69 (2): 1101-1108.
- Ohashi, Y., Nakai, S., Tsukamoto, T., Masumori, N., Akaza, H., Miyanaga, N., Kitamura, T., Kawabe, K., Kotake, T., Kuroda, M., Naito, S., Koga, H., Saito, Y., Nomata, K., Kitagawa, M. and Aso, Y. 2002. Habitual intake of lactic acid bacteria and risk reduction of bladder cancer. *Urol. Int.* 68 (4): 273-280.
- Paludan-Muller, C., Gram, L. and Rattray, F.P. 2002. Purification and characterisation of an extracellular fructan beta-fructosidase from a *Lactobacillus pentosus* strain isolated from fermented fish. *Syst. Appl. Microbiol.* 25 (1): 13-20.
- Park, J., Kim, M., Kang, S.G., Jannasch, A.H., Cooper, B., Patterson, J., and Kim, C.H. 2015. Short-chain fatty acids induce both effector and regulatory T

- cells by suppression of histone deacetylases and regulation of the mTOR-S6K pathway. *Mucosal. Immunol.* 8 (1): 80-93.
- Parvez, S., Malik, K.A., Ah Kang, S. and Kim, H.Y. 2006. Probiotics and their fermented food products are beneficial for health. *J. Appl. Microbiol.* 100: 1171–1185.
- Pavia, D.L., Lampman, G.M., Kris, G.S. and Vyvya, J.R. 2009. *Spectroscopy*. Saunders College. Philadelphia.
- Pelczar, M.J. dan Chan, E.C.S. 2006. *Dasar-Dasar Mikrobiologi*. UI Press. Jakarta.
- Petkova, N. T., and Denev, P. 2015. Methods for Determination of Inulin. *Proceeding of International Scientific-Practical Conference “Food, Technologies and Health”*: Agricultural Academy Food Research and Development Institute, Bulgaria.
- Petrova, P., Velikova, P., Popova, L. and Petrov, K. 2015. Direct conversion of chicory flour into L(+)-lactic acid by the highly effective inulinase producer *Lactobacillus paracasei* DSM 23505. *Bioresour. Technol.* 186: 329-333.
- Poll, J.T.K. and Douglas, J.A. 1987. Chicory: An investigation of production for witloof in the Waikato, New Zealand. *New Zeal. J. Exp. Agr.* 15 (1): 61-65.
- Pongmalai, P., Devahastin, S., Chiewchan, N., and Soponronnarit, S. 2015. Enhancement of Microwave-Assisted Extraction of Bioactive Compounds from Cabbage Outer Leaves via The Application of Ultrasonic Pretreatment. *J. Separ. and Purif. Technol.* 144: 37-45.
- Priyanto. 2009. *Farmakoterapi dan Terminologi Medis*. Leskonfi. Jakarta.
- Rafiee, Z. Jafari S.M., Alami, M., and Khomeiri, M. 2011. Microwave-Assisted Extraction of Phenolic Compounds from Olive Leaves; A Comparison with Maceration. *J. Anim. Plant Sci.* 21 (4): 738-745.
- Rahayuningsih, M. dan Purnawati, R. 1993. *Perbaikan Konversi Mikrobial Inulin menjadi Fruktosa*. Artikel 101 Inovasi Indonesia 2009. Departemen Teknologi Industri. Bogor.
- Rahman, S.M.M.M., Sen, P.K., Hasan, M.F., Miah, M.A.S. and Rahman, M.H. 2004. Purification and Characterization of Invertase Enzyme from Sugarcane. *Pak. J. Biol. Sci.* 7 (3): 340-345.
- Raman, M., Ambalam, P., Kondepudi, K.K., Pithva, S., Kothari, C., Patel, A.T., Purama, R.K., Dave, J.M. and Vyas, B.R. 2013. Potential of probiotics, prebiotics and synbiotics for management of colorectal cancer. *Gut Microbes.* 4 (3): 181-192.
- Ricca, E., Calabro, V., Curcio, S., and Iorio, G. 2007. The State of The Art in The Production of Fructose from Inulin Enzymatic Hydrolysis. *Crit. Rev. Biotechnol.* 27: 129-145.
- Riyanto, A. 2011. *Aplikasi Metodologi Penelitian Kesehatan*. Nuha Medika. Yogyakarta.
- Rizzelo, V., Bonaccorsi, I., Dongarra, M.L., Fink, L.N. and Ferlazzo, G. 2011. Role of Natural Killer and Dendritic Cell Crosstalk in Immunomodulation by Commensal Bacteria Probiotics. *J.of Biomed. and Biotechnol.* 11: 1-10.
- Roberfroid, M.B. 1999. Concepts in functional foods: the case of inulin and oligofructose. *J. Nutr.* 129 (7): 1398-1401.

- Roberfroid, M.B. 2004. Inulin-type fructans: Functional food ingredients. *J. Nutr.* 137 (11): 2493-2502.
- Rolfe, R.D. 2000. The role of probiotic cultures in the control of gastrointestinal health. *J. Nutr.* 130 (1): 396-402.
- Rooks, M.G. and Garrett, W.S. 2016. Gut microbiota, metabolites and host immunity. *Nat. Rev. Immunol.* 16 (6): 341-352.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A. and Zanoni, S. 2005. Fermentation of fructooligosaccharides and inulin by bifidobacteria: A comparative study of pure and fecal cultures. *Appl. Environ. Microbiol.* 71: 6150-6158.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S. and Matteuzzi, D. 2005. Fermentation of fructooligosaccharides and inulin by bifidobacteria: a comparative study of pure and fecal cultures. *Appl. Environ. Microbiol.* 71 (10): 6150-6158.
- Saarela, M., Mogenssen, G., Fonden, R., Matto, J. and Mattila-Sandholm, T. 2000. Probiotic bacteria: safety, functional, and technological properties. *J. Biotechnol.* 84 (3): 197-215.
- Saengthongpinit, W. and Sajjaanantakul, T. 2005. Influence of harvest time and storage temperature on characteristics of inulin from Jerusalem artichoke (*Helianthus tuberosus* L.) tubers. *Postharvest Biol. Technol.* 37 (1): 93-100.
- Santos, H.M., Lodeiro, C. and Martinez, J.L.C. 2009. *The Power of Ultrasound, Ultrasound in Chemistry*. Wiley Verlag. Weinheim.
- Sanz, Y., Nadal, I. and Sánchez, E. 2007. Probiotics as drugs against human gastrointestinal infections. *Recent. Pat. Antiinfect. Drug Discov.* 2 (2): 148-56.
- Saulnier, D.M.A.D., Molenaar, W.M., de Vos, G., Gibson, R. and Kolida, S. 2007. Identification of prebiotic fructooligosaccharide metabolism in *Lactobacillus plantarum* WCFS1 through microarrays. *Appl. Environ. Microbiol.* 73:1753-1765.
- Scharek, L., Altherr, B.J., Tölke, C. and Schmidt, M.F.G. 2007. Influence of the probiotic *Bacillus cereus* var. Toyoi on the intestinal immunity of piglets. *Vet. Immunol. Immunopathol.* 120 (3-4): 136-147.
- Schmid, K., Scholathauer, R.C., Friedrich, U., Staudt, C., Apajalahti, J. and Hansen, H.B. 2006. *Development of Probiotics Food Ingredients dalam Probiotics in Food Safety and Human Health*. Goktepe, Juneja, dan Ahmedna (eds.). CRC Press-Taylor and Francis Group. Florida.
- Shin, H.S., Lee, J.H., Pestka, J.J. and Ustunol, Z. 2000. Growth and viability of commercial *Bifidobacterium* spp in skim milk containing oligosaccharides and inulin. *Food Microbiol. and Safety.* 65: 5-12.
- Scopes, R.K. 1994. *Protein Purification*. Springer-Verlag. Berlin.
- Silva, A.C., Bastos, D.H.M., Areas, J.A.G., Facanali, R. and Marques, M.O.M. 2008. Volatile compounds in the thermoplastic extrusion of bovine rumen. *Quim. Nova.* 31 (8): 1990-1993.
- Su, P., Henriksson, A. and Mitchell, H. 2007. Selected prebiotics support the growth of probiotic mono-cultures in vitro. *Anaerobe.* 13: 134-139.

- Sudarmadji, S., Bambang, H. dan Suhardi. 1997. *Prosedur analisa untuk bahan makanan dan pertanian*. Angkasa. Bandung.
- Sun, W., Wu, W., Liu, Z. and Cong, Y. 2017. Microbiota metabolite short chain fatty acids, GPCR, and inflammatory bowel diseases. *J. Gastroenterol.* 52 (1): 1-8.
- Susilowati, A., Lotulung, P.D. dan Pujiraharti, S. 2013. Perbedaan karakteristik oligofruktosa dan komposisi serat inulin dari hasil hidrolisis dan tanpa hidrolisis dari umbi dahlia merah (*Dahlia* spp.) lokal untuk anti kolesterol. *Prosiding SNKTI*. 1: 20-28.
- Szajewska, H. 2007. Probiotics and prebiotics in pediatrics: where are we now?. *Turk. J. Pediatr.* 49 (3): 231-244.
- Szajewska, H., Skórka, A., Ruszczyński, M., Gieruszczak-Białek, D. 2007. Meta-analysis: *Lactobacillus* GG for treating acute diarrhoea in children. *Aliment. Pharmacol. Ther.* 25: 871-881.
- Tabasco, T., Paarup, T., Janer, C., Pelaez, C. and Requena, T. 2007. Selective Enumeration and Identification of Mixed Culture of *Streptococcus thermophilus*, *Lactobacillus delbrueckii* subsp. *Bulgaricus*, *L. acidophilus*, *L. paracasei* subsp. *Paracasei* and *Bifidobacterium Lactis* in Fermented Milk. *Int. Dairy J.* 17: 1107-1114.
- Toneli, J.T.C.L., Park, K.J., Ramalho, J.R.P., Murr, F.E.X. and Fabbro, I.M.D. 2008. Rheological characterization of chicory root (*Cichorium intybus* L.) inulin solution. *Braz. J. Chem. Eng.* 25 (3): 461-471.
- Tsujikawa, Y., Nomoto, R. and Osawa, R. 2013. Difference in degradation patterns on inulin-type fructans among strains of *Lactobacillus delbrueckii* and *Lactobacillus paracasei*. *Biosci. Microbiota Food Health.* 32 (4): 157-165.
- Van Laere, K.M.J., Hartemink, R., Bosveld, M., Schols, H.A. and Voragen, A.G.J. 2000. Fermentation of plant cell wall derived polysaccharides and their corresponding oligosaccharides by intestinal bacteria. *J. Agric. Food Chem.* 48 (5): 1644-1652.
- Van Loo, J. 2004. The specificity of the interaction with intestinal bacterial fermentation by prebiotic determine their physiological efficacy. *Nutrition Research Reviews.* 17: 89-98.
- Van Loo, J.1., Coussement, P., de Leenheer, L., Hoebregs, H. and Smits, G. 1995. On the presence of inulin and oligofructose as natural ingredients in the western diet. *Crit. Rev. Food Sci. Nutr.* 35 (6): 525-552.
- Vancharova, T., Baltova, K. and Urshev, Z. 2013. Starter cultures for production of yoghurt from sheep's milk with extended shelf life. *Bulg. J. Agric. Sci.* 19 (2): 94-96.
- Velikova, P.V., Gotcheva, V.G. and Petrova, P.M. 2014. Novel Bulgarian *Lactobacillus* strains ferment prebiotic carbohydrates. *J. BioSci. Biotech.* 11: 55-60.
- Vijn, I. and Smeekens, S. 1999. Fructan: More than a reserve carbohydrate. *Plant. Physiol.* 120: 351-360.
- Vilkhu, K., Mawson, R., Simons, L. and Bates D. 2008. Application and opportunities for ultrasound assisted extraction in the food industry-A review. *Innov. Food Sci. Emerg. Technol.* 9 (2): 161-169.

- Vinatoru, M. 2001. An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *Ultrasonics Sonochemistry*. 8: 303–313.
- Vinolo, M.A., Hatanaka, E., Lambertucci, R.H., Newsholme, P. and Curi, R. 2009. Effects of short chain fatty acids on effector mechanisms of neutrophils. *Cell. Biochem. Funct.* 27 (1): 48–55.
- Vogt, S.L., Pena-Diaz, J. and Finlay, B.B. 2015. Chemical communication in the gut: effects of microbiota-generated metabolites on gastrointestinal bacterial pathogens. *Anaerobe*. 34: 106–115.
- Warchol, M., Perrin, S., Grill, J.P. and Schneider, F. 2002. Characterization of purified β -fructofuranosidase from *Bifidobacterium infantis* ATCC 15697. *Lett. Appl. Microbiol.* 35: 462–467.
- Watson, D., Motherway, M.O., Schoterman, M.H., van Neerven, R.J., Nauta, A. and van Sinderen, D. 2013. Selective carbohydrate utilization by lactobacilli and bifidobacteria. *J. Appl. Microbiol.* 114 (4): 1132–1146.
- Widodo, Aditiyarini, D. and Wahyuningsih, T.D. 2017. Identification of Bacterial Proteins Involved in Inulin Metabolism from Colon-derived *Lactobacillus casei* Strains. *Pak. J. Biotechnol.* 14 (3): 303–3011.
- Widodo, Anindita, N.S., Taufiq, T.T. and Wahyuningsih, T.D. 2012^a. Identification of *Pediococcus* strains isolated from feces of Indonesian infants with *in vitro* capability to consume prebiotic inulin and to adhere on mucus. *I. J. Biotech.* 17 (2): 132–143.
- Widodo, Anindita, N.S., Taufiq, T.T. and Wahyuningsih, T.D. 2014. Evaluation of two lactobacillus strains as probiotics with emphasis in utilizing prebiotic inulin as energy source. *Int. Res. J. of Microbiol.* 5 (3): 33–40.
- Widodo, Taufiq, T.T., Aryati, E., Kurniawati, A. and Asmara, W. 2012^b. Human origin *Lactobacillus casei* Isolated from Indonesian infants demonstrating potential characteristics as probiotics *in vitro*. *I. J. Biotech.* 17 (1): 79–89.
- Widowati, S., Sunarti, T.C. dan Zaharani, A. 2005. Ekstraksi, karakterisasi, dan kajian potensi prebiotik inulin dari umbi dahlia (*Dahlia pinnata* L). *Seminar Rutin Puslitbang Tanaman Pangan*. Bogor.
- Wilson, M. 2005. *Microbial Inhabitants of Human: Their Ecology and Role in Health and Disease*. Cambridge University Press. United Kingdom.
- Winarti, S., Harmayani, E., Marsono, Y. dan Pranoto, Y. 2013. Pengaruh foaming pada pengeringan inulin umbi gembili (*dioscorea esculenta*) terhadap karakteristik fisiko-kimia dan aktivitas prebiotik. *Agritech*. 33 (4): 424–432.
- Yang, Z., Hu, J. and Zhao, M. 2011. Isolation and quantitative determination of inulin-type oligosaccharides in roots of *Morinda officinalis*. *Carbohydr. Polym.* 83: 1997–2004.
- Yuan, X.L., Goosen, C., Kools, H., van der Maarel, M.J.E.C., van den Hondel, C.A.M.J.J., Dijkhuizen, L. and Ram, A.F.J. 2006. Database mining and transcriptional analysis of genes encoding inulin-modifying enzymes of *Aspergillus niger*. *Microbiol.* 152: 3061–3073.