

DAFTAR PUSTAKA

- Abada, E.A.E. 2008. Isolation and characterization of a antimicrobial compound from *Bacillus coagulans*. *Anim. Cells Syst.* 12: 41–46
- Abriouel, H., C.A.M.P. Franz, N.B. Omar, and A. Galvez. 2011. Diversity and Applications of *Bacillus* Bacteriocins. Federation of European Microbiological Societies. Blackwell Publishing Ltd. Spain. pp. 201–232.
- Ahern, M., S. Verschueren, and D. van Sinderen. 2003. Isolation and characterisation of a novel bacteriocin produced by *Bacillus thuringiensis* strain B439. *FEMS Microbiol Lett.* 163: 229–236.
- Ansari, A., A. Aman, N. N. Siddiqui, S. Iqbal, and S. Ali ul Qader. 2012. Bacteriocin (BAC-IB17): Screening, isolation and production from *Bacillus subtilis* KIBGE IB-17. *Pak. J. Pharm. Sci.* 25: 195–201.
- Aunpad R., K. Na-Bangchang, and D. Pipatsatitpong. 2007. Bacteriocins with anti-MRSA activity produced by water and soil isolated bacteria. *Ann. Microbiol.* 57: 9–14.
- Balouiri, M., M. Sadiki, and S.K. Ibsouda. 2016. Methods for *in vitro* evaluating antimicrobial activity: a review. *J. Pharm. Anal.* 6: 71–79.
- Barbosa, T.M., C.R. Serra, R.M. La Raione, M.J. Woodward, and A. O. Henriques. 2005. Screening for *Bacillus* isolates in the broiler gastrointestinal tract. *Appl. Environ. Microbiol.* 71: 968–978.
- Barros, F.F.C., A.P.R. Simiqueli, C.J. de Andrade, and G.M. Pastore. 2013. Production of enzymes from agroindustrial wastes by biosurfactant-producing strains of *Bacillus subtilis*. *Biotechnol. Res. Int.* 2013: 1–9.
- Bizani, D., J.A.C. Morrissy, A.P.M. Domingue, and A. Brandelli. 2008. Inhibition of *Listeria monocytogenes* in dairy products using the bacteriocin-like peptide cerein 8A. *Int. J. Food. Microbiol.* 121: 229–233.
- Boe. 1996. Evaluation of optimum production for bacteriocin from *Lactobacillus sp.* JB 42 isolation from Kimchi. *J. Microbiol. Biotechnol.* 6: 63–67.
- Brooks, G.F., K.C. Carroll., J.S. Butel, S.A. Morse, and T.A. Mietzner. 2010. *Medical Microbiology* 26th Edition. McGraw-Hill Companies, Inc. United States.
- Carvalho, N. and S. Hansen. 2005. Prospects for probiotics in broilers. *Feed International.* 9–11.
- Chalasanani, A.G., G. Dhanarajan, S. Nema, R. Sen, and U. Roy. 2015. An antimicrobial metabolite from *Bacillus sp.*: Significant activity against pathogenic bacteria including multidrug-resistant clinical strains. *Front. Microbiol.* 6: 1–10.
- Cherif, A., W. Rezgui, N. Raddadi, D. Daffonchio, and A. Boudabous. 2008. Characterization and partial purification of entomocin 110, a newly identified bacteriocin from *Bacillus thuringiensis* subsp. *Entomocidus* HD110. *Microbiol. Res.* 163: 684–692.

- Cladera-Olivera, F., G.R. Caron, and A. Brandelli. 2004. Bacteriocin-like substance production by *Bacillus licheniformis* strain P40. *Lett. Appl. Microbiol.* 38: 251–256.
- Daniel, R.M., M. Dines, and H.H. Petach. 1996. The denaturation and degradation of stable enzymes at high temperatures. *Biochem. J.* 317: 1–11.
- De Vuyst, L. and E.J. Vandamme. 1994. Antimicrobial Potential of Lactic Acid Bacteria. In: *Bacteriocins of Lactic Acid Bacteria* (De Vuyst, L. and E.J. Vandamme, Eds). Blackie Academic & Professional, Glasgow. 91–142.
- De Vuyst, L. and F. Leroy. 2007. Bacteriocins from lactic acid bacteria: production, purification, and food applications. *J. Mol. Microbiol. Biotechnol.* 13 :194–199.
- Diaz, D. 2007. Effect of *Bacillus amyloliquefaciens* CECT-5940 spores on broiler performance and digestibility. <http://en.engormix.com/MA-poultry-industry/articles/effect-bacillus-amyloliquefaciens-cept5940-t795/p0.htm>. diakses pada 9 Maret 2019.
- Divakaran, D., A. Chandran, and R.P. Chandran. 2011. Comparative study on production of α -amylase from *Bacillus licheniformis* strains. *Braz. J. Microbiol.* 42: 1397–1404.
- Ennahar, S., T. Sashihara, K. Sonomoto, and A. Ishizaki. 2000. Class IIa bacteriocins: biosynthesis, structure and activity. *FEMS Microbiol. Lett.* 24: 85–106.
- Fatima, D. and K. Mebrouk. 2013. Characterization and determination of the factors affecting anti-listerial bacteriocins from *Lactobacillus plantarum* and *Pediococcus pentosaceus* isolated from dairy milk products. *J. Food. Sci.* 7: 35–44.
- Gao, Z., H. Wu, L. Shi. X. Zhang. R. Sheng. F. Yin, and R. Gooneratne. 2017. Study of *Bacillus subtilis* on growth performance, nutrition metabolism and intestinal microflora of 1 to 42 d broiler chickens. *Anim. Nutr.* 3: 109–113.
- Gomez, L. 2018. *Bacillus subtilis* soil https://microbewiki.kenyon.edu/index.php/Bacillus_Subtilis_Soil. Diakses pada Senin, 1 Juli 2019.
- Hammami, I., A. Rhouma, B. Jaouadi, A. Rebai, and X. Nesme. 2009. Optimization and biochemical characterization of a bacteriocin from a newly isolated *Bacillus subtilis* strain 14B for bio-control of *Agrobacterium* sp. strains. *Lett. Appl. Microbiol.* 48: 253-260.
- Hancock, R.E.W. and A. Rozek. 2002. MiniReview: Role of membranes in the activities of antimicrobial cationic peptides. *FEMS Microbiol. Lett.* 206:143–149.
- Hogg, S. 2018. *Essential Microbiology 2nd Edition*. John Wiley and Sons, Ltd. England.
- Holme, T.A. 2017. Denaturation. <http://www.chemistryexplained.com/Co-Di/Denaturation.html> diakses pada hari Minggu, 30 Juni 2019.

- Ilinskaya, O.N., V.V. Ulyanova, D.R. Yarulina, and I.G. Gataulin. 2017. Secretome of intestinal *Bacilli*: A natural guard against pathologies. *FEMS Microbiol. Lett.* 8: 1–15.
- Jack, R.W., Tagg, J.R., and B. Ray. 1995. Bacteriocins of Gram-positive bacteria. *Microbiol. Rev.* 59: 171–200.
- Johnson, M. 2019. Antibody storage and antibody shelf life. <https://www.labome.com/method/Antibody-Storage-and-Antibody-Shelf-Life.html> diakses pada hari Minggu, 30 Juni 2019.
- Kamoun, F., H. Mejdoub, H. Aouissaoui, J. Reinbolt, A. Hammami, and S. Jaoua. 2005. Purification, amino acid sequence and characterization of Bacthuricin F4, a new bacteriocin produced by *Bacillus thuringiensis*. *J. Appl. Microbiol.* 98: 881–888.
- Kanwal, N., A.A. Shah, S. Qayyum, and F. Hasan. 2015. Optimization of pH and temperature for degradation of tyre rubber by *Bacillus sp.* strain S10 isolated from sewage sludge. *Int. Biodeterior. Biodegradation.* 103: 154–160.
- Karaoglu, S.S., A. Sevim, and E. Sevim. 2014. Production and characterization of bacteriocin-like peptide produced by *Bacillus amyloliquefaciens* B10. *Erciyes Üniversitesi Fen Bilimleri Enstitüsü Dergisi.* 30: 338–345.
- Khalil, R., Y. Elbahloul, F. Djadouni, and S. Omar. 2009. Isolation and partial characterization of a bacteriocin produced by a newly isolated *Bacillus megaterium* 19 strain. *Pak. J. Nutr.* 8: 242–250.
- Kim, C.H., G.E. Ji, and C. Ahn. 2000. Purification and molecular characterization of a bacteriocin from *Pediococcus sp.* KCA 1202-10 isolated from fermented flastfish. *Food Sci. Biotechnol.* 9: 270–276.
- Kindoli, S., H. A. Lee, K. Heo, and J. H. Kim. 2012. Properties of a Bacteriocin from *Bacillus subtilis* H27 Isolated from *Cheonggukjang*. *Food Sci. Biotechnol.* 21: 1745–1751.
- Kishore, D., S. Kundu, and A.M. Kayastha. 2012. Thermal, chemical and pH induced denaturation of a multimeric β -galactosidase reveals multiple unfolding pathways. *PlosOne.* 17: 1–9.
- Knap, I., A.B. Kehlet, M. Bennedsen, G.F. Mathis, C.L. Hofacre, B.S. Lumpkins, M.M. Jensen, M. Raun, and A. Lay. 2011. *Bacillus subtilis* (DSM17299) significantly reduces *Salmonella* in broilers. *Poult. Sci.* 90:1690–1694
- Knap, I., B. Lund, A.B. Kehlet, C. Hofacre, and G. Mathis. 2010. *Bacillus licheniformis* prevents necrotic enteritis in broiler chickens. *Avian Dis.* 54: 931–935.
- Koni, T.N.I., Rusman, C. Hanim, and Zuprizal. 2017. Effect of pH and temperature on *Bacillus subtilis* FNCC 0059 *oxalate decarboxylase* activity. *Pak. J. Biol. Sci.* 20(9): 436–441.
- Korenblum, E., I. Der Weid, A.L. Santos, A.S. Rosado, G.V. Sebasti'an, C.M. Coutinho, F.C. Magalha'es, M.M. Paiva, and L. Seldin. 2005. Production of antimicrobial substances by *Bacillus subtilis* LFE-1, *B. firmus* HO-1 and

- Bacillus licheniformis* T6-5 isolated from an oil reservoir in Brazil. *J. Appl. Microbiol.* 98: 667–675.
- Lan, Y., M.W.A. Verstegen, S. Tamminga, and B.A. Williams, 2005. The role of commensal gut microbial community in broiler chickens. *World's Poult. Sci.* 61: 95–104.
- Lee, A., K.C. Cheng, and J.R. Liu. 2017. Isolation and characterization of a *Bacillus amyloliquefaciens* strain with zearalenone removal ability and its probiotic potential. *Plos One.* 12: 1–21.
- Lee, S.G. and H.C. Chang. 2018. Purification and characterization of mejucin, a new bacteriocin produced by *Bacillus subtilis* SN7. *J. Food Sci. Technol.* 87: 8–15.
- Lim, K.B., P.M. Balolong, S.H. Kim, J.K. Oh, J. Y. Lee, and D.-K. Kang. 2016. Isolation and characterization of a broad spectrum bacteriocin from *Bacillus amyloliquefaciens* RX7. *Biomed Res. Int.* 1–7.
- Lisboa, M. P., D. Bonatto, D. Bizani, J. A. P. Henriques, and A. Brandelli. 2006. Characterization of a bacteriocin-like substance produced by *Bacillus amyloliquefaciens* isolated from The Brazilian Atlantic forest. *Int Microbiol.* 9: 111–118.
- Lu, Z., W. Guo, and C. Liu. 2018. Isolation, identification and characterization of novel *Bacillus subtilis*. *J. Vet. Med. Sci.* 80: 427–433.
- Maina, J.W., J.M. Mathara, G.M. Kikuvu, and S.O. Ouma. 2017. Bacteriocins: Limiting factors to optimum activity. *Food Secur.* 5: 19–25.
- Martirani, L., M. Varcamonti, G. Naclerio, and M. De Felice. 2002. Purification and partial characterization of bacillocin 490, a novel bacteriocin produced by a thermophilic strain of *Bacillus licheniformis*. *Microb. Cell Fact.* 1: 1–5.
- Murray, R.K., D. D. Granner, P. A. Mayes, and V. W. Rodwell. 2003. *Harper's Illustrated Biochemistry. Twenty-sixth Edition.* USA: McGraw Hills Company Inc.
- Naclerio, G., L. Baccigalupi, C. Caruso, M. De Felice, and E. Ricca. 1995. *Bacillus subtilis* vegetative catalase is an extracellular enzyme. *Appl. Environ. Microbiol.* 61: 4471–4473.
- Nataamijaya, A. G. 2010. Pengembangan potensi ayam lokal untuk menunjang peningkatan kesejahteraan petani. *Jurnal Litbangtan.* 29: 131–138.
- Nes, I.F., S.-S. Yoon, and D.B. Diep. 2007. Ribosomally synthesized antimicrobial peptides (bacteriocins) in lactic acid bacteria: A review. *Food Sci. Biotechnol.* 16: 675–690.
- Ng, S.C., A.L. Hart, M.A. Kamm, A.J. Stagg, and S.C. Knight. 2009. Mechanisms of action of probiotic: recent advances. *Inflamm. Bowel Dis.* 15:300–310.
- Nguyen, A.T.V., D.V. Nguyen, M.T. Tran, L.T. Nguyen, A.H. Nguyen, and T.-N. Phan. 2015. Isolation and characterization of *Bacillus subtilis* CH16 strain from chicken. *Lett. App. Microbiol.* 60: 580–588.

- gastrointestinal tracts for use as a feed supplement to promote weight gain in broilers
- Ogunbanwo, S.T., A.I. Sanni, and A.A. Onilude. 2003. Characterization of bacteriocin produced by *Lactobacillus plantarum* F1 and *Lactobacillus brevis* OG1. *Afr. J. Biotechnol.* 2: 219–227.
- Olmos, J. and J. Panigua-Michel. 2014. *Bacillus subtilis* a potential probiotic bacterium to formulate functional feeds for aquaculture. *J. Microb. Biochem. Technol.* 6(7): 361–365.
- Paik, S.H., A. Chakicherla, and J.N. Hansen. 1998 Identification and characterization of the structural and transporter genes for, and the chemical and biological properties of, sublancin 168, a novel lantibiotic produced by *Bacillus subtilis* 168. *J. Biol. Chem.* 273: 23134–32142.
- Parada, J.L., C.R. Carob, A.B.P. Medeiros, and C.R. Soccol. 2007. Bacteriocins from lactic acid bacteria: purification, properties and use as biopreservatives. *Braz. Arch. Biol. Technol.* 50: 521–542.
- Park, S.Y., Y.J. Yang, Y.B. Kim, J.H. Hong, and C. Lee. 2002. Characterization of subtilein, a bacteriocin from *Bacillus subtilis* CAU131 (KCCM 10257). *J. Microbiol. Biotechnol.* 12(2): 228–234.
- Parker, R. 2003. *Introduction to Food Science*. Delmar, USA.
- Prudêncio, C.V., M.T. dos Santos, and M.C.D. Vanetti. 2015. Strategies for the use of bacteriocins in Gram-negative bacteria: relevance in food microbiology. *Food Sci. Technol.* 52: 5408–5417.
- Rajakumar, S., A. Premalatha, and K. Vijayalakshmi. 2011. Production and antimicrobial potential of a broad spectrum antimicrobial protein from a new strain of *Bacillus amyloliquefaciens* MBL27. *Int. J. Pharm. Pharm. Sci.* 3: 243–249.
- Ramachandran, R., A.G. Chalasani, R. Lal and U. Roy. 2014. A broad-spectrum antimicrobial activity of *Bacillus subtilis* RLID 12.1. *Sci. World J.* 1–10.
- Rashid, M.H., K. Togo, M. Ueda, and T. Miyamoto. 2009. Characterization of bacteriocin produced by *Streptococcus bovis* J240-2 isolated from traditional fermented milk Dahi. *Animal Sci. J.* 80: 70–78.
- Ray, B. 2004. *Fundamental Food Microbiology*. CRC Press LLC. Florida.
- Rilley, M.A. and M.A. Chavan. *Bacteriocins Ecology and Evolution*. 2007. Springer Verlag Berlin Heidelberg. Germany.
- Salanitro, J.P., I.G. Blake, and P. A. Muirhead. 1974. Studies on the cecal microflora of commercial broiler chicken. *Appl. Microbiol.* 28: 439–447.
- Salman, T., M. Kamal, M. Ahmed, S.M. Siddiq, R.A. Khan, and K. Hassan. 2016. Medium optimization for the production of amylase by *Bacillus subtilis* RM16 in shake-flask fermentation. *Pak. J. Pharm. Sci.* 29: 439–444.
- Sattar, S., M.M. Hassan, S.K.M.A. Islam, M. Alam, M.S. Al-Faruk, S. Chowdhury and A.K.M. Saifuddin. 2014. Antibiotik residues in broiler and layer muat in Chittagong district of Bangladesh. *Vet. World.* 7(9): 738–743.

- Savadogo, A., A.T.Q. Cheik, H.N.B. Imael, and S.A. Traore. 2004. Antimicrobial activities of lactic acid bacteria strain isolated from Burkina Faso fermented milk. *Pak. J. Nutr.* 3: 174–179.
- Scholz, R.J. Vater, A. Budiharjo, Z. Wang, Y. He, K. Dietel, T. Schwecke, S. Herfort, P. Lasch, and R. Borriss. 2014. Amylocyclicin, a novel circular bacteriocin produced by *Bacillus amyloliquefaciens* FZB42. *J. Bacteriol.* 196(10): 1842–1852.
- Sharma, G., S. Dang, S. Gupta, and R. Gabrani. 2018. Antibacterial activity, cytotoxicity, and the mechanism of action of bacteriocin from *Bacillus subtilis* GAS101. *Med. Princ. Pract.* 27: 186–192.
- Sharma, N., R. Kapoor, N. Gautam, and R. Kumari. 2011. Purification and characterization of bacteriocin produced by *Bacillus subtilis* R75 isolated from fermented chunks of mung bean (*Phaseolus radiatus*). *Food Technol. Biotech.* 49: 169–176.
- Shioi, J.-I., Y. Imae, and F. Oosawa. 1978. Protorunmotive force and motility of *Bacillus subtilis*. 133: 1083–1088.
- Sivakumar, N. and A.B. Saif. 2010. Partial characterization of bacteriocins produced by *Lactobacillus acidophilus* and *Pediococcus acidilactici*. *Braz. Arch. Biol. Technol.* 53: 1177–1184.
- Sreekumar, G. and S. Krishnan. 2010. Enhanced biomass production study on probiotic *Bacillus subtilis* SK09 by medium optimization using response surface methodology. *Afr. J. Biotechnol.* 9: 8078–8084.
- Stanley, D., M.S. Geier, S.E. Denman, V.R. Haring, T.M. Crowley, R.J. Hughes, and R.J. Moore. 2013. Identification of chicken intestinal microbiota correlated with the efficiency of energy extraction from feed. *Vet. Microbiol.* 164: 85–92.
- Stanley, D., R.J. Hughes, and R.J. Moore. 2014. Microbiota of the chicken gastrointestinal tract: influence on health, productivity and disease. *Appl. Microbiol. Biotechnol.* 98:4301–4310.
- Steel, R.G.D. dan J.H. Torrie. 1995. Prinsip dan Prosedur Statistik. Gramedia Pustaka. Jakarta.
- Stein, T., S. Heinzmann, S. D'usterhus, S. Borchert, and K.-D. Entian. 2005. Expression and functional analysis of the subtilin immunity genes spaIFEG in the subtilin-sensitive host *Bacillus subtilis* MO1099. *J. Bacteriol.* 187: 822–828.
- Sulandari, S, M.S.A. Zein, D. Astuti, and T. Sartika. 2009. Genetic polymorphisms of the chicken antiviral Mx gene in a variety of Indonesian indigenous chicken breeds. *J. Vet. Sci.* 10: 50–56.
- Sumardi, C. N. Ekowati, K. Handayani, and Nurhayati. 2012. Antimikrobia dari saluran pencernaan ayam kampung (*Gallus domesticus*). *Pros. Semin. Nas. Sains Mipa dan Apl.* 978: 306–311.
- Sumathi, V. and D. Reetha. 2012. Effect of storage time and temperature for maximum bacteriocin production by lactic acid bacteria. *Int. J. Pharm. Biol. Arch.* 3: 831–834.

- Tagg, J.R., A.S. Dajani, and L.W. Wannamaker. 1976. Bacteriocins of gram-positive bacteria. *Bacteriol. Rev.* 40: 722.
- Tariq, A.L., S. Sudha, and A.L. Reyaz. 2016. Isolation and screening of *Bacillus* species from sediments and application in bioremediation. *Int. J. Curr. Microbiol. App. Sci.* 5: 916–924.
- Timmerman, H.M., A. Veldman, E. Van Den Elsen, F.M. Rombout, and A.C. Beynen. 2006. Mortality of growth performance of broiler given drinking water supplemented with chicken-specific probiotics. *Int. J. Poult. Sci.* 85:1383–1388.
- Todorov, S.D. and L.M.T. Dicks. 2006. Screening for bacteriocin-producing lactic acid bacteria from boza, a traditional cereal beverage from Bulgaria comparison of the bacteriocins. *Process Biochem.* 41: 11–19.
- Tortora, G.J., B.R. Funke, and C.L. Case. 2013. *Microbiology An Introduction* 13th Edition. Benjamin Cummings, Inc.
- Touraki, M., I. Frydas, G. Karamanlidou, and A. Mamara. 2012. Partial purification and characterization of a bacteriocin produced by *Bacillus subtilis* NCIMB 3610 that exhibits antimicrobial activity against fish pathogens. *J. Biol. Res.-Thessalon.* 18: 310–319.
- Usmiati, S. and T. Marwati. 2007. Selection and optimization of process of bacteriocin production from *Lactobacillus sp.* *J. Post Harvest Technol.* 4: 27–37.
- Usmiati, S. dan W.P. Rahayu. 2011. Aktivitas hambat bubuk ekstrak bakteriosin dari *Lactobacillus sp.* galur SCG 12223. Seminar Nasional Teknologi Peternakan dan Veteriner. 388–397.
- Van-Immerseel, F., L. De Zutter, K. Houf, F. Pasmans, F. Haesebrouck, and R. Ducatelle. 2009. Strategies to control *Salmonella* in the broiler production chain. *World's Poult. Sci.* 65: 367–391.
- Vazquez, A.P. 2016. *Bacillus species* are superior probiotic feed-additives for poultry. *J. Bacteriol. Mycol.* 2: 1–3.
- Willey, J.M. and W.A. van der Donk. 2007. Lantibiotics: peptides of diverse structure and function. *Ann. Rev. Microbiol.* 61: 477–501.
- Wolfenden, R.E., N.R. Pumford, M.J. Morgan, S. Shivaramaiah, A.D. Wolfenden, G. Tellez, and B. M. Hargis. 2010. Evaluation of a screening and selection method for *Bacillus* isolates for use as effective diet-fed microbials in commercial poultry. *Int. J. Poult. Sci.* 9: 317–323.
- Xie, J., R. Zhang, C. Shang, and Y. Guo. 2009. Isolation and characterization of a bacteriocin produced by an isolated *Bacillus subtilis* LFB112 that exhibits antimicrobial activity against domestic animal pathogens. *Afr. J. Biotechnol.* 8: 5611–5619.
- Xu, S., Y. Lin, D. Zeng, M. Zhou, Y. Zeng, H. Wang, Y. Zhou, H. Zhu, K. Pan, B. Jing, and X. Ni. 2018. *Bacillus licheniformis* normalize the ileum microbiota of chickens infected with necrotic enteritis. *Sci. Rep.* 8: 1–10.

- Yang, S.C., C.H. Lin, C.T. Sung, and J.Y. Fang. 2014. Antibacterial activities of bacteriocins: application in foods and pharmaceuticals. *Front. Microbiol.* 5: 1–10.
- Zacharof, M.P. and R.W. Lovitt. 2012. Bacteriocins produced by lactic acid bacteria. *Asia-Pacific Chemical, Biological and Environmental Engineering Society Procedia.* 2: 50–56.