

DAFTAR PUSTAKA

- Abbas, A., D. Jiang & Y. Fu. 2017. *Trichoderma* spp. as antagonist of *Rhizoctonia solani*. J Plant Pathol Microbiol. 8(3): 402.
- Achmad, S., Hadi, S. Harran, E.G. Sa'id, B. Satiawiharja & M. Kosim Kardin. 2010. Aktivitas antagonisme in vitro *Trichoderma harzianum* dan *Trichoderma pseudokoningii* terhadap patogen lodoh *Pinus merkusii*. Jurnal Penelitian Hutan Tanaman. 7(5): 233-240.
- Achmad & D. Yulisman. 2011. Potensi dua isolat local *Pleurotus* sp. Sebagai antagonis terhadap *Ganoderma* sp. Jurnal Penelitian Tanaman Industri. 17(4): 174-178.
- Adhipathi, P., V. Singh & S.C. Meena. 2013. Virulence diversity of *Rhizoctonia solani* causing sheath blight disease in rice and its host pathogen interaction. The Bioscan. 8(3): 949-952.
- Angraini, E. 2017. Uji antagonism *Lentinus cladopus* LC4 terhadap *Ganoderma boninense* penyebab penyakit busuk pangkal batang kelapa sawit. Biosfera. 34(3): 144-149.
- Agrios, G.N. 2005. Plant Pathology. 4th ed. Academic Press. New York. 922 p.
- Alfizar, Marlina & F. Susanti. 2013. Kemampuan antagonis *Trichoderma* sp. terhadap beberapa jamur patogen in vitro. J. Floratek. 8: 45 -51.
- Ali, H.Z. & K. Nadarajah. 2012. Evaluating the efficacy of *Trichoderma* and *Bacillus* isolates as biological control agenssts against *Rhizoctonia solani*. Research Journal of Applied Sciences. 7(9): 1-10.
- Amaria W., R. Harni & Samsudin, 2015. Evaluasi jamur antagonis dalam menghambat pertumbuhan *Rigidoporus micropus* penyebab penyakit jamur akar putih pada tanaman karet. J TIDP. 2(1): 51-60.
- Anonim. 2013. Standard evaluation system for rice (SES). 5th. International Rice Research Institute. Manila. 55 p.
- Anonim. 2017. Outlook Komoditas Pertanian Sub Sektor Tanaman Pangan Jagung. Pusat Data dan Sistem Informasi Pertanian. Kementerian Pertanian. Jakarta. 120 hal.
- Akhtar, J., V.K. Jha, A. Kumar & H.C. Lal. 2009. Occurrence of banded leaf and sheath blight of maize in Jharkhand with reference to diversity in *Rhizoctonia solani*. Asian J. Agric. Sci. 1(2): 32-35.
- Arakawa, M. & K. Inagaki. 2014. Molecular markers for genotyping anastomosis groups and understanding the population biology of *Rhizoctonia* species. J Gen Plant Pathol. 80: 401–407.
- Asad, S.A., N. Ali, A. Hameed, S.A. Khan, R. Ahmad, M. Bilal, M. Shahzad & A. Tabassum. 2014. Biocontrol efficacy of different isolates of *Trichoderma* against soil borne pathogen *Rhizoctonia solani*. Polish Journal of Microbiology. 63(1): 95-103.
- Bae H., D.P. Roberts, L. Lim, M.D. Strem, S. Park, C. Ryu, R.L. Melnick & B.A. Bailey. 2011. Endophytic *Trichoderma* Isolates from Tropical Environments Delay Disease Onset and Induce Resistance Against *Phytophthora capsici* in Hot Pepper Using Multiple Mechanisms. Molecular Plant-Microbe Interactions. 24 (3): 336–351.

- Baird, R.E. & D.E. Carling. 1997. First report of *Rhizoctonia solani* AG-7 in Georgia. *Plant Disease*. 81:7, 832.
- Benítez, T., A.M. Rincón, M.C. Limón & A.C. Codón. 2004. Biocontrol mechanism of *Trichoderma* strains. *International Microbiology*. 7: 249-260.
- Berlian, I., B. Setyawan & H. Hadi. 2013. Mekanisme antagonisme *Trichoderma* spp. terhadap beberapa patogen tular tanah. *Warta Perkaretan*. 32(2): 74-82.
- Bintang, A.S., A. Wibowo, A. Priyatmojo & S. Subandiyah. 2017. Morphological and molecular characterization of *Rhizoctonia solani* isolates from two different rice varieties. *Jurnal Perlindungan Tanaman Indonesia*, 21(2): 72–79.
- Blazier, S.R. & K.E. Conway. 2004. Characterization of *Rhizoctonia solani* isolates associated with path diseases on turfgrasses. *Proc.Okla.Acad.Sci*. 84: 41-51.
- Burpee L. & B. Martin. 1992. Biology of *Rhizoctonia* species associated with turfgrasses. *Plant Disease*. 76(2): 112-117.
- Caesar, A.J. 1994. Comparative virulence of strains of *Rhizoctonia* spp. on leafy spurge (*Euphorbia esula*) and disease reactions of cultivated plants in the greenhouse. *Plant Disease*. 78(2): 183-186.
- Canessa, P., J. Schumacher, M.A. Hevia, P. Tudzynski & L.F. Larrondo. 2013. Assessing the effects of light on differentiation and virulence of the plant pathogen *Botrytis cinerea*: characterization of the *White Collar* Complex. *PLoS ONE*. 8(12): e84223.
- Carisse, O., S. El Bassam & N. Benhamou. 2001. Effect of *Microsphaeropsis* sp. strain P130A on germination and production of sclerotia of *Rhizoctonia solani* and interaction between the antagonist and the pathogen. *Phytopathology*. 91(8): 782-791.
- Carling, D.E., R.E. Baird, R.D. Gitaitis, K.A. Brainard & S. Kuninaga. 2002. Characterization of AG-13, a newly reported anastomosis group of *Rhizoctonia solani*. *Phytopathology*. 92(8): 893-899.
- Ceresini, P. 1999. *Rhizoctonia solani*, pathogen profile as one of the requirements of the course. *Soilborne Plant Pathogen*. NC State University. Diakses 9 Februari 2016.
- Chang, Y.H. 1985. Effect of temperature, pH and water potential on mycelia growth and sclerotial formation of *Rhizoctonia solani* AG1. *Chinese Agriculture Research*. 34(4): 454-463.
- Chaudhary, S., S. Sagar, A. Tomar, R.S. Sengar & M. Kumar. 2016. Banded leaf and sheath blight: A menacing disease of maize (*Zea mays* L.) and its management. *Journal of Applied and Natural Science* 8 (3): 1720-1730.
- Chauhan, P. & D. Gupta. 2017. Impact of varying light duration on radial growth of Pink Oyster Mushroom. *Int. J. Curr. Microbiol. App. Sci*. 6: 368-371.
- Choiruddin, M.R. 2010. Virulensi dan keragaman genetik *Fusarium oxysporum* f.sp. cepae penyebab busuk pangkal bawang putih. Skripsi. Universitas Sebelas Maret. Surakarta.
- Ciampi, M.B., L.R. Gale, E.G.D. Lemos & P.C. Ceresini. 2009. Distinctively variable sequence-based nuclear DNA markers for multilocus phylogeography of the soybean- and rice-infecting fungal pathogen *Rhizoctonia solani* AG-1 IA. *Genetics and Molecular Biology*. 32(4): 840-846.
- Charoensoparat, K., N. Aukkanit, S. Thanonkeo, W. Saksirirat, P. Thanonkeo & K. Akiyama. 2008. Targeted disruption of a G protein alpha subunit gene results

- in reduced growth and pathogenicity in *Rhizoctonia solani*. *World Journal of Microbiology and Biotechnology*. 24:345–351.
- Cubeta, M.A., O.R. Briones & R. Vigalys. 1993. Reassessment of heterokaryon formation in *Rhizoctonia solani* anastomosis group 4. *Mycologia*. 85(5): 777-787.
- Das, B. 1999. Banded leaf and sheath blight (extended information). <http://maizedoctor.org/banded-leaf-and-sheath-blight-extended-information>. CYMMYT. (diakses 11 Februari 2016).
- Datta, S., S. Das, A. Sarkar, J. Tarafdar & A. Chowdhury. 2014. Assessing the effects of varied temperature and pH on the growth and sclerotial formation of *Rhizoctonia solani* Kuhn, isolated from paddy field: a case study. *International Journal of Life Sciences*. 8(2): 4-9.
- Debbarma, M. & P. Dutta. 2015. Cultural and morphological variability in *Rhizoctonia solani* isolates of different hosts of Assam. *Indian Journal of Applied Research*. 5(2): 878-884.
- de França, S.K.S., A.F. Cardoso, D.C. Lustosa, E.M.L.S. Ramos, M.C.C. de Filippi & G.B. da Silva. 2015. Biocontrol of sheath blight by *Trichoderma asperellum* in tropical lowland rice. *Agron. Sustain. Dev.* 35: 317–324.
- De La Cruz, J., J.A. Pintor-Toro, T. Benitez & A. Llobell. 1995. Purification and characterization of an endo- β -1,6-glucanase from *Trichoderma harzianum* that is related to its mycoparasitism. *Journal of Bacteriology*. 177: 1864-1971.
- De Leon, C. 1984. Maize diseases: A guide for field identification. 3th. Centro Internacional de Mejoramiento de Maiz y Trigo (CIMMYT). Mexico. 119 p.
- Devi, B., B.R. Thakur & G. Singh. 2018. A Survey on Banded Leaf and Sheath Blight of Maize Incited by *Rhizoctonia solani* f. sp. *sasakii* in Himachal Pradesh. *Int. J. Pure App. Biosci.* 6 (5): 960-964.
- Djaenuddin, N. & A. Muis. 2018. Epidemiologi dan pengelolaan penyakit layu bakteri pada tanaman jagung. *Jurnal Litbang Pertanian*. 37(2): 41-48.
- Dubey, S.C., A. Tripathi & B.K. Upadhyay. 2012. Molecular diversity analysis of *Rhizoctonia solani* isolates infecting various pulse crops in different agro-ecological regions of India. *Folia Microbiol.* 57:513-524.
- Degli, I.F. & V.E. Russo. 1984. Isolation of new white collar mutants of *Neurospora crassa* and studies on their behaviour in the blue light-induced formation of photoperithecia. *J Bacteriol.* 159: 757-761.
- Dutta, U., C.S. Kalha & J.N. Srivastava. 2012. Effect of different light intensities, different light duration patterns and different temperatures on growth and sclerotial development of *Rhizoctonia solani*. *Internat J Agric Sci.* 8: 184-187.
- Dutta, V., S. Gupta, C.S. Kalha & U.K. Razdan. 2013. Morpho-cultural and pathogenic variability among isolates of *Rhizoctonia solani* causing sheath blight. *J. Mycol. Plant Pathol.* 43(2): 210-215.
- Dwiastuti, M.E., M.N. Fajri & Yunimar. 2015. Potensi *Trichoderma* spp. sebagai agens pengendali *Fusarium* spp. penyebab penyakit layu pada tanaman stroberi (*Fragaria x ananassa* Dutch.). *J. Hort.* 25(4): 331-339.
- Effendi, R., H. Salsabila & A. Malik. 2018. Pemahaman tentang lingkungan berkelanjutan. *Modul.* 18(2): 75-82.
- Erper, I., I. Ozkoc & G.H. Karaca. 2011. Identification and pathogenicity of *Rhizoctonia* species isolated from bean and soybean plants in Samsun, Turkey. *Archives of Phytopathology and Plant Protection*. 44(1): 78-84.

- Fitri, E. 2013. Pengaruh suhu, pH dan konsentrasi terhadap senyawa bioaktif fungi *Ralstonia pickettii* dalam menekan pertumbuhan *Rhizoctonia solani*. Skripsi. Departemen Proteksi Tanaman Fakultas Pertanian. Institut Pertanian Bogor.
- Gade, K.M., Y.K. Belkar & Y.V. Ingle. 2018. Morphological and pathogenic variability among *Rhizoctonia battaticola* isolates associated with soybean (*Glycine max* L.) from India. *Int.J.Curr.Microbiol.App.Sci.* 7(1): 2575-2588.
- Ganeshamoorthi, P. & S.C. Dubey. 2013. Anastomosis grouping and genetic diversity analysis of *Rhizoctonia solani* isolates causing wet root rot in chickpea. *African Journal of Biotechnology.* 12(43):6159-6169.
- Ginting, C., J. Prasetyo, A. Nurhidayat & T. Maryono. 2017. Efikasi isolat *Trichoderma* terpilih dengan bahan organik untuk mengendalikan penyakit busuk pangkal batang pada lada di lapangan. *J. HPT Tropika.* 17 (1): 77-83.
- Godoy-Lutz, G., S. Kuninaga, J.R. Steadman & K. Powers. 2008. Phylogenetic analysis of *Rhizoctonia solani* subgroups associated with web blight symptoms on common bean based on ITS-5.8S rDNA. *J Gen Plant Pathol.* 74:32-40.
- Gonzalez-Vera, A.D., J. Bernardes-de-Assis, M. Zala, B.A. McDonald, F. Correa-Victoria, E.J. Graterol-Matute & P.C. Ceresini. 2009. Divergence between sympatric rice- and maize-infecting populations of *Rhizoctonia solani* AG-1 IA from Latin Amerika. *Phytopathol.* 100: 172-182.
- Gonzalez, N., G. Godoy-Lutz, J.R. Steadman, R. Higgins & K.M. Eskridge. 2012. Assessing genetic diversity in the web blight pathogen *Thanatephorus cucumeris* (anamorph = *Rhizoctonia solani*) subgroups AG-1-IE and AG-1-IF with molecular markers. *J Gen Plant Pathol.* 78: 85-98.
- Gopireddy, B.M., G.U. Devi, K.V. Kumar, T.R. Babu & T.C.M Naidu. 2017. Cultural and morphological characterization of *Rhizoctonia solani* f.sp. *sasakii* isolates collected from different districts of Andhara Pradesh. *Int. J. Curr. Microbiol. App. Sci.* 6(11): 3457-3469.
- Ghosh, S., S.K. Gupta & G. Jha. 2014. Identification and functional analysis of AG1-IA specific genes of *Rhizoctonia solani*. *Curr Genet.* 60:327–341.
- Ghosh, S., P. Kanwar & G. Jha. 2018. Identification of candidate pathogenicity determinants of *Rhizoctonia solani* AG1-IA, which causes sheath blight disease in rice. *Current Genetics.* 64: 729–740.
- Goswami, B.K., K.A. Bhuyan & I.H. Mian. 2010. Morphological and pathogenic variations in the isolates of *Rhizoctonia solani* in Bangladesh. *Bangladesh J. Agric. Res.* 35(3): 375-380.
- Goswami, B.K., M.M. Rahaman, A.K.M.A. Hoque, K. Bhuyan & I.H. Mian. 2011. Variations in different isolates of *Rhizoctonia solani* based on temperature and pH. *Bangladesh J. Agril. Res.* 36(3): 389-396.
- Gurkanli C.T., I. Ozkoc & I. Gunduz. 2009. Molecular and conventional identification and pathogenicity of *Rhizoctonia solani* isolates from tobacco (*Nicotiana tabaccum* L.) in Samsun, Turkey. *J Phytopathol.* 157: 686-696.
- Gusnawati, H.S., M. Taufik & Herman. 2014. Efektifitas *Trichoderma* indigenus Sulawesi Tenggara sebagai biofungisida terhadap *Colletotrichum* sp. secara *in vitro*. *Jurnal Agroteknos.* 4(1):38-43.
- Handayani, P. 2015. Identifikasi *Trichoderma* spp. yang berpotensi sebagai agens pengendali hayati penyakit layu pada melon. Skripsi. Universitas Gadjah Mada. Yogyakarta.

- Hartati, S.Y., E. Taufik, Supriadi, N. Karyani. 2008. Karakteristik fisiologis isolat *Sclerotium* sp. asal tanaman sambiloto. *Jurnal Littri*. 14(1): 25-29.
- Hatakeyama, R., Y.N. Tomo, H. Yujiro & K. Katsuhiko. 2007. Light represses conidiation in koji mold *Aspergillus oryzae*. *Biosci Biotechnol Biochem*. 71: 1844-1849.
- Herdyastuti, N., T.J. Raharjo, Mudasir & S. Matsjeh. 2009. Kitinase dan mikroorganisme kitinolitik: isolasi, karakterisasi dan manfaatnya. *Indo.J.Chem*. 9(1): 37-47.
- Hyakumachi, M., A. Priyatmojo, M. Kubota. & H. Fukui. 2005. New anastomosis groups, AG-T and AG-U, of binucleate *Rhizoctonia* spp. causing root and stem rot of cut-flower and miniature roses. *The American Phytopathological Society*. 95(7): 784-792.
- Ilyas, M. 2006. Isolasi dan identifikasi kapang pada relung rizosfir tanaman di kawasan cagaar alam Gunung Mutis, Nusa Tenggara Timur. *Biodiversitas* 7(3):216-220.
- Iriany, R.N., M. Yasin & A. Takdir. 2007. Asal, Sejarah, Evolusi, dan Taksonomi Tanaman Jagung. *Jagung: Teknik produksi dan pengembangan*. Balai Penelitian Tanaman Serealia. Maros. 1-15.
- Ismail, N., & A.Tenrirawe. 2011. Potensi agen hayati *Trichoderma harzianum* sebagai agens pengendali hayati. *Seminar Regional Inovasi Teknologi Pertanian*. Sulawesi Utara
- Jacobson, E.S. 2000. Pathogenic roles for fungal melanins. *Clin. Microbiol. Rev*. 13: 708-717.
- Jayaprakashvel, M. & N. Mathivanan. 2012. Morphological and pathological variations of rice sheath blight inciting south Indian *Rhizoctonia solani* isolates. *Archives of Phytopathology and Plant Protection*. 45(4): 455-467.
- Juarez, M., D. Juarez & V.M. Russo. 2000. Growth and protein content in *Colletotrichum circinans*, *Fusarium solani* and *Rhizoctonia solani* in liquid culture. *Biologia Plantarum*. 43(4): 577-582.
- Kamala, T. & I. Devi. 2012. Biocontrol properties of indigenous *Trichoderma* isolates from north-east india against *Fusarium oxysporum* and *Rhizoctonia solani*. *Afr. J. Biotech*. 11(34):8491-8499.
- Kasryno, F., E. Pasandaran, Suyamto & M.O. Adnyana. 2007. Gambaran umum ekonomi jagung di Indonesia. *Jagung: teknik produksi dan pengembangan*. Balai Penelitian Tanaman Serealia. Maros. 474-497.
- Kementan. 2013. Data statistik ketahanan pangan tahun 2012. Jakarta (ID): Badan ketahanan pangan kementerian pertanian 2013.
- Khandaker, M.M., A. Khair & M.K.A. Bhuiyan. 2008. Disease reaction of different crops against virulent potato isolates of *rhizoctonia solani* Kuhn. *Bangladesh J. Bot*. 37(1): 75-80.
- Khikmah, N., S. Margino & R.S. Kasiamdari. 2016. Isolasi, seleksi dan identifikasi kapang kitinolitik yang diisolasi dari tanah pembuangan limbah udang dan rizosfer solanaceae. *Biota*. 1(1): 1-8.
- Khodayari, M., N. Safaie & M. Shamsbakhsh. 2009. Genetic diversity of Iranian AG1-IA isolates of *Rhizoctonia solani*, the cause of rice sheath blight, using morphological and molecular markers. *J. Phytopathology*. 157: 708-714.
- Kim, H.T., Y.R. Chung, K.Y. Chao. 2001. Mycelial melanization of *Rhizoctonia solani* AG1 affecting pathogenicity in rice. *Plant Pathol. J*. 17(4): 210-215.

- Kumar, S., M. Thakur & A. Rani. 2014. *Trichoderma* : Mass production, formulation, quality control, delivery and its scope in commercialization in India for the management of plant disease. *African Journal of Agricultural Research*. 9(53): 3838-3852.
- Kuiry, S.P., A. Mondal, S. Banerjee & S. Dutta. 2014. Morphological variability in *Rhizoctonia solani* isolates from different agro-ecological zones of West Bengal, India. *Archives of Phytopathology and Plant Protection*. 47(6): 728-736.
- Lal, S., P. Baruah & K. Butchaiah. 1980. Assessment of yield losses in maize cultivars due to banded leaf sclerotial disease. *Indian Phytopathol*. 29: 129-132.
- Lal M & Kandhari J. 2009. Cultural and morphological variability in *Rhizoctonia solani* isolates causing sheath blight of rice. *J Mycol PI Pathol*. 39: 77-81.
- Lal, M., V. Singh, J. Kandhari, P. Sharma, V. Kumar & S. Murti. 2014. Diversity analysis of *Rhizoctonia solani* causing sheath blight of rice in India. *African Journal of Biotechnology*. 13(5):4594-4605.
- Lestari, L., A. Risliwati, D.W. Utami, N. Hidayatun, T. Santoso & Chaerani. 2016. Pengembangan identitas spesies berbasis marka SSR pada 29 varietas kedelai local Indonesia. *Jurnal Biologi Indonesia*. 12(2): 219-229.
- Li, H.R., B.C. Wu & S.Q. Yan. 1998. Aetiology of *Rhizoctonia* in sheath blight of maize in Sinchuan. *Plant Pathology*. 47: 16-21.
- Li, L., S.J. Wright, S. Krystofova, G. Park & K.A. Borkovich. 2007. Heterotrimeric G protein signalling in filamentous fungi. *Annual Review of Microbiology*. 61: 423-452.
- Li, Y., R. Sun, J. Yu, K. Saravanakumar & J. Chen. 2016. Antagonistic and biocontrol potential of *Trichoderma asperellum* ZJSX5003 against the maize stalk rot pathogen *Fusarium graminearum*. *Indian J Microbiol*. 56(3): 318-327.
- Lokesha, S. & R.K. Somashekar. 1988. Influence of light on growth pattern of *Rhizoctonia solani*-a maize isolate. *Curr Sci*. 57: 614-615.
- Maurya, S., P.S. Udar, S. Rashmi, S. Amitabh & B.S. Harikesh. 2010. Role of air and light in sclerotial development and basidiospore formation in *Sclerotium rolfsii*. *J of PI Prot Res*. 50: 206-209.
- Meena, R.L., R.S. Rathore & K. Mathur. 2003. Efficacy of biocontrol agents against *Rhizoctonia solani* f.sp. *sasakii* causing banded leaf and sheath blight of maize. *Journal of Mycology and Pathology*. 33(2): 310-312.
- Miller R M. & A.E. Liberta. 1977. The effects of light and tyrosine during sclerotia development in *Sclerotium rolfsii*. *Sacc. Can J Microbiol*. 23: 278-287.
- Mishra, P.K., R. Gogoi, P.K. Singh, S.N. Rai & A. Kumar. 2014a. Effect of photo period on morpho-cultural characteristic of *Rhizoctonia solani* f. sp. *sasakii* of maize. *Annals of Biology*. 30(4):733-737.
- Mishra, P.K., R. Gogoi, P.K. Singh, S.N. Rai, A. Singode, A. Kumar & C. Manjunatha. 2014b. Morpho-cultural and pathogenic variability in *Rhizoctonia solani* isolates from rice, maize and green gram. *Indian Phytopath*. 67(2): 147-154.
- Mishra, P.K., R. Gogoi, P.K. Singh, J. Borah & S.N. Rai. 2015. Genotypic variability in isolates of *Rhizoctonia solani* from rice, maize and greengram. *Indian Phytopath*. 68(1): 56-62.
- Moni, Z.R., M.A. Ali, M.S. Alam, M.A. Rahman, M.R. Bhuiyan, M.S. Mian, K.M. Iftekharruddaula, M.A. Latif & M.A. Iqbal Khan. 2016. Morphological and

Genetical Variability among *Rhizoctonia solani* Isolates Causing Sheath Blight Disease of Rice. *Rice Science*. 23(1): 42-50.

- Moromizato, Z., T. Amano & M. Tamori. 1983. The effect of light on sclerotial formation of *Rhizoctonia solani* Kuhn (AG-1, IA). *Ann. Phytopath. Soc. Japan*. 49: 495-500.
- Muhsin, T.M. & M.S. Selman. 2013. In vitro, optimization of growth and bioactivity of antibacterial metabolite produced by *Rhizoctonia solani* Kuhn. *Journal of Basrah Research (Sciences)*. 39(1): 101-111.
- Muis, A. & A.J. Quimio. 2006. Biological control of banded leaf and sheath blight disease (*Rhizoctonia solani* Kuhn) in corn with formulated *Bacillus subtilis* BRr23. *Journal of Agricultural Science*. 7(1): 1-7.
- Muis, A. 2007. Pengelolaan penyakit busuk pelepah (*Rhizoctonia solani* Kuhn) pada tanaman jagung. *Jurnal Litbang Pertanian*. 26(3):100-103.
- Muis A, Pakki S. & N. Nonci. 2010. Major corn diseases in Palu Valley of Indonesia and their control. In: Zaidi PH, Azrai M, Pixley KV (eds.); *Proceeding of the 10th Asian Regional Maize*. Makassar, 20-23 October 2008.
- Muharni & E. Nurnawati. 2007. Pengujian aktivitas kitinase dari *Bacillus circulans* untuk dikembangkan sebagai agen biokontrol pada penyakit. *Jurnal Penelitian Sain*. 10(1): 144-150. *Nigerian Journal of Agriculture, Food and Environment*. 13(2): 60-67.
- Mulyati S. 2009. Pengendalian penyakit hawar pelepah daun (*Rhizoctonia solani*) menggunakan beberapa agensia hayati golongan cendawan pada jagung (*Zea mays*). *Journal Agronomi*. 13(2): 37-43.
- Musa, H., M.A. Hassan, M.S. Isyaku, J. Halidu & A.S. Suleiman. 2017. Antagonistic potential of *Trichoderma* species against *Ganoderma* disease of oil palm. *Nigerian Journal of Agriculture, Food and Environment*. 13(2):60-67.
- Muslim, A., Syahri, H. Hamidson & A. Salim. 2014. *Trichoderma* spp. dan *Penicillium* spp. dari tanah rizosfer lahan rawa lebak dalam menginduksi ketahanan tanaman cabai terhadap serangan penyakit rebah kecambah. *Jurnal Fitopatologi Indonesia*. 10(1): 31-36.
- Mwang'Ombe, A.W., G. Thiong'O, F.M. Olubayo & E.K. Kiprof. 2007. DNA microsatellite analysis of Kenyan isolates of *Rhizoctonia solani* from common bean (*Phaseolus vulgaris* L.). *Plant Pathology Journal*. 6(1): 66-71.
- Naeimi, S., S.M. Okhovvat, M.M. Javan-Nikkhah, C. Vagvolgyi, V. Khosravi & L. Kredics. 2010. Biological control of *Rhizoctonia solani* AG1-1A, the causal agent of rice sheath blight with *Trichoderma* strains. *Phytopathol. Mediterr*. 49(3): 287-300.
- Nagaraj, B.T., G. Sunkad, D. Pramesh, M.K. Naik, M.B. Pahl. 2017. Host range studies of rice sheath blight fungus *Rhizoctonia solani* (Kuhn). *Int.J.Curr.Microbiol.App.Sci*. 6(11): 3856-3864.
- Noronha, E.F. & C.J. Ulhoa. 2000. Characterization of a 29-kDa β -1,3-glucanase from *Trichoderma harzianum*. *FEMS Microbiol Lett*. 183:119-123.
- Nuryanto, B. 2017. Penyakit Hawar Pelepah (*Rhizoctonia solani*) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*. 21(2): 63-71.
- Ohkura, M. 2008. Characterization of *Rhizoctonia solani* and *Rhizoctonia*-like fungi infecting vegetables in New York and their pathogenicity to corn. Thesis. Faculty of the graduate school. Cornell University. 64 p.

- Orozco-Avitia, A., M. Esqueda, A. Meza, M. Tiznado, A. Gutierrez & A. Gardea. 2013. Temperature effect on *rhizoctonia solani* analyzed by microcalorimetry. *American Journal of Agricultural and Biological Sciences* 8 (2): 162-166.
- Padmaja, M., J. Swathi, K. Narendra, K.M. Sowjanya, P.J. Babu & A.K. Satya. 2013. *Trichoderma* sp. as a microbial antagonist against *Rhizoctonia solani*. *International Journal of Pharmacy and Pharmaceutical Sciences*. 5(4): 322-325.
- Pal, P. & P. Kaushik. 2012. Antagonistic activity of *Trichoderma viride* against *Rhizoctonia solani* isolated from an orchid. *Vegetos*. 25(2): 76-77.
- Pascual, C.B., T. Toda., A.D. Raymondo & M. Hyakumachi. 2000. Characterization by conventional techniques and PCR of *Rhizoctonia solani* isolates causing banded leaf sheath blight in maize. *Plant Pathology*. 49: 108-118.
- Pascual, C.B., A.D. Raymundo & M. Hyakumachi. 2000. Efficacy of hypovirulent binucleat *Rhizoctonia* sp. to control banded leaf and sheath blight in corn. *J. Gen Plant Pathol*. 66:95-106.
- Pascual, C.B. & M. Hyakumachi. 2000. Distribution of vegetatively compatible populations of *Rhizoctonia solani* AG1-IA in a field planted with different host species. *J. Gen. Plant Pathol*. 66: 206-209.
- Patidar, P., G.K. Awadhiya & K.P. Patil. 2017. Assessing the effects of varied temperature, pH and wave length of light on the growth and sclerotial formation of *Rhizoctonia solani* Kuhn. *Agric Update*. 12: 1866-1973.
- Pratomo, R. 2006. Pengaruh macam, pH dan penggoyangan media terhadap pertumbuhan cendawan *Rhizoctonia* sp. Skripsi. Program Studi Budidaya Hutan Fakultas Kehutanan. Institut Pertanian Bogor.
- Priya, S. & J.P. Upadhyay. 2017. Antagonistic potential of *Trichoderma harzianum* against *Rhizoctonia solani* causing banded leaf and sheath blight of maize. *International Journal of Current Microbiology and Applied Sciences*. 6(10): 886-890.
- Priyatmojo, A., Y. Yotani, K. Hattori, K. Kageyama & M. Hyakumachi. 2001a. Characterization of *Rhizoctonia* spp. causing root and stem rot of miniature rose. *Journal Plant Disease*. 85: 1200-1205.
- Priyatmojo, A., V.E. Escopalao, N.G. Tangonan. C.B. Pascual, H. Suga, K. Kageyama & M. Hyakumachi. 2001b. Characterization of a new subgroup of *Rhizoctonia solani* anastomosis group 1 (AG-1-ID), causal agent of a necrotic leaf spot on coffee. *Phytopathology*. 91(11): 1954-1061.
- Priyatmojo, A., R. Yamauchi, E. Carling, K. Kageyama & Hyakumachi. 2002. Differentiation of three varieties of *Rhizoctonia circinata*; var. *circinata*, var. *oryzae*, var. *zeae* on basis of cellular fatty acid composition. *J. Phytopathology*. 150: 1-5.
- Priyatmojo, A. 2006. Tipe mating pada empat isolat *Thanatephorus cucumeris* (Anamorf: *Rhizoctonia solani*) anastomosis grup (AG)1-IC. *Jurnal Perlindungan Tanaman*. 12 (2): 112-122.
- Purwantisari, S., R.S. Ferniah & B. Raharjo. 2008. Pengendalian penyakit lodoh busuk umbi kentang dengan agens hayati jamur-jamur antagonis lokal. *Bioma*. 10(2): 13-19.
- Purwantisari S. & R. B.Hastuti BIOMA. 2009. Uji antagonisme jamur patogen *Phytophthora infestans* penyebab penyakit busuk daun dan umbi tanaman

kentang dengan menggunakan *Trichoderma* spp. isolat lokal. 1410-8801
Vol. 11, No. 1, Hal. 24-32

- Rajput, L.S. & S.I. Harlapur, 2016. Cultural and morphological variability in *Rhizoctonia solani* causing banded leaf and sheath blight of maize. *Indian J. Plant Prot.* 44(1): 165-167.
- Rangel, D.E.N., E.K.K. Fernandes, G.U.L. Braga & D.W. Roberts. 2011. Visible light during mycelial growth and conidiation of *Metarhizium robertsii* produces conidia with increased stress tolerance. *FEMS Microbiol. Lett.* 315: 81-86.
- Ritchie, F., R.A. Bain and M.P. McQuilken, 2009. Effects of nutrient status, temperature, and pH on mycelial growth, sclerotial production and germination of *Rhizoctonia solani* from potato. *J. Plant Pathol.*, 91: 589-596.
- Rostami, F., F.K. Moghaddam & S.K. Sabbagh, S. Saeidi. 2015. Comparison of PCR-RFLP based on ribosomal regions and SSR markers in genetic diversity of pistachio die-back caused by *Paecilomyces variotii*. *Gene Cell Tissue.* 2(1): 1-4.
- Sanders, I.R. 2002. Ecology and evolution of multigenomic arbuscular mycorrhizal fungi. *The American Naturalist.* 160(4): 5128-5141.
- Santoso, T.J., D.W. Utami, E.M. Septiningsih. 2008. Analisis sidik jari DNA plasma nutfah kedelai menggunakan markah SSR. *Jurnal Agro Biogen.* 2(1): 1-7.
- Satyakala, K., A. Alladi & K.D. Thakur. 2017. Effect of physiological parameters on growth of *Aspergillus niger* and *Trichoderma harzianum*. *Int. J. Pure App. Biosci.* 5: 1808-1812.
- Saxena, S.C. 2002. Bio-intensive integrated disease management of banded leaf and sheath blight of maize. *In: Proceedings of the 8th Asian Regional Maize Workshop.* Bangkok. Thailand. 5-8 August 2002. 380-390.
- Sayler, R.J. & Y. Yang. 2007. Detection and quantification of *Rhizoctonia solani* AG1-IA, the rice sheath blight pathogen, in rice using real-time PCR. *Plant Disease.* 12(91): 1663-1668.
- Semangun, H. 1993. Penyakit-penyakit tanaman pangan di Indonesia. Gadjah Mada University Press. 449 p.
- Semangun, H. 2001. Pengantar ilmu penyakit tumbuhan. Gadjah Mada University Press. Yogyakarta. 754 p.
- Sharfuddin C. & Mohanka R. 2012. *In vitro* antagonism of indigenous *Trichoderma* isolates against phytopathogen causing wilt of lentil. *International Journal of Life Science and Pharma Research* 2 (3): 195-202.
- Shahjahan, A.K.M., N. Fabellar & T.W. Mew. 1987. Relationship between growth rate, sclerotia production, and virulence of isolates of *Rhizoctonia solani* Kuhn. *IRRN.* 12: 28-29.
- Shalini, S. & A.S. Kotasthane. 2007. Parasitism of *Rhizoctonia solani* by strains of *Trichoderma* sp. *Electronic Journal of Environmental, Agricultural and Food Chemistry.* 6(8):2272-228.
- Sharma, R.C., P. Srinivas & B.K. Basta. 2002. Banded leaf and sheath blight of maize—its epidemiology and management. *In: N.P. Rajbhanadri, J.K. Ransom, K. Adhikari, A.F.E. Palmer (Eds.). Proceedings of a Maize Symposium.* Kathmandu (Nepal) 2-5 December 2001. 108-112.
- Sharma, R.C. 2005. Banded leaf and sheath blight (*Rhizoctonia solani* f.sp. *sasakii*) of maize. 159-171pp.

- Sharma, L., S. Goswami & D.T. Nagrale. 2013. Culture and physiological variability in *Rhizoctonia solani*, responsible for foliar and lesions on aerial part soybean. *Journal of Applied and Natural Sciences*. 5(1):41-46.
- Silgado, D.Z. & E.B. Agudelo. 2014. Effectiveness of *Trichoderma* spp. at controlling *Fusarium oxysporum* f.sp. *phaseoli* in bean plants at a greenhouse scale. *International Journal of Biosciences*. 5(9): 21-36.
- Singh, R., B.K. Singh, R.S. Upadhyay, R. Bharat & Y. Su Lee. 2002. Biological control of fusarium wilt disease of pigeon pea. *J. Plant Pathol.* 18(5): 279-283.
- Singh, A & J.P. Shahi. 2012. Banded leaf and sheath blight: an emerging disease of maize (*Zea mays* L.). *Maydica electronic publication*. 57: 215-219.
- Singh, V., S. Kumar, M. Lal & K.S. Hooda. 2014. Cultural and morphological variability among *Rhizoctonia solani* isolates from trans-gangetic plains of India. *Res. On Crops*. 15(3): 644-650.
- Singh, O. & Vishwanath. 2016. Cultural and morphological variability in *Rhizoctonia solani* isolates of rice and maize. *The Bioscan*. 11: 2905-2908.
- Singh, V., B.S. Amaradasa, C.G. Jarjagi, D.K. Lakshman, K.S. Hooda & A. Kumar. 2018. Morphological and molecular variability among Indian isolates of *Rhizoctonia solani* causing banded leaf and sheath blight in maize. *Eur J Plant Pathol*. 152(1): 45-60.
- Smith, J.D., K.K. Kidwell, M.A. Evans., R.J. Cook & R.W. Smiley. 2003. Assessment of spring wheat genotypes for disease reaction to *Rhizoctonia solani* AG 8 in controlled environment and direct-seeded field evaluation. *Crop Science*. 43:694-700.
- Soelistijono, A. Priyatmojo, E. Semiarti & C. Sumardiyono. 2011. Karakterisasi isolat *Rhizoctonia* spp. patogenik dan *Rhizoctonia* mikoriza pada tanaman anggrek tanah *Spathoglottis plicata*. *Biota*. 16(2): 371-380.
- Soenartiningih. A.T. Harsoyo, N. Pusposenjoyo & J.B. Baon. 2006. Pengaruh inokulasi jamur mikoriza arbuskular terhadap penyakit busuk pelepah pada jagung di lapangan. *Biosfera*. 23 (2): 86-91.
- Soenartiningih. 2009. Histologi dan kerusakan oleh jamur *R. solani* penyebab penyakit busuk pelepah pada jagung. *Prosiding Seminar Nasional Biologi XX dan Kongres Perhimpunan Biologi Indonesia XIV*. Malang. 24-25 Juli 2009.
- Soenartiningih. 2010. Efektivitas beberapa cendawan antagonis dalam menghambat perkembangan cendawan *Rhizoctonia solani* pada jagung secara *in vitro*. *Prosiding pekan serealia nasional*. ISBN: 978-979-8940-29-3. 346-352.
- Soenartiningih. 2012. Potensi Jamur Mikoriza Arbuskular dalam Mengendalikan Penyakit Busuk Pelepah pada Tanaman Jagung. *Biosfera*. 29 (1): 30-35.
- Soesanto, L., E. Mugiastuti, R.F. Rahayuniati & R.S. Dewi. 2013. Uji kesesuaian empat isolat *Trichoderma* spp. dan daya hambat *in vitro* terhadap beberapa patogen tanaman *J. Hpt Tropika*.13(2): 117-123.
- Subekti, N.A., Syafruddin, R. Efendi & S. Sunarti. 2007. Morfologi tanaman dan fase pertumbuhan jagung. *Jagung: Teknik produksi dan pengembangan*. Balai Penelitian Tanaman Serealia. Maros. 16-28.
- Sudjono, M.S., 1995. Effectiveness of antagonists against sheath blight and ear rot caused by *Rhizoctonia solani* Kuhn. In *Proceedings of the 1993 Prosiding*

Kongres Nasional XII dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia, pp: 545-549.

- Sulaiman, A.M., K. Kariyasa, Hoerudin, K. Subagyono, Suwandi & F.A. Bahar. 2017. Cara cepat swasembada jagung. Sekretariat Jenderal Kementerian Pertanian RI. 101 p.
- Sundravadana, S., S. Thirumurugan & D. Alice. 2011. Exploration of molecular variability in *Rhizoctonia bataticola*, the incitant of root rot disease of pulse crops. *J. Plant Prot. Res.* 2:184-189.
- Sumartini. 2012. Penyakit tular tanah (*Sclerotium rolfsii* dan *Rhizoctonia solani*) pada tanaman kacang-kacangan dan umbi-umbian serta cara pengendaliannya. *Jurnal Litbang Pertanian.* 31(1): 27-34.
- Sumner, D.R. & N.A. Minton. 1989. Crop losses in corn induced by *Rhizoctonia solani* AG2-2 and nematodes. *Phytopathol.* 79: 934-941.
- Sumner, D. R. 1996. Sclerotia formation by *Rhizoctonia* species and their survival. In: Sneh B, Jabaji-Hare S, Neate S, Dijst G (eds) *Rhizoctonia Species: Taxonomy, Molecular Biology, Ecology, Pathology and Disease Control.* Kluwer Academic Press, The Netherlands.
- Sunder, B., H.R. Kataria, Satyavi & O.P. Sheoran. 2003. Characterization of *Rhizoctonia solani* associated with root/collar rots and blights. *Indian Phytopath.* 56(1): 27-33.
- Suriani & A. Muis. 2016. Prospek *Bacillus subtilis* sebagai agen pengendali hayati patogen tular tanah pada tanaman jagung. *J. Litbang Pert.* 35 (1): 37-45.
- Suryadi, Y., I.M. Samudra, T.P. Priyatno, D.N. Susilowati, P. Lestari & Sutoro. 2015. Aktivitas Anticendawan *Bacillus cereus* 11UJ terhadap *Rhizoctonia solani* dan *Pyricularia oryzae*. *Jurnal Fitopatologi Indonesia.* 11(2): 35-42.
- Susheela, K. & C.S. Reddy. 2013. Variability in *Rhizoctonia solani* (AG1-IA) isolates causing sheath blight of rice in India. *Indian Phytopath.* 66(4): 341-350.
- Taheri, P. & S Tarighi. 2011. Cytomolecular aspects of rice sheath blight caused by *Rhizoctonia solani*. *Eur J Plant Pathol.* 129:511–528.
- Taufiq, E. 2012. Potensi *Trichoderma* spp. dalam menekan perkembangan penyakit busuk pucuk vanili di pembibitan. *Buletin RISTR.* 3(1): 49-56.
- Thind, T.S. & R. Aggarwal. 2008. Characterization and pathogenic relationships of *Rhizoctonia solani* isolates in a potato-rice system and their sensitivity to fungicides. *J. Phytopathology.* 156: 615-621.
- Toda, T. Hyakumachi M. & D.K. Arora. 1999. Genetic relatedness among and within different *Rhizoctonia solani* anastomosis groups as assessed by RAPD, ERIC, and REP-PCR. *Microb. Res.* 154:247-258.
- Tondje, P.R., D.P. Robert, M.C. Bon, T. Widmer, G.J.Samuels, A. Ismaiel, A. Begoude, A.D. Tchana, Nyemb-Tshomb, M. Ndoumbe-Nkeng, R. Bateman, D. Fontem & K.P. Hebbar. 2007. Isolation and identification of mycoparasitic isolates of *Trichoderma asperellum* with potential for suppression of black pod disease of cacao in Cameroon. *Biological control.* 43:202-2012.
- Vidhyasekaran, P., T.R. Ponmalar, R. Samiyappan, R. Velazhahan, R. Vimala. 1997. Host-specific toxin production by *Rhizoctonia solani*, the rice sheath blight pathogen. *Phytopathology.* 87: 1258–1263.
- Villa Juan-Abgona, R., N. Katsuno, K. Kageyama & M. Hyakumachi. Isolation and identification of hypovirulent *Rhizoctonia* spp. from soil. *Plant Pathology.* 45:896-904.

- von Münch, I. 2008. The antagonistic mechanisms employed by *Trichoderma harzianum* and their impact on the control of the bean rust fungus *Uromyces appendiculatus*. Doctoral Dissertation. Naturwissenschaftlichen Fakultät der Gottfried Wilhelm Leibniz Universität Hannover.
- Wamishe, Y.A., Y. Jia, P. Singh & R.D. Catwright. 2007. Identification of field isolates of *Rhizoctonia solani* to detect quantitative resistance in rice under greenhouse conditions. *Frontiers of Agriculture in China (Agric, China)*. 1(4): 361-367.
- Weiland, J.J. 2007. Rapid procedure for the extraction of DNA from fungal spores and mycelia. USDA-ARS, Northern Crop Science Laboratory, Sugarbeet and Potato Research Unit Fargo, N.D. 58105-5677 USA.
- Weiland, J.J. 1997. Rapid procedure for the extraction of DNA from fungal spores and mycelia. *Fungal Genetics Reports: Article 22*. 44: 1-7.
- Wendland, J. 2001. Comparison of morphogenetic networks of filamentous fungi and yeast. *Fungal Genetics and Biology*. 34: 63-82
- Widyastuti, S.M., Sumardi, Irfa'li & H. Nurjanto. 2002. Aktivitas penghambatan *Trichoderma* spp. formulasi terhadap jamur patogen tular tanah secara *in vitro*. *Jurnal Perlindungan Tanaman*. 8(1): 27-34.
- Wijaya, S.K.S. 2002. Isolasi kitinase dari *Sclerotinia columnare* dan *Trichoderma harzianum*. *Jurnal Ilmu Dasar*. 3(1): 30-35.
- Windham, G.L. 1989. Effects of *Trichoderma* spp. on maize growth and *Meloidogyne arenaria* reproduction. *Plant Disease*. 73(6): 493-495.
- Wu, Q., R. Sun, M. Ni, J. Yu, Y. Li, C. Yu. 2017. Identification of a novel fungus, *Trichoderma asperellum* GDFS1009, and comprehensive evaluation of its biocontrol efficacy. *PLoS ONE*. 12(6): e0179957.
- Xia, Y., B. Fei, J. He, M. Zhou, D. Zhang, L. Pan, S. Li, Y. Liang, L. Wang, J. Zhu, P. Li & A. Zheng. 2017. Transcriptome analysis reveals the host selection fitness mechanisms of the *Rhizoctonia solani* AG1IA pathogen. *Scientific Reports*. 7: 10120.
- Yang, P. & Q. Yu. 2013. The biocontrol mechanism of *Trichoderma asperellum* resistance plant pathogenic fungi. *Advanced Materials Research Online*. (726-731): 4525-4528.
- Yu, Y., C. Jiang, C. Wang, L. Chen, H. Li & Q. Xu. 2017. An improved strategy for stable biocontrol agents selecting to control rice sheath blight caused by *Rhizoctonia solani*. *Micobiological Research*. 203: 1-9.
- Yuliar. 2008. Skrining Bioantagonistik Bakteri Untuk Agen Biokontrol *Rhizoctonia solani* dan Kemampuan dalam Menghasilkan Surfaktan. *Biodiversitas*. 9: 83-86
- Youssef, S.A., K.A. Tartoum & G.A. Abdelraouf. 2016. Evaluation of *Trichoderma harzianum* and *Serratia proteamaculans* effect on disease suppression, stimulation of ROS-scavenging enzymes and improving tomato growth infected by *Rhizoctonia solani*. *Biological Control*. 100:79-86.
- Zala, M., B.A. McDonald, J.B. De Assis, M.B. Ciampi, M. Storari, P. Peyer & P.C. Ceresini. 2008. Highly polymorphic microsatellite loci in the rice- and maize-infecting fungal pathogen *Rhizoctonia solani* anastomosis group 1 IA. *Molecular Ecology Resources*. 8: 686-689.

- Zheng, A. & Y. Wang. 2011. Cultural and morphological variability among *Rhizoctonia solani* isolate from trans-gangetic plains of India. *Res. on Crops*. 15(3): 644-650.
- Zhang, Z., L. Liu, H. Lin, G. Yuan, X. Zeng, Y. Shen, M. Zhao, Q. Zhao & G. Pan. 2012. Identification of genes differentially expressed in maize (*Zea mays* L.) during *Rhizoctonia solani* Kühn infection by suppression subtractive hybridization. *African Journal of Biotechnology*. 11(12): 2827-2838.
- Zheng, A., R. Lin, D. Zhang, P. Qin, L. Xu, P. Ai, L. Ding, Y. Wang, Y. Chen, Y. Liu, Z. Sun, H. Feng, X. Liang, R. Fu, C. Tang, Q. Li, J. Zhang, Z. Xie, Q. Deng, S. Li, S. Wang, J. Zhu, L. Wang, H. Liu & P. Li. 2013. The evolution and pathogenic mechanisms of the rice sheath blight pathogen. *Nature Communications*. 4:1424.
- Zubachtirodin, M.S. Pabbage & Subadi. 2007. Wilayah produksi dan potensi pengembangan jagung. *Jagung: teknik produksi dan pengembangan*. Balai Penelitian Tanaman Serealia. Maros. 462-473.