

## DAFTAR PUSTAKA

- American Diabetes Association. (2011). Standards of Medical Care in Diabetes-2011. *Care.diabetesjournals.org*, 34(1), 11–61. <https://doi.org/10.2337/dc11-S011>.
- American Diabetes Association. (2014). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 37(SUPPL.1), 81–90. <https://doi.org/10.2337/dc14-S081>.
- American Diabetes Association. (2018). Lifestyle Management: Standards of Medical Care in Diabetes 2018. *Diabetes Care*, 41(January), S38–S50. <https://doi.org/10.2337/dc18-S004>.
- Aikens, J. E. (2012). Prospective Associations between Emotional Distress and Poor Outcomes in Type 2 Diabetes. *Diabetes Care*, 35(12), 2472–2478. <https://doi.org/10.2337/dc12-0181>.
- Arifin, B., Perwitasari, D. A., Thobari, J. A., Cao, Q., Krabbe, P. F. M., & Postma, M. J. (2017). Translation, Revision, and Validation of the Diabetes Distress Scale for Indonesian Type 2 Diabetic Outpatients with Various Types of Complications. *Value in Health Regional Issues*, 12, 63–73. <https://doi.org/10.1016/j.vhri.2017.03.010>.
- Azizah L.M. (2011). *Keperawatan Lanjut Usia* (1st ed.). Yogyakarta: Graha Ilmu.
- Baldacchino, D., & Draper, P. (2001). Spiritual Coping Strategies : a review of the nursing research literature. *Journal of Advanced Nursing*, 34(6), 833–841.
- Balitbang Kemenkes RI. (2018). *Riset Kesehatan Dasar; RISKESDAS*. Jakarta. Retrieved from [http://www.depkes.go.id/resources/download/info-terkini/materi\\_rakorpop\\_2018/Hasil\\_Riskesdas\\_2018.pdf](http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil_Riskesdas_2018.pdf).
- Bell, A. C., & D’Zurilla, T. J. (2009). Problem-solving Therapy for Depression: A Meta-analysis. *Clinical Psychology Review*, 29(4), 348–353. <https://doi.org/10.1016/j.cpr.2009.02.003>.
- Badan Penyelenggara Jaminan Sosial Kesehatan. (2014). *Panduan Praktis Gate Keeper Concept Faskes BPJS Kesehatan*. Jakarta.
- Carpenter, R., Dichiacchio, T., & Barker, K. (2019). International Journal of Nursing Sciences Interventions for Self-Management of Type 2 Diabetes : an Integrative Review. *International Journal of Nursing Sciences*, 6(1), 70–91. <https://doi.org/10.1016/j.ijnss.2018.12.002>.

- Chittem, M., Chawak, S., Gomathy S, S., & Sahay, R. (2019). Diabetes & Metabolic Syndrome : Clinical Research & Reviews the relationship between Diabetes-related Emotional Distress and Illness Perceptions Among Indian Patients with Type II Diabetes. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(2), 965–967. <https://doi.org/10.1016/j.dsx.2018.12.018>.
- Coyne, J. C. (1994). Self-reported Distress: Analog or Ersatz Depression? *Psychological Bulletin*, 116(1), 29–45. <https://doi.org/10.1037/0033-2909.116.1.29>.
- Cuijpers, P., de Wit, L., Kleiboer, A., Karyotaki, E., & Ebert, D. D. (2018). Problem-solving Therapy for Adult Depression: an Updated Meta-analysis. *European Psychiatry*, 48, 27–37. <https://doi.org/10.1016/j.eurpsy.2017.11.006>.
- Dahlan, S. (2011). *Statistik untuk Kedokteran dan Kesehatan* (5th ed.). Jakarta: Salemba Medika.
- Dahlan, S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (4th ed.). Jakarta: Epidemiologi Indonesia.
- Dennick, K., Sturt, J., & Speight, J. (2017). What is Diabetes Distress and How Can We Measure. it? a Narrative Review and Conceptual Model. *Journal of Diabetes and Its Complications*, 31(5), 898–911. <https://doi.org/10.1016/j.jdiacomp.2016.12.018>.
- Detweiler-Bedell, J. B., College Michael Friedman, C. A., Leventhal, H., Miller, I. W., & Leventhal, E. A. (2009). Integrating Co-Morbid Depression and Chronic Physical Disease Management: Identifying and Resolving Failures in Self- Regulation, *Clin Psychol Rev*, 28(8), 1426–1446. <https://doi.org/10.1016/j.cpr.2008.09.002>.
- Dinas Kesehatan Kabupaten Banyumas. (2016). Profil Kesehatan Kabupaten Banyumas Tahun 2015. *Dinas Kesehatan Kabupaten Banyumas*. Retrieved from [http://www.depkes.go.id/resources/download/profil/PROFIL\\_KAB\\_KOTA\\_2015/3302\\_Jateng\\_Kab\\_Banyumas\\_2015.pdf](http://www.depkes.go.id/resources/download/profil/PROFIL_KAB_KOTA_2015/3302_Jateng_Kab_Banyumas_2015.pdf).
- D’Zurilla, T. J., & Nezu, A. M. (2001). *Problem-solving Therapies*. In K. S. Dobson (Ed.) (2nd ed.). New York, United States of America: The Guilford Press.
- Esbitt, S. A., Tanenbaum, M. L., & Gonzalez, J. S. (2013). Screening for Depression and Other Psychological Problems in Diabetes. *Springer-Verlag*. <https://doi.org/10.1007/978-0-85729-751-8>.

- Everly, G. S., & Lating, J. M. (2013). *A Clinical Guide to the Treatment of the Human Stress Response* (Vol. 254). Boston, MA: *Springer*.  
<https://doi.org/10.1007/978-1-4614-5538-7>.
- Fisher, L., Glasgow, R. E., Skaff, M. M., & Polonsky, W. H. (2008). Development of a Brief Diabetes Distress Screening Instrument. *Annals Of Family Medicine*, *6*, 246–253. <https://doi.org/10.1370/afm.842.Department>.
- Fisher, L., Glasgow, R. E., & Strycker, L. A. (2010). The Relationship between Diabetes Distress and Clinical Depression with Glycemic Control among Patients with Type 2 Diabetes. *Journal of Managed Care Pharmacy JMCP*, *33*(5), 1034–1036. <https://doi.org/10.2337/dc09-2175>.
- Fisher, L., Hessler, D. M., Polonsky, W. H., & Mullan, J. (2012). When is Diabetes Distress Clinically Meaningful? Establishing Cut Points for the Diabetes Distress Scale. *Diabetes Care*, *35*(2), 259–264. <https://doi.org/10.2337/dc11-1572>.
- Fisher, L., Mullan, J. T., Arean, P., Glasgow, R. E., Hessler, D., & Masharani, U. (2010). Diabetes Distress but not Clinical Depression or Depressive Symptoms is Associated with Glycemic Control in Both Cross-Sectional and Longitudinal Analyses. *Diabetes Care*, *33*(1), 23–28. <https://doi.org/10.2337/dc09-1238>.
- Fisher, L., Skaff, M. M., Mullan, J. T., Arean, P., Glasgow, R., & Masharani, U. (2008). A Longitudinal Study of Affective and Anxiety Disorders, Depressive Affect and Diabetes Distress in Adults with Type 2 Diabetes. *Diabetic Medicine*, *25*(9), 1096–1101. <https://doi.org/10.1111/j.1464-5491.2008.02533.x>.
- Fitzpatrick, S. L., Schumann, K. P., & Hill-briggs, F. (2012). Problem Solving Interventions for Diabetes Self-Management and Control: a Systematic Review of The Literature. *Diabetes Research and Clinical Practice*, *100*(2), 145–161. <https://doi.org/10.1016/j.diabres.2012.12.016>.
- Funnell, M. M., Bootle, S., & Stuckey, H. L. (2015). The Diabetes Attitudes, Wishes and Needs Second Study. *Clinical Diabetes*, *33*(1), 32–36. <https://doi.org/10.2337/diaclin.33.1.32>.
- Gask, L., MacDonald, W., & Bower, P. (2011). What is the Relationship Between Diabetes and Depression? A Qualitative Meta-synthesis of Patient Experience of Co-morbidity. *Chronic Illness*, *7*(3), 239–252. <https://doi.org/10.1177/1742395311403636>.

- Gianotti, L., Borretta, I., Castellano, E., Falco, G., Anfossi, M., & Pirro, P. S. (2015). The Relationship Between Stress and Diabetes Mellitus. *Journal of Neurology and Psychology*, 3(1), 1–7. Retrieved from <http://www.avensonline.org/wp-content/uploads/JNP-2332-3469-03-0018.pdf>.
- Gonzalez, J. S., Fisher, L., & Polonsky, W. H. (2011). Depression in Diabetes: Have We Been Missing Something Important? *Diabetes Care*, 34(1), 236–239. <https://doi.org/10.2337/dc10-1970>.
- Grace, N., & Toukhsati, S. (2014). Psychosocial Functioning in the Elderly : An Assessment of Self- concept and Depression. *International Journal of Psychological Research*, 7(1), 12–18.
- Hegel, M., & Aren, P. (2000). Problem-solving Treatment for Primary Care (PST-PC). *Journal of Visual Languages & Computing*, 11(3), 287–301.
- Hessler, D., Fisher, L., Glasgow, R. E., Strycker, L. A., Dickinson, L. M., & Arean, P. A. (2014). Reductions in Regimen Distress are Associated with Improved Management and Glycemic Control Over Time. *Diabetes Care*, 37(March), 617–624. <https://doi.org/10.2337/dc13-0762>.
- Hidayat. (2009). *Metode Penelitian Keperawatan dan Teknik Analisa Data*. Jakarta: Salemba Medika.
- Hill-briggs, F., Lazo, M., Peyrot, M., Doswell, A., Chang, Y., Hill, M. N., ... Brancati, F. L. (2011). Effect of Problem-Solving-Based Diabetes Self-Management Training on Diabetes Control in a Low Income Patient Sample. *J Gen Intern Med*, 26(9), 972–978. <https://doi.org/10.1007/s11606-011-1689-6>.
- International Diabetes Federation. (2013). *IDF Diabetes Atlas (6th ed)*. Brussels: International Diabetes Federation.
- International Diabetes Federation. (2017). *Eighth edition 2017*. [https://doi.org/http://dx.doi.org/10.1016/S0140-6736\(16\)31679-8](https://doi.org/http://dx.doi.org/10.1016/S0140-6736(16)31679-8).
- Insiyah & Rini. (2014). Pengaruh Terapi Penyelesaian Masalah (Problem Solving Therapy) terhadap Penurunan Distress Psikologik pada Caregiver Lansia di Rt 03 Rw 04 Mojosongo, Jebres, Surakarta. *Jurnal Terpadu Ilmu Kesehatan*, 3(2), 106–214.
- Kasteleyn, M. J., Vries, L. De, Puffelen, A. L. Van, Schellevis, F. G., Rijken, M., Vos, R. C., & Rutten, G. E. H. M. (2015). Research : Educational and Psychological Issues Diabetes-related Distress Over The Course Of Illness : Results from The Diacourse Study. *Diabetic Medicine*, 36, 1617–1624. <https://doi.org/10.1111/dme.12743>.

- Lin, P., Assistant, R. N., Hung, C., Hsu, Y., Associate, R. N., & Tzeng, Y. (2016). The Risk Factors for Gestational Diabetes Mellitus : A Retrospective Study. *Midwifery*, 42, 16–20. <https://doi.org/10.1016/j.midw.2016.09.008>.
- Lipscombe, C., Burns, R. J., & Schmitz, N. (2015). Exploring Trajectories of Diabetes Distress in Adults with Type 2 Diabetes ; a Latent Class Growth Modeling Approach. *Journal of Affective Disorders*, 188, 160–166. <https://doi.org/10.1016/j.jad.2015.08.003>.
- Lipscombe, C., Smith, K. J., Gariepy, G., & Schmitz, N. (2016). Gender Differences in the Association between Lifestyle Behaviors and Diabetes Distress in A Community Sample of Adults with Type 2 Diabetes. *Journal of Diabetes*, 8(2), 269–278. <https://doi.org/10.1111/1753-0407.12298>.
- Markowitz, S., Gonzalez, J. S., Wilkinson, J. L., & Safren, S. A. (2011). Treating Depression in Diabetes : Emerging findings. *Psychosomatics*, 52(1), 1–18. <https://doi.org/10.1016/j.psych.2010.11.007>.
- Mendes, O., Koetzner, L., & Chen, J. (2018). Nutraceutical Impact on the Pathophysiology of Diabetes Mellitus. Nutritional and Therapeutic Interventions for Diabetes and Metabolic Syndrome (Second Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-812019-4.00026-X>.
- Nezu, A. M. (2004). Problem Solving and Behavior Therapy Revisited, (1971).
- Nezu, A. M., Nezu, C. M., & D’Zurilla, T. J. (2010). Cognitive and Behavioral Theories in Clinical Practice Chapter 3, 76–107. Retrieved from <https://www.guilford.com/excerpts/kazantzis.pdf>.
- Ogonowski, J., Miazgowski, T., Engel, K., & Celewicz, Z. (2014). Birth Weight Predicts the Risk of Gestational Diabetes Mellitus and Pregravid Obesity. *Nutrition*, 30(1), 39–43. <https://doi.org/10.1016/j.nut.2013.05.021>.
- Pallayova, M., & Taheri, S. (2014). Targeting Diabetes Distress: the Missing Piece of the Successful Type 1 Diabetes Management Puzzle. *Diabetes Spectrum*, 27(2), 143–149. <https://doi.org/10.2337/diaspect.27.2.143>.
- Pandit, A. U., Bailey, S. C., Curtis, L. M., Seligman, H. K., Davis, T. C., Parker, R. M., ... Wolf, M. S. (2014). Disease-related Distress, Self-Care and Clinical Outcomes among Low-Income Patients with Diabetes. *Epidemiol Community Health*, 68, 557–564. <https://doi.org/10.1136/jech-2013-203063>.
- Parsa, S., Aghamohammadi, M., & Abazari, M. (2019). Diabetes & Metabolic Syndrome : Clinical Research & Reviews Diabetes Distress and its Clinical Determinants in Patients with Type II Diabetes. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(2), 1275–1279. <https://doi.org/10.1016/j.dsx.2019.02.007>.

- Rafiyah, I., Suttharangsee, W., & Sangchan, H. (2011). Social Support and Coping of Indonesian Family Caregivers Caring for Persons with Schizophrenia. *Nurse Media Journal of Nursing*, 159–168.
- Ridder, D. De, Bensing, J. M., Gorter, K. J., & Rutten, G. (2006). Psychological Outcomes of Patients with Screen-detected Type 2 Diabetes: the Influence of Time Since. *Diabetes Care*, 29, 10. <https://doi.org/10.2337/dc06-0617>.
- Pierce, D. (2012). Problem Solving Therapy: Use and Effectiveness in General Practice. *Australian Family Physician*, 41(9), 676–679. <https://www.racgp.org.au/afp/2012/september/problem-solving-therapy/>.
- Pierce, D., & Gunn, J. (2007). Using Problem Solving Therapy in General Practice. *Australian Family Physician*, 36(4), 230–233. <https://www.racgp.org.au/afp/200704/15740>.
- Pierce, D., & Gunn, J. (2011). Depression in General Practice: Consultation Duration and Problem Solving Therapy. *Australian Family Physician*, 40(5), 334–336. <https://www.racgp.org.au/afp/201105/42219>.
- Polonsky, W. H., Fisher, L., Earles, J., Dudl, R. J., Lees, J., Mullan, J., & Jackson, R. A. (2005). Assessing Psychosocial Distress in Diabetes: Development of The Diabetes Distress Scale. *Diabetes Care*, 28(3), 626–631. <https://doi.org/10.2337/diacare.28.3.626>.
- Pradyta, A. D., Masfiah, S., & Gamelia, E. (2017). Perilaku Pemanfaatan Prolanis dengan Status Kesehatan Pasien Diabetes Mellitus Di Kota Purwokerto. *Jurusan Kesehatan Masyarakat Fakultas Ilmu-Ilmu Kesehatan Universitas Jenderal Soedirman*, 18, 63–72.
- Putra, A. J., Pranata, Nur, W., & Sutawardana, J. H. (2017). Hubungan Diabetes Distress dengan Perilaku Perawatan Diri pada Penyandang Diabetes Mellitus Tipe 2 di Wilayah Kerja Puskesmas Rambipuji Kabupaten Jember ( Correlation between Diabetes Distress and Self- care Behaviour in People with Type 2 Diabetes Mellitus. *E-Jurnal Pustaka Kesehatan*, 5(1), 185–192.
- Rees, G., O'Hare, F., Saeed, M., Sudholz, B., Sturrock, B. A., Xie, J., ... Lamoureux, E. L. (2017). Problem-solving Therapy for Adults with Diabetic Retinopathy and Diabetes-specific Distress: a Pilot Randomized Controlled Trial. *BMJ Open Diabetes Research & Care*, 5(1), e000307. <https://doi.org/10.1136/bmjdr-2016-000307>.
- Revicki, D., Ganguli, A., Kimel, M., Roy, S., Chen, N., Safikhani, S., & Cifaldi, M. (2015). Reliability and Validity of the Work Instability Scale for Rheumatoid Arthritis. *Value in Health*, 18(8), 1008–1015. <https://doi.org/10.1016/j.jval.2015.09.2941>.

- Rodrigo, N., & Glastras, S. (2018). The Emerging Role of Biomarkers in the Diagnosis of Gestational Diabetes Mellitus. *Journal of Clinical Medicine* 2018, Vol. 7, Page 120, 7(6), 120. <https://doi.org/10.3390/jcm7060120>.
- Roy, M., Sengupta, N., Sahana, P. K., Das, C., Talukdar, P., Baidya, A., & Goswami, S. (2018). Type 2 Diabetes and Influence of Diabetes-specific Distress on Depression. *Diabetes Research and Clinical Practice*, 143, 194–198. <https://doi.org/10.1016/j.diabres.2018.07.006>.
- Schindhelm, R. K., Dekker, J. M., Nijpels, G., Bouter, L. M., Stehouwer, C. D. A., Heine, R. J., & Diamant, M. (2007). Alanine Aminotransferase Predicts Coronary Heart Disease Events : A 10-year Follow-up of the Hoorn Study. *Journal Atherosclerosis*, 191, 391–396. <https://doi.org/10.1016/j.atherosclerosis.2006.04.006>.
- Schmitt, A., Reimer, A., Kulzer, B., Haak, T., Ehrmann, D., & Hermanns, N. (2016). How to Assess Diabetes Distress: Comparison of the Problem Areas in Diabetes Scale (PAID) and the Diabetes Distress Scale (DDS). *Diabetic Medicine*, 33(6), 835–843. <https://doi.org/10.1111/dme.12887>.
- Seekles, W., van Straten, A., Beekman, A., van Marwijk, H., & Cuijpers, P. (2011). Effectiveness of Guided Self-help for Depression and Anxiety Disorders in Primary Care: A pragmatic Randomized Controlled Trial. *Psychiatry Research*, 187(1–2), 113–120. <https://doi.org/10.1016/j.psychres.2010.11.015>.
- Shin, J. K., Chiu, Y. L., Choi, S., Cho, S., & Bang, H. (2012). Serious Psychological Distress, Health Risk Behaviors, and Diabetes Care Among Adults with Type 2 Diabetes: the California Health Interview Survey 2007. *Diabetes Research and Clinical Practice*, 95(3), 406–414. <https://doi.org/10.1016/j.diabres.2011.10.043>.
- Shin, N., Hill-Briggs, F., Langan, S., Payne, J. L., Lyketsos, C., & Golden, S. H. (2017). The Association of Minor and Major Depression with Health Problem-solving and Diabetes Self-care Activities in a Clinic-based Population of Adults with Type 2 Diabetes Mellitus. *Journal of Diabetes and Its Complications*, 31(5), 880–885. <https://doi.org/10.1016/j.jdiacomp.2017.01.026>.
- Smeltzer, & Bare. (2013). *Buku Ajar Keperawatan Medikal Bedah Bruner & Suddarth Edisi 8*. Jaka: EGC.
- Sone, H. (2012). *Diabetes Mellitus. Clinical Veterinary Advisor: Birds and Exotic Pets. Elsevier Inc.* <https://doi.org/10.1016/B978-1-4160-3969-3.00312-7>.
- Streiner, D., Norman, G., & Cairney, J. (2015). *Health Measurement Scales: a Practical Guide to Their Development and Use. Great Britain* (5th ed.). New York, United States of America: Oxford University Press. Retrieved from <http://dlib.scu.ac.ir/bitstream/Ebook/93798/2/9780199685219.pdf>.

- Sturt, J., Mccarthy, K., Dennick, K., Narasimha, M., Kumar, S., Sturt, J., ...  
Kumar, S. (2015). What Characterises Diabetes Distress and its resolution ? a  
Documentary Analysis. *International Diabetes*, 12, 56–62.  
<https://doi.org/10.1179/2057332415Y.0000000002>.
- Sugiono. (2010). *Statistika untuk Penelitian*. Bandung: CV Alfabeta.
- Tandra, H. (2008). *Segala Sesuatu yang Harus Anda Ketahui tentang Diabetes*.  
Jakarta: PT Gramedia Pustaka Umum.
- Tsujii, S., Hayashino, Y., & Ishii, H. (2012). Diabetes Distress, but not Depressive  
Symptoms, is Associated with Glycaemic Control among Japanese Patients  
with Type 2 Diabetes: Diabetes Distress and Care Registry at Tenri (DDCRT  
1). *Diabetic Medicine*, 29(11), 1451–1455. <https://doi.org/10.1111/j.1464-5491.2012.03647.x>.
- Wardian, J., & Sun, F. (2014). Factor Associated with Diabetes-related Distress:  
Implications for Diabetes Self-management. *Soc Work Health Care*, 53(4),  
364–381. <https://doi.org/10.1080/00981389.2014.884038>.
- World Health Organization. (2014). Global Status Report on Noncommunicable  
Diseases 2014. *World Health Organization*, 176. <https://doi.org/ISBN9789241564854>.
- World Health Organization. (2016). Global Report on Diabetes. *World Health  
Organization*, 86. Retrieved from  
<http://www.who.int/iris/handle/10665/204871>.
- Zhang, J., Xu, C.-P., Wu, H.-X., Xue, X.-J., Xu, Z.-J., Li, Y., ... Liu, Q.-Z.  
(2013). Comparative Study of the Influence of Diabetes Distress and  
Depression on Treatment Adherence in Chinese Patients with Type 2  
Diabetes: a Cross-sectional Survey in The People's Republic of China.  
*Neuropsychiatric Disease and Treatment*, 9, 1289–94.  
<https://doi.org/10.2147/NDT.S49798>.