

DAFTAR PUSTAKA

- Bielecki, I., Horbulewicz, A. & Wolan, T. 2011. Risk factors associated with hearing loss in infants: An analysis of 5282 referred neonates. *International Journal of Pediatric Otorhinolaryngology*, 75(7): 925–930.
- Boppana, S.B. & Britt, W.J. 2006. Cytomegalovirus. In N. Valeri E & V. Pamela J, eds. *Infection and hearing impairment*. Chicester: John Wiley & Sons, Ltd: 67–91.
- Casali, R.L. & Dos Santos, M.F.C. 2010. Auditory Brainstem evoked response: Response patterns of full-term and premature infants. *Brazilian Journal of Otorhinolaryngology*, 76(6): 729–738.
- Dahlan, S. & Epid, M. 2014. *Statistik untuk kedokteran dan kesehatan*. 6th ed. Jakarta: Epidemiologi Indonesia.
- Dhingra, P., Dhingra, S. & Dhingra, D. 2014. *Diseases of Ear, Nose, and Throat & Head and neck Surgery*. 6th Editio. New Delhi: Elsevier.
- Foulon, I., Naessens, A., Foulon, W., Casteels, A. & Gordts, F. 2008a. A 10-Year Prospective Study of Sensorineural Hearing Loss in Children with Congenital Cytomegalovirus Infection. *The Journal of Pediatrics*, 153(1): 84–88.
- Foulon, I., Naessens, A., Foulon, W., Casteels, A. & Gordts, F. 2008b. Hearing loss in children with congenital cytomegalovirus infection in relation to the maternal trimester in which the maternal primary infection occurred. *Pediatrics*, 122(6): e1123–e1127.
- Fowler KB, Dahle AJ, Boppana SB, P.R. 1999. Newborn hearing screening: will children with hearing loss caused by congenital cytomegalovirus infection be missed? *J Pediatr*, 135(1): 60–4.
- Hadi, S. 2000. *Metodologi Penelitian*. 1st ed. Yogyakarta: Andi Yogyakarta.
- Hanshaw, J.B. 2006. Congenital cytomegalovirus infection: Laboratory methods of detection. *The Journal of Pediatrics*, 75(6): 1179–1185.
- Henkel, C.K. 2017. *The Auditory System*. Fifth Edit. Elsevier Inc.
- James W, H.I. & J Antonelli, P. 2014. Assessment of peripheral and central auditory function. In J. Jonas T & R. Clark A, eds. *Bailey's head and neck surgery otolaryngology*. Philadelphia: Lippincott Williams and Wilkins: 2275–2290.
- Jennifer, S. & Martyn, H. 2012. Hearing Screening. *International Journal of Listening*, 26(2): 71–74.
- John, I. 2006. Basic Anatomy And Physiology Of The Ear. In *Infection and hearing impairment*. John Wiley & Sons, Ltd: 1–15.
- John T, J. 1985. *The Auditory brainstem response*. College-Hill Press.
- Joint Committee on Infant Hearing. 2007. Year 2007 Position Statement:

Principles and Guidelines for Early Hearing Detection and Intervention Programs. *PEDIATRICS*, 120(4): 898–921.

Linda J, H. 2013. Auditory brainstem response : Estimation of hearing sensitivity. In K. Katz, J., Chasin, M., English, K., Hood, L. and Tillery, ed. *Handbook of Clinical Audiology*. Auditory brainstem response : Estimation of hearing sensitivity: Lippincott Williams and Wilkins: 249–265.

Long, S. 2009. *Principles and Practice of Pediatric Infectious Diseases*.

Manicklal, S., Emery, V.C., Lazzarotto, T., Boppana, S.B. & Gupta, R.K. 2013. The “Silent” Global Burden of Congenital Cytomegalovirus. *Clinical Microbiology Reviews*, 26(1): 86–102.

Mizuno, T., Sugiura, S., Kimura, H., Ando, Y., Sone, M., Nishiyama, Y. & Nakashima, T. 2009. Detection of cytomegalovirus DNA in preserved umbilical cords from patients with sensorineural hearing loss. *European Archives of Oto-Rhino-Laryngology*, 266(3): 351–355.

Moller, A.R. 2006. *Hearing : Anatomy, Physiology, and Disorder of the Audiotry System*. Elsevier.

Moneta, L.B. & Quintanilla-dieck, L. 2017. Embryology and anatomy of the ear. In *Operative Techniques in Otolaryngology - Head and Neck Surgery*. Elsevier.

Nijman, J., Van Zanten, B.G., De Waard, A.K.M., Koopman-Esseboom, C., De Vries, L.S. & Verboon-Maciolek, M.A. 2012. Hearing in preterm infants with postnatally acquired cytomegalovirus infection. *Pediatric Infectious Disease Journal*, 31(10): 1082–1084.

Ohl, C., Dornier, L., Czajka, C., Chobaut, J.-C. & Tavernier, L. 2009. Newborn hearing screening on infants at risk. *International Journal of Pediatric Otorhinolaryngology*, 73(12): 1691–1695.

Pass, R.F. 2018. Cytomegalovirus. In L. Sarah S, C. G. Prober, & F. Marc, eds. *Principles and Practice of Pediatric Infectious Diseases*. Philadelphia: Else: 5569–5608.

Pass, R.F., Fowler, K.B., Boppana, S.B., Britt, W.J. & Stagno, S. 2006. Congenital cytomegalovirus infection following first trimester maternal infection: Symptoms at birth and outcome. *Journal of Clinical Virology*, 35(2): 216–220.

Peck, J.E. 1994. Development of hearing. Part II. Embryology. *Journal of the American Academy of Audiology*, 5(6): 359–365.

Peter C, W. & Khariwala, S. 2014. Anatomy and Physiology of Hearing. In *Bailey’s head and neck surgery otolaryngology*. 2253–2273.

Pitlick, M.M., Orr, K., Momany, A.M., McDonald, E.L., Murray, J.C. & Ryckman, K.K. 2015. Determining the prevalence of cytomegalovirus infection in a cohort of preterm infants. *Journal of Neonatal-Perinatal Medicine*, 8(2): 137–141.

- Revello, M.G., Zavattoni, M., Baldanti, F., Sarasini, A., Paolucci, S. & Gerna, G. 1999. Diagnostic and prognostic value of human cytomegalovirus load and IgM antibody in blood of congenitally infected newborns. *Journal of Clinical Virology*, 14(1): 57–66.
- Ross, S.A., Novak, Z., Pati, S. & Boppana, S.B. 2011. Overview of the diagnosis of cytomegalovirus infection. *Infectious disorders drug targets*, 11(5): 466–74.
- Rundjan, L., Idham, A., Ronny, S. & Irawan, M. 2005. *Skrining Pendengaran Pada Neonatus Resiko Tinggi*. Sari Pediatri.
- Samileh, N., Ahmad, S., Mohammad, F., Framarz, M., Azardokht, T. & Jomeht, E. 2008. Role of cytomegalovirus in sensorineural hearing loss of children: A case-control study Tehran, Iran. *International Journal of Pediatric Otorhinolaryngology*, 72(2): 203–208.
- Schachtele, S.J., Mutnal, M.B., Schleiss, M.R. & Lokensgard, J.R. 2011. Cytomegalovirus-induced sensorineural hearing loss with persistent cochlear inflammation in neonatal mice. *Journal of NeuroVirology*, 17(3): 201–211.
- Shin, S.H., Suh, M.-W., Chang, M.Y., Choi, E.H., Kim, H.-S., Lee, J.H., Han, J.J., Lee, S.-Y., Choi, B.Y., Koo, J.-W., Oh, S.-H., Kim, B.J. & Yang, H.R. 2018. Characterization of Detailed Audiological Features of Cytomegalovirus Infection: A Composite Cohort Study from Groups with Distinct Demographics. *BioMed Research International*, 2018: 1–8.
- Verbeeck, J., Van Kerschaver, E., Wollants, E., Beuselinck, K., Stappaerts, L. & Van Ranst, M. 2008. Detection of perinatal cytomegalovirus infection and sensorineural hearing loss in Belgian infants by measurement of automated auditory brainstem response. *Journal of Clinical Microbiology*, 46(11): 3564–3568.
- Vollmer, B., Seibold-Weiger, K., Schmitz-Salue, C., Hamprecht, K., Goelz, R., Krageloh-Mann, I. & Speer, C.P. 2004. Postnatally acquired cytomegalovirus infection via breast milk: Effects on hearing and development in preterm infants. *Pediatric Infectious Disease Journal*, 23(4): 322–327.
- Wang, Y., Patel, R., Ren, C., Taggart, M.G., Firpo, M.A., Schleiss, M.R. & Park, A.H. 2013. A comparison of different murine models for cytomegalovirus-induced sensorineural hearing loss. *Laryngoscope*, 123(11): 2801–2806.
- Yamamoto, A.Y., Mussi-Pinhata, M.M., De Lima Isaac, M., Rezende Amaral, F., Carneiro, C.G., Aragon, D.C., Manfredi, A.K. da Silva, Boppana, S.B. & Britt, W.J. 2011. Congenital Cytomegalovirus Infection as a Cause of Sensorineural Hearing Loss in a Highly Immune Population. *Pediatr Infect Dis J*, 30(12): 1043–1046.