

DAFTAR PUSTAKA

- Adhithia., 2012, Efek Perseptif Penggunaan Antidiabetes Herbal Bersamaan dengan Penggunaan Obat Antidiabetes Oral Pada Pasien Diabetes Melitus Tipe 2 di Puskesmas Kotamadya Depok, *Skripsi*, Universitas Indonesia, Jakarta.
- Akbarzadeh, A., Norouzian, D., Mehrabi, M. R., Jamshidi, S. H., Farhangi, A., Verdi, A. A., and Mofidian, S. M., 2007, Induction of Diabetes by Streptozotocin in Rats, *India. J. Clin. Biochem*, 22(2), 60-64.
- Anonim, 2017, *IDF Diabetes Atlas*, 8th Edition, International Diabetes Federation, Brussels.
- Anonim, 2018, *Suara Dunia Perangi Diabetes*, Kemenkes RI, Jakarta.
- Balashubashimi, M., Rukkumani, R., and Menon, V. P., 2003, Protective Effects of Ferulic Acid on Hyperlipidemic Diabetes Rats, *Acta Diabetol*, 40, 118-222.
- Bhownik, A., Khan, L. A., Akhter, M., and Rokeya, B., 2009, Studies on the Antidiabetic Effect of Mangifera Indica Stem-barks and Leaves on Nondiabetic, Type 1 and Type 2 Diabetic Model Rats, *Bangladesh J. Pharm.*, 4, 110-114.
- Brownlee, M., 2001, Biochemistry and molecular cell biology of diabetic complications, *Int. J. Sci.*, 813–820.
- Corwin, E. J., 2009, *Buku Saku Patofisiologi*, EGC, Jakarta.
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., and Posey, L. M., 2015, *Pharmacotherapy: A Pathophysiologic Approach*, 9th Edition, McGraw-Hill, New York.
- Duvoix, A., Blasius, R., Delhalle, S., Schnekenburger, M., Morceau, F., Henry, E., Dicato, M., Diederich, M., 2005, Chemopreventive and therapeutic effect of kurkumin, *Cancer Letters*, 181-190.
- Etuk, E. U., 2010, Animals Models for Studying Diabetes Mellitus, *Agric. Bio. J. N. Am.*, 1(2), 130-134.
- Elsner, P., and Howard, I. M., 2000, *Cosmeceutical: Drugs vs Cosmetics*, Marcel Dekker Inc, New York
- Fessenden, R. J., dan Fessenden, J. S., 1986, *Kimia Organik Dasar*, terjemahan oleh Pudjaatmaka, A. H., Edisi Ketiga, Jilid 1, Erlangga, Jakarta.

- Ghosh, S., Banerjee, S., and Sil, C. P., 2015, The Beneficial Role of Curcumin on Inflammation, Diabetes and Neurodegenerative Disease: A Recent Update, *Food Chem. Toxicol.*, 83, 111-124.
- Goel, A., Kunnumakkara, A. B., and Anggarwal, B. B., 2008, Curcumin as "Curecumin": From Kitchen to Clinic, *Biochem. Pharm.*, 75(4), 787-809.
- Gustaviani, R., 2007, *Diagnosis dan Klasifikasi Diabetes Mellitus: Buku Ajar Ilmu Penyakit Dalam*, Edisi 4, jilid 1, Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Hussein, H. K., and Abu-Zinadah, O. A., 2010, Antioxidant effect of curcumin extracts in induced diabetic wister rats, *Int. J. Zool. Res.*, 6 (4), 266-276.
- Junejo, J. A., Rudrapal, M., Nainwal, L. M., and Zaman, K., 2017, Antidiabetic Activity of Hydro-alcoholic Stem Bark Extract of *Callicarpa Arborea* Roxb. with Antioxidant Potential in Diabetic Rats, *Biomed. Pharm.*, 95, 84-94.
- Katzung, B. G., Master, S. B., and Trevor, A. J., 2009, *Pancreatic Hormon and Antidiabetic Drugs In: Basic & Clinical Pharmacology*, 11th Edition, The McGraw-Hill Companies, China.
- Kumar, E. K. D., and Janardhana, G. R., 2010, Antidiabetic Activity of Alcoholic Steam Extract of *Nervilia Plicata* in Streptozotocin-Nicotinamide Induce Type 2 Diabetic Rats, *J. Ethnopharmacol.*, 133, 480-483.
- Ngatidjan., 1990, *Metode Laboratotirum dalam Toksikologi*, Pusat Studi Bioteknologi Universitas Gadjah Mada, Yogyakarta.
- Liem, S., Yuliet, and Khumaidi, A., 2015, Uji Aktivitas Antidiabetes Kombinasi Glibenkamid dan Ekstrak Daun Salam (*Syzygium polyanthum* Wight.) terhadap Mencit (*Mus musculus*) yang di Induksi Aloksan, *J. Pharm.*, 1(1), 42-47.
- Liang, R., Yuan, H., Xi, G., and Zhou, Q., 2009, Synthesis of Wheat Straw-G-Poly (Acrylic Acid) Superabsorbent Composites and Release of Urea from it, *Carbohydr. Polym.*, 2(77), 181-187.
- Lusiana, C., Anwar, C., dan Pranowo, H. D., 2018, Sintesis Analog Kurkumin dari 5-Bromovanilin dan Uji Inhibisinya terhadap Enzim α -Amilase serta Efek Sinergisitasnya dengan Asam Ferulat, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Mancia, S. R., Garciab, M. C. L., and Chaverric, J. P., 2015, Experimental Evidence for Curcumin and its Analog for Management of Diabetes

- Mellitus and its Associated Compications, *Eur. J. Pharmacol.*, 756, 30-37.
- Maryanto dan Fatimah, 2004, Pengaruh Pemberian Jambu Biji (*Psidium guajava L.*) pada Lipidemia Serum Tikus (*Sprague-Dawley*) Hiperkolesterolemia, *Media Medika Indonesia*, 105-111.
- Masek, A., Chrzescijanska, E., and Zaborski, M., 2013, Characteristics of curcumin using cyclic voltammetry; UV-Vis; fluorescence; and thermogravimetric analysis, *Electrochim. Acta.*, 107, 441-447.
- Meiyanto, E., 1999, Kurkumin Sebagai Obat Antikanker: Menelusuri Mekanisme Aksinya, *Indo. J. Pharm.*, 10(4), 224-236.
- Muchid, A., Umar, F., Ginting, M. N., Basri, C., Wahyuni, R., dan Helmi, R., 2005, *Pharmaceutical Care Untuk Penyakit Diabetes Melitus*, Direktorat Bina Farmasi Komunitas dan Klinik Direktorat Jendral Bina Kefarmasian dan Lalat Kesehatan, Depkes RI.
- Nahar, L., and Sarker, D. S., 2007, *Phytochemistry of The Genus Curcuma*, CRC Press, 71-101.
- Namphoothiri, S. V., Parthapan, A., Cherian, L. O., Raghu, K. G., Venugovalan, V. V., and Sundaresan, A., 2011, In Vitro Antioxydant and Inhibitory Potential of Terminalia Ballerica and Emblica Offcinalis Fruits Against Oxidation and Enzymes Linked to Type 2 Diabetes, *Food Chem. Toxicol.*, 49, 125-131.
- Naveen, Y. P., Divya, R. G., Ahmed, F., and Urooj, A., 2014, Pharmacological Effect and Active Phytoconstituents of Swietenia Mahagoni, *J. Integr Med.*, 12(2), 86-93.
- Niamsa, N., and Sittiwet, C., 2009, Antimicrobial activity of Curcuma longa aqueous extract, *J. Pharm. Toxicol.*, 4(4), 173-177.
- Nugroho, A. E., 2006, Hewan Percobaan Diabetes Melitus: Patologi dan Mekanisme Aksi Diabetogenik, *Biodiversitas*, 7(4), 378-382.
- Ou, S., and Kwok, K.C., 2004, Ferulic Acid: Pharmaceutical Functions, Preparation and Application in Food, *J. Sci. Food Agric.*, 84, 1261-1269.
- Paiva, B. L., Goldbeck, R., dos Santos, W. D., and Squina, F. M., 2013, Ferulic acid and derivatives: molecules with potential application in Pharmaceutical Field, *J. Pharm. Sci.*, 49(2), 395-411.
- Pandey, A., and Tripathi, S., 2014, Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug, *J. Pharmacogn. Phytochem.*, 2 (5), 115-119.

- Pasaribu, K. F., dan Saragih, H., 2014, Pola Penurunan Kadar Glukosa Darah Sebagai Akibat Pemberian Curcumin dalam Berbagai Dosis pada Tikus Wistar Hiperglikemia, *Prosiding SNIP*, Program Studi Magister Pengajaran Fisika FMIPA, ITB, 185-188.
- Patel, J. M., 2008, A Review of Potential Health Benefits of Flavonoids, *Lethbridge Undergraduate Res. J.*, 3(2).
- Ponnusamy, S., Zinjarde, S., Bhargava, S., Rajamohanam, P. R., and Kumar, R. A., 2012, Discovering Bisdemethoxycurcumin from *Curcuma longa* rhizome as A Potent Small Molecule Inhibitor of Human Pancreatic α -Amylase, A Targer for Type 2 Diabetes, *Food Chem*, 135, 2638-2642.
- Prabhakar, P. K., Prasad, R., Ali, S., and Doble, M., 2013, Synergistic Interaction of Ferulic Acid with Commercial Hypoglycemic Drug in Streptozotocin Induced Diabetic Rats, *Phytomedicine.*, 20, 488-494.
- Sethi, G., Sung, B., and Aggarwal B.B., 2009, *The Role of Curcumin in Modern Medicine*, Springer, Berlin Heidelberg.
- Setiawan, R., Mariyah, Y., dan Abidin, Z., 2010, Pengaruh Pemberian Ekstrak Bunga Rosela (*Hibiscus sabdariffa* L) terhadap Penurunan Kadar Gula Darah Tikus Putih (*Rattus norvegicus*) yang Diinduksi Aloksan, *Skripsi*, Universitas Sebelas Maret, Surakarta.
- Srinivasan, M., Sudheer, A. R., Menon, V.P., 2007, Ferulic Acid: Therapeutic Potential Through its Antioxidant Property, *J. Clin. Biochem. Nutr.*, 40, 92-100.
- Szkudelski, T., 2001, The Mechanism of Alloxan and Streptozotocin Action in B Cells of the Rat Pancreas, *Physiol Res.*, 50, 536-46.
- Vadla, G. P. A., and Vellaichamy, E., 2013, Beneficial Effects of Aminoguanidine Against Streptozotocin-Induced Pathological Changes in Diabetic Mice Kidney, *J. Biomed. Prev. Nutr.*, 221-226.
- Widowati, W, 2008, Potensi Antioksidan sebagai Antidiabetes, *Jurnal Kesehatan Masyarakat.*, 7, 1-10.
- Yuan, X., Li, H., Bai, H., Su, Z., Xiang, Q., Wang, C., Zhao, B., Zhang, Y., Zhang, Y., Chu, Y., and Huang, Y., 2014, Synthesis of Novel Curcumin Analogues for Inhibition of 11β -Hydroxysteroid Dehydrogenase Type 1 with Antidiabetic Properties, *Eur. J. Med. Chem.*, 1(77), 223-230.
- Zhang, L., Liu, Y., Ke, Y., Luo, X, Li, C., Zhang, Z., Liu, A., Shen, L., Chen, H., Hu, B., Wu, H., Lin, D., and Li, S., 2018, Antidiabetic Activity of Polysaccharides from *Suillellus luridus* in Streptozotocin-induced Diabetic Mice, *Int. J. of Biol. Macromol.*, 119, 134-140.



**UJI AKTIVITAS ANTIDIABETES SENYAWA ANALOG KURKUMIN
(2,5-BIS((E)-5-BROMO-4-HIDROKSI-3-METOKSIBINZILIDIN)- SIKLOPENTA-1-ON) SERTA EFEK
SINERGISITASNYA**

DENGAN ASAM FERULAT SECARA IN VIVO

Iftitah, Prof. Dr. Chairil Anwar ; Dr. Ika Puspita Sari M.Si., Apt

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhao, Z., and Moghadasian, M. H., 2008, Chemistry, Natural Sources, Dietary Intake and Pharmacokinetic Properties of Ferulic Acid: A Review, *J. Food Chem.*, 109, 691-702.