

DAFTAR PUSTAKA

- Adebowale, K.O., B.I. Olu-Owolabi, O. O. Olayinka, dan O. S. Lawal. 2005. Effect of heat moisture treatment and annealing on physicochemical properties of red sorghum starch. *African Journal of Biotechnology* 4(9): 928-933.
- Aktas-Akyildiz, E., Matilla, O., Sozer, N., Poutanen, K., Koksel, H., Nordlund, E. 2017. Effect of steam explosion on enzymatic and baking quality of wheat bran. *Journal of Cereal Science*.
- Agustin, S. 2011. *Kajian Pengaruh Hidrokoloid dan CaCl_2 terhadap Profil Gelatinisasi Bahan Baku serta Aplikasinya pada Bihun Sukun*. Institut Pertanian Bogor.
- Ambarsari, I. 2005. *Pembuatan Tepung Jagung*. Jawa Tengah : BPTP Jawa Tengah.
- Anastasiades, A., Thanou, S., Loulis, D., Stapatoris, A. dan Karapantsios, T.D. 2002. Rheological and physical characterization of pregelatinized maize starches. *Journal of Food Engineering* 52: 57-66.
- Aprilianto, Anton. 1988. *Analisis Pangan*. Bogor : PAU Pangan dan Gizi Institut Pertanian Bogor.
- Ardiana, Rosa. 2017. *Mikroenkapsulasi ekstrak daun kelor dengan maltodekstrin pati kentang*. Yogyakarta: Skripsi Universitas Gadjah Mada.
- Baeta, B.E.L., Cordeiro, P.H.M., Passos, F., Gurgel, L.V.A., de Aquino, S.F. dan Fdz-Polanco, F. 2017. Steam explosion pretreatment improved the biomethanization of coffee husks. *Bioresource Technology*. Elsevier 245: 66-72.
- Ball, S.G., Van de Wal, dan Visser, R.G.F. 1998. Progress in understanding the biosynthesis of amylose. *Trend in Plant Science*. 3: 1360-1385.
- BeMiller, J.N. dan Huber, K.C. 2008. *Carbohydrates*, in Damodaran, S., Parkin, K.L., dan Fennema, O. R. (ed) *Fennema's Food Chemistry*. 4th ed. USA: CRC Press, p 1158.
- Beta, T., dan Corke. 2001. Noodle quality as related to sorghum starch properties. *Cereal Chemistry* 78: 417-420.
- BPS. 2016. *Produksi Jagung menurut Provinsi (ton)*. Badan Pusat Statistik Indonesia. Dalam <https://www.bps.go.id/> Diakses pada 1 Agustus 2016.

- Cantarella, Maria., Laura, C., Alberto G., Agata S., dan Francesco A. 2004. Effect of inhibitors released during steam-explosion treatment of poplar wood on subsequent enzymatic hydrolysis and SSF. *Biotechnol. Prog.* 20: 200-206.
- Carvalho, A.F.A., Marcondes, W.F., de Oliva Neto, P., Pastore, G.M., Saddler, J.N. dan Arantes, V. 2017. The potential of tailoring the conditions of steam explosion to produce xylo-oligosaccharides from sugarcane bagasse. *Bioresource Technology* 250: 221-229.
- Chafid, A. dan Galuh, K. 2010. Modifikasi tepung sagu menjadi maltodekstrin menggunakan enzim α -amilase. *Skripsi*. Departemen Teknik Kimia, Fakultas Teknik, Universitas Diponegoro Semarang.
- Chen, K., dan Jane, J. 1994. Preparation of Granular Cold Water Soluble Starches by Alcoholic-Alkaline Treatment. *Carbohydrates* 71: 618-622.
- Cereda, M.P., Vilpoux, O., dan Demiate, I.M. 2003. *Modified Starch Book 3-Technology, use and potentialities of Latin American starchy tubers*. CPC International Milho. Brasil.
- Colussi, R., Pinto, V.Z., Halal, S.L.M.E., Vanier, N.L., Villanova, F.A., e Silva, R.M., Zavareze, E.D.R., dan Dias, A.R.G. 2014. Structural, morphological, and physicochemical properties of acetylated high-medium- and low-amylose rice starches. *Carbohydrate polymers* 103: 405-413.
- Copeland, L., Blazek, J., Salman, H., Tang, M.C. 2009. Form and functionality of starch. *Food Hydrocolloids* 23: 1527-1534.
- Corn Refiners Association. 2006. *Corn Starch 11th edition*. Washington DC.
- Cui, W. 2006. *Food Carbohydrate*, Francise and Taylor: England.
- Datar, R., Huang, J., Maness, P., Mohagheghi, A., Czernik, S., dan Chornet, E. 2007. Hydrogen production from the fermentation of corn stover biomass pretreated with a steam-explosion process. *International Journal of Hydrogen Energy* 32 (8) : 932-939.
- Deeyai, P., Suphantarika, M., Wongsagonsup, R., Dangtip, S. 2013. Characterization of Modified Tapioca Starch in Atmospheric Argon Plasma Diverse Humidity by FTIR Spectroscopy. *Chyn.Phys.Lett* Vol 30 No 1.
- Desai, K.G. dan Park, H.J. 2005. Effect of Manufacturing Parameters on The Characteristics of Vitamin C Encapsulated Tripolyphosphate-Chitosan

Michrospheres Prepared by Spray Drying. *Journal of Microencapsulation* 23(1): 91-103

Dewi, S. dan Mardiah, Z. 2007. Korelasi Amilosa terhadap Konsistensi Gel, Nisbah Penyerapan Air (Npa) dan Nisbah Pengembangan Volume (Nvp) pada Beras Varietas Lokal : 157-164.

Dickinson, E. 2003. Hydrocolloids at interface and the influence on the properties of dispersed system. *Food Hydrocolloid*. 17:25-39.

Duff, S.J.B, dan Murray, W.D. 1996. Bioconversion of forest products industry waste cellulose to fuel ethanol: A review. *Bioresource Technology* 55(1): 1-33.

Ezhilarasi,P.N., Karthik, P., Vhanwal, N., dan Anandharamakrishan,C. 2012. Nanoencapsulation techniques for food bioactive components: A review. *Journal Food Bioprocess Technology* 6(3): 628-647.

Ernawati, U.R., Khasanah, L.U., dan Anandito, R.B.K. 2014. Pengaruh variasi nilai dextrose equivalent (DE) maltodekstrin terhadap karakteristik mikroenkapsulan pewarna alami daun jati. *Jurnal Teknologi Pertanian* 15 : 111-120.

Fennema, O.R. 1996. *Principles of Food Sciences*. Part I (Food Chemistry). Marcell Dekker Inc. New York.

Fernandez-Bolanos, K. Felizon, B., Heredia, A., Rodriguez, R., Guillen, R., dan Jimenez, A. 2000. Steam-explosion of olive stones: hemicellulose solubilization and enhancement of enzymatic hydrolysis of cellulose. *Bioresource Technology* 79: 53-61.

Fleche, G. 1985. *Chemical modification and degradation of starch*. Di dalam G.M.A. Van Beynum dan J.A. Roels, ed. Starch conversion technology. Applied Science Publ., London.

Fortuna, Juszczak, dan Palansinski. 2001. Properties of corn and wheat starch phosphates obtained from granules segregated according of their size. *EJPAU* Vol 4.

Galbe, M., dan Zacchi, G. 2002. A review of the production of ethanol from softwood. *Applied Microbiology and Biotechnology*. 59:618-628.

Gharsallaoui, A., Roudant, G., Chambin, O., Voilley, A. dan Saurel, R. 2007. Application of spray drying in microencapsulation of food ingredients: An overview. *Food Res. Int.* 40: 1107-1121.

- Gordillo, C.A.S., Valencia, G.A., Zapata, R.A.V., dan Henao, A.C.A. 2014. Physicochemical Characterization of Arrowroot Starch (*Maranta arundinacea* Linn) and Glycerol/Arrowroot Starch Membranes. *International Journal of Food Engineering* No 4, 10: 727-735.
- Goud, K and Park, H.J., 2005. Recent Developments in Microencapsulation of Food Ingredients. *Drying Technology*. 23: 1361-1394
- Gouin, S. 2004. Micro-encapsulation: Industrial appraisal of existing technologies and trends. *Trends in Food Science and Technology* 15: 330-347.
- Guo, J., Liu, L., Lian, X., Li, L., dan Wu, H. 2014. The properties of different cultivars of Jinhai sweet potato starches in China. *International Journal of Biological Macromolecules* 67: 1-6.
- Hariyanto, Gisella Chris. 2018. *Pengaruh suhu reaktor dan media pemanas steam explosion terhadap kelarutan dan viskositas pati pisang tanduk*. Skripsi. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Haryanti, P., Setyawati, R., Wicaksono, R. 2014. Pengaruh suhu dan lama pemanasan suspensi pati serta konsentrasi butanol terhadap karakteristik fisiko kimia pati tinggi amilosa dari tapioka. *Jurnal Agritech* 31 (2) : 308-315.
- Herawati, H. 2009. Potensi pengembangan produk pati tahan cerna sebagai pangan fungsional. *Jurnal Litbang Pertanian* 30:1.
- Herawati, Heny. 2012. Teknologi Proses Produksi Food Ingredients dari Tapioka Termomodifikasi. *Litbang Pertanian* 31 (12): 68-76.
- Hodge, J.E dan E.M. Osman. 1976. *Carbohydrates*. Di dalam Food Chemistry. D.R. Fennema, ed. Marcel Dekker Inc : New York.
- Hoover, R. 2001. Composition, molecular structure and physicochemical properties of tuber and root starches: A review. *Carbohydrate Polymers* 45: 253-267.
- Huber, K.C. dan J. N. BeMiller. 2010. Modified starch: Chemistry and properties. Dalam Bertolini, A.C. (Ed). *Starches: Characterization, properties and applications* (p 145-204). London. CRC Press.
- Indriyani, Fajar. 2013. Karakteristik fisik, kimia, dan sifat organoleptic tepung beras merah berdasarkan variasi lama pengeringan. *Jurnal Pangan dan Gizi* Vol 4 No 2.

- Iroba, K.L., Lope, G.T., Shahab, S., dan Dumonceaux, T. 2014. Pretreatment and fractionation of barley straw using steam explosion at low severity factor. *Biomass and Bioenergy* 66: 286-300.
- Jackson, L.S., dan Lee, K. 1991. Microencapsulation and the food industry. *Lebensm-Wiss-Technol.* 24: 289-297.
- Jacobs, H., dan Delcour, J.A. 1998. Hydrothermal modifications of granular starch with retention of the granular structure: Review. *J. Agric. Food. Chem* 46(8) : 2895-2905.
- Jacquet, N., Quievy, N., Vanderghem, C., Janas, S., Blecker, C., Wathelet, B., Devaux, J., dan Paquot, M. 2011. Influence of steam explosion on the thermal stability of cellulose fibers. *Polymer Degradation and Stability* 96: 1582-1588.
- Jacquet, N., Maniet, G., Vanderghem, C., Delvigne, F., dan Richel, A. 2015. Application of steam explosion as pretreatment on lignocellulosic material : A Review. *Industrial and Engineering Chemistry Research* 54 : 2593-2598.
- Juliano, B.O. 1971. A simplified assay for milled rice amylose measurement. *Journal of Cereal Science* 16: 334-336.
- Kartikasari, S., Sari, P., dan Subagio, A. 2016. Karakterisasi sifat kimia, profil amilografi (RVA) dan morfologi granula (SEM) pati singkong termomodifikasi secara biologi. *Jurnal Agroteknologi* 10 (1).
- Klein, B., Pinto, V.Z., Vanier, N.L., Zavareze, E.D.R., Colussi, R., Evangelho, J.A.D., Gutkoski, L.C. dan Dias, A.R.G. 2013. Effect of single and dual heat-moisture treatments on properties of rice, cassava and pinhao starches. *Carbohydrate Polymers*. 98(2): 1578-1584.
- Koswara, S. 2009. *Teknologi modifikasi pati*. Tersedia pada: <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/TEKNOLOGI-MODIFIKASI-PATI.pdf>.
- Kusnandar, F. 2011. *Kimia Pangan Komponen Makro*. Cetakan Pertama. PT Dian Rakyat: Jakarta.
- Larasati, Maria Laksmi. 2018. *Pengaruh perlakuan steam explosion terhadap kelarutan, higroskopisitas dan viskositas pati sukun*. Skripsi. Fakultas Teknologi Pertanian Universitas Gadjah Mada.

- Li, Q., Li, H., dan Gao, Q. 2015. The influence of different sugars on corn starch gelatinization process with digital image analysis method. *Food Hydrocolloids*. 43: 803-811.
- Li, G., Chen, M., Li, F., Zeng, J. dan Sun, J. 2017. Effect of steam explosion pre-treatment on molecular structure of sweet potato starch. *Tropical Journal of Pharmaceutical Research* 16: 1113-1119.
- Loisel, C., Maache-Rezzoug, Z., Esneault, C., dan Doublier, J. L. 2006. Effect of hydrothermal treatment on the physical and rheological properties of maize starches. *Journal of Food Engineering*. 73: 45-54.
- Marchal, L. M., Beeftink, H. H. dan Tramper, J. 1999. Towards a rational design of commercial maltodextrins. *Trends in Food Science and Tech.* 10: 345-355.
- Marta, H., Marsetio, Cahyana, Y., dan Pertiwi, A.G. 2016. Sifat fungsional dan amilografi pati millet putih (*Pennisetum glaucum*) termodifikasi secara heat moisture treatment dan annealing. *Jurnal Aplikasi Teknologi Pangan* 5(3): 76-84.
- Meyer, L.H. 1985. *Food Chemistry*. The Avi Publishing Company, Inc., Westport. Connecticut.
- Molavi, H., Razavi, S.M.A. dan Farhoosh, R. 2017. Impact of hydrothermal modifications on the physicochemical, morphology, crystallinity, pasting and thermal properties of corn starch. *Food Chemistry*. 245 : 385-393.
- Noda, Y., Asada, C., Sasaki, C., Hashimoto, S., dan Nakamura, Y. 2013. Extraction method for increasing antioxidant activity of raw garlic using steam explosion. *Biochemical Engineering Journal* 73: 1-4.
- Pangestu, Alit. 2016. *Karakterisasi Sifat Fisikokimia dan Potensi Prebiotik Tepung Garut (Maranta arundinacea) dengan Perlakuan Steam Flash-Explosion*. Tesis. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Pawoko, Hagung Eko. 2017. *Modifikasi pati garut (Maranta arundinacea) menggunakan perlakuan steam explosion*. Tesis. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Perez, S. dan E. Bertoft. 2010. The molecular structures of starch components and their contribution to the architecture of starch granules : A comprehensive review. *Starch* 62: 389-420.
- Pomeranz, Y. 1991. *Functional Properties of Food Components*. Academic Press, Inc. New York.

- Prihantoro, Rudi. 2016. *Pembuatan Enkapsulan dari Tapioko Pregelatinasi dengan Metode Hidrolisis Asam untuk Mikroenkapsulasi Asap Cair*. Universitas Gadjah Mada.
- Raja, K.C.M., Sankarikutty, B., Sreekumar, M., Jayalekshmy, A., Narayanan, C.S. 1989. Material characterization studies of maltodextrin samples for the use of wall material. *Starch* 41: 298-303.
- Richana, N. dan Suarni. 2007. *Teknologi Pengolahan Jagung*. Balai Penelitian Tanaman Sereal : Maros.
- Ridhowati, Sherly. 2011. *Penentuan lama hidrolisis dan karakteristik maltodekstrin dan sirup glukosa dari pati jagung fosfat*. Tesis. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Rosari, Dionesia Bella. 2018. *Pengaruh perlakuan steam explosion terhadap sifat fisik pati beras*. Skripsi. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Rosiana, Nita Maria. 2015. *Karakteristik fisikokimia dan prebiotik pati terasetilasi dari jagung varietas bisi 18 dan aplikasi pada pembuatan cookies*. Tesis. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Saeki, T., Hisayuki, K., Daimon, H., dan Fujie, K. 2007. Recovery of valuable substances from unused potatoes using a steam explosion reaction. *Journal of the Japan Society of Waste Management Experts* No 1, 18:1-7.
- Sandhu, Kawaljit S. dan Singh, Narpinder. 2007. Some properties of corn starches II: Physicochemical, gelatinization, retrogradation, pasting and gel textural properties. *Food Chemistry* 101: 1499-1507.
- Sarip, H., Hossain, Md.S., Azemi, M.M.N., dan Allaf, K. 2016. A review of the thermal pretreatment of lignocellulosic biomass towards glucose production : autohydrolysis with DIC technology. *Bioresources* 11 : 10625-10653.
- Shahidi, F., dan Han, X. Q. 1993. Encapsulation of Food Ingredients. *Critical Reviews in Food Science and Nutrition*. 33 : 501-547.
- Sheu, T.Y., dan Rosenberg, M. 1995. Microencapsulation by spray drying ethyl caprylate in whey protein and carbohydrate wall systems. *Journal of Food Engineering* 105: 468-476.
- Shi, Ai-min, Dong L., Li-Jun W., Bing-Zheng L., Benu A. 2011. Preparation of starch-based nanoparticles through high-pressure homogenization and

miniemulsion cross-linking: Influence of various process parameters on particle size and stability. *Carbohydrate Polymers* 83: 1604-1610.

Singh, N., Chawla, D., dan Singh, J. 2004. Influence of asetic anhydride on physicochemical, morphological and thermal properties of corn and potato starch. *Food Chemistry*. 86: 601-608.

Singh, R.P., and Heldman, D.R. 2004. *Introduction of Food Engineering 4th edition*. Elsevier Inc. China.

Smith, P.S. 1982. Starch Derivatives and Their Uses in Foods. di dalam D.R. Lineback dan G.E. Inglett (ed). *Food Carbohydrate*. AVI Publishing Co. Inc., Westport, Connecticut, p 5-23.

Smith, A.M. 2001. The Biosynthesis of Starch Granules. *Biomacromolecules* 2(2): 335-341.

Suarni. 2009^a. *Prospek Pemanfaatan Tepung Jagung untuk Kue Kering (cookies)*. Balai Penelitian Tanaman Serealia : Maros.

Suarni. 2009^b. Komposisi Nutrisi Jagung menuju Hidup Sehat. *Prosiding Seminar Nasional Serealia 2009*.

Sudarmadji, S., Bambang, H., Suhardi. 1997. *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Yogyakarta: Liberty.

Sui, W. dan Chen, H. 2015. Water transfer in steam explosion process of corn stalk. *Industrial Crops and Products* 76: 977-986.

Sui, W. dan Chen, H. 2016. Effects of water states on steam explosion of lignocellulosic biomass. *Bioresource Technology*. Elsevier Ltd. 199: 155-163.

Sun, B., Huang, A., Wang, Y., dan Liu, J. 2014. Natural bamboo (*Neosinocalamus affinis* Keng) fiber identification using FT-IR and 2D-IR correlation spectroscopy. *Journal Natural Fibers*. 12: 1-11.

Supriyanto, Haryadi, Rahardjo, B., dan Marseno, D.W. 2006. Pengaruh penyangraian dengan energi gelombang mikro terhadap polifenol dalam hancuran keeping biji kakao. *Agritech* vol 26 no 3.

Syamsir, E., P. Hariyadi, D. Fardiat, N. Andarwulan, dan F, Kusnandar. 2011. Karakterisasi Tapioka dari Lima Varietas Ubi Kayu Asal Lampung. *Jurnal Agroteknologi* 5(1): 93-105.

- Teng, C., Yan, Q., Jiang, Z., Fan, G., dan Shi, B. 2010. Production of xylooligosaccharides from the steam explosion liquor of corncobs coupled with enzymatic hydrolysis using a thermostable xylanase. *Bioresource Technology* 101: 7679-7682.
- Tjahjadi, Raymond Tommy. 2017. *Modifikasi pati kentang dengan perlakuan steam explosion*. Skripsi. Fakultas Teknologi Pertanian Universitas Gadjah Mada Yogyakarta.
- Tsai, M.L., Lii, C.Y., dan Li, C.F. 1997. Effects of granular structures on the pasting behaviors of starches. *Cereal Chemistry*. 74(6): 750-757.
- Tucker, M. P., Kyung, H. K., Mildred, M. N., dan Quang, A. N. 2003. Effects of temperature and moisture on dilute-acid steam explosion pretreatment of corn stover and cellulose enzyme digestibility. *Applied Biochemistry and Biotechnology*. 105(1-3): 165-177.
- Winarno, F.G. 2002. *Kimia Pangan dan Gizi*. Gramedia Pustaka Utama: Jakarta.
- Wu, T.Y., Chang, C.R., Chang, T.J., Chang, Y.J., Liew, Y., Chau, C.F. 2019. Changes in physicochemical properties of corn starch upon modifications by atmospheric pressure plasma jet. *Food Chemistry*. 283: 46-51.
- Wurzburg, O.B. 1986. *Starch Properties, Modification and Application*. CRC Press: Florida.
- Yadav, B.S., Guleria, P., dan Yadav, R.B. 2013. Hydrothermal modification of Indian water chestnut starch : Influence of heat-moisture treatment and annealing on the physicochemical, gelatinization and pasting characteristic. *LWT-Food Science and Technology* 53 : 211-217.
- Yang, L., Zhou, Y., Wu, Y., Meng, X., Jiang, Y., Zhang, H., dan Wang, H. 2016. Preparation and physicochemical properties of three types of modified glutinous rice starches. *Carbohydrate Polymers*, 137 : 305-313.
- Young, S.L., X. Sarda, and M. Rosenberg. 1993. Microencapsulating properties of whey proteins: Microencapsulation of anhydrous milk fat. *Journal of Dairy Science* 76(10): 2868-2877.
- Yu, Z., Zhang, B., Yu, F., Xu, G., dan Song, A. 2012. A real explosion : The requirement of steam explosion pretreatment. *Bioresource Technology* 121: 335-341.
- Zaidul I.S.M., Norulaini N.A.N., Omar A.K.M., Yamauchi H, dan Noda T. 2007. RVA analysis of mixtures of wheat flour and potato, sweet potato, yam and cassava starches. *Carbohydrate Polymer* 69: 784-791.



- Zhang, Y., Zhao, W., Yang, R., Ahmed, M.A., Hua, X., Zhang, W., dan Zhang, Y. 2013. Preparation and functional properties of protein from heat-denaturated soybean meal assisted by steam flash-explosion with dilute acid soaking. *Journal of Food Engineering* 199: 56-64.
- Zhang, B., Wang, K., Hasjim, J., Li, E., Flanagan, B. M., Gidley, M. J., dan Dhital, S. 2014. Freeze-drying changes the structure and digestibility of B-polymorphic starches. *Journal of Agricultural and Food Chemistry*. 62 : 1482-1491.
- Zhang, Y., Gu, Z., dan Zhu, L. 2018. Comparative study on the interaction between native corn starch and different hydrocolloids during gelatinization. *International Journal of Biological Macromolecules*. 116: 136-143.
- Zheng, M., Jin, Z., dan Zhang, Y. 2007. Effect of cross-linking and esterification on hygroscopicity and surface activity of cassava maltodextrins. *Food Chemistry* 103: 1375-1379.