

## DAFTAR PUSTAKA

- Aboonq, M.S. (2015). Pathophysiology of carpal tunnel syndrome. *Neuroscience Journal*, 20(1), pp. 4–9. [www.neurosciencesjournal.org](http://www.neurosciencesjournal.org) PMC4727604
- Abyad, A. (2016). Update on the Use of Vitamin B12 in Management of pain, 31–39. *Middle east Journal of Internal Medicine*, 9(2), pp.31-39.  
<https://pdfs.semanticscholar.org/6710/77e55b22105e3288334f2acee9c782f31f2c.pdf>
- Akalin E, El Ö, Peker Ö, et al. Treatment of carpal tunnel syndrome with nerve and tendon gliding exercises. *American Journal of Physical Medicine & Rehabilitation*, 81(2), pp.108-113. DOI: 10.1097/00002060-200202000-00006
- Akulwar, A.S., Ghugare, B.W., Singh, R., et al. (2013): Clinical and electrophysiological evaluation of carpal tunnel syndrome in diabetes mellitus to assess association of age, gender and duration of diabetes on median neuropathy at wrist. *The Health Agenda*, 1(3), pp.71-76.
- Alley, D., Suthers, K., Crimmins, E. (2007). Education and Cognitive Decline in Older Americans. *Research o Aging*, 29(1), pp.73-94. DOI:10.1177/0164027506294245
- Ali, Z., Khan, A., Shah, S.M.A., & Zafar A. (2012). Clinical and Electro-Diagnostic Quantification of the Severity of Carpal Tunnel Syndrome. *Annals of Pakistant Institutes Medical Science*, 8(4), pp. 207–212.
- Alotaibi, S.N.S., Alqahtani, S.S.M., Alammar, R.M.S., Alqahtani, M.S.A., Alshehri, S.A.M., Alshehri, S.F.S., & Alqarni, S.A.M. (2018). The Prevalence and Patterns of Carpal Tunnel Syndrome and Their Associated Risk Factors Among Diabetic Population In South-West of Kingdom of Saudi Arabia, *The Egyptian Journal of Hospital Medicine*, 70(7), pp.1152-1158. <https://doi.org/10.12816/0044542>
- Agustin, C. P. M. (2012). Masa Kerja, Sikap Kerja Dan Kejadian Sindrom Karpal Pada Pembatik. *Jurnal Kesehatan Masyarakat*, 7(2), pp. 170–176. <https://doi.org/10.15294/kemas.v7i2.2814>
- Agustin, C. P. M., Mardiana, dan Budiono, I. (2013). Hubungan Masa Kerja Dan Sikap Kerja Dengan Kejadian Sindrom Karpal Pada Pembatik CV. Pusaka Beruang Lasem. *Unnes Journal of Public Health*, 2(2), pp. 74-80. <https://journal.unnes.ac.id/sju/index.php/ujph/article/view/3893>
- Amadio, P.C. (2011). Carpal tunnel syndrome: Surgeon's management. In: Skirven, T.M., Osterman, A.L., Fedorczyk, J.M., Amadio, P.C., (eds). *Rehabilitation of the Hand and Upper Extremity*. 6th ed. Philadelphia: Elsevier Mosby, pp. 657-665.
- Asti, M & Ambar, B.A. (2011). Batik Warisan Adiluhung Nusantara. Yogyakarta: G-media
- Atsuta, Y., Iwahara, T., Sugawara, O., Muramoto, T., Watakabe, T., Takemisu, Y. (1994). The study of generating and suppressive factors of ectopic firing in the lumbar dorsal root using an in vivo model. *Clinical Orthopaedics*, 29, pp.441–446.

- Azevedo, J.W.V., Oliveira, A.B., Nascimento, V.G., et.al. (2015). Profile of Patients on Sick Leave with Carpal Tunnel Syndrome. *Acta Ortopedica Brasileira*. 23(5), pp. 244–246. DOI:10.1590/1413-785220152305145784.
- Baker, N. A., & Livengood, H. M. (2014). Symptom Severity and Conservative Treatment for Carpal Tunnel Syndrome in Association With Eventual Carpal Tunnel Release. *Journal of Hand Surgery*, 39(9), pp.1–7. <https://doi.org/10.1016/j.jhsa.2014.04.034>
- Ballesteropérez, R., Plaza-manzano, G. and Urraca-gesto, A. (2016). Effectiveness of Nerve Gliding Exercises on Carpal Tunnel Syndrome : A Effectiveness of Nerve Gliding Exercises on Carpal Tunnel Syndrome : A Systematic Review. *Journal of Manipulative and Physiological Therapeutics*, 40(1), pp.50-59. DOI:10.1016/j.jmpt.2016.10.004.
- Ballesteropérez, R., Plaza-Manzano, G., Urraca-Gesto, A., Romo-Romo, F., Atín-Arratibel, M., Pecos-Martín, D., Gallego-Izquierdo, T. and Romero-Franco, N. (2017). Effectiveness of Nerve Gliding Exercises on Carpal Tunnel Syndrome: A Systematic Review. *Journal of Manipulative and Physiological Therapeutics*, 40(1), pp.50-59. DOI:10.1016/j.jmpt.2016.10.004. Epub 2016 Nov 11.
- Barcenilla, A. , March , L. , Chen , J. , & Sambrook , P. ( 2012 ). Carpal tunnel syndrome and its relationship to occupation: A meta-analysis. *Rheumatology*. *Rheumatology*, 51(2), pp. 250 – 261. DOI:10.1093/rheumatology/ker108
- Bardak, N., Alp, M., Erhan, B., Paker, N., Kaya, B., Önal, E. (2009). Evaluation of the Clinical Efficacy of Conservative Treatment in the Management of Carpal Tunnel. *Advanced in Therapy*, 26(10), pp.107-116. DOI:10.1007/s12325-008-0134-7
- Basson, A., Olivier B, Ellis R, Coppieters M, et al. (2017). The Effectiveness of Neural Mobilization for Neuromusculoskeletal Conditions: A Systematic Review and Meta-analysis. *Journal of Orthopaedic & Sports Physical Therapy*, 47(9), pp.593-615. DOI:10.2519/jospt.2017.7117
- Baysal, O., Altay, Z., Ozcan, C., Ertem, K., Yologlu, S., Kayhan, A. (2006). Comparison of three conservative treatment protocols in carpal tunnel syndrome. *International Journal of Clinical Practice*. 60(7), pp.820-828. <https://doi.org/10.1111/j.1742-1241.2006.00867.x>
- Bialosky, J.E., Bishop, M.D., Price, D.D., Robinson, M.E., Vincent, K.R., George, S.Z. (2009). A randomized sham-controlled trial of a neurodynamic technique in the treatment of carpal tunnel syndrome. *Journal of Orthopedic Sports and Physical Therapy*, 39(10), pp.709-723. DOI:10.2519/jospt.2009.3117.
- Bland, J.D.P. (2000). A neurophysiological grading scale for carpal tunnel syndrome. *Muscle Nerve*, 23, pp.1280-1283. [https://doi.org/10.1002/1097-4598\(200008\)23:8<1280::AID-MUS20>3.0.CO;2-Y](https://doi.org/10.1002/1097-4598(200008)23:8<1280::AID-MUS20>3.0.CO;2-Y)
- Bland, J.D. (2005) The relationship of obesity, age, and carpal tunnel syndrome: more complex than was thought? *Muscle Nerve*, 32(4), pp.527–532. DOI:10.1002/mus.20408

- Bonfiglioli, R., Mattioli, S., Fiorentini, C., Graziosi, F., Curti, S., & Violante, F. S. (2007). Relationship between repetitive work and the prevalence of carpal tunnel syndrome in part-time and full-time female supermarket cashiers: A quasi-experimental study. *International Archives of Occupational and Environmental Health*, 80(3), pp. 248–253. DOI:10.1007/s00420-006-0129-0
- Brininger, M. A. J. T. L., Rogers, J. C., Holm, M. B. and Baker, N. A. (2007). Efficacy of a Fabricated Customized Splint and Tendon and Nerve Gliding Exercises for the Treatment of Carpal Tunnel Syndrome: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*, 88(11), pp. 1429-1435. DOI:10.1016/j.apmr.2007.07.019.
- Burton, C. L., et al. (2018). Trends in the prevalence, incidence and surgical management of carpal tunnel syndrome between 1993 and 2013: An observational analysis of UK primary care records. *British Medical Journal*, 8(6), pp. 1–11. DOI:10.1136/bmjopen-2017-020166.
- Caliandro, P., La Torre, G., Aprile, I., Pazzaglia, C., Commodari, I., Tonali, P., et al. (2006). Distribution of paresthesias in carpal tunnel syndrome reflects the degree of nerve damage at wrist. *Clinical Neurophysiology*, 117(1), pp.228–231. DOI: 10.1016/j.clinph.2005.09.001
- Caliandro, P. et al. (2010) ‘A new clinical scale to grade the impairment of median nerve in carpal tunnel syndrome’, *Clinical Neurophysiology. International Federation of Clinical Neurophysiology*, 121(7), pp. 1066–1071. DOI:10.1016/j.clinph.2010.02.002.
- Chammas, M., Boretto, J., Burmann, L., Ramos, R., dos Santos Neto, F., & Silva, J. (2014). Carpal tunnel syndrome Part I (anatomy, physiology, etiology and diagnosis). *Brazilian Orthopedics Review*, 49 (5), pp.7. <http://dx.doi.org/10.1016/j.rboe.2014.08.001>. rev bras ortop. 2014;49(5):429–436 www.rbo.org.br
- Chang, W., Wu, J., Jiang, J., Yeh, C. and Tsai, C. (2008). Carpal Tunnel Syndrome Treated with a Diode Laser: A Controlled Treatment of the Transverse Carpal Ligament. *Photomedicine and Laser Surgery*, 26(6), pp.551-557. DOI:10.1089/pho.2007.2234.
- Coppieters, M.W., Alshami, A.M. (2007). Longitudinal excursion and strain in the median nerve during novel nerve gliding exercises for carpal tunnel syndrome. *Journal of Orthopaedic Researchs*, 25(7), pp.972-980. DOI:10.1002/jor.20310
- Couper, M., Tourangeau, R.&, Conrad, F., et al. (2006). Evaluating the effectiveness of visual analog scales: A web experiment. *Social Science Computer Review*, 23, pp.227-245. DOI: 10.1177/0894439305281503
- Dahlan M. S, (2009). *Besar sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd ed. Jakarta: Salemba Medika, pp 72-73
- Dekranasda (2019). *Ayo ke Jogja International Batik Biennale 2016*. [online] Panduan Wisata Keliling Dunia. Available at: <http://panduanwisata.id/2016/09/28/ayokejogja-international-batik-biennale-2016/> [Accessed 16 Februari 2017].

- Dale, A.M., Harris, A.C., Rempel, D., et al. (2013). Prevalence and incidence of carpal tunnel syndrome in US working populations: pooled analysis of six prospective studies. *Scandinavia Journals of Work and Environmental Health*, 39(5), pp. 495-505. DOI: 10.5271/sjweh.3351
- Delgado, D. A., Lambert, B. S., Boutris, N., McCulloch, P. C., Robbins, A. B., Moreno, M. R., & Harris, J. D. (2018). Validation of Digital Visual Analog Scale Pain Scoring With a Traditional Paper-based Visual Analog Scale in Adults. *Journal of the American Academy of Orthopaedic Surgeons. Global Research & Reviews*, 2(3), pp.088. <https://doi.org/10.5435/JAAOSGlobal-D-17-00088>
- De-La-Llave-Rincon, A. I. Ortega-Santiago R, Ambite-Quesada S, Gil-Crujera A, et al. (2012). Response of pain intensity to soft tissue mobilization and neurodynamic technique: A series of 18 patients with chronic carpal tunnel syndrome. *Journal of Manipulative and Physiological Therapeutics. National University of Health Sciences*, 35(6), pp. 420–427. DOI: 10.1016/j.jmpt.2012.06.002.
- de Krom MC, Knipschild PG, Kester AD M, Thijs CT, Boekkooi PF, Spaans F. (1992) Carpal tunnel syndrome: prevalence in the general population. *Journal of Clinical Epidemiology*, 45(4), pp.373–376. [https://doi.org/10.1016/0895-4356\(92\)90038-O](https://doi.org/10.1016/0895-4356(92)90038-O)
- Dodd, J. (2015). Lung Disease as a Determinant of Cognitive Decline and Dementia. *Alzheimer's Research & Therapy*, 7(1), pp. 1-8. DOI:10.1186/s13195-015-0116-3
- Duncan, S.F.M., & Kakinoki, R. (2017). *Carpal Tunnel Syndrome and Related Median Neuropathies*. Berlin: Springer. <https://doi.org/10.1007/978-3-319-57010-5>
- Durham, C. O., & Vanravenstein, K. (2017). It's All in the Wrist: Diagnosis and Management of Carpal Tunnel Syndrome. *Orthopaedic Nursing*, 36(5), pp. 323–327. <https://doi.org/10.1097/NOR.0000000000000390>
- Ellis, R. F., Phty, B. Hing WA, and Dip, P. G. (2008). Neural Mobilization: A Systematic Review of Randomized Controlled Trials with an Analysis of Therapeutic Efficacy. *The Journal of Manual & Manipulative Therapy*, 16(1), pp. 8–22. DOI:10.1179/106698108790818594
- El-helaly, M., Balkhy, H. H. and Vallenius, L. (2017). (2017). Carpal tunnel syndrome among laboratory technicians in relation to personal and ergonomic factors at work. *Journal of Occupational Health*, 59(6), pp.513-520. DOI:10.1539/joh.16-0279-OA
- Ettema, A.M., Zhao, C., Amadio, P.C., O'Byrne, M.M., An, K.N.(2007).Gliding characteristics of flexor tendon and tenosynovium in carpal tunnel syndrome: a pilot study. *Clinical Anatomy*, 20(3), pp.292-299. DOI:10.1002/ca.20379
- Fagarasanu, M., & Kumar, S. (2003). Work-Related Carpal Tunnel Syndrome : History Of Carpal Tunnel. *Journal of Musculoskeletal Research*, 7(2), pp. 87–96. <https://doi.org/10.1142/S0218957703001022>

- Fernández-de-las-Peñas, C., De-la-Llave-Rincón, A.I., Fernán- dez-Carnero, J., Cuadrado, M.L., Arendt-Nielsen, L., Pareja, J.A. (2009). Bilateral widespread mechanical pain sensitivity in carpal tunnel syndrome: evidence of central processing in unilateral neuropathy. *Brain*, 6(1), pp. 1472-1479. <https://doi.org/10.1093/brain/awp050>.
- Fernández-De-Las-Peñas, C., Cleland, J. A., Ortega-Santiago, R., De-La-Llave-Rincon, A. I., Martínez-Perez, A., & Pareja, J. A. (2010). Central sensitization does not identify patients with carpal tunnel syndrome who are likely to achieve short-term success with physical therapy. *Experimental Brain Research*, 207(1–2), pp. 85–94. <https://doi.org/10.1007/s00221-010-2436-7>
- Fernández-De-Las Peñas, C., Ortega-Santiago, R., De La Llave-Rincón, A.I., Martínez-Perez, A., Fahandezh-Saddi Díaz, H., Martínez-Martín, J., Cuadrado-Pérez, M.L. (2015). Manual Physical Therapy Versus Surgery for Carpal Tunnel Syndrome: A Randomized Parallel-Group Trial. *Journal of Pain*, 16(11), pp.1087–1094. <https://doi.org/10.1016/j.jpain.2015.07.012>
- Ferry, S., Pritchard, T., Keenan, J., [Croft](#) P. (1998). Estimating the prevalence of delayed median nerve conduction in the general population. *British Journals of Rheumatology*, 37(6), pp.630-635. DOI:10.1093/rheumatology/37.6.630
- Feuerstein, M., Miller, V.L., Burrell, L.M., Berger R. (1998). Occupational upper extremity disorders in the federal workforce: prevalence, health care expenditures, and patterns of work disability. *Journal of Occupational Environmental Medicine*, 40(6) pp.546–555. DOI:10.1097/00043764-199806000-00007.
- Franklin, G.M & Friedman, A., (2015). Work Related Carpal Tunnel Syndrome Diagnosis and Treatment Guideline. *Physical Medicine and Rehabilitation Clinics of NA*, 26(3), pp.523-537. <https://doi.org/10.1016/j.pmr.2015.04.003>
- Fs, V., Farioli, A., Graziosi, F., Marinelli, F., Curti, S., Tj, A., & Bologna, I. (2017). Carpal tunnel syndrome and manual work: the OCTOPUS cohort, results of a ten-year longitudinal study. *Journal of Work Environmental, and Health*, 42(4), pp. 280–290. <https://doi.org/10.5271/sjweh.3566>
- Ganjoo, S., Kaul, D. and Shah, P. (2018). Carpal tunnel syndrome in females: pregnancy and lactation the major risk factors. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, p.3512. *International Journal of Reproduction and Contraception Obstetric and Gynecology*, 7(9), pp.3512-3515. <http://dx.doi.org/10.18203/2320-1770.ijrcog20183366>
- Gelberman, R.H., Hergenroeder, P.T., Hargens, A.R., Lundborg, G.N., and Akeson, W.H. (1981). The carpal tunnel syndrome. A study of carpal canal pressures. *Journal of Bone Joint Surgery America*, 63(3), pp.380-383. DOI:[10.2106/00004623-198163030-00009](https://doi.org/10.2106/00004623-198163030-00009)
- Geller, M., Oliveira, L., Nigri, R., Mezitis, S.G., Ribeiro MG., *et al.* (2017). B Vitamins for Neuropathy and Neuropathic Pain. *Vitamins and Mineral*, 6 (2). DOI:10.4172/2376-1318.1000161.



- Ghasemirad ,M., Nosair, E., Vegh, A., Mohammadi A. (2014). A handy review of carpal tunnel syndrome: From anatomy to diagnosis and treatment. *World Journal Radiology*, 6(6), pp.284-300. DOI:10.4329/wjr.v6.i6.284.
- Giannini, F., et al. (2002). A new clinical scale of carpal tunnel syndrome: Validation of the measurement and clinical-neurophysiological assessment. *Clinical Neurophysiology*, 113(1), pp. 71–77. DOI:10.1016/S1388-2457(01)00704-0.
- Gomes, I., Becker, J., Ehlers, J.A., and Nora, D.B. (2006). Prediction of the neurophysiological diagnosis of carpal tunnel syndrome from the demographic and clinical data. *Clinical Neurophysiology*, 117(5), pp.964–971. DOI:10.1016/j.clinph.2005.12.020
- Goodyear-Smith, F., & Arroll, B. (2004). What can family physicians offer patients with carpal tunnel syndrome other than surgery? A systematic review of nonsurgical management. *Annals of Family Medicine*, 2(3), pp.267–273. <https://doi.org/10.1370/afm>
- Graham, B. (2008). The value added by electrodiagnostic testing in the diagnosis of carpal tunnel syndrome. *The Journal of Bone and Joint Surgery*, 90(12), pp.2587–2593. DOI:10.2106/JBJS.G.01362
- Guan, W., Lao, J. I. E., Gu, Y., Zhao, X. I. N., Rui, J., & Gao, K. (2018). Case-control study on individual risk factors of carpal tunnel syndrome, pp. 2761–2766. <https://doi.org/10.3892/etm.2018.5817>
- Gül Yurdakul , F., Bodur , H., Oztıp Cakmak, O., Ates , C., Sivas , F., Eser , F., & Tasdelen , O. Y. (2015). On the severity of carpal tunnel syndrome: Diabetes or metabolic syndrome. *Journal of Clinical Neurology*, 11(3), pp. 6. <http://dx.doi.org/10.3988/jcn.2015.11.3.234>
- Havard Medical School. Carpal Tunnel Syndrome. Tifoq. <http://www.tifaq.com/htrnl.1998.p.1-10>.
- Hawker, G., Mian, S., Kendzerska, T. and French, M. (2011). Measures of adult pain: Visual Analog Scale for Pain (VAS Pain), Numeric Rating Scale for Pain (NRS Pain), McGill Pain Questionnaire (MPQ), Short-Form McGill Pain Questionnaire (SF-MPQ), Chronic Pain Grade Scale (CPGS), Short Form-36 Bodily Pain Scale (SF. *Arthritis Care & Research*, 63(S11), pp.S240-S252. <https://doi.org/10.1002/acr.20543>
- Head, K. A. (2006). Peripheral Neuropathy: Pathogenic Mechanisms and Alternative Therapies, 11(4). *Alternative Medicine Review*, 11(4), pp. 294-329.
- Heebner, M. L., & Roddey, T. S. (2008). The Effects of Neural Mobilization in Addition to Standard Care in Persons with Carpal Tunnel Syndrome from a Community Hospital. *Journal of Hand Therapy*, 21(3), pp.229–241. <https://doi.org/10.1197/j.jht.2007.12.001>
- Horng, Y.S, Hsieh S.F., Tu, Y.K., Lin, M.C., Horng, Y.S., Wang, J.D., et al. (2011). The Comparative Effectiveness of Tendon and Nerve Gliding Exercises in Patients with Carpal Tunnel Syndrome. *American Journal of Physical Medicine & Rehabilitation*, 90(6), pp. 435–442. DOI:10.1097/PHM.0b013e318214eaaf.

- Hough, A.D., Moore, A.P., Jones, M.P. Reduced longitudinal excursion of the median nerve in carpal tunnel syndrome. *Archives of Physiology Medical Rehabilitation*, 88, pp.569-576. DOI:10.1016/j.apmr.2007.02.015
- Hussein, N., Desmarets, T.n, Seth, M., and Vilchez, R. (2018). Correlation between clinical and electrophysiological findings of carpal tunnel syndrome. *International Physical Medicine & Rehabilitation Journal*, 3(3), pp. 234-238. DOI:10.15406/ipmrj.2018.03.00109.
- Ibrahim, I., Khan, W.S., Goddard, N., & Smitham, P.(2012). Carpal Tunnel Syndrome : A Review of the Recent Literature. *Open Orthopaedic Journals*, 6, pp. 69–76. DOI:10.2174/1874325001206010069
- Iyer, K. & Shetty, N. (2013) ‘The wrist joint’, in Iyer, K. (eds). *Orthopedics of the upper and lower limb* .London, England: Springer. DOI:10.1007/978-1-4471-4447-2
- Jensen, M.P., Chen, C, and Brugger, A.M. (2003). Interpretation of visual analog scale ratings and change scores: a reanalysis of two clinical trials of post-operative pain. *Journal of Pain*, 4, pp.407–414. [https://doi.org/10.1016/S1526-5900\(03\)00716-8](https://doi.org/10.1016/S1526-5900(03)00716-8)
- Jk, G & Sana, Q.S. (2015). Potential Benefits of Methylcobalamin : A Review. *Journal of Pharmacology and Therapy*, 3(3), pp.2373-6208. <http://austinpublishinggroup.com/pharmacology-therapeutics/fulltext/ajpt-v3-id1076.php>
- Johnson, E.W. (1993). Diagnosis of carpal tunnel syndrome. The gold standard. *American Journal of Physical Medival Rehabilitation*, 72(1), pp. 1.
- Karne, S.S & Bhalerao, N.S. (2016). Carpal Tunnel Syndrome in Hypothyroidism. *Journal of Clinical and Diagnostic Research*, 10(2), pp.36-38. DOI:10.7860/JCDR/2016/16464.7316
- Kececi, H. and Degirmenci, Y. (2006). Hormone replacement therapy in hypothyroidism and nerve conduction study. *Clinical Neurophysiology*, 36(2), pp.79-83. DOI:10.1016/j.neucli.2006.04.001
- Kersten, P., White, P. J., & Tennant, A. (2014). Is the pain visual analogue scale linear and responsive to change? An exploration using rasch analysis. *Plos One*, 9(6). <https://doi.org/10.1371/journal.pone.0099485>
- Kim, S.D. (2015). Efficacy of tendon and nerve gliding exercises for carpal tunnel syndrome: a systematic review of randomized controlled trials. *Journal of Physical Therapy Science*, 27(8), pp. 2645–2648. DOI:10.1589/jpts.27.2645
- Kleopa, K.A.(2015). In the clinic. Carpal tunnel syndrome. *Annals of Internal Medicine*, 163(5), pp. 2-14. DOI:10.7326/AITC201509010
- Kotwal, P.P.. and Varshney, M.K. (2011). Carpal Tunnel Syndrome : Current Concepts. *JIMSA*, 24(1), pp. 21–25. <http://medind.nic.in/jav/t11/i1/javt11i1p21.pdf>
- Kurniawan, M., Suharjanti, I., Pinzon, R.T. (2016). *Acuan Panduan Praktek Klinik Neurologi*. Jakarta: Perhimpunan Dokter Spesialis Saraf Indonesia.
- Lajoie, A.S., McCabe, S.J., Thomas B., Edgell, S.E. (2005). Determining the sensitivity and specificity of common diagnostic test for carpal tunnel syndrome using latent class analysis. *Plastic Reconstruction Surgery*, 116(2), pp.502-507. DOI:10.1097/01.prs.0000172894.21006.e2

- Langade, D., S Jayaram and Khobragade, A. (2009). Methylcobalamin, Pyridoxine and Nicotinamide in Diabetic Neuropathy: A Review. *Indian Journal of Clinical Practice*, 20(1). <https://www.researchgate.net/publication/289916259>
- LeBlanc, K.E. & Cestia, W. (2011). Carpal tunnel syndrome. *American Family Physician*, 83(8), pp. 952–958. <https://www.ncbi.nlm.nih.gov/pubmed/21524035>
- Levine D. W., Simmons B. P., Koris M. J, L. et al. (1993). A self-administered questionnaire for the assessment of severity of symptoms and functional status in carpal tunnel syndrome. *The Journal of Bone and Joint Surgery*, 75(11), pp.1585-1592. DOI:10.2106/00004623-199311000-00002
- Lim, Y. H., Chee, D. Y., Girdler, S. and Lee, H. C. (2017). Median Nerve Mobilization Techniques in The Treatment of Carpal Tunnel Syndrome: A Systematic Review. *Journal of Hand Therapy*. DOI:10.1016/j.jht.2017.06.019.
- Luckhaupt, S.E., Dahlhamer, J.M., Ward, B.W., Sweeney, M.H., Sestito, J.P., Calvert, G.M. (2010). Prevalence and work-relatedness of carpal tunnel syndrome in the working population, United States, 2010 national health interview survey. *American Journal of Industrial Medicine*, 56(6), pp.615-624. DOI:10.1002/ajim.22048
- Maghsoudipour, M., Moghimi, S., Dehghaan, F. and Rahimpanah, A. (2008). Association of Occupational and Non-occupational Risk Factors with the Prevalence of Work Related Carpal Tunnel Syndrome. *Journal of Occupational Rehabilitation*, 18(2), pp.152-156. <https://doi.org/10.1007/s10926-008-9125-4>
- Mahoney, J. (1995). Cumulative Trauma Disorders and Carpal Tunnel Syndrome: Sorting out the Confusion. *Canadian Journal of Plastic Surgery*, 3(4), pp. 185-189. <https://doi.org/10.1177/229255039500300404>
- Maulana, U & Nurhadi. (2016). Strategi Pengembangan Kawasan Dalam Mendukung Peningkatan Daya Saing Antar Kecamatan Di Kabupaten Kulon Progo. *Geomedia*, 14(1), pp. 56-64. <https://journal.uny.ac.id/index.php/geomedia/article/view/13777/9265>
- Mckee, J.M.M. and Yancosek, K.E. (2008). Neural Gliding Techniques for the Treatment of Carpal Tunnel Syndrome : A Systematic Review. *Journal of sport rehabilitation*, 17(3), pp.324-341. DOI:10.1123/jsr.17.3.324
- Merijanti, L.T. (2009). Body mass index as predictor of carpal tunnel syndrome among garment workers. *Universa Medicina*, 28(3), pp. 3–8. DOI: <http://dx.doi.org/10.18051/UnivMed.2009.v28.146-151>
- Mondelli, M., Ginanneschi, F., Rossi, S., Reale, F., Padua, L., and Giannini F. (2002). Inter-observer reproducibility and responsiveness of a clinical severity scale in surgically treated carpal tunnel syndrome. *Acta Neurology Scandinavica*, 106(5), pp. 263–268. <https://doi.org/10.1034/j.1600-0404.2002.01368.x>
- Moersid, A.F. (2013). Re-Investasi Batik Dan Identitas Indonesia Dalam Arena Pasar Global, 1(2). pp. 121-128. <https://e-journal.jurwidyakop3.com/index.php/jurnal-ilmiah/article/view/120>



- Muller, M., Tsui, D., Schnurr, R., Biddulph-Deisroth, L., Hard, J., MacDermid, J.C. (2004). Effectiveness of hand therapy interventions in primary management of carpal tunnel syndrome: a systematic review. *Journal of Hand Therapy*, 17, pp.210-228. DOI:10.1197/j.jht.2004.02.009
- Mutiawati, E., Meliala, L., Aji, D., Wasito, W., & Muchlisin, Z.A. (2001). A preliminary study on the effect of methylcobalamin application on reducing neuropathic pain. *Human & Veterinary Medicine International Journal of the Bioflux Society*, 7(2), pp. 101–103. Phhttp://www.hvm.bioflux.com.ro
- Newington, L., Harris, E. C., & Walker-Bone, K. (2015). Carpal tunnel syndrome and work. *Best Practice and Research. Clinical Rheumatology*, 29(3), pp. 440–453. <https://doi.org/10.1016/j.berh.2015.04.026>
- Ng, A.W.H., Grif, J.F., Lee, R.K.L., Tse, W.L., Wong, C.W.Y., & Ho, P.C. (2017). Ultrasound carpal tunnel syndrome: additional criteria for diagnosis. *Clinical Radiology*, 1(8), pp. 1-8. <https://doi.org/10.1016/j.crad.2017.07.025>
- Nora, D.B., Becker, J., Ehlers, J.A., and Gomes, I. (2005). What symptoms are truly caused by median nerve compression in carpal tunnel syndrome. *Clinical Neurophysiology*, 116, pp.275-283. DOI:10.1016/j.clinph.2004.08.013
- O'Connor, D., Marshall, S., Massy-Westropp, N. and Pitt, V. (2003). Non-surgical treatment (other than steroid injection) for carpal tunnel syndrome. *Cochrane Database of Systematic Reviews*. DOI:10.1002/14651858.CD003219
- [Okamura, A.](#), [Meirelles, L.M.](#), [Fernandes, C.H.](#), [Raduan, N.J.](#), [Dos, S.J.B.](#), [Faloppa, F](#) (2014). Evaluation of patients with carpal tunnel syndrome treated by endoscopic technique. *Acta Ortopedica Brasileira*, 22(1), pp.29-33. DOI:10.1590/S1413-78522014000100005.
- Oktayoglu, P. (2015). Assessment of the Presence of Carpal Tunnel Syndrome in Patients with Diabetes Mellitus, Hypothyroidism and Acromegaly. *Journal of Clinical Diagnostic and Research*, 9(6), pp.14-18. DOI:10.7860/JCDR/2015/13149.6101
- Padua, L., Padua, R., LoMonaco, M., Aprile, I., Tonali, P. (1999). Multiperspective assessment of carpal tunnel syndrome. A multicenter study. *Neurology*, 53, pp.1654-1659. : <https://doi.org/10.1212/WNL.53.8.1654>
- Palumbo, C.F., Szabo, R.M., and Olmsted, S.L. (2000) The effects of hypothyroidism and thyroid replacement on the development of carpal tunnel syndrome. *Journal of Hand Surgery*, 25, pp. 734-739. 2000. <https://doi.org/10.1053/jhsu.2000.8642>
- Pangestuti, A.A. and Widajati, N. (2014). Faktor yang Berhubungan dengan Keluhan Carpal Tunnel Syndrome pada Pekerja Gerinda di PT DOK dan Perkapalan Surabaya. *The Indonesian Journal of Occupational Safety and Health*, 3(1), pp. 14–24.
- Pinar, L., Enhos, A., Ada, S., Gungor, N., [Enhos, A.](#) (2005). Can we use nerve gliding exercises in women with carpal tunnel syndrome? *Advances in Therapy*, 22(5), pp.467-475. DOI:10.1007/BF02849867

- Prasetyo, Anindito. 2010. *Batik Karya Agung Warisan Budaya Dunia*. Yogyakarta: Pura Pustaka.
- Purnell, D.C., Daly, D.D., Lipscomb, P.R. (1961). Carpal tunnel syndrome associated with myxedema. *Archives of Internal Medicine*, 108(5), pp.751-756. DOI:10.1001/archinte.1961.03620110091012
- Rempel D., Dahlin L., Lundborg G. (1999). Pathophysiology of nerve compression syndromes: response of peripheral nerves to loading. *The Journal of Bone and Joint Surgery*, 8(11) pp. 1600–1610. DOI:10.2106/00004623-199911000-00013
- Roll, S.C., Volz, K., Fahy, C.M., Evans, K.D. (2015). Carpal tunnel syndrome severity staging using sonographic and clinical measures. *Muscle Nerve*, 51(6), pp.838–845. DOI:10.1002/mus.24478
- Rosenbaum, R.B., Ochoa, J.L., Heinemann, B., Stoneham. (1993). Carpal tunnel syndrome and other disorders of the median nerve. *Muscle and Nerve*, 16(8), pp.197-231. <https://doi.org/10.1002/mus.880160813>
- Rossa, T.D. & Lakoro, R. (2011). Perancangan Desain Motif Batik Berkarakter Kota Surabaya, 1–6. Jurusan Desain Produk Industri, Fakultas Teknik Sipil dan Perencanaan Institut Teknologi Sepuluh Nopember (ITS). diakses <https://anzdoc.com/perancangan-desain-motif-batik-berkarakter-kota-surabaya.html>
- Rticle, C.R.A. et al. (2017). Median nerve mobilization techniques in the treatment of carpal tunnel syndrome : A systematic review. *Journal of Hand Therapy*, 30(4), pp. 397–406. DOI:10.1016/j.jht.2017.06.019.
- Sambandam, S., Priyanka, P., Gul, A. and Ilango, B. (2008). Critical analysis of outcome measures used in the assessment of carpal tunnel syndrome. *International Orthopaedics*, 32(4), pp.497-504. DOI:10.1007/s00264-007-0344-7
- Saint-lary, O., Rébois, A., Mediouni, Z., Descatha, A. (2015) .Carpal tunnel syndrome : primary care and occupational factors. *Frontiers in Medicine*, 2, pp. 1–4. DOI:10.3389/fmed.2015.00028
- Sastroasmoro, S., Ismael, S. 2002. *Dasar-Dasar Metodologi Penelitian Klinis*. 2ed. Jakarta: Sagung Seto.
- Sastroasmoro, S., Ismael, S. 2011. Inferensi: Dari Sampel ke Populasi. In: *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto, pp. 14-30.
- Sato, Y. et al. (2005). Amelioration by mecobalamin of subclinical carpal tunnel syndrome involving unaffected limbs in stroke patients. *Journal of the Neurological Sciences*, 231, pp. 13–18. DOI: 10.1016/j.jns.2004.12.005.
- Sa'du, Abdul Aziz. 2010. *Buku Panduan Mengenal & Membuat Batik*. Yogyakarta: Harmoni
- Schiller, F. and Kolb, F.O. (1954). Carpal tunnel syndrome in acromegaly. *Neurology*, 4, pp.271–282. <https://doi.org/10.1212/WNL.4.4.271>
- Shaffi A.S., Anas, B., Aref, A., et al. (2015). Prevalence and associated factors of carpal tunnel syndrome (CTS) among medical laboratory staff at king saud university hospitals, KSA. *Pakistan Journal of Medical Sciences*, 31(2), pp. 331–335. DOI:10.12669/pjms.312.6831.

- Shiri, R., Heliövaara, M., Moilanen, L., Viikari, J., Liira, H., & Viikari-juntura, E. (2011). Associations of cardiovascular risk factors, carotid intima-media thickness and manifest atherosclerotic vascular disease with carpal tunnel syndrome. *BMC Musculoskeletal Disorders*, 12(1), pp.80. <https://doi.org/10.1186/1471-2474-12-80>
- Shirabe, T., Tawara, S., Terao, A., Araki, S. (1975). Myxedematous polyneuropathy: a light and electron microscobic study of the peripheral nevre and muscle. *Journal of Neurology and Psychiatry*, 38(3), 241–247. DOI:10.1136/jnnp.38.3.241
- Sim, S.E., Gunasagaran, J., Goh, K., Ahmad, T.S., et al. (2018). Short-term clinical outcome of orthosis alone vs combination of orthosis, nerve, and tendon gliding exercises and ultrasound therapy for treatment of carpal tunnel syndrome. *Journal of Hand Therapy*, pp. 3–7. DOI:10.1016/j.jht.2018.01.004.
- Solomon, D.H., Katz, J.N., Bahn, R., Mogun, H., & Avorn, J. (1999). Nonoccupational risk factors for carpal tunnel syndrome. *Journal of General Internal Medicine*, 14, pp.310-314.
- Spinner, R.J., Bachman, J.W., Amadio, P.C. (1989). The many faces of carpal tunnel syndrome. *Mayo Clinic Proceedings*, 64(7), pp.829–836. [https://doi.org/10.1016/S0025-6196\(12\)61756-X](https://doi.org/10.1016/S0025-6196(12)61756-X)
- Supriyono, Primus. 2016. The Heritage of Batik-Identitas Pemersatu Bangsa: Penerbit Andi
- Susanto, W.E. & Wibisono, (2015). Perancangan Website Sebagai Media Informasi Dan Promosi Batik Khas Kabupaten Kulonprogo Guntur. *Jurnal Evolusim*, 3(2).
- Tana L. (2003). Sindrom terowongan karpal pada pekerja : pencegahan dan pengobatannya, Pusat Penelitian dan Pengembangan Pemberantasan Penyakit, Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI. *Jurnal Kedokter Trisakti*, 22(3), pp 99-104. <http://www.univmed.org/wp-content/uploads/2011/02/Lusianawaty.pdf>
- Tana, L. et al. (2004). Carpal Tunnel Syndrome pada Pekerja Garmen di Jakarta. *Buletin Penelitian Kesehatan*, 32(2), pp. 73–82.
- Tanaka, S., Deanna, K.W., Seligman, P.J. (1995). Prevalence and Work-relatedness of Self Reported Carpal Tunnel Syndrome Among U.S Workers: Analysis of The Occupational Health Supplement Data of 1988 National Health Supplement Data of 1988. *American Journal of Industrial Medicine*, 27(4), pp.451-470. <http://dx.doi.org/10.1002/ajim.4700270402>
- Toesca A., Pagnotta A., Zumbo A., & Sadun R. (2008). Estrogen and progesterone receptors in carpal tunnel syndrome. *Cell Biology International*, 32(1), pp.75-79. DOI:10.1016/j.cellbi.2007.08.014
- Torres, C.F., Moxley, R.T. (1990). Hypothyroid neuropathy and myopathy: clinical and electrodiagnostic longitudinal findings. *Journal of Neurology*, 237(4), pp.271–274.
- Totten, P.A., Hunter, J.M. (1991). Therapeutic techniques to enhance nerve gliding in thoracic outlet syndrome and carpal tunnel syndrome. *Hand Clinics*, 7(3), pp.505-520. <https://www.ncbi.nlm.nih.gov/pubmed/1939356>

- Tyas, F.Y. (2013). Analisis Semiotika Motif Batik Khas Samarinda, *eJournal Ilmu Komunikasi*, 1(4), pp. 328–339.
- Uchiyama, S., *et al.* (2010). Current concepts of carpal tunnel syndrome: Pathophysiology, treatment, and evaluation. *Journal of Orthopaedic Science*, 15(1), pp. 1–13. DOI: 10.1007/s00776-009-1416-x
- Van Rijn, R.M., Huisstede, B.M.A., Koes, B.W., & Burdorf, A. (2009). Associations between work-related factors and the carpal tunnel syndrome - A systematic review. *Scandinavian Journal of Work, Environment and Health*, 35(1), pp. 19–36. <https://doi.org/10.5271/sjweh.1306>
- Werner, R.A., Albers, J.W., Alfred F., Armstrong T.J. (1994). The relationship between body mass index and the diagnosis of carpal tunnel syndrome. *Muscle and Nerve*, 17(6), pp. 632–36. DOI:10.1002/mus.880170610
- Washington State Department of Labor and Industries (2014). Conservative care options for occupational carpal tunnel syndrome. Retrieved from <http://www.lni.wa.gov/ClaimsIns/Files/OMD/IICAC/2014Work-RelatedCarpalTunnelSyndrome.pdf>
- T. Watanabe, R. Kaji, N. Oka, W. Bara, and J. Kimura. (1994). Ultra-high dose methylcobalamin promotes nerve regeneration in experimental acrylamide neuropathy. *Journal of the Neurological Sciences*, 122(2), pp. 140-143. DOI:10.1016/0022-510X(94)90290-9
- Wilder-Smith, E.P., Lirong, L., Seet, R.C.S., Lim, E.C.H. (2006). Symptoms associated with electrophysiologically verified carpal tunnel syndrome in Asian patients. *Journal of Hand Surgery*, 31(3), pp. 326–330. <https://doi.org/10.1016/j.jhsb.2005.12.017>
- Wolny, T., Linek, P., & Saulicz, E. (2016). Overall health status in patients with mild to moderate carpal tunnel syndrome : A case-control study. *Journal of Hand Therapy*, 30(3), pp.293-298. <https://doi.org/10.1016/j.jht.2016.10.003>
- Wolny, T. and Linek, P. (2018). Is manual therapy based on neurodynamic techniques effective in the treatment of carpal tunnel syndrome? A randomized controlled trial. *Clinical Rehabilitation*. DOI:10.1177/0269215518805213.
- Wirjoatmodjo, K. (2000). *Anestesiologi dan Reanimasi Modul Dasar Untuk Pendidikan S1 Kedokteran*. Jakarta: Direktorat jenderal pendidikan Tinggi Departemen Pendidikan Nasional, pp. 114-129
- Younes, T. and Elattar, E. (2013). Electrophysiological assessment of hand elevation test in the diagnosis of carpal tunnel syndrome. *Egyptian Rheumatology and Rehabilitation*, 40(4), p.203.
- Yugueros, P., Berger, R.A. (2002). ‘Anatomy of the carpal tunnel’, in Luchetti, R., Amadio, P. *Carpal tunnel syndrome*. Springer: Berlin.
- Wolny, T., Linek, P., Saulicz, E., Shacklock M, Myśliwiec Al. (2017). Efficacy of Manual Therapy Including Neurodynamic Techniques for the Treatment of Carpal Tunnel Syndrome: A Randomized Controlled Trial. *Journal of Manipulative and Physiological Therapeutics*, 40(4), pp. 263–272. DOI:10.1016/j.jmpt.2017.02.004.
- Younes, T. and Elattar, E. (2013). Electrophysiological assessment of hand elevation test in the diagnosis of

- carpal tunnel syndrome. *Egyptian Rheumatology and Rehabilitation*, 40(4), p.203. DOI:10.4103/1110-161X.123808.
- Zain, N.H.M., Jaafar, A., & Razak, F.H.A. (2014). Severity Scoring Of Symptoms Associated With Carpal Tunnel Syndrome Based on Recall Of Computer Game Playing Experiences. *Journal of Theoretical and Applied Information Technology*, 63(1).
- Zanette, G., Marani, S., Tamburin, S. Extra-median spread of sensory symptoms in carpal tunnel syndrome suggests the presence of pain-related mechanisms. *Pain*, 122, pp.264–270. DOI:10.1016/j.pain.2006.01.034
- Zhang, Y. & Ning, G.D. (2008). Mecobalamin. ‘Drug Evaluation’, Literature Review in [Expert Opinion on Investigational Drugs](#) , 17(6), pp.953-964. DOI: 10.1517/13543784.17.6.953
- Zhang, M., Han, W., Hu, S. and Xu, H. (2013). Methylcobalamin: A Potential Vitamin of Pain Killer. *Neural Plasticity*, 2013, pp.1-6. DOI:10.1155/2013/424651
- Zimmerman, M., Dahlin, E., Thomsen, N., Andersson, G., Björkman, A. and Dahlin, L. (2016). Outcome after carpal tunnel release: impact of factors related to metabolic syndrome. *Journal of Plastic Surgery and Hand Surgery*, 51(3), pp.165-171. <https://doi.org/10.1080/2000656X.2016.1210521>