

## DAFTAR PUSTAKA

- Akechi, T., Kugaya, A., Okamura, H., Nishiwaki, Y., Yamawaki, S., & Uchitomi, Y. (1998). Predictive factors for psychological distress in ambulatory lung cancer patients. *Supportive Care in Cancer*, 6(3), 281–286. <https://doi.org/10.1007/s005200050167>
- Akin, S., Can, G., Aydiner, A., Ozdilli, K., & Durna, Z. (2010). Quality of life, symptom experience and distress of lung cancer patients undergoing chemotherapy. *European Journal of Oncology Nursing*, 14(5), 400–409. <https://doi.org/10.1016/j.ejon.2010.01.003>
- Apor, E., Connell, N. T., Faricy-Anderson, K., Barth, P., Youssef, R., Fenton, M. A., ... Mega, A. (2016). Prechemotherapy Education Reducing patient anxiety through nurse-led teaching sessions, 22(1), 76–82. <https://doi.org/10.1188/18.cjon.76-82>
- Aranda, S., Jefford, M., Yates, P., Gough, K., Seymour, J., Francis, P., ... Schofield, P. (2012). Impact of a novel nurse-led prechemotherapy education intervention (ChemoEd) on patient distress, symptom burden, and treatment-related information and support needs: Results from a randomised, controlled trial. *Annals of Oncology*, 23(1), 222–231. <https://doi.org/10.1093/annonc/mdr042>
- Areesantichai, C., Iamsupasit, S., Marsden, J., Perngparn, U., & Taneepanichskul, S. (2010). Effect of “tailored goal oriented community brief intervention model”

- on AUDIT reduction in Thai communities. *Journal of the Medical Association of Thailand*, 93(8), 992–997. <https://doi.org/10.1002/pon>
- Benoot, C., Bilsen, J., Grypdonck, M., & Deschepper, R. (2014). Living alone during cancer treatment: An exploration of patients' experiences. *Qualitative Health Research*, 24(8), 1057–1067. <https://doi.org/10.1177/1049732314543109>
- Boundouki, G., Humphris, G., & Field, A. (2004). Knowledge of oral cancer, distress and screening intentions: Longer term effects of a patient information leaflet. *Patient Education and Counseling*, 53(1), 71–77. [https://doi.org/10.1016/S0738-3991\(03\)00118-6](https://doi.org/10.1016/S0738-3991(03)00118-6)
- Burgoyne, M. J., Bingen, K., Leuck, J., Dasgupta, M., Ryan, P., & Hoffmann, R. G. (2015). Cancer-Related Distress in Young Adults Compared to Middle-Aged and Senior Adults. *Journal of Adolescent and Young Adult Oncology*, 4(2), 56–63. <https://doi.org/10.1089/jayao.2014.0005>
- Chang, O., Eun-Kyung Choi, Im-Ryung Kim, Nam, S.-J., Eon, J., Lee, S. K. L., ... Cho, J. (2014). Association between Socioeconomic Status and Altered Appearance Distress, Body Image, and Quality of Life Among Breast Cancer Patients. *Asian Pacific Journal of Cancer Prevention*, 15(20), 8607, 8612. <https://doi.org/10.7314/APJCP.2014.15.20.8607>
- Clifton, K., Gutierrez-Barrera, A., Ma, J., Bassett, R., Litton, J., Kuerer, H., ... Arun, B. (2018). Adjuvant versus neoadjuvant chemotherapy in triple-negative breast cancer patients with BRCA mutations. *Breast Cancer Research and Treatment*, 170(1), 101–109. <https://doi.org/10.1007/s10549-018-4727-9>

- Crawford, J., Dale, D. C., & Lyman, G. H. (2004). Chemotherapy-Induced Neutropenia: Risks, Consequences, and New Directions for Its Management. *Cancer*, *100*(2), 228–237. <https://doi.org/10.1002/cncr.11882>
- Decat Bergerot, C., & Cavalcanti Ferreira de Araujo, T. C. (2018). Assessment of distress and quality of life of cancer patients over the course of chemotherapy. *Investigación y Educación En Enfermería*, *32*(2), 216–224. <https://doi.org/10.17533/udea.iee.v32n2a04>
- De Lorenzo, F., Ballatori, E., Di Costanzo, F., Giacalone, A., Ruggeri, B., & Tirelli, U. (2004). Improving information to Italian cancer patients: Results of a randomized study. *Annals of Oncology*, *15*(5), 721–725. <https://doi.org/10.1093/annonc/mdh190>
- Dinas Kesehatan Provinsi DIY. (2018). *Profil Kesehatan Provinsi DIY*.
- Donovan, K. A., Grassi, L., McGinty, H. L., & Jacobsen, P. B. (2014). Validation of the Distress Thermometer worldwide : state of the science, *250*(November 2013), 241–250.
- Eisenberg, E. (2014). Chemotherapy. In *Journal of Pain and Palliative Care Pharmacotherapy* (Vol. 21, pp. 67–69). [https://doi.org/http://dx.doi.org/10.1300/J354v21n01\\_16](https://doi.org/http://dx.doi.org/10.1300/J354v21n01_16)
- Elshamy, K. (2016). Effect of Implementing a Prechemotherapy Education Programme on Psychological Distress, Quality of Life, and Satisfaction of Egyptian Women Newly Diagnosed with Breast Cancer. *Archives in Cancer Research*, *4*(2), 76.

- Ercolano, E. (2013). Emotional Distress in Patients Newly Diagnosed with Late Stage Cancers. *Journal of Palliative Care & Medicine*, 01(S3).  
<https://doi.org/10.4172/2165-7386.s3-002>
- Gibson, R. J., & Keefe, D. M. K. (2006). Cancer chemotherapy-induced diarrhoea and constipation: Mechanisms of damage and prevention strategies. *Supportive Care in Cancer*, 14(9), 890–900. <https://doi.org/10.1007/s00520-006-0040-y>
- Gilli, Q., Mustapha, K., Frayret, J., Lahrichi, N., & Karimi, E. (2017). iMedPub Journals Patient Model for Colon and Colorectal Cancer Care Trajectory Simulation and General Introduction, 1–16. <https://doi.org/10.21767/1791-809X.1000536>
- Hanratty, B., Addington-Hall, J., Arthur, A., Cooper, L., Grande, G., Payne, S., & Seymour, J. (2013). What is different about living alone with cancer in older age? A qualitative study of experiences and preferences for care. *BMC Family Practice*, 14. <https://doi.org/10.1186/1471-2296-14-22>
- Harrison, R., Dey, P., Slevin, N. J., Eardley, A., Gibbs, A., Cowan, R., ... Hopwood, P. (2001). Randomized controlled trial to assess the effectiveness of a videotape about radiotherapy. *British Journal of Cancer*, 84(1), 8–10.  
<https://doi.org/10.1054/bjoc.2000.1536>
- Hejmadi, M. (2010). *Volunteering Download free books at*. Retrieved from bookboon.com
- Hesketh, P. J. (2008). Chemotherapy-Induced Nausea and Vomiting. *New England Journal of Medicine*, 358(23), 2482–2494. <https://doi.org/10.1056/NEJMra>

0706547

- Higgins, S. C., Montgomery, G. H., Raptis, G., & Bovbjerg, D. H. (2008). Effect of Pretreatment Distress on Daily Fatigue After Chemotherapy for Breast Cancer. *Journal of Oncology Practice*, 4(2), 59–63. <https://doi.org/10.1200/jop.0822002>
- Hobbelink-van den Bos, K. (2016). Reliability of the distress thermometer as a measuring instrument for geriatric (70+) oncology patients. *Physiotherapy*, 102, e275–e276. <https://doi.org/10.1016/j.physio.2016.10.349>
- Hong, J. F., Zhang, W., Song, Y. X., Xie, L. F., & Wang, W. L. (2015). Psychological distress in elderly cancer patients. *International Journal of Nursing Sciences*, 2(1), 23–27. <https://doi.org/10.1016/j.ijnss.2015.02.006>
- Huang, B., Chen, H., Deng, Y., Yi, T., Wang, Y., & Jiang, Y. (2016). Diagnosis, disease stage, and distress of Chinese cancer patients. *High-Flow Nasal Cannula Is Superior to Noninvasive Ventilation to Prevent Reintubation?*, 5(6), 146. <https://doi.org/10.21037/atm.2017.01.22>
- Interventions, S., Vitek, L., Rosenzweig, M. Q., & Stollings, S. (2007). Distress in Patients With Cancer :, 11(3).
- Iskandarsyah, A., de Klerk, C., Suardi, D. R., Soemitro, M. P., Sadarjoen, S. S., & Passchier, J. (2013). The Distress Thermometer and Its Validity: A First Psychometric Study in Indonesian Women with Breast Cancer. *PLoS ONE*, 8(2), 1–7. <https://doi.org/10.1371/journal.pone.0056353>
- Jacobsen, P. B., & Stein, K. (1999). Is fatigue a long-term side effect of breast cancer treatment? *Cancer Control*, 6(3), 256–263. <https://doi.org/10.1177/1073274899>

00600304

- Jahn, P., Renz, P., Stukenkemper, J., Book, K., Kuss, O., Jordan, K., ... Landenberger, M. (2009). Reduction of chemotherapy-induced anorexia, nausea, and emesis through a structured nursing intervention: A cluster-randomized multicenter trial. *Supportive Care in Cancer*, *17*(12), 1543–1552. <https://doi.org/10.1007/s00520-009-0698-z>
- Keller, M., & Henrich, G. (1999). Illness-related distress : does it mean the same for men and women. *Acta Oncologica*, *38*(1), 747–755.
- Keller, J. (2006). Implementation of a Prechemotherapy Education Intervention for Women Newly Diagnosed With Breast Cancer. *Clinical Journal of Oncology Nursing*, *11*(5), 57–60. <https://doi.org/10.1188/06.CJON.57-60>
- Koyama, A., Matsuoka, H., Ohtake, Y., Makimura, C., Sakai, K., Sakamoto, R., & Murata, M. (2016). Gender differences in cancer-related distress in Japan: A retrospective observation study. *BioPsychoSocial Medicine*, *10*(1), 1–8. <https://doi.org/10.1186/s13030-016-0062-8>
- Kwak, M., Zebrack, B. J., Meeske, K. A., Embry, L., Aguilar, C., Block, R., ... Cole, S. (2013). Trajectories of psychological distress in adolescent and young adult patients with cancer: A 1-year longitudinal study. *Journal of Clinical Oncology*, *31*(17), 2160–2166. <https://doi.org/10.1200/JCO.2012.45.9222>
- Malone, P. E. (2007). Implementation of a Prechemotherapy. *Clinical Journal of Oncology Nursing*, *11*(5). <https://doi.org/10.1188/07.CJON.707-710>
- Maroun, J. A., Anthony, L. B., Blais, N., Burkes, R., Dowden, S. D., Dranitsaris, G.,

- ... Wong, R. (2007). Prevention and management of chemotherapy-induced diarrhea in patients with colorectal cancer: A consensus statement by the Canadian Working Group on Chemotherapy-Induced Diarrhea. *Current Oncology*, 14(1), 13–20. <https://doi.org/10.3747/co.2007.96>
- Mathieson, K. (2014). Making Sense of Biostatistics: Types of Nonprobability Sampling. *Journal of Clinical Research Best Practices*, 10(10), 1–2. <https://doi.org/10.7713/ijms.2013.0032>
- McMullen, M., Lau, P. K. H., Taylor, S., McTigue, J., Cook, A., Bamblett, M., ... Johnson, C. E. (2018). Factors associated with psychological distress amongst outpatient chemotherapy patients: An analysis of depression, anxiety and stress using the DASS-21. *Applied Nursing Research*, 40(December 2017), 45–50. <https://doi.org/10.1016/j.apnr.2017.12.002>
- Meeker, C. R., Wong, Y. N., Egleston, B. L., Hall, M. J., Plimack, E. R., Martin, L. P., ... Geynisman, D. M. (2017). Distress and financial distress in adults with cancer: An age-based analysis. *JNCCN Journal of the National Comprehensive Cancer Network*, 15(10), 1224–1233. <https://doi.org/10.6004/jnccn.2017.0161>
- Mei Hsien, C. C., Wan Azman, W. A., Md Yusof, M., Ho, G. F., & Krupat, E. (2012). Discrepancy in patient-rated and oncologist-rated performance status on depression and anxiety in cancer: A prospective study protocol. *BMJ Open*, 2(5), 1–6. <https://doi.org/10.1136/bmjopen-2012-001799>
- Milanti, A., Metsala, E., & Hannula, L. (2016). Reducing psychological distress in patients undergoing chemotherapy. *British Journal of Nursing*, 25(4), S25–S30.

Retrieved from <https://doi.org/10.12968/bjon.2016.25.4.S25>

Mollaoğlu, M., & Erdoğan, G. (2014). Effect on symptom control of structured information given to patients receiving chemotherapy. *European Journal of Oncology Nursing*, 18(1), 78–84. <https://doi.org/10.1016/j.ejon.2013.07.006>

Mueller, P. S., & Catherine A. Glennon. (2007). A nurse-developed prechemotherapy education checklist. *Clinical Journal of Oncology Nursing*, 11(5), 715–719. <https://doi.org/10.1188/07.CJON.715-719>

NCCN. (2017). Nccn Guidelines for Patients. *Nccn Guidelines for Patients*, 1. Retrieved from <https://www.nccn.org/patients/guidelines/distress/files/assets/basic-html/page-46.html#>

Neugut, A. I., & Prigerson, H. G. (2017). Curative, Life-Extending, and Palliative Chemotherapy: New Outcomes Need New Names. *The Oncologist*, 22(8), 883–885. <https://doi.org/10.1634/theoncologist.2017-0041>

Putri, S. B., Hamid, A. Y. S., & Priscilla, V. (2017). Karakteristik dan Strategi Koping dengan Stres Pasien Kanker Payudara dalam Menjalani Kemoterapi. *Jurnal Endurance*, 2(3), 303–311. <https://doi.org/http://doi.org/10.22216/jen.v2i3.2026>

Ridner, S. H. (2004). Psychological distress: concept analysis. *Journal of Advanced Nursing*, 5, 10. <https://doi.org/http://dx.doi.org/10.1046/j.1365-2648.2003.02938.x>

RISKESDAS. (2013). Riset Kesehatan Dasar (RISKESDAS). *Laporan Nasional*

2013, 1–384. <https://doi.org/10.1007/s00520-007-0273-4> Desember 2013

Schofield, P., Jefford, M., Carey, M., Thomson, K., Evans, M., Baravelli, C., & Aranda, S. (2008). Preparing patients for threatening medical treatments: Effects of a chemotherapy educational DVD on anxiety, unmet needs, and self-efficacy. *Supportive Care in Cancer*, *16*(1), 37–45. <https://doi.org/10.1007/s00520-007-0273-4>

Sonia, G., Arifin, H., & Murni, A. W. (2014). Hubungan Mekanisme Koping dengan Kepatuhan Kemoterapi pada Penderita Keganasan yang Mengalami Ansietas dan Depresi. *Mka*, *37*(April 2014), 2–7.

Stein, A., Voigt, W., & Jordan, K. (2010). Review: Chemotherapy-induced diarrhea: Pathophysiology, frequency and guideline-based management. *Therapeutic Advances in Medical Oncology*, *2*(1), 51–63. <https://doi.org/10.1177/1758834009355164>

Strong, V., Waters, R., Hibberd, C., Rush, R., Cargill, A., Storey, D., ... Sharpe, M. (2007). Emotional distress in cancer patients: The Edinburgh Cancer Centre symptom study. *British Journal of Cancer*, *96*(6), 868–874. <https://doi.org/10.1038/sj.bjc.6603626>

Support, P. C. (2014). Cancer Handbook. Retrieved from MyPearlPoint.org%0A©

Tang, L. L., Zhang, Y. N., Pang, Y., Zhang, H. W., & Song, L. L. (2011). Validation and reliability of distress thermometer in Chinese cancer patients. *Chinese Journal of Cancer Research*, *23*(1), 54–58. <https://doi.org/10.1007/s11670-011-0054-y>

- Thomas, R., Daly, M., Perryman, B., & Stockton, D. (2000). Forewarned is forearmed - Benefits of preparatory information on video cassette for patients receiving chemotherapy or radiotherapy - A randomised controlled trial. *European Journal of Cancer*, 36(12), 1536–1543. [https://doi.org/10.1016/S0959-8049\(00\)00136-2](https://doi.org/10.1016/S0959-8049(00)00136-2)
- Valenti, R. (2014). Chemotherapy Education for Patients With Cancer : A Literature review. *Clinical Journal of Oncology Nursing*, 18(6), 637–641. <https://doi.org/10.1188/14.CJON.637-640>
- Williams, S. A., & Schreier, A. M. (2004). The Effect of Education in Managing Side Effects in Women Receiving Chemotherapy for Treatment of Breast Cancer. *Oncology Nursing Forum*, 31(1), E16–E23. <https://doi.org/10.1188/04.onf.e16-e2>
- Wolf, S., Barton, D., Kottschade, L., Grothey, A., & Loprinzi, C. (2008). Chemotherapy-induced peripheral neuropathy: Prevention and treatment strategies. *European Journal of Cancer*, 44(11), 1507–1515. <https://doi.org/10.1016/j.ejca.2008.04.018>
- Yesilbalkan, Ö. U., Karadakovan, A., & Göker, E. (2009). The Effectiveness of Nursing Education as an Intervention to Decrease Fatigue in Turkish Patients Receiving Chemotherapy. *Oncology Nursing Forum*, 36(4), E215–E222. <https://doi.org/10.1188/09.onf.e215-e222>