

## DAFTAR PUSTAKA

- Afifah, N. 2014. Perbandingan antara Metode SYBR Green dan Metode Hydrolysis Probe dalam Analisis DNA Gelatin Sapi dan DNA Gelatin Babi dengan Menggunakan Real Time Polymerase Chain Reaction (PCR). *Jurnal Sains Farmasi & Klinis*, 4: 13.
- Ahmed, A., Al-mekhlafi, H.M. & Surin, J. 2014. Epidemiology of soil-transmitted helminthiasis Malaysia.
- Ahmed, T., Khanum, H. & Hossain, A. 2013. Prevalence of *Trichuris trichiura* among the children of age under five years. *Bangladesh J. Zoology*, 41(1): 97–103.
- Albonico, M., Allen, H., Chitsulo, L., Engels, D., Gabrielli, A.F. & Savioli, L. 2008. Controlling soil-transmitted helminthiasis in pre-school-age children through preventive chemotherapy. *PLoS Neglected Tropical Diseases*, 2(3).
- Alelign, T., Degarege, A. & Erko, B. 2015. Soil-Transmitted Helminth Infections and Associated Risk Factors among Schoolchildren in Durbete Town, Northwestern Ethiopia. *Journal of Parasitology Research*, 2015(March 2010): 1–6.
- Alwi, Q. 2009. Karakteristik, perilaku dan budaya ibu-ibu papua yang melatarbelakangi kematian anak. , XIX: 42–53.
- Anuar, T.S., Salleh, F.M. & Moktar, N. 2014. Soil-Transmitted helminth infections and associated risk factors in three orang asli tribes in peninsular Malaysia. *Scientific Reports*, 4: 1–7.
- Arya, M., Shergill, I.S., Williamson, M. & Gommersall, L. 2005. Basic principles of real-time quantitative PCR. *Expert Review of Molecular Diagnostics*, 5(October): 209–215.
- Awasthi, S., Verma, T., Kotecha, P. V, Venkatesh, V., Joshi, V. & Roy, S. 2008. Prevalence and risk factors associated with worm infestation in pre-school children (6-23 months) in selected blocks of Uttar Pradesh and Jharkhand, India. *Indian Journal of Medical Sciences*, 62(12): 484–491. <http://www.indianjmedsci.org/text.asp?2008/62/12/484/48552>.
- Azira, N.M.S. & Zeehaida, M. 2012. Severe chronic iron deficiency anaemia secondary to *Trichuris* dysentery syndrome - A case report. *Tropical Biomedicine*, 29(4): 626–631.

- Babamale, O.A., Ugbomoiko, U.S. & Heukelbach, J. 2018. High prevalence of *Plasmodium falciparum* and soil-transmitted helminth co-infections in a periurban community in Kwara State, Nigeria. *Journal of Infection and Public Health*, 11(1): 48–53. <https://doi.org/10.1016/j.jiph.2017.03.002>.
- Bethony, J., Brooker, S., Albonico, M., Geiger, S.M., Loukas, A., Diemert, D. & Hotez, P.J. 2006. Soil-transmitted helminth infections : ascariasis , trichuriasis , and hookworm. *Lancet*, 367.
- Bianucci, R., Torres, E.J.L., Mf, J., Santiago, D., Ferreira, L.F., Nerlich, A.G., Maria, S., Souza, M. De, Giuffra, V. & Chieffi, P.P. 2015. *Trichuris trichiura* in a post-Colonial Brazilian mummy. *Mem Inst Oswaldo Cruz*: 1–3.
- Bordeianou, L., Hicks, C.W., Kaiser, A.M. & Alavi, K. 2013. Rectal Prolapse : An Overview of Clinical Features , Diagnosis , and Patient-Specific Management Strategies. *Journal of Gastrointestinal Surgery*, (March).
- Bradley, J.E. & Jackson, J.A. 2004. Immunity, immunoregulation and the ecology of trichuriasis and ascariasis. *Parasite Immunology*, 26(11–12): 429–441.
- Briggs, N., Wei, J., Versteeg, L., Zhan, B., Keegan, B., Damania, A., Pollet, J., Hayes, K.S., Beaumier, C., Seid, C.A., Leong, J., Grecis, R.K., Bottazzi, M.E., Sastry, K.J. & Hotez, P.J. 2018. *Trichuris muris* whey acidic protein induces type 2 protective immunity against whipworm. *PLoS Pathogens*, 14(8): 1–22.
- Bundy, D.A. 1986. Epidemiological aspects of trichuris and trichuriasis in caribbean communities. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 80(5): 706–718.
- Bundy, D.A.P. & Cooper, E.S. 1989. *Trichuris* and Trichuriasis in Humans. *Advances in Parasitology*, 28(C): 107–173.
- Burdam, F.H. 2015. *Interaksi penyakit Malaria dan Kecacingan dalam kejadian Anemia pada anak umur dibawah 5 tahun di Kabupaten Mimika*. Universitas Gadjah Mada.
- Callender, J.E., Walker, S.P., Grantham-McGregor, S.M. & Cooper, E.S. 1998. Growth and development four years after treatment for the *Trichuris* dysentery syndrome. *Acta Paediatrica, International Journal of Paediatrics*, 87(12): 1247–1249.
- Chadijah, S., Sumolang, P.P.F. & Veridiana, N.N. 2014. Hubungan pengetahuan,

- perilaku, dan sanitasi lingkungan dengan angka kecacingan pada anak sekolah dasar di kota palu. *Media Litbang Kesehatan*, 24(1): 50–56.
- Cooper, ES, Whyte-Alleng, C., Finzi-Smith, J. & MacDonald, T. 1992. Intestinal Nematode Infections in Children: the Pathophysiologic Price Paid. *Parasitology*, 104: 91–103.
- Cox, F.E.. 1993. *Modern Parasitology*. 2nd ed. Oxford Blackwell Scientific Publications.
- Cumming, O. & Cairncross, S. 2016. Can water, sanitation and hygiene help eliminate stunting? Current evidence and policy implications. *Maternal and Child Nutrition*, 12: 91–105.
- Dantzer, R. 2001. Cytokine-induced sickness behavior: Where do we stand? *Brain, Behavior, and Immunity*, 15(1): 7–24.
- Degarege, A., Animut, A., Legesse, M. & Erko, B. 2010. Malaria and helminth co-infections in outpatients of Alaba Kulito Health Center, southern Ethiopia: A cross sectional study. *BMC Research Notes*, 3.
- Degarege, A., Animut, A., Legesse, M., Medhin, G. & Erko, B. 2014. Malaria and helminth co-infection and nutritional status of febrile patients in Southern Ethiopia. *Journal of Infection and Public Health*, 7(1): 32–37. <http://dx.doi.org/10.1016/j.jiph.2013.05.007>.
- Degarege, A. & Erko, B. 2013. Association between intestinal helminth infections and underweight among school children in Tikur Wuha Elementary School, Northwestern Ethiopia. *Journal of Infection and Public Health*, 6(2): 125–133. <http://dx.doi.org/10.1016/j.jiph.2012.11.008>.
- Diniz-Santos, D.R., Jambeiro, J., Mascarenhas, R.R. & Silva, L.R. 2006. Massive *Trichuris trichiura* infection as a cause of chronic bloody diarrhea in a child. *Journal of Tropical Pediatrics*, 52(1): 66–68.
- Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. 2015. Rencana aksi program pengendalian dan penyehatan lingkungan tahun 2015-2019.
- Dobner, J. & Kaser, S. 2018. Body mass index and the risk of infection - from underweight to obesity. *Clinical Microbiology and Infection*, 24(1): 24–28. <https://doi.org/10.1016/j.cmi.2017.02.013>.

- Doni, N.Y., Gürses, G., Şimşek, Z. & Zeyrek, F.Y. 2015. Prevalence and associated risk factors of intestinal parasites among children of farm workers in the southeastern anatolian region of Turkey. *Annals of Agricultural and Environmental Medicine*, 22(3): 438–442.
- Dumatubun, a E. 2002. Kebudayaan, Kesehatan Orang Papua dalam Perspektif Antropologi Kesehatan. *Jurnal Antropologi Papua. Volume 1/1, Agustus* , 1(1): 94–95. <http://www.papuaweb.org/uncen/dlib/jr/antropologi/01-01/04.pdf>.
- Easton, A. V., Oliveira, R.G., O’Connell, E.M., Kepha, S., Mwandawiro, C.S., Njenga, S.M., Kihara, J.H., Mwatele, C., Odiere, M.R., Brooker, S.J., Webster, J.P., Anderson, R.M. & Nutman, T.B. 2016. Multi-parallel qPCR provides increased sensitivity and diagnostic breadth for gastrointestinal parasites of humans: Field-based inferences on the impact of mass deworming. *Parasites and Vectors*, 9(1): 1–12. <http://dx.doi.org/10.1186/s13071-016-1314-y>.
- Elnifro, E.M., Ashshi, A.M., Cooper, R.J. & Klapper, P.E. 2000. Multiplex PCR: Optimization and application in diagnostic virology. *Clinical Microbiology Reviews*, 13(4): 559–570.
- Elyana, F.N., Al-Mekhlafi, H.M., Ithoi, I., Abdulsalam, A.M., Dawaki, S., Nasr, N.A., Atroosh, W.M., Abd-Basher, M.H., Al-Areeqi, M.A., Sady, H., Subramaniam, L.R., Anuar, T.S., Lau, Y.L., Moktar, N. & Surin, J. 2016. A tale of two communities: Intestinal polyparasitism among Orang Asli and Malay communities in rural Terengganu, Malaysia. *Parasites and Vectors*.
- Fischer, K., Gankpala, A., Gankpala, L., Bolay, F.K., Curtis, K.C., Weil, G.J. & Fischer, P.U. 2018. *Trichuris trichiura* Infection in Humans. *Emerging Infectious Disease CDC*, 24(8): 1551–1554.
- Gachinmath, S., Pratibha, S., Dias, M. & Mallikarjun, P. 2014. Extensive persistent Trichuriasis: A case report. *International Journal of Medicine and Public Health*, 4(4): 523–525.
- Ginting, S.A., Firmansyah, I., Putra, D., Aldy, D., Pasaribu, S. & Lubis, C.. 2004. Association between socioeconomic status and the prevalence of intestinal worm infection in primary school children. *Paediatrica Indonesiana*, 44(6): 158–161.
- Gyorkos, T.W., Gilbert, N.L., Larocque, R., Casapía, M. & Montresor, A. 2012. Re-Visiting *Trichuris trichiura* Intensity Thresholds Based on Anemia during Pregnancy. *PLoS Neglected Tropical Diseases*, 6(9): 22–25.

- Henegariu, O., Heerema, N.A., Dlouhy, S.R., Vance, G.H. & Vogt, P.H. 1997. Multiplex PCR: Critical parameters and step-by-step protocol. *BioTechniques*, 23(3): 504–511.
- Horton, J. 2014. Helminth-Nematode: *Trichuris trichiura*. *Tropical Projects*, 2: 3–4.
- Hossain, M. & Bhuiyan, J.U. 2018. Prevalence and intensity of *Trichuris trichiura* infection and associated determinants in rural tea garden areas of sylhet , Bangladesh. *Journal of Bacteriology & Mycology*, 6(2): 130–137.
- ten Hove, R.J., Verweij, J.J., Vereecken, K., Polman, K., Dieye, L. & van Lieshout, L. 2008. Multiplex real-time PCR for the detection and quantification of *Schistosoma mansoni* and *S. haematobium* infection in stool samples collected in northern Senegal. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 102(2): 179–185.
- Hughes, R.G., Sharp, D.S., Hughes, M.C., 'Akau'ola, S., Heinsbroek, P., Velayudhan, R., Schulz, D., Palmer, K., Cavalli-Sforza, T. & Galea, G. 2004. Environmental influences on helminthiasis and nutritional status among Pacific schoolchildren. *International Journal of Environmental Health Research*, 14(3): 163–177.
- Hürlimann, E., Hounghbedji, C.A., Dri, P.B.N., Bänninger, D., Coulibaly, J.T., Yap, P., Silué, K.D., Goran, E.K.N., Raso, G. & Utzinger, J. 2014. Effect of deworming on school-aged children ' s physical fitness , cognition and clinical parameters in a malaria-helminth co-endemic area of Côte d ' Ivoire. *BMC Infectious Diseases*, 14: 1–18.
- Indriyati, L. & Fakhrizal, D. 2017. Tingginya angka kecacingan pasca pengobatan massal filariasis ( DEC dan Albendazole ) di SDN Juku Eja Pagatan High helminthiasis prevalence post Mass Drugs Administration of Filariasis ( DEC and Albendazole ) in Juku Eja Primary School Pagatan. *Journal of Health Epidemiology and Communicable Disease*, 3(1): 15–21.
- Jayaputra, A. 2012. Dinamika masyarakat Mimika dalam perspektif ketahanan sosial. *Informasi*, 17(03): 165–176.
- Kaisar, M.M.M., Brienens, E.A.T., Djuardi, Y., Sartono, E., Yazdanbakhsh, M., Verweij, J.J., Supali, T. & Van Lieshout, L. 2017. Improved diagnosis of *Trichuris trichiura* by using a bead-beating procedure on ethanol preserved stool samples prior to DNA isolation and the performance of multiplex real-Time PCR for intestinal parasites. *Parasitology*, 144(7): 965–974.

- Kaminsky, R.G., Castillo, R.V. & Flores, C.A. 2015. Growth retardation and severe anemia in children with *Trichuris* dysenteric syndrome. *Asian Pacific Journal of Tropical Biomedicine*, 5(7): 591–597.  
<http://dx.doi.org/10.1016/j.apjtb.2015.05.005>.
- Kan, S.P. & Cheah, J.S. 1970. Prevalence and intensity of helminthic infections in adults among the ethnic groups in Singapore. *Singapore Medical Journal*, 11(4): 283–286.
- Kartini, S., Kurniati, I., Jayati, N.S. & Sumitra, W. 2017. Faktor-Faktor Yang Berhubungan Dengan Kejadian Kecacingan Soil Transmitted Helminths Pada Anak Usia 1 – 5 Tahun Di Rw 07 Geringging Kecamatan Rumbai Pesisir. *Journal of Pharmacy and Science*, I: 33–39.
- Kementerian Kesehatan Republik Indonesia. 2018. Kebijakan Penanggulangan Kecacingan Terintegrasi di 100 Kabupaten Stunting.
- Kementerian Kesehatan Republik Indonesia. 2010. *Profil Kesehatan Indonesia Tahun 2009*.
- Kementerian Kesehatan RI. 2017. Peraturan Menteri Kesehatan Republik Indonesia Nomor 15 Tahun 2017 Tentang Penanggulangan Cacingan. , (438).
- Kementrian Kesehatan RI. Kebijakan Penanggulangan Kecacingan Terintegrasi di 100 Kabupaten Stunting.
- Kementrian Kesehatan RI. 2010. Kepmenkes RI No. 1995 Tahun 2010 Tentang Standar Antropometri Penilaian Status Gizi Anak.
- Kementrian Kesehatan RI. 2014. Pedoman Gizi Seimbang. : 91.
- Kementrian Kesehatan RI. 2013. *Riset Kesehatan Dasar*.
- Kementrian Kesehatan RI. 2016. Situasi anak balita pendek. *Info Datin*: 2442–7659.
- Khuroo, M.S., Khuroo, M.S. & Khuroo, N.S. 2010. *Trichuris* dysentery syndrome: a common cause of chronic iron deficiency anemia in adults in an endemic area (with videos). *Gastrointestinal Endoscopy*, 71(1): 200–204.  
<http://dx.doi.org/10.1016/j.gie.2009.08.002>.
- Koski, K.G. & Scott, M.E. 2001. Gastrointestinal Nematodes, Nutrition and Immunity: Breaking the Negative Spiral. *Annual Review of Nutrition*, 21(1):

297–321.

Lembaga Pengembangan Masyarakat Amungme dan Kamoro. 2014. Mimika sehat (membangun inisiatif masyarakat untuk ibu, keluarga dan anak sehat). [www.ptfi.co.id](http://www.ptfi.co.id).

Lindquist, H.D.A. & Cross, J.H. 2017. Helminths. *Infectious Diseases*: 1763–1779.e1.

Llewellyn, S., Inpankaew, T., Nery, S.V., Gray, D.J., Verweij, J.J., Clements, A.C.A., Gomes, S.J., Traub, R. & McCarthy, J.S. 2016. Application of a Multiplex Quantitative PCR to Assess Prevalence and Intensity Of Intestinal Parasite Infections in a Controlled Clinical Trial. *PLoS Neglected Tropical Diseases*, 10(1): 1–19.

Maizels, R.M., Taylor, M.D. & Allen, J.E. 2004. Helminth parasites: masters of regulation. *Immunological Reviews*, 201: 89–116.

Markoulatos, P., Siafakas, N. & Moncany, M. 2002. Multiplex polymerase chain reaction: A practical approach. *Journal of Clinical Laboratory Analysis*, 16(1): 47–51.

Mationg, M.L.S., Gordon, C.A., Tallo, V.L., Olveda, R.M., Alday, P.P., Reñosa, M.D.C., Bieri, F.A., Williams, G.M., Clements, A.C.A., Steinmann, P., Halton, K., Li, Y., McManus, D.P. & Gray, D.J. 2017. Status of soil-transmitted helminth infections in schoolchildren in Laguna Province, the Philippines: Determined by parasitological and molecular diagnostic techniques. *PLoS Neglected Tropical Diseases*, 11(11): 1–16.

Mendes, J. & Ribeiro, A.I. 2017. A multilevel study of the environmental determinants of swine ascariasis in England. *Preventive Veterinary Medicine*.

Menzies, S.K., Rodriguez, A., Chico, M., Sandoval, C., Broncano, N., Guadalupe, I. & Cooper, P.J. 2014. Risk Factors for Soil-Transmitted Helminth Infections during the First 3 Years of Life in the Tropics; Findings from a Birth Cohort. *PLoS Neglected Tropical Diseases*, 8(2).

Minnesota Refuge Health. 2013. Guide to Life-cycle, Pathology, Symptomatology, and Treatment of Parasites Most Commonly Seen in Refugee Populations.

Moore, S., Conaway, M., Guerrant, R., Soares, A., Lima, A. & Schorling, J. 2002. Early childhood diarrhoea and helminthiasis associate with long-term linear growth faltering. *International Journal of Epidemiology*, 30(6): 1457–1464.



- Nolan, T., Hands, R.E. & Bustin, S.A. 2006. Quantification of mRNA using real-time RT-PCR. *Nature Protocols*, 1(3): 1559–1582.
- Norandari, A. & Nurdian, Y. 2017. Whipworm Threat in Organic Raw Vegetable Whipworm Threat in Organic Raw Vegetable. , (October).
- Norhayati, M., Oothuman, P. & Fatmah, M.S. 1998. Some risk factors of *Ascaris* and *Trichuris* infection in Malaysian aborigine (Orang Asli) children. *The Medical journal of Malaysia*, 53(4): 401–407.
- Nshimiyiryo, A., Hedt-Gauthier, B., Mutaganzwa, C., Kirk, C.M., Beck, K., Ndayisaba, A., Mubiligi, J., Kateera, F. & El-Khatib, Z. 2019. Risk factors for stunting among children under five years: A cross-sectional population-based study in Rwanda using the 2015 Demographic and Health Survey. *BMC Public Health*, 19(1): 1–10.
- Ok, K.S., Kim, Y.S., Song, J.H., Lee, J.H., Ryu, S.H., Lee, J.H., Moon, J.S., Whang, D.H. & Lee, H.K. 2009. *Trichuris trichiura* infection diagnosed by colonoscopy: Case reports and review of literature. *Korean Journal of Parasitology*, 47(3): 275–280.
- Okorie, P.N., Bockarie, M.J., Molyneux, D.H. & Kelly-Hope, L.A. 2014. Neglected Tropical Diseases: A Systematic Evaluation of Research Capacity in Nigeria. *PLoS Neglected Tropical Diseases*, 8(8).
- de Onis, M. & Branca, F. 2016. Childhood stunting: A global perspective. *Maternal and Child Nutrition*, 12: 12–26.
- Ortu, G., Assoum, M., Wittmann, U., Knowles, S., Clements, M., Ndayishimiye, O., Basáñez, M.G., Lau, C., Clements, A., Fenwick, A. & Magalhaes, R.J.S. 2016. The impact of an 8-year mass drug administration programme on prevalence, intensity and co-infections of soil-transmitted helminthiasis in Burundi. *Parasites and Vectors*, 9(1): 1–17. <http://dx.doi.org/10.1186/s13071-016-1794-9>.
- Pilotte, N., Papaïakovou, M., Grant, J.R., Bierwert, L.A., Llewellyn, S., McCarthy, J.S. & Williams, S.A. 2016a. Improved PCR-Based Detection of Soil Transmitted Helminth Infections Using a Next-Generation Sequencing Approach to Assay Design. *PLoS Neglected Tropical Diseases*, 10(3): 1–18.
- Pion, S.D.S., Chesnais, C.B., Weil, G.J., Fischer, P.U., Missamou, F. & Boussinesq,



- M. 2017. Effect of 3 years of biannual mass drug administration with albendazole on lymphatic filariasis and soil-transmitted helminth infections: a community-based study in Republic of the Congo. *The Lancet Infectious Diseases*, 17(7): 763–769. [http://dx.doi.org/10.1016/S1473-3099\(17\)30175-5](http://dx.doi.org/10.1016/S1473-3099(17)30175-5).
- Pipiková, J., Papajová, I., Šoltys, J. & Schusterová, I. 2017. Occurrence of the most common helminth infections among children in the Eastern Slovak Republic. *Public Health*, 150: 71–76.
- Ponchel, F., Toomes, C., Bransfield, K., Leong, F.T., Douglas, S.H., Field, S.L., Bell, S.M., Combaret, V., Puisieux, A., Mighell, A.J., Robinson, P.A., Inglehearn, C.F., Isaacs, J.D. & Markham, A.F. 2003. Real-time PCR based on SYBR-Green I fluorescence: An alternative to the TaqMan assay for a relative quantification of gene rearrangements, gene amplifications and micro gene deletions. *BMC Biotechnology*, 3(May).
- Pullan, R.L., Smith, J.L., Jasrasaria, R. & Brooker, S.J. 2014. Global numbers of infection and disease burden of soil transmitted helminth infections in 2010. *Parasites and Vectors*, 7(1): 1–19. *Parasites & Vectors*.
- Punsawad, C., Phasuk, N., Bunratsami, S., Thongtup, K., Siripakonuaong, N. & Nongnau, S. 2017. Prevalence of intestinal parasitic infection and associated risk factors among village health volunteers in rural communities of southern Thailand. *BMC Public Health*, 17(1): 1–9.
- Putri, L.H. The Impact of Soil-Transmitted Helminthiases on Children Growth in Agricultural Area.
- Ragunathan, L., Kalivaradhan, S.K., Ramadass, S., Nagaraj, M. & Ramesh, K. 2010. Helminthic Infections in School Children in Puducherry, South India. *Journal of Microbiology, Immunology and Infection*, 43(3): 228–232.
- Rajeswari, B., Sinniah, B. & Hussein, H. 1994. Socio-Economic Factors Associated with Intestinal Parasites Among Children Living in Gombak, Malaysia. *Asia Pacific Journal of Public Health*, 7(1): 21–25. <http://journals.sagepub.com/doi/10.1177/101053959400700104>.
- Ranjan, S., Passi, S.J. & Singh, S.N. 2015. Prevalence and risk factors associated with the presence of Soil-Transmitted Helminths in children studying in Municipal Corporation of Delhi Schools of Delhi, India. *Journal of Parasitic Diseases*, 39(3): 377–384. <http://dx.doi.org/10.1007/s12639-013-0378-2>.
- Rebecca J., T., Ian D., R., Peter, I., Norbert, M. & R.C.Andrew, T. 2004. The

- prevalence, intensities and risk factors associated with geohelminth infection in tea-growing communities of Assam, India. *Tropical Medicine and International Health*, 9(6): 688–701.
- Ross, A.G.P., Olveda, R.M., McManus, D.P., Harn, D.A., Chy, D., Li, Y., Tallo, V. & Ng, S.K. 2017. Risk factors for human helminthiases in rural Philippines. *International Journal of Infectious Diseases*, 54: 150–155. <http://dx.doi.org/10.1016/j.ijid.2016.09.025>.
- Sanchez, A.L., Gabrie, J.A., Usuanlele, M.T., Rueda, M.M., Canales, M. & Gyorkos, T.W. 2013. Soil-Transmitted Helminth Infections and Nutritional Status in School-age Children from Rural Communities in Honduras. *PLoS Neglected Tropical Diseases*, 7(8).
- Sandy, S. 2013. Faktor risiko yang berhubungan dengan kejadian infeksi Soil-transmitted Helminths (STHs) pada siswa Sekolah Dasar di Distrik Arso Kabupaten Keerom Provinsi Papua. , 03(01): 1–10.
- Schaible, U.E. & Kaufmann, S.H.E. 2007. Malnutrition and infection: Complex mechanisms and global impacts. *PLoS Medicine*, 4(5): 0806–0812.
- Schratz, A., Pineda, M.F., Reforma, L.G., Fox, N.M., Le Anh, T., Tommaso Cavalli-Sforza, L., Henderson, M.K., Mendoza, R., Utzinger, J., Ehrenberg, J.P. & Tee, A.S. 2010. Neglected Diseases and Ethnic Minorities in the Western Pacific Region. Exploring the Links. *Advances in Parasitology*, 72(C): 79–107.
- Sharif, S.E.T., Ewe Seng, C., Mustaffa, N., Mohd Shah, N.A. & Mohamed, Z. 2011. Chronic *Trichuris trichiura* Infection Presenting as Ileocecal Valve Swelling Mimicking Malignancy. *ISRN Gastroenterology*, 2011(May 2014): 1–4. <http://www.hindawi.com/journals/isrn/2011/105178/>.
- De Silva, N.R. & Cooper, E.S. 2011. *Trichuriasis*. Thrid Edit. Elsevier Inc.
- Silver, Z.A., Kaliappan, S.P., Samuel, P., Venugopal, S., Kang, G., Sarkar, R. & Ajampur, S.S.R. 2018. Geographical distribution of soil transmitted helminths and the effects of community type in South Asia and South East Asia – A systematic review. *PLoS Neglected Tropical Diseases*, 12(1): 7–16.
- Soedarto. 2016. *Buku Ajar Parasitologi Kedokteran*. 2nd ed. Jakarta: Sagung Seto.
- Stephenson, L.S., Holland, C.V. & Cooper, E.S. 2000. The public health significance of *Trichuris trichiura*. *Parasitology*, 121(S1): S73.

[http://www.journals.cambridge.org/abstract\\_S0031182000006867](http://www.journals.cambridge.org/abstract_S0031182000006867).

Stephenson, L.S., Latham, M.C. & Ottesen, E.A. 2000. Malnutrition and parasitic helminth infections. *Parasitology*, 121(S1): S23.  
[http://www.journals.cambridge.org/abstract\\_S0031182000006491](http://www.journals.cambridge.org/abstract_S0031182000006491).

Sturrock, S.L., Yiannakoulis, N. & Sanchez, A.L. 2017. The Geography and Scale of Soil-Transmitted Helminth Infections. *Current Tropical Medicine Reports*, 4(4): 245–255.

Sudjadi. 2012. *Bioteknologi Kesehatan*. 5th ed. Yogyakarta: Kanisius.

Susaty, A.W., Intiasari, A.D., Soedirman, U.J. & Laksono, A.D. 2016. *Potret Pola Asuh Anak Noken dalam Budaya Lani*.

Traub, R.J., Robertson, I.D., Irwin, P., Mencke, N. & Thompson, R.C.A. 2004. The prevalence, intensities and risk factors associated with geohelminth infection in tea-growing communities of Assam, India. *Tropical Medicine and International Health*, 9(6): 688–701.

Tuan Sharif, S.E., Ewe Seng, C., Mustaffa, N., Mohd Shah, N.A. & Mohamed, Z. 2011. Chronic *Trichuris trichiura* Infection Presenting as Ileocecal Valve Swelling Mimicking Malignancy. *ISRN Gastroenterology*, 2011: 1–4.  
<http://www.hindawi.com/journals/isrn/2011/105178/>.

Verweij, J.J. & Rune Stensvold, C. 2014. Molecular testing for clinical diagnosis and epidemiological investigations of intestinal parasitic infections. *Clinical Microbiology Reviews*, 27(2): 371–418.

Vonaesch, P., Tondeur, L., Breurec, S., Bata, P., Nguyen, L.B.L., Frank, T., Farra, A., Rafai, C., Giles-Vernick, T., Gody, J.C., Gouandjika-Vasilache, I., Sansonetti, P. & Vray, M. 2017. Factors associated with stunting in healthy children aged 5 years and less living in Bangui (RCA). *PLoS ONE*, 12(8).

Vyas, S. & Kumaranayake, L. 2006. Constructing socio-economic status indices : how to use principal components analysis. *Health Policy Unit*, (October).

Wibawa, T. & Satoto, T.B.T. 2016. Magnitude of Neglected Tropical Diseases in Indonesia at Postmillennium Development Goals Era. *Journal of Tropical Medicine*, 2016.

World Health Organization. 2017a. *Fourth WHO Report on neglected Tropical*

*Diseases: Integrating neglected tropical diseases into global health and development.*

World Health Organization. 2017b. *Guideline: Preventive Chemotherapy to Control Soil-Transmitted Helminth in At-Risk Population Groups.*

World Health Organization. 2017c. Schistosomiasis and soil-transmitted helminthiasis: number of people treated in 2016. *Weekly epidemiological record*, 49(92): 749–760.

Yap, P., Utzinger, J., Hattendorf, J. & Steinmann, P. 2014. Influence of nutrition on infection and re-infection with soil-transmitted helminths: A systematic review. *Parasites and Vectors*, 7(1): 1–14.

Yu, W., Ross, A.G., Olveda, R.M., Harn, D.A., Li, Y., Chy, D. & Williams, G.M. 2017. Risk of human helminthiasis : geospatial distribution and targeted control. *International Journal of Infectious Diseases*, 55: 131–138.

Yuliana, I. 2015. Faktor-faktor penentu disparitas prevalensi stunting pada anak balita di berbagai kabupaten/kota diindah yuliana. *Sekolah Pascasarjana Institut Pertanian Bogor*: 94.

Yuwono, T. 2006. *Teori dan Aplikasi Polymerase Chain Reaction*. 1st ed. D. Hardjono, ed. Yogyakarta: Andi Offset.

Ziaei, H., Sayyahi, F., Hoseiny, M., Vahedi, M. & Gholami, S. 2016. Geohelminthic: human ascariasis and trichuriasis in Mazandaran province, northern Iran. *Environmental Health Engineering and Management*, 4(1): 1–6. <http://ehemj.com/article-1-239-en.html>.

Zilda, O. & Sudiarti, T. 2013. Faktor Risiko Stunting pada Anak balita (24-59 Bulan) di Sumatera. *Jurnal Gizi dan Pangan*, 8(3): 175–180.