

DAFTAR PUSTAKA

- Abdullah, T.O., Ali, S.S., Al-Ansari, N.A., and Knutsson, S. 2016. Groundwater Vulnerability Using DRASTIC and COP Models: Case Study of Halabja Saidaadiq Basin, Iraq. *Engineering*, 2,: 741-760.
- Adji, T.N and Bahtiar, Y. 2016. Rainfall-Discharge Relationship and Karst Flow Components 1 Analysis for Karst Aquifer Characterization in Petoyan Spring, Java, Indonesia. *Environ Earth Sci*, 75: 1-17.
- Adji, T.N and Misqi, M. 2010. The Distribution of Flood Hydrograph Recession Constant for Characterization of Karst Spring and Underground River Flow Components Releasing within Gunung Sewu Karst Region. *Indonesian Journal of geography*, 1(42): 1-15.
- Adji, T.N. 2006. Peranan Geomorfologi dalam Kajian Kerentanan Air Bawah Tanah Karst. *Gunung Sewu, Indonesian Cave and Karst Journal*, 2(1): 64-74.
- Adji, T.N. 2010. Variasi Spasial-Temporal Hidrogeokimia dan Sifat Aliran untuk Karakterisasi Sistem Karst Dinamis di Sungai Bawah Tanah Bribin, Kabupaten Gunung Kidul, DIY. *Disertasi*. Yogyakarta : Fakultas Geografi UGM.
- Adji, T.N. 2012. Wet Season Hydrochemistry of Bribin Cave in Gunung Sewu Karst, Indonesia. *Environ Earth Sci*, 67:1563–1572.
- Adji, T.N., 2011. Upper Catchment of Bribin Underground River Hydrogeochemistry (Gunung Sewu Karst, Gunung Kidul, Java, Indonesia). *Proceeding Asian Trans-Disciplinary Karst Conference Yogyakarta-Indonesia*, pp: 117-134.
- Adji, T.N., Haryono, E., Fatchurohman, H., and Oktama, R. 2016. Diffuse Flow Characteristics and their Relation to Hydrochemistry Conditions in the Petoyan Spring, Gunungsewu Karst, Java, Indonesia. *Geosciences Journal*, 20 (3): 381-390.
- Adji, T.N., Haryono, E., Fatchurohman, H., and Oktama, R. 2017. Spatial Temporal Hydrochemistry Variations of Karst Water in Gunung Sewu, Java, Indonesia. *Environ Earth Sci*, 76 (709) : 1-16.
- Adji, T.N., Haryono, E., Mujib, A., Fatchurohman, H., Bahtiar, I.Y. 2017. Assessment of Aquifer Karstification Degree in Some Karst Sites on Java Island, Indonesia. *Carbonates Evaporites*, DOI 10.1007/s13146-017-0403-0.
- Andreo, B., Carrasco, F., Duran, J.J., Jimenez, P., James, W., and LaMoreaux. 2015. *Hydrogeological and Environmental Investigations in Karst Systems*. London : Springer.

- Ariyo, S.O., Adeyemi, G.O., and Oyebamiji, A.O. 2009. Electromagnetic Vlf Survey for Groundwater Development in a Contact Terrain; a Case Study of Ishara-remo, Southwestern Nigeria. *Journal of Applied Sciences Research*, 5(9): 1239-1246.
- Baalousha, H.M. 2016. Groundwater Vulnerability Mapping of Qatar Aquifers. *Journal of African Earth Sciences*, 124: 75-93.
- Badan Pusat Statistik. 2018. *Kecamatan Pundong Dalam Angka 2018*. Bantul : BPS.
- Badan Pusat Statistik. 2018. *Kecamatan Purwosari Dalam Angka 2018*. Gunungkidul : BPS.
- Behrens, H., Beims, U., Dieter, H., Dietze, G., Eikmann, T., Grummt, T., Hanisch, H., Henseling, H., Käß, W., Kerndorff, H., Leibundgut, C., Müller-Wegener, U., Rönnefahrt, I., Scharenberg, B., Schleyer, R. Schloz, W., and Tilkes F. 2001. Toxicological and ecotoxicological assessment of water tracers. *Hydrogeology Journal*, 9:321–325.
- Boufekane, A and Saighi, O. 2013. Assesment of Groundwater Pollution by Nitrates Using Intrinsic Vulnerability Methods: A Case Study of the Nil Valley Groundwater (Jijel, North-East Algeria). *Academic Journal*, 7(10):949 – 960.
- Bronto, S. 2010. *Geologi Gunung Api Purba*. Bandung: Badan Geologi Kementerian Energi dan Sumber Daya Mineral.
- Brunsch, A., Adji, T.N., Stoffe, D., Ikhwan, M., Oberle, P. and Nestmann, F. 2011. Hydrological Assessment of A Karst Area in Southern Java With Respect to Climate Phenomena. *Asian Trans-Disciplinary Karst Conference 2011, Yogyakarta-INDONESIA*.
- Cahyadi, A., Adji, T.N., Riyanto, I.A., Nurteisa, Y.T., Fatchurohman, H., Hayono, E., Reinhard, H., Agniy, R.F., Nurkholis, A., Naufal, M., Nurjani, E., and Widyastuti, M. 2018. Groundwater Flooding due to Tropical Cyclone Cempaka in Ngreneng Karst Window, Gunungsewu Karst Area, Indonesia. *Joint International Conference Hydro-Meteorological Disaster Mitigation under Global Change 29 November 2018, Yogyakarta, Indonesia*.
- Cahyadi, A., Riyanto, I.A., Adji, T.N., Tivianton, T.A., Agniy, R.A., Ramadhan, F., Naufal, M., dan Saputro, T.C. 2018. Hidrostratigrafi dan Dampaknya pada Kemunculan Mataair di Sub-Sistem Panggang, Kawasan Karst Gunungsewu, Kabupaten Gunungkidul. *Prosiding Seminar Nasional Geografi II yang diselenggarakan oleh Himpunan Mahasiswa Pascasarjana Geografi (HMPG), Fakultas Geografi UGM di Yogyakarta tanggal 17 November 2018*.
- Daly, D., Dassargues, A., Drew, D., Dunne, S., Goldscheider, N., Neale, S., Popescu, I.C., and Zwahlen, F. 2002. Main Concepts of the “European Approach” to Karst-Groundwater-Vulnerability Assessment and Mapping. *Hydrogeology Journal*, 2(10): 340-345.

- Doerfliger, N., Jeannin, P.-Y., and Zwahlen, F. 1999. Water Vulnerability Assessment in Karst Environments: a New Method of Defining Protection Area Using a Multi-Attribute Approach and GIS Tools (EPIK Method). *Environmental Geology*, 2(39): 165-176.
- Domenico, P.A. and Schwartz, F.W. 1990. *Physical and Chemical Hydrogeology 2nd Edition*. New York : John Wiley & Sons.
- Eiche, E., Hochschild, M., Haryono, E., and Neumann, T. 2016. Characterization of Recharge and Flow Behaviour of Different Water Sources in Gunung Kidul and its Impact on Water Quality based on Hydrochemical and Physico-Chemical Monitoring. *Appl Water Sci*, 6: 293–307.
- Environmental Protection Agency. 2002. *A Lexicon of Cave and Karst Terminology with Special Reference to Environmental Karst Hydrogeology*. United States : Office of Research and Development Washington, D.C.
- Escolero, O.A., Marin, L.E., Steinich, B., Pacheco, A.J., Cabrera, S.A., and Alcocer, J. 2002. Development of a Protection Strategy of Karst Limestone Aquifers: The Merida Yucatan, Mexico Case Study. *Water Resources Management*, 16 : 351–367.
- Fatchurohman, H. 2017. Characterization and Management of Karst Drainage System Based on Hydrograph Analysis in Gunung Sewu Karst Area. *Thesis*. Yogyakarta : Fakultas Geografi UGM.
- Field, M.S., Wilhelm, R.G., Quinlan, J.F., and Aley, T.J. 1995. An Assessment of the Potential Adverse Properties of Fluorescent Tracer Dyes used for Groundwater Tracing. *Environmental Monitoring and Assessment*, 38:75-96.
- Ford, D and Williams, P. 2007. *Karst Hydrogeology and Geomorphology*. London : John Wiley and Sons, Ltd.
- Friyansari, E. 2017. Kajian Kerentanan Intrinsik Airtanah Terhadap Pencemaran di Karangmojo, Gunungkidul. *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Gaieb, S and Hamza, M.H. 2013. Assessing Vulnerability to Agricultural Pollution of Groundwater Bou Arada laroussa According to SI Method Applied by GIS. *Journal of Research in Environmental and Earth Science*, 1: 1-10.
- Gogu, R.C., Hallet, V., and Dassargues, A. 2003. Comparison of Aquifer Vulnerability Assessment Techniques. Application to the Neblon River Basin (Belgium). *Environmental Geology*, 44,:881–892.
- Goldcheider, N., Klute, M., Strum, S., and Hotzl, H.2000. The PI Method – A Gis-Based Approach to Mapping Groundwater Vulnerability With Special Consideration of Karst Aquifers. *Zeitschrift für angewandte Geologie*, 3(46): 157-166.

- Goldscheider, N and Drew, D. 2007. *Method in Karst Hydrogeology*. London : Taylor and Francis.
- Goldscheider, N and Ravbar, N.2010. Editorial: Research Frontiers and Practical Challenges in Karst Hydrogeology. *ACTA CARSOLOGICA*, 2(39): 169–172.
- Goldscheider, N. 2005. Karst Groundwater Vulnerability Mapping: Application of A New Method in The Swabian Alb, Germany. *Hydrogeology Journal*, 4(13): 555-564.
- Goldscheider, N., Hotzl, H., Fries, W., and Jordan, P. 2001. Validation of a Vulnerability Map (EPIK) with Tracer Tests. *Proceeding. 7th Conference on Limestone Hydrology and Fissured Media*, Besançon 20-22 Sep. 2001, pp 167-170.
- Goldscheider, N., Klute, M., Sturm, S., and Hötzl, H. 2000. The PI Method – a GIS-Based Approach to Mapping Groundwater Vulnerability with Special Consideration of Karst Aquifers. *Zeitschrift für Angewandte Geologie*, 46(3): 157-166.
- Goldscheider, N., Meiman, J., Pronk, M., and Smart, C. 2008. Tracer Tests in Karst Hydrogeology And Speleology. *International Journal of Speleology*, 37(1): 27-40.
- Guo, F., Yuan, D., and Qin, Z. 2009. Groundwater Contamination in Karst Areas of Southwestern China and Recommended Countermeasures. *ACTA CARSTALOGICA*, 39(2) : 389-399.
- Hamza, M.H., Maalej, A., Ajmi, M., and Added, A. 2010. Validity of the Vulnerability Methods DRASTIC and SI Applied by GIS Technique to the Study of Diffuse Agricultural Pollution in two Phreatic Aquifers of a Semi-Arid Region (Northeast of Tunisia). *AQUAmundi*, 1(9): 057 – 064.
- Hardjowigeno, S. dan Widiatata. 2010. *Evaluasi Kesesuaian Lahan dan Perencanaan Tataguna Lahan*. Yogyakarta : Gadjah Mada University Press.
- Haryono, E and Day, M. 2004. Landform Differentiation Within The Gunungkidul Kegelkarst, Java, Indonesia. *Journal of Cave and Karst Studies*, 66(2) : 62-69.
- Haryono, E dan Adji, T.N. 2004. *Geomorfologi dan Hidrologi Karst (Bahan Ajar)*. Yogyakarta : Kelompok Studi Karst Fakultas geografi UGM.
- Haryono, E. 2011. *Introduction to Gunungsewu Karst*. Field Guide of Asian Trans-Disciplinary Karst Conference. Yogyakarta: Karst Research Group, Faculty of Geogrpahy, Universitas Gadjah Mada.
- Haryono, E.2000. Some Properties of Epikarst Drainage System in Gunung Kidul Regency, Yogyakarta, Indonesia. *The Indonesian Journal of Geography*, 32(79-80) : 75-86.

- Hayati, M.A.M. 2018. Kajian Kerentanan Spesifik Airtanah Terhadap Kontaminan Nitrat di Daerah Tangkapan Air Pindul, Karangmojo. *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Hayono, E., Barianto, D.H. and Cahyadi, A. 2017. *Hidrogeologi Kawasan Karst Gunungsewu: Panduan Lapangan Fieldtrip PIT PAAI ke-2*. Yogyakarta: Perhimpunan Ahli Airtanah Indonesia (PAAI).
- Hidayat, W., Bahtiar, I.Y., dan Malawani, M.N. 2015. Kajian Kerentanan Airtanah Karst untuk Zonasi Perlindungan Sumberdaya Air di Kawasan Karst. Kolokium Hasil Litbang Sumber Daya Air, hal : 1-10.
- Huggett, R.J. 2011. *Fundamentals of Geomorphology. Third Edition*. London : Routledge Taylor and Francis group.
- Irwana, D.E dan Puradimaja, D.J. 2015. *Hidrogeologi Umum*. Bandung : Ombak.
- Jiménez-Madrid A., Carrasco, F., Martinez, C., and Gogu, R.C. 2013. DRISTPI, a New Groundwater Vulnerability Mapping Method for use in Karstic and Non-Karstic Aquifers. *Quarterly Journal of Engineering Geology and Hydrogeology*, 46: 245–255.
- Jiménez-Madrid A., Gogu R., Martinez-Navarrete C., and Carrasco F. 2019. Groundwater for Human Consumption in Karst Environment: Vulnerability, Protection, and Management. In: Younos T., Schreiber M., Kosič Ficco K. (eds) *Karst Water Environment*. The Handbook of Environmental Chemistry, 68: 45-63
- Jiménez-Madrid, A., Carrasco, F., and Martinez, C. 2011. Comparative Analysis of Intrinsic Groundwater Vulnerability Assessment Methods for Carbonate Aquifers. *Quaternary Journal of Engineering Geology and Hydrogeology*, 44: 361-371.
- Kacaroglu, F. Review of Groundwater Pollution and Protection in Karst Area. *Water, Air, and Soil Pollution*, 133: 337-356.
- Kavouri, K., Plagnes, V., Tremoulet, J., Dörfliger, N., Rejiba, F., dan Marchet, P. 2011. Paprika: a Method for Estimating Karst Resource and Source Vulnerability— Application to The Ouyse Karst System (Southwest France). *Hydrogeology Journal*, 19: 339–353.
- Keputusan Presiden Nomor 26 Tahun 2011 Tentang Cekungan Air Tanah Indonesia. Jakarta.
- Klimchouk, A. 1996. The Typology of Gypsum Karst According to its Geological and Geomorphological Evolution. *Int. J. Speleol*, 25(3): 49-60.
- Klimchouk, A. 2015. The Karst Paradigm: Changes, Trends, and Perspective. *ACTA CARSOLOGICA*, 44(3): 289–313

- Kumar, D.V and Ramadass, G. 2016 A Qualitative Approach of VLF (EM) Data for Groundwater Exploration in a Hard Rock Terrain, Osmania University Campus, Hyderabad, Telangana state, India. *International Journal of Applied Research*, 2(4): 50-59
- Kusumayudha, S.B. 2009. Detecting Springs in the Coastal Area of the Gunungsewu Karst Terrain, Yogyakarta Special Province, Indonesia, using Fractal Geometry Analysis. *The Journal of Technology and Science*, 2(4) : 1 – 12.
- Li, G., Goldscheider, N., and Fiel, M.S. 2016. Modeling Karst Spring Hydrograph Recession Based on Head Drop at Sinkholes. *Journal of Hydrology*, 542: 820–827.
- Luo, G.J., Wang, S.H., Bai, X.Y., Liu, X.M., and Cheng, A.Y. 2016. Delineating Small Karst Watersheds based on Digital Elevation Model and Eco-Hydrogeological Principles. *Solid Earth*, 7: 457–468.
- Marin, A.I., Andreo, B., and Mudarra, M. 2015. Vulnerability Mapping and Protection Zoning of Karst Springs. Validation by Multitracer Tests. *Science of the Total Environment*, 532: 435–446.
- Marin, A.I., Dorflinger, N., and Andreo, B. 2010. Comparative Application of Two Methods (COP and PaPRIKa) for Groundwater Vulnerability Mapping in the Lez Karst System (Montpellier, South France). (Eds.), *Advances in Research in Karst Media*, DOI 10.1007/978-3-642-12486-0.
- Naufal, M. 2019. Karakterisasi Perkembangan Akuifer Karst Gunungsewu Melalui Analisis Master Recession Curve (MRC) Studi Kasus Mataair Beton dan Mataair Guntur Kabupaten Gunungkidul. *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Naufal, M., Widyastuti, M., Cahyadi, A., Ramadhan, F., Riyanto, I.A., An-Nisa, K.S.A., and Adji, T.N. 2019. Temporal Variations of Baseflow Contribution to Epikarst spring Discharge in Gunungsewu Karst Area, Indonesia. *International Conference on Energy, Environment, and Information System UNDIP 7-8 Agustus 2019*.
- Nguyet, V. T. M and Goldscheider, N. 2006. A Simplified Methodology for Mapping Groundwater Vulnerability and Contamination Risk, and its First Application in a Tropical Karst Area, Vietnam. *Hydrogeology Journal*, 14 : 1666-1675.
- Ohwohere-Asuma, O., Aweto, K.E., Chinyem, F.I., and Nwankwoala, H.O. 2018. Assessing the Protective Capacity of Aquifers Using Very-Low-Frequency Electromagnetic Survey. *Geosciences*, 8(150): 2-13.
- Peraturan Pemerintah Nomor 82 Tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air*. Debuti Sekretaris Kabinet Bidang Hukum dan Perundang-undangan. Jakarta.

- Plan, L., Decker, K., Faber, R., Wagreich, M., and Grasemann, B. 2009. Karst Morphology and Groundwater Vulnerability of High Alpine Karst Plateaus. *Environ Geol*, 58:285–297.
- Pochon, A., Tripet, J., Kozel, R., Meyla, B., Sinreich, M., and Zwahlen, F. 2008. Groundwater Protection in Fractured Media: A Vulnerability-Based Approach for Delineating Protection Zones in Switzerland. *Hydrogeology Journal* (2008) 16: 1267–1281.
- Polemio, M., Casarano, D., and Limoni, P.P. 2009. Karstic Aquifer Vulnerability Assessment Methods and Results at a Test Site (Apulia, Southern Italy). *Nat. Hazards Earth Syst. Sci*, 9: 1461–1470.
- Rahardjo, W., Sukandarrumidi, and Rosidi, H.M.D. 1995. *Peta Geologi Lembar Yogyakarta, Jawa skala 1: 100.000*. Bandung: Geological Research and Development Centre.
- Rahmawati, N. 2019. Karakterisasi Akuifer Karst atas Dasar Sifat Aliran dan Respon Debit Mataair Guntur, Girijati, Purwosari, Gunungkidul, DIY. *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Ramadhan, F. 2019. Hubungan Antara Karakteristik Aliran dengan Hidrogeokimia Mataair Guntur di Kawasan Karst Gunungsewu. *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Ramdhani, M.A.A. 2009. Studi Neraca Air dalam Menentukan Daerah Tangkapan Air (DTA) Mataair Karst (Studi Kasus Mataair Ngeleng, Giritirto, Purwosari, Gunungkidul). *Skripsi*. Yogyakarta : Fakultas Geografi UGM.
- Ravbar, N and Goldsneider, N. 2009. Comparative Application of Four Methods of Groundwater Vulnerability Mapping in a Slovene Karst Catchment. *Hydrogeology Journal*, 17: 725–733.
- Ravbar, N. 2007. *The Protection of Karst Waters*. Postojna-Ljubljana : CIP-Katalogni Zapis O Publikaciji.
- Ravbar, N. 2013. Variability of Groundwater and Transport Processes in Karst Under Different Hydrologic Conditions. *ACTA CARSOLOGICA* 42(2-3): 327–338.
- Rencana Tata Ruang Kabupaten Gunungkidul Nomor 6 tentang Perencanaan Spasial 2010-2030. Gunungkidul.
- Riyanto, I.A. dan Widyastuti, M. 2016. Kerentanan Intrinsik dan Spesifik Airtanah Terhadap Pencemaran di Kecamatan Banjarnegara dan Sekitarnya. *Jurnal Bumi Indonesia*, 5(4): 1-17.
- Riyanto, I.A., Cahyadi, A., Adji, T.N., Haryono, E., Widyastuti, M., Agniy, R.F., Fathoni, W.A., Rahmawati, N., dan Baskoro, H. 2018. Analisis Konektivitas dan Karakterisasi Pelorongan dengan Uji Perunutan pada Mataair Epikarst Sub-sistem

- Panggang, Kawasan Karst Gunungsewu. *Prosiding Pekan Ilmiah Tahunan Perhimpunan Ahli Airtanah Indonesia (PAAI) yang diselenggarakan di Hotel Aryaduta, Jakarta, 7 – 8 November 2018.*
- Riyanto, I.A., Cahyadi, A., Sismoyo, D., Naufal, M., Ramadhan, F., Widyastuti, M., and Adji, T.N. 2019. Instalation of Deep Groundwater Wells as Solution to Water Resources Problem in Panggang Subsystem, Gunungsewu Karst Area, Indonesia. *International Conference on Energy, Environment, and Information System UNDIP 7-8 Agustur 2019.*
- Santosa, L.W. dan Adji, T.N. 2014. *Karakteristik Akuifer dan Potensi Airtanah Graben Bantul.* Yogyakarta: Gadjah Mada University Press.
- Sartohadi, J., Suratman, Jamulya, & Dewi, N. I. 2013. *Pengantar Geografi Tanah.* Yogyakarta: Pustaka Pelajar.
- Schnegg, P. 2019. Email. 4 Februari 2019.
- Schnegg, P. 2018. Email. 25 April 2018.
- Shah, R.A., Jeelani, G., and Goldscheider, N. 2018. Karst Geomorphology, Cave Development and Hydrogeology in The Kashmir Valley, Western Himalaya, India. *ACTA CARSOLOGICA, 1(47) : 5-21.*
- Sitorus, S. (1985). *Evaluasi Sumberdaya Lahan.* Bandung: Tarsito.
- Soetrisno, S. 1982. *Peta Hidrogeologi Indonesia Lembar Pekalongan.* Bandung : Direktorat Geologi Tata Lingkungan.
- Stevanovic, Z. 2014. *Karst Aquifers-Characterization and Engineering.* USA : Springer.
- Stigter, T.Y., Ribeiro, L., and Dill, A.M.M.C. 2005. Evaluation of an Intrinsic and a Specific Vulnerability Assessment Method In Comparison With Groundwater Salinisation And Nitrate Contamination Levels in Two Agricultural Regions in the South of Portugal. *Hydrogeology Journal, 14: 79-99.*
- Sutaryo, B. 2014. Kemampuan Adaptabilitas Hasil Sejumlah Varietas Unggul Padi di Tiga Lingkungan yang Berbeda di Gunungkidul. *AGRITECH, 16(1) : 13-24.*
- Todd, D.K and Mays, L.W. 2005. *Groundwater Hydrology Third Edition.* United States : John Wiley and Sons, Inc.
- UNISDR. 2009. *Terminology on Disaster Risk Reduction.* Geneva : United Nations.
- Van Beynen, P.E. 2011. *Karst Management.* London : Springer.
- Verstappen. 2014. *Geomorfologi Terapan.* Diterjemahkan oleh Sutikno. Yogyakarta : Ombak.

- Vias, J., Andreo, B., and Hotzl, H. 2010. Mapping the Vulnerability of Groundwater to The Contamination of four Carbonate Aquifers in Europe. *Journal of Environmental Management*, 91: 1500-1510.
- Vias, J.M., Andreo, B., Perles, M.J., and Carrasco, F. 2005. A Comparative Study of Four Schemes for Groundwater Vulnerability Mapping in a Diffuse Flow Carbonate Aquifer Under Mediterranean Climatic Conditions. *Environ Geol*, 47: 586–595.
- Vias, J.M., Andreo, B., Perles, M.J., and Carrasco, F.2006. Proposed Method for Groundwater Vulnerability Mapping in Carbonate (Karstic) Aquifers: the COP Method. *Hydrogeology Journal*, 14: 912–925.
- Vias, J.M., Andreo, B., Perles, M.J., Carrasco, F., Vadillo, I., and Jimenez, P. 2002. Preliminary Proposal of a Method for Contamination Vulnerability Mapping In Carbonate Aquifers. *Proceeding 2nd Nerja Cave Geology Symposium*, pp: 75-83.
- Vrba, J and Zaporozec, A. 1994. *Guidebook on Mapping Groundwater Vulnerability*. Hannover : International Association of Hydrogeologist.
- White, W.B. 1988. *Geomorphology and Hydrogeology of Karst Terrains*. New York : Oxford University Press.
- Widyastuti, M. 2014. Kajian Kerentanan Airtanah Terhadap Pencemaran di Daerah Karst Gunung Sewu (Studi di Daerah Aliran Sungai Bawah Tanah Bribin Kabupaten Gunungkidul dan Wonogiri). *Disertasi*. Yogyakarta : Pascasarjana Fakultas Geografi UGM.
- Widyastuti, M., Haryono, E., Sudarmadji, and Tivianto, T.A. 2011. Cop Method Modification For Groundwater Vulnerability Assessment from Concentration of Flow Aspect: Bribin Cathment Area Case, Gunung Sewu Karst-Indonesia. *Proceeding Asian Trans-Disciplinary Karst Conference Yogyakarta-Indonesia*.
- Widyastuti, M., Notosiswoyo, S., dan Anggayana, K. 2006. Pengembangan Metode DRASTIC untuk Prediksi Kerentanan Airtanah terhadap Pencemaran di Sleman. *Majalah Geografi Indonesia*, 20(1) : 33 – 51.
- Widyastuti, M., Riyanto, I.A., Naufal, M., Ramadhan, F., and Rahmawati, N. 2019. Water Catchment Area Analysis of Guntur Karst Spring. *IOP Conf. Series International Conference on Environmental Resources Management in Global Region ICRM Yogyakarta, Indonesia*. 256 : 1-11.
- Widyastuti, M., Sudarmadji., Sutikno., dan Hendrayan, H. 2012. Kerentanan Airtanah Terhadap Pencemaran Daerah Imbuhan Ponor di Karst Gunung Sewu (Studi di Daerah Aliran Sungai Bawah Tanah Bribin). *J. Manusia dan Lingkungan*, 19(2) : 128-142.

- Wredaningrum, I dan Sudibyakto.2014. Analisis Perubahan Zona Agroklimat Daerah Istimewa Yogyakarta Ditinjau dari Klasifikasi Iklim Menurut Oldeman. *Jurnal Bumi Indonensia*, 3(4): 1-10.
- Zhang, Q. 2015. An Assessment of Groundwater Resource Vulnerability to Pollution in the Jiangjia Spring Basin, China. *Environ Earth Sci*, 74,:985–995.
- Zonneveld. 1989. The Land Unit – A Fundamental Concept in Ecology, and its Application. *Journal Landscape Ecology*, 3(2): 67 – 86.