

DAFTAR PUSTAKA

- Abod, S. A L I. and Siddiqui, M. T. (1998). "Growth Response of Teak (*Tectona Grandis* L . F .) Seedlings to Nitrogen . Phosphorus and Potassium Fertilizers." *Pertanika J Trop Agric Sci*. doi:10.1016/S1872-2032(08)60078-5.
- Abod, S. A. L. I. and Siddiqui, M. T. (1995). Fertilizer Requirements of Newly Planted Teak (*Tectona grandis* L.f.) *Seedlings*, 25(2). 121–129.
- Aira, M. and Domínguez, J. (2011). Earthworm Effects without Earthworms: Inoculation of Raw Organic Matter with Worm-Worked Substrates Alters Microbial Community Functioning. (J. Wright. Ed.). *PLoS ONE*, 6(1). 8.
- Amponsah, G. I., Meyer, W. L., and Murchison, H. G. (2000). Soil sampling size estimates for soils under teak (*Tectona grandis* Linn . F) plantations and natural forests in Ashanti Region . Ghana. *Canadian Journal of Soil Science*. 80. 327–336.
- Amponsah, G. I., W. L. Meyer, and H.G. Murchison. (2008). Soil Characteristics in Teak Plantations and Natural Forests in Ashanti Region. Ghana. *Canadian Journal of Soil Science*. doi:10.4141/S99-066.
- Anderson, J.M. and Ingram, J.S.I. (1993). *Tropical Soil Biology and Fertility: a Handbook of Methods*. CAB International, Wallingford, UK. 221 pp.
- Anonymous, (2009). Bibit unggul dan upaya silvikultur intensif, (*online*), <http://www.jatiteak.wordpress.com/2009/06/23/bibit-unggul-dan-upaya-silvikultur-intensif-silin/>. Diakses tanggal 20 juni 2014.
- Anonymous, (2010). Kajian Jati Plus. (*online*). <http://hutanalamb.blogspot.com/2010/02/kajian-jati-plus.html>. Diakses tanggal 20 Juni 2014.
- Anonymous (2012). Program Pemuliaan Jati (*Tectona grandis*, L.F) Tahun 2012-2026. Pusat penelitian dan Pengembangan Perum Perhutani. Cebu. 48 p.
- Anwar, C. (1994). *The Relationship between Soil Properties and the Site Index of Teak (Tectona Grandis L. F.) in Indonesia*. ProQuest Dissertations and Theses.
- Bailey, J. S., A. Cushnahan. and J. A. M. Beattie. (1997). The Diagnosis and Recommendation Integrated System (DRIS) for Diagnosing the Nutrient Status of Grassland Swards: II. Model Calibration and Validation. *Plant and Soil*, 197(1):137–47.

Balai Penelitian Tanah (2005). *Analisis Kimia Tanah. Tanaman. Air dan Pupuk*. Badan Penelitian dan Pengembangan Pertanian (Deptan). Bogor.

Ballard, T.M. and Carter RE. (1986). *Evaluating forest stand nutrient status*. B.C. Min. For.. Victoria. Land Manage. Rep. 20. p. 60.

Ballard, T.M. (1985). *Foliar analysis for deficiency diagnosis and fertilizer prescription in forestry: variability considerations*. In: Luttmerding HA. Lowe LE. Ballard TM. editors. The role of soil analysis in resource management. B.C. Ministry of Environment Tech. Rep. p. 143–153.

Bangroo, S., M. I. Bhat, T. Ali, M. Aziz, M. a Bhat, and M. a Wani. (2010). Diagnosis and Recommendation Integrated System (DRIS) – A Review. *International Journal of Current Research*, 10:84–97.

Bardgett, R.D., and A. Shine. (1999). Linkages between plant litter diversity, soil microbial biomass and ecosystem function in temperate grasslands. *Soil Biol B.* 31:317– 21.

Barot, S., Ugolini, A., and Brikci, F. B. (2007). Nutrient cycling efficiency explains the long-term effect of ecosystem engineers on primary production. *Functional Ecology*, 21(1). 1–10.

Bheemaiah, G. (2004). Effect of irrigation and fertilizer application on growth of Teak (*Tectona grandis*) in semi-arid regions. *Indian Forester*.

Borgaonkar, H. P. (2011). Dendroclimatology and climate change: Indian perspective. In *Journal of the Indian Academy of Wood Science*. <https://doi.org/10.1007/s13196-012-0023-1>

Borgaonkar, H. P., Sikder, A. B., Ram, S., and Pant, G. B. (2010). El Niño and related monsoon drought signals in 523-year-long ring width records of teak (*Tectona grandis* L.F.) trees from south India. *Palaeogeography, Palaeoclimatology, Palaeoecology*. <https://doi.org/10.1016/j.palaeo.2009.10.026>

Chamshama, S. A. O., Mugasha, A. G., Sanga, J. M., and Nshubemuki, L. (2000). Comparison of some chemical properties of soil under teak and natural forests at Mtibwa, Morogoro. *Tanzania. Journal of Tropical Forest Science*.

Chaudhery, T.N. and K.S. Sandhu, (1983). Soil physical environment and root growth. *Adv. Soil Sci.* 1:1-43.

Chen, B., Liu, E., Tian, Q., Yan, C., and Zhang, Y. (2014). Soil nitrogen dynamics and crop residues. A review. *Agronomy for Sustainable Development*.
<https://doi.org/10.1007/s13593-014-0207-8>.

Cheng, D., T. Li., Q. Zhong, and G. Wang. (2010). Scaling relationship between tree respiration rates and biomass. *Biology Letter*. 6:715--717.

Chukwuka, K. S. (2009). Soil fertility restoration techniques in sub-Saharan Africa using organic resources. *Journal of Agricultural Research*. 4(March). 144–150.

Cienciala, E., J. Apltauer, E. Exnerova, and F. Tatarinov. (2008). Biomass functions applicable to oak trees grown in Central-European forestry. *Journal of Forest Sciences*. 54:109-120.

Cordero, L. D. P., Kanninen, M., and Perez Cordero. L. D. (2003). Aboveground biomass of *Tectona grandis* plantations in Costa Rica. *Journal of Tropical Forest Science*, 15(1). 199–213.

Craswell, E. T., and Lefroy, R. D. B. (2001). The role and function of organic matter in tropical soils. *Nutrient Cycling in Agroecosystems*. 61(1). 7–18.
doi:10.1366/0003702001949131

Das, D. K., and Puste, A. M. (2001). Influence of different organic waste materials on the transformation of nitrogen in soils. *The Scientific World Journal*. 1 Suppl 2(S2). 658–663. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12805753>

D'Arrigo, R. D., Buckley, B. M., and Krusic, P. J. (2002). Tree-ring records and ENSO variability.

Deepak, M. S., Sinha, S. K., and Rao, V. V. (2010). Tree-ring analysis of teak (*Tectona grandis* L. f.) from western ghats of india as a tool to determine drought years. *Emirates Journal of Food and Agriculture*. <https://doi.org/10.9755/ejfa.v22i5.4826>

Dié, A., De Ridder, M., Cherubini, P., Kouamé, F. N., Verheyden, A., Kitin, P., ... Beeckman, H. (2015). Tree rings show a different climatic response in a managed and a non-managed plantation of teak (*Tectona grandis*) in West Africa. *IAWA Journal*. <https://doi.org/10.1163/22941932-20150111>

Dié, A., Kitin, P., Kouamé, F. N. G., Van Den Bulcke, J., Van Acker, J., and Beeckman, H. (2012). Fluctuations of cambial activity in relation to precipitation result in annual

rings and intra-annual growth zones of xylem and phloem in teak (*Tectona grandis*)
in Ivory Coast. *Annals of Botany*. <https://doi.org/10.1093/aob/mcS145>

Donald, C.M. (1958). The interaction of competition for light and for nutrients. *Aust. J. Agric. Res.* 9: 421-435.

Drechsel, P., and Zech. W. (1994). DRIS evaluation of teak (*Tectona grandis* L.f.) mineral nutrition and effects of nutrition and site quality on teak growth in West Africa. *Forest Ecology and Management*. [https://doi.org/10.1016/0378-1127\(94\)90080-9](https://doi.org/10.1016/0378-1127(94)90080-9)

Dunbabin, V., A. Diggle and Z. Rengel. (2003). Is There an Optimal Root Architecture for nitrate capture in leaching environments?. *PI Cell Env.* 26: 835-844.

Eamus, D. (1999). Ecophysiological traits of deciduous and evergreen woody species in the seasonally dry tropics. *Trends in Ecology and Evolution* 14. 11–16.

Eni, D. D., Iwara. A. I., and Offiong. R. A. (2012). Analysis of Soil-Vegetation Interrelationships in a South-Southern Secondary Forest of Nigeria. *International Journal of Forestry Research*. (3). 1–8.

FAO (Food and Agriculture Organization). (1998). Guide to laboratory establishment for plant nutrient analysis. *Fao Fertilizer and Plant Nutrition Bulletin* 19.

Feldpausch, T. R., Rondon, M. A., Fernandes, E. C. M., Riha, S. J., and Wandelli, E. (2004). Carbon and nutrient accumulation in secondary forests regenerating on pastures in central Amazonia. *Ecological Applications*. <https://doi.org/10.1890/01-6015>

Fernandez-Moya. Murillo R. Portuguez E. Fallas JL. Rios V. Kottman F. J. M. Verjansl. (2013). Nutrient concentration age dynamics of teak (*Tectona grandis* L.f.). *For Syst.* 22(1):123–33.

Fioretto, A., S. Papa, G. Sorrentino and A. Fuggi. (2001). Decomposition of *Cistus incanus* leaf litter in a Mediterranean maquis ecosystem: mass loss, microbial enzyme activities and nutrient changes. *Soil Biol.* 33: 311321.

Fioretto, A., C. Di Nardo, S. Papa. and A. Fuggi. (2005). Lignin and cellulose degradation and nitrogen dynamics during decomposition of three leaf litter species in a Mediterranean ecosystem. *Soil Biol.* 37: 1083-1091.

Follett, R. F. (2008). Transformation and Transport Processes of Nitrogen in Agricultural Systems. In Nitrogen in the *Environment*. <https://doi.org/10.1016/B978-0-12-374347-3.00002-0>.

Gama-Rodrigues, A. C. (2011). Soil organic matter. nutrient cycling and biological dinitrogen-fixation in agroforestry systems. *Agroforestry Systems*. 81(3). 191–193.

Gardner (1991). *Fisiologi Tanaman Budidaya*. UI Press: Jakarta

Gille, K.E., and G. Cadish. (1995). Future benefits from biological nitrogen fixation to agriculture. *Plant Soil*. 174:255-277.

Gillison, A. N., N. Liswanti, S. Budidarsono, M. van Noordwijk. and T. P. Tomich . (2004). Impact of Cropping Methods on Biodiversity in Coffee Agroecosystems in Sumatra. Indonesia. *Ecology and Society*. 9(2): 7.

Gopikumar, K., and V. Varghese. (2004). Sand Culture Studies of Teak (*Tectona Grandis*) in Relation to Nutritional Deficiency Symptoms. Growth and Vigour. *Journal of Tropical Forest Science*.

Greenland, D.J. (1994). *Long-term cropping experiments in developing countries*. In: Leigh. R.A. and Johnston. A.E. (eds). Long-term Experiments in Agricultural and Ecological Sciences. CAB International. Wallingford. UK. pp. 187–209.

Gregorich, E.G., Carter, M.R., Angers, D.A., Monreal, C.M. and Ellert, B.H. (1994). Towards a minimum data set to assess soil organic matter quality in agricultural soils. *Canadian Journal of Soil Science*. 74. 367–385.

Grünzweig, J. M., Gelfand, I., Fried, Y., and Yakir. D. (2007). Biogeochemical factors contributing to enhanced carbon storage following afforestation of a semi-arid shrubland. *Biogeosciences*. 4(5). 891–904.

Habib, R., and F. Lafolie. (1991). *Water and nitrate redistribution in soil as affected by root distribution and absorption*. In Plant Root Growth – and Ecological Perspective (ed. D. Atkinson). pp. 131-145. Blackwell Scientific Publications. Oxford. UK.

Hairiah, K., Widiyanto, S.R. Utami, D. Suprayogo, Sunaryo, S.M. Sitompul, B. Lusiana, R. Mulia, M. Van Noordwijk dan G. Cadisch. 2000. *Pengelolaan Tanah Masam Secara Biologi : Refleksi Pengalaman dari Lampung Utara*. ICRAF-SEA, Bogor. 187 p.

Hamburg, S.P. (2000) Simple rules for measuring changes in ecosystem carbon in forestry-offset projects. *Mitigation and Adaptation Strategies for Global Change* 5. 25–37.

Hardiwinoto, S. Budiadi. Prihanto SD dan Widiyatno. (2012). *Respon Pertumbuhan Semai Jati (*Tectona grandis*) Unggul dari Stek Pucuk dan Okulasi Terhadap Pupuk Organik Di Wanagama*. Laporan Akhir Penelitian DPP. Fakultas Kehutanan UGM. Yogyakarta.

Hardiwinoto, S., Sukirno, Di.P. Widiyatno dan M. Chanan. (2013). *Identifikasi Faktor Pembatas Pertumbuhan Jati Unggul*. Laporan Akhir Penelitian DPP. Fakultas Kehutanan UGM. Yogyakarta.

Harrison, M. E. (2013) *Standard Operating Procedure: Forest Litter-fall*. Orangutan Tropical Peatland Project. Palangka Raya. Indonesia

Harrison, A. F. and Xu. G. (1986). Review of nitrogen distribution and cycling in forest ecosystems. (R. J. Haynes. Ed.). *Mineral Nitrogen in the PlantSoil System. Physiologi*. 1–51.

Harrison, M. E. (2009). *Orang-utan Feeding Behaviour in Sabangau*. Central Kalimantan. PhD thesis. University of Cambridge. Cambridge.

Hassink, J. (1995). Density fractions of macroorganic matter and microbial biomass as predictors of C and N mineralization. *Soil Biology and Biochemistry* 27. 1099–1108.

Heitefuss, R. (1987). *Pflanzenschutz. Georg Thieme*. Stuttgart. 342 pp.

Hendrix, P. F., Coleman, D. C., and Crossley, D. A. (1992). Using knowledge of soil nutrient cycling processes to design sustainable agriculture. (R. K. Olson and R. P. Poincelot. Eds.). *Journal of Sustainable Agriculture*. 2(3). 63–82.

Hina Parwez, N. S. (2014). Comparative Assessment on the Effectiveness of Rainfall on Soil Microarthropods Population. *International Journal of Science and Research (IJSR)*.

Hlaing, Z. C., Teplyakov, V. K., and Thant, N. M. L. (2014). Influence of climate factors on tree-ring growth in teak (*Tectona grandis* L. f.) plantations in the Bago Yoma Range, Myanmar. *Forest Science and Technology*.
<https://doi.org/10.1080/21580103.2013.834275>

Hui, D., J. Wang, X. Le. W. Shen, and H. Ren. (2012). Influences of biotic and abiotic factors on the relationship between tree productivity and biomass in China. *Forest Ecol.* 264: 72-80.

Huntington, T. G., Hooper, R. P., Johnson, C. E., Aulenbach, B. T., Cappellato, R., and Blum, A. E. (2000). Calcium Depletion in a Southeastern United States Forest Ecosystem. *Soil Science Society of America Journal*.
<https://doi.org/10.2136/sssaj2000.6451845x>

Huxley, P. (1999). *Tropical Agroforestry*. Blackwell Science. Oxford. 371 pp.

Jacoby, G. C., and D'Arrigo, R. D. (1990). Teak (*Tectona grandis* L.F.), a tropical species of large-scale dendroclimatic potential. *Dendrochronologia*.

Jenkinson, D.S. (1988). *Soil organic matter and its dynamics*. In: Wild. A. (ed.) *Russell's Soil Conditions and Plant Growth*. Longman. Harlow. pp. 564–607.

Kammer, A., and Hagedorn, F. (2011). Mineralisation, leaching and stabilisation of ¹³C-labelled leaf and twig litter in a beech forest soil. *Biogeosciences*. 8(8). 2195–2208.

Kayama, M., Nimpila, S., Hongthong, S., Yoneda, R., Wichienopparat, W., Himmapan, W., Noda, I. (2016). Effects of bentonite, charcoal and corncob for soil improvement and growth characteristics of teak seedling planted on Acrisols in Northeast Thailand. *Forests*. <https://doi.org/10.3390/f7020036>

Keeling, H.C., and O.L. Phillips. (2007). The global relationship between forest productivity and biomass. *Global Ec B.* 16: 618-631.

Ketterings, Q. M., Reid, S. and Rao, R. (2007). *Agronomy Fact Sheet Series (22): Cation Exchange Capacity (CEC)*. Cornell University Cooperative Extension. doi: 10.1080/01431160305010.

Kirchmann, H., Bergstrom, L., Kätterer, T., Mattsson, L., and Gesslein, S. (2007). Comparison of Long-Term Organic and Conventional Crop–Livestock Systems on a Previously Nutrient-Depleted Soil in Sweden. *Agronomy Journal*. 99(4). 960–972.
<https://doi.org/10.2134/agronj2006.0061>.

Kiser, L. C., Fox, T. R. and Carlson, C. A. 2013. Foliage and Litter Chemistry, Decomposition, and Nutrient Release in *Pinus taeda*. *Forest*. 595–612.
<https://doi.org/10.3390/f4030595>.

- Kitin, P., Verheyden, A., Kouame, F. N., Cherubini, P., Van Acker, J., De Ridder, M., Beeckman, H. (2015). Tree rings show a different climatic response in a managed and a non-managed plantation of teak (*Tectona grandis*) in West Africa. *IAWA Journal*. <https://doi.org/10.1163/22941932-20150111>
- Knoepp, J.D., D. C. Coleman, D.A. Crossley, and J. S. Clark. (2000). Biological indices of soil quality. An Ecosystem case study of their use. *For Ecol Manage*. 138:357-368.
- Lambers, H., F.S. Chapin, and T.L. Pons. (1998). *Plant Physiological ecology*. 2nd ed. Springer. New York. USA. Pp.50.
- Lawrence, D. and Foster. D. (2002). Changes in Forest Biomass . Litter Dynamics and Soils Following Shifting Cultivation in Southern Mexico: an Overview. *Interciencia*. 27(8). 400–408.
- Lehmann, J., Cravo, M.S. and Zech, W. (2001). Organic matter stabilization in a Xanthic Ferralsol of the central Amazon as affected by single trees: chemical characterization of density. aggregate. and particle size fractions. *Geoderma* 99. 147–168.
- Leng, L. Y., Ahmed, O. H., Ab Majid, N. M. and Jalloh, M. B. (2009). Organic matter. carbon and humic acids in rehabilitated and secondary forest soils. *American Journal of Applied Sciences*. 6(5). 824–828.
- López-Hernández, D., Hernández, C. L., Netuzhilin, I. and López-Contreras, A. Y. (2009). Agricultural systems located in the forest-savanna ecotone of the Venezuelan Amazonian. Are organic agroforestry farms sustainable? *Sustainability*. 1(2). 215–233
- Gunaga, R. P., Kanfade, A. H., and Vasudeva, R. (2011). Soil fertility status of 20 seed production areas of *Tectona grandis* Linn . f . in Karnataka . India. *JOURNAL OF FOREST SCIENCE*. 57(11). 483–490.
- Maeght, J. L., Henry des Tureaux, T., Sengtaheuanghoung, O., Stokes, A., Ribolzi, O., and Pierret, A. (2012). Drought effect on teak tree (*Tectona grandis*) roots on carbon inputs and water uptake in a deep soil of northern Laos. In *ISRR Symposium Orale presentation 26-29-06*.
- Managave, S. R., Sheshshayee, M. S., Borgaonkar, H. P., and Ramesh, R. (2010). Past break-monsoon conditions detectable by high resolution intra-annual $\delta^{18}\text{O}$ analysis

- Marschner, H. (1995). *Mineral Nutrition of Higher Plants*. Academic Press. London. 889 pp.
- Maswidhi. (2012). Prospek masa depan Perhutani sangat bagus. (*online*). <http://www.petakhutan.wordpress.com/2012/05/09/prospek-masa-depan-Perhutani-sangat-bagus>. Diakses tanggal 20 juni 2014.
- Millkuri, C. R. and M. P. Rajendra. (2016). Influence Of Teak Plantations On Different Soil Chemical Properties In Southern India. *International Journal of Agricultural Science and Research (IJASR)*.
- Mirasol, P. (2016). *Optimising fertilizer formulations for smallholders in Asia and Africa*. Fertilizer Focus.
- Morrison, I.K. (1974). Mineral nutrition of conifers with special reference to nutrient status interpretation: a review of literature. *Can For Serv Publ*. 1343:74.
- Moya, R., and Perez, D. (2008). Effects of physical and chemical soil properties on physical wood characteristics of *tectona grandis* plantations in Costa Rica. *Journal of Tropical Forest Science*. <https://doi.org/10.2307/23616701>
- Nemani, R. R., Keeling, C. D., Hashimoto, H., Jolly, W. M., Piper, S. C., Tucker, C. J., Running, S. W. (2003). Climate-driven increases in global terrestrial net primary production from 1982 to 1999. *Science*. <https://doi.org/10.1126/science.1082750>
- Nemecek, T., Dubois, D., Huguenin-Elie, O., and Gaillard. G. (2011). Life cycle assessment of Swiss farming systems: I. Integrated and organic farming. *Agricultural Systems*. 104(3). 217–232.
- Ngoma, J., Braakhekke, M. C., Kruijt, B., Moors, E., Supit, I., Speer, J. H., Leemans, R. (2018). Response of Net Primary Productivity of Zambezi teak forests to climate change along a rainfall gradient in Zambia. *Biogeosciences Discussions*. <https://doi.org/10.5194/bg-2018-421>
- Ni, J., X. Zhang, and J.M.O Scurlock. (2001). Synthesis and analysis of biomass and net primary productivity in Chinese forests. *Ann For Sci*. 58. 351384.
- Nye, P.H. and Greenland, D.J. (1960). *The Soil under Shifting Cultivation*. Commonwealth Bureau of Soils. Harpenden. UK. 144 pp.

- Ohno, T., Griffin, T., Liebman, M., and Porter, G. (2005). Chemical characterization of soil phosphorus and organic matter in different cropping systems in Maine. U.S.A. *Agriculture, Ecosystems and Environment*. 105(4). 625–634.
- Okoro, S. P. A., Aighewi, I. T., and Osagie, C. O. (2000). Effect of selected monoculture plantation species on the humid tropical soils of southern Nigeria. *Indian Journal of Agricultural Sciences*.
- Oldroyd, G. E. D., and Dixon, R. (2014). *Biotechnological solutions to the nitrogen problem*. Current Opinion in Biotechnology. <https://doi.org/10.1016/j.copbio.2013.08.006>.
- Oorts, K., Vanlauwe, B., Cofie, O.O., Sanginga, N. and Merckx, R. (2000). Charge characteristics of soil organic matter fractions in a Ferric Lixisol under some multipurpose trees. *Agroforestry Systems* 48. 169–188.
- Palakit, K., Duangsathaporn, K., and Siripatanadilok, S. (2016). Climatic fluctuations trigger false ring occurrence and radial-growth variation in teak (*Tectona grandis* L.f.). *IForest*. <https://doi.org/10.3832/ifor1100-008>
- Palm, C.A. (1995). *Contribution of agroforestry trees to nutrient requirements of intercropped plants*. In: Sinclair. F.L. (ed.) *Agroforestry: Science. Policy and Practice*. Kluwer Academic Publishers. Dordrecht. pp. 105–124.
- Palm, C.A. and A.P. Rowland. (1997). *Chemical characterization of plant quality for decomposition*. In: Cadisch. G. and Gilley. K.E.. ed.. *Driven by nature: plant litter quality and decomposition*. Wallingford. UK. CAB International. 379-392.
- Palm, C.A., Giller, K.E., Mafongoya, P.L. and Swift, M.J. (2001). Management of organic matter in the tropics: translating theory into practice. *Nutrient Cycling in Agroecosystems* 61. 63–75.
- Parton, W.J., Woomeer, P.L. and Martin, A. (1994). *Modelling soil organic matter dynamics and plant productivity in tropical ecosystems*. In: Woomeer. P.L. and Swift. M.J. (eds) *The Biological Management of Tropical Soil Fertility*. John Wiley and Sons. Chichester. UK. pp. 171–188.
- Patararaiya, M. K., Sinha, B., Bisaria, J., Saran, S., and Jaiswal, R. K. (2018). Assessing impacts of climate change on teak and sal landscape using modis time series data. In *International Archives of the Photogrammetry, Remote Sensing and Spatial*

- Perakis, S. S., Maguire, D. A., Bullen, T. D., Cromack, K., Waring, R. H., and Boyle, J. R. (2006). Coupled nitrogen and calcium cycles in forests of the Oregon Coast Range. *Ecosystems*. <https://doi.org/10.1007/s10021-004-0039-5>
- Pieri, C. (1989). *Fertilité des Terres de Savanes*. Ministère de la Coopération et du Développement and CIRAD-IRAT. Paris. 444 pp.
- Praveen Kumar, N., Devakumar, A. S., Sheshshayee, M. S., and Mohankumar, M. V. (2014). Dendroclimatological approach to evaluate *Tectona grandis* L. for moisture stress response. *Trees - Structure and Function*. <https://doi.org/10.1007/s00468-014-1017-y>
- Preechamart, S., Pumijumng, N., Payomrat, P., and Buajan, S. (2018). Variation in climate signals in teak tree-ring chronologies in two different growth areas. *Forests*. <https://doi.org/10.3390/f9120772>
- Priya, P. B., and Bhat, K. M. (1999). Influence of rainfall, irrigation and age on the growth periodicity and wood structure in teak (*Tectona grandis*). *IAWA Journal*. <https://doi.org/10.1163/22941932-90000678>
- Pumijumng, N., Eckstein, D., and Sass, U. (2014). Tree-Ring Research on *Tectona Grandis* in Northern Thailand. *IAWA Journal*. <https://doi.org/10.1163/22941932-90001428>
- Purwanto, R.H; dkk. (2012). Potensi Biomasa dan Simpanan Karbon Jenis-jenis Tanaman Berkayu di Hutan Rakyat Desa Nglanggeran. Gunung kidul Daerah Istimewah Yogyakarta. *Jurnal Ilmu Kehutanan*. 6(2). 128-141.
- Ramesh, R., Bhattacharya, S. K., and Pant, G. B. (1989). Climatic significance of δD variations in a tropical tree species from India. *Nature*. <https://doi.org/10.1038/337149a0>
- Ramesh, V., Korwar, G. R., Mandal, U. K., Prasad, J. V. N. S., Sharma, K. L., Yezzu, S. R., and Kandula, V. (2008). Influence of fly ash mixtures on early tree growth and physicochemical properties of soil in semi-arid tropical Alfisols. *Agroforestry*

- Ram, S., Borgaonkar, H. P., and Sikder, A. B. (2008). Tree-ring analysis of teak (*Tectona grandis* L.F.) in central India and its relationship with rainfall and moisture index. *Journal of Earth System Science*. <https://doi.org/10.1007/s12040-008-0058-2>
- Ram, S. (2012). On the recent strengthening of the relationship between Palmer Drought Severity Index and teak (*Tectona grandis* L. F.) tree-ring width chronology from Maharashtra. India: A case study. *Quaternary International*. <https://doi.org/10.1016/j.quaint.2011.06.035>
- Rao, M.R., Nair, P.K.R. and Ong, C.K. (1998). Biophysical interactions in tropical agroforestry systems. *Agroforestry Systems* 38. 3–50.
- Raviv, M., Medina, S., Krasnovsky, A., and Ziadna, H. (2004). Organic matter and nitrogen conservation in manure compost for organic agriculture. *Compost Science Utilization*. 12(1). 6–10.
- Rosleine, D., Choesin, D. N., and Sulistyawati, E. (2006). *The Contribution of Dominant Tree Species to Nutrient Cycling in a Mixed Forest Ecosystem on Mount Tangkubanperahu . West Java . Indonesia III . Sampling Methods*. International Conference on Mathematics and Natural Sciences ICMNS. 378–380.
- Sanches, P. A. (1976). *Properties and management of soil in the tropics*. John Wiley and Sons. New York. Xii 618 h.
- Sano, M., Buckley, B. M., and Sweda, T. (2009). Tree-ring based hydroclimate reconstruction over northern Vietnam from *Fokienia hodginsi*: Eighteenth century mega-drought and tropical Pacific influence. *Climate Dynamics*. <https://doi.org/10.1007/s00382-008-0454-y>
- Sariyildiz, T. And J. M. Anderson. (2003). Interaction between litter quality. decomposition. and soil fertility: A laboratory study. *Soil. Biol.* 35: 391-399.
- Sayer, E. J., Powers, J. S., and Tanner, E. V. J. (2007). Increased Litterfall in Tropical Forests Boosts the Transfer of Soil CO₂ to the Atmosphere. (J. Chave. Ed.) *PLoS ONE*. 2(12). 6.

Schroth, G. and F.L. Sinclair. (2003). *Trees. Crops and Soil Fertility Concepts and Research Methods*. (G. Schroth and F.L. Sinclair. Ed.). Wallingford Oxon OX10 8DE UK: CABI Publishing.

Schutz, C. J. and J. M. de Villiers. (1987). "Foliar Diagnosis and Fertiliser Prescription in Forestry—The DRIS System and Its Potential." *South African Forestry Journal*. 141(1):6–12.

Sengupta, S., Borgaonkar, H., Joy, R. M., and Ram, S. (2018). Monsoon climate response in Indian teak (*Tectona grandis* L.f.) along a transect from coast to inland. *Theoretical and Applied Climatology*. <https://doi.org/10.1007/s00704-017-2334-z>

Siddiqui, M. T., S.A. Abod, and M.A. Tariq. (2007). Root Nutrient Concentrations in Teak (*Tectona Grandis* L.F.) Plantations As Influenced By Fertilization and Age. *Canadian Journal of Pure and Applied Sciences* SENRA Academic Publishers.

Siddiqui, M. T., Shah. A. H., and Yaqoob, S. (2009). Chronosequence and crown strata effects on foliar nutrient concentrations in teak (*Tectona grandis* L.f) plantations. *Pak. J. Bot.*. 41(6). 3023–3034.

Singh, A., and Agrawal, M. (2008). Acid rain and its ecological consequences. *Journal of Environmental Biology*.

Siswamartana, S. (2009). Pencapaian upaya pemuliaan jati (*Tectona grandis*). (Online). <http://www.jatiteak.wordpress.com/2009/06/23/bibit-unggul-dan-upaya-silvikultur-intensif-silin/>. Diakses tanggal 20 juni 2014.

Stevenson. F.J. and Cole. M.A. (1999). *Cycles of Soil*. John Wiley and Sons. New York. 427 pp.

Sujatha, M. P., Jose, A. I., and Sankar, S. (2003). Leaf litter decomposition and nutrient release in reed bamboo (*Ochlandra travancorica*). *Journal of Bamboo and Rattan*. <https://doi.org/10.1163/156915903321908576>

Sulistiyanto, Y. (2004). Nutrient Dynamics in Different Sub-types of Peat Swamp Forest in Central Kalimantan. Indonesia. *PhD thesis*. University of Nottingham. Nottingham.

Sumarna, Y. (2001). *Budidaya Jati*. Penebar Swadaya. Bogor.

Suprayogo, D., Widiyanto, P. Purnomosidi, R.H. Widodo, F. Rusiana, Z.Z. Aini, N. Khasanah dan Z. Kusuma. 2004. Degradasi sifat fisik tanah sebagai akibat alih guna lahan hutan menjadi sistem kopi monokultur: kajian perubahan makroporositas tanah. *Agrivita*, 26 (1):60-68.

Supriyadi, S. (2007). *Kesuburan Tanah Di Lahan Kering Madura*. Embryo.

Suwandhi, I. (2009). *Konsep Peningkatan Produktivitas Hutan Tropis Terdegradasi Melalui Pembangunan Hutan Tanaman Berbasis Manajemen Nutrisi*. IPB Bogor.

Svenson, G. A. and M. O. Kimberley. (1988). "Can DRIS Improve Diagnosis of Nutrient Deficiency in Pinus Radiata?" *New Zealand Journal of Forestry Science* 18(1):33–42.

Swift, M.J.. O.W. Heal, and J.M. Anderson. (1979). *Decomposition in terrestrial ecosystems*. Blackwell Oxford. UK. 372 pp.

Tahir, S., Muhammad, S.A. Abod, and M. A. Tariq. (2007). Root Nutrient Concentrations In Teak (*Tectona Grandis* L.F.) Plantations as Influenced by Fertilization and Age. *Canadian Journal of Pure and Applied Sciences* SENRA Academic Publishers.

Tanaka, N., Hamazaki, T., and Vacharangkura, T. (1998). Distribution, growth and site requirements of teak. *Japan Agricultural Research Quarterly*.

Tanaka, K., Tantasirin, C., Wiwatwittaya, D., Tanaka, N., Yoshifuji, N., Igarashi, Y., Suzuki, M. (2015). Earlier leaf flush associated with increased teak defoliation. *Forest Science*. <https://doi.org/10.5849/forsci.15-004>

Taylor, H.M., and B. Klepper. (1973). Rooting density and water extraction patterns for corn. *Agron J.* 65:965-968.

Tenney, F.G. and S.A. Waksman. (1992). Composition of natural organic material and their decomposition. The nature and rapidity of decomposition of the various Organic complexes in different materials. under aerobic conditions. *Soil Sci.* 28:55-84.

Tewari, Vindhya P., J. G. Á. González, and O. García. (2014). "Developing a Dynamic Growth Model for Teak Plantations in India." *Forest Ecosystems* 1(1):9.

Thomas, G. W. (2018). Soil chemistry. In *Handbook of Soils and Climate in Agriculture*. <https://doi.org/10.1201/9781351073073>

- Thorup-Kristensen, K. (2001). Are differences in root growth of nitrogen catch crops important for their ability to reduce soil nitrate-N content. a-lid how can this be measured? *Plant Soil*. 230: 185-195.
- Ugulino, B., De Figueiredo Latorraca, J. V., and Filho, M. T. (2014). Tree-ring growth response of teak (*Tectona grandis* L.f.) to climatic variables in central-west region of Brazil. *Scientia Forestalis/Forest Sciences*.
- Undurraga, P. D., Zagal, E. V. Sepúlveda, G. W., and Valderrama, N. V. (2009). Dissolved Organic Carbon and Nitrogen in Andisol for Six Crop Rotations with Different Soil Management Intensity. *Chilean Journal of Agricultural Research*. 69(3). 445–454.
- van Noordwijk. M., Cerri. C.C., Woomer. P.L., Nugroho. K. and Bernoux. M. (1997). Soil carbon dynamics in the humid tropical forest zone. *Geoderma* 79. 187–225.
- Van Wambeke, A. (1992) *Soils of the Tropics*. McGraw-Hill. New York. 343 pp.
- Verhoeven. J. T. A., and E. Toth. (1995). Decomposition of Carex and Sphagnum litters in fern: Effect of litter quality and inhibition by living tissue homogenates. *Soil Biol.* 27: 271-275.
- Walworth, J.L. Sumner M.E. (1987). The diagnosis and recommendation integrated system (DRIS). *Soil sci.* (6):149-188.
- Wardle, D.A., K.I. Bonner, and K.S. Nicholson. (1997). *Biodiversity and plant litter: experimental evidence which does not support the view that enhanced species richness improves ecosystem function*. *Oikos*. 79:247-258.
- Watanabe, Y., Owusu-sekyere, E., Masunaga, T., Buri, M. M., Oladele, O. I., and Wakatsuki, T. (2010). Teak (*Tectona grandis*) growth as influenced by soil physicochemical properties and other site conditions in Ashanti region. Ghana. *Journal of Food, Agriculture and Environment*. 8(April). 1040–1045.
- Wehr, J. B., Smith, T. E., and Menzies, N. W. (2017). Influence of soil characteristics on teak (*Tectona grandis* L. F.) establishment and early growth in tropical Northern Australia. *Journal of Forest Research*. <https://doi.org/10.1080/13416979.2017.1283976>

Widianto, D. Suprayogo, H. Noveras, R.H. Widodo, P. Purnomosidhi dan M. Van Noordwijk. (2004). Alih Guna Lahan Hutan Menjadi Lahan Pertanian: Apakah Fungsi Hidrologis Hutan Dapat Digantikan Sistem Kopi Monokultur? *Agrivita*, 26 (1):47-52.

Wieder, R.K., and G.E. Lang (1982). A critique of the analytical methods used in examining decomposition data obtained from litter bags. *Ecology*. 63(6):1636-1642.

Woomer, P.L. and Swift, M.J. (eds) (1994). *The Biological Management of Tropical Soil Fertility*. John Wiley and Sons. Chichester. UK. 243 pp.

Wuddivira, M. N., and Camps-Roach, u G. (2007). Effects of organic matter and calcium on soil structural stability. *European Journal of Soil Science*.
<https://doi.org/10.1111/j.1365-2389.2006.00861.x>

Young, A. (1997). *Agroforestry for Soil Management*. CAB International. Wallingford. UK. 320 pp.

Zhao, J., Zhang, X., Yuan, X., and Wang, J. (2003). Characteristics and environmental significance of soil dissolved organic matter. *Ying yong sheng tai xue bao The journal of applied ecology Zhongguo sheng tai xue xue hui Zhongguo ke xue yuan Shenyang ying yong sheng tai yan jiu suo zhu ban*. 14(1). 126–130.

Zheng, M., Li, D., Lu, X., Zhu, X., Zhang, W., Huang, J., Mo, J. (2016). Effects of phosphorus addition with and without nitrogen addition on biological nitrogen fixation in tropical legume and non-legume tree plantations. *Biogeochemistry*, 131(1–2). <https://doi.org/10.1007/s10533-016-0265-x>

Zhou, Z., Liang. K., Xu, D., Zhang, Y., Huang, G., and Ma, H. (2011). Effects of calcium, boron and nitrogen fertilization on the growth of teak (*Tectona grandis*) seedlings and chemical property of acidic soil substrate. *New Forests*. 43(2). 231–243. <https://doi.org/10.1007/s11056-011-9276-6>.