Efek Sinergistik Senyawa Kurkumin Analog, Pentagamavunon-0 (PGV-0) dengan Doxorubicin pada Sel HCC
1954: Kajian Keterkaitan Antara Apoptosis, ROS dan Senescence
SONIA META ANGRAINI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. rer. nat. Adam Hermawan, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdal Dayem, A., Hossain, M.K., Lee, S.B., Kim, K., Saha, S.K., Yang, G.-M., Choi, H.Y., Cho, S.-G., 2017. The Role of Reactive Oxygen Species (ROS) in the Biological Activities of Metallic Nanoparticles. Int. J. Mol. Sci. 18. https://doi.org/10.3390/ijms18010120

Amalina, N.D., Nurhayati, I.P., Meiyanto, E., 2017. Doxorubicin Induces Lamellipodia Formation and Cell Migration. Indones. J. Cancer Chemoprevention 8, 61–67. https://doi.org/10.14499/indonesianjcanchemoprev8iss2pp61-67

Bannister, A.J., Zegerman, P., Partridge, J.F., Miska, E.A., Thomas, J.O., Allshire, R.C., Kouzarides, T., 2001. Selective recognition of methylated lysine 9 on histone H3 by the HP1 chromo domain. Nature 410, 120–124. https://doi.org/10.1038/35065138

Beauséjour, C.M., Krtolica, A., Galimi, F., Narita, M., Lowe, S.W., Yaswen, P., Campisi, J., 2003. Reversal of human cellular senescence: roles of the p53 and p16 pathways. EMBO J. 22, 4212–4222. https://doi.org/10.1093/emboj/cdg417

Campisi, J., 2013. Aging, cellular senescence, and cancer. Annu. Rev. Physiol. 75, 685–705. https://doi.org/10.1146/annurev-physiol-030212-183653

Campisi, J., 1997. Aging and cancer: the double-edged sword of replicative senescence. J. Am. Geriatr. Soc. 45, 482–488. https://doi.org/10.1111/j.1532-5415.1997.tb05175.x

Campisi, J., d'Adda di Fagagna, F., 2007. Cellular senescence: when bad things happen to good cells. Nat. Rev. Mol. Cell Biol. 8, 729–740. https://doi.org/10.1038/nrm2233

Cao, R., Zhang, Y., 2004. The functions of E(Z)/EZH2-mediated methylation of lysine 27 in histone H3. Curr. Opin. Genet. Dev. 14, 155–164. https://doi.org/10.1016/j.gde.2004.02.001

Cheng, M., Rizwan, A., Jiang, L., Bhujwalla, Z.M., Glunde, K., 2017. Molecular Effects of Doxorubicin on Choline Metabolism in Breast Cancer. Neoplasia N. Y. N 19, 617–627. https://doi.org/10.1016/j.neo.2017.05.004

Childs, B.G., Durik, M., Baker, D.J., van Deursen, J.M., 2015. Cellular senescence in aging and age-related disease: from mechanisms to therapy. Nat. Med. 21, 1424–1435. https://doi.org/10.1038/nm.4000

Chou, T.-C., Talalay, P., 1984. Quantitative analysis of dose-effect relationships: the combined effects of multiple drugs or enzyme inhibitors. Adv. Enzyme Regul. 22, 27–55. https://doi.org/10.1016/0065-2571(84)90007-4

Cuadrado, M., Gutierrez-Martinez, P., Swat, A., Nebreda, A.R., Fernandez-Capetillo, O., 2009. p27Kip1 stabilization is essential for the maintenance of cell cycle arrest in response to DNA damage. Cancer Res. 69, 8726–8732. https://doi.org/10.1158/0008-5472.CAN-09-0729

d'Adda di Fagagna, F., 2008. Living on a break: cellular senescence as a DNA-damage response. Nat. Rev. Cancer 8, 512–522. https://doi.org/10.1038/nrc2440

UNIVERSITAS GADJAH MADA
Efek Sinergistik Senyawa Kurkumin Analog, Pentagamavunon-0 (PGV-0) dengan Doxorubicin pada Sel HCC
1954: Kajian Keterkaitan Antara Apoptosis, ROS dan Senescence
SONIA META ANGRAINI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. rer. nat. Adam Hermawan, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Debacq-Chainiaux, F., Erusalimsky, J.D., Campisi, J., Toussaint, O., 2009. Protocols to detect senescence-associated beta-galactosidase (SA-betagal) activity, a biomarker of senescent cells in culture and in vivo. Nat. Protoc. 4, 1798–1806. https://doi.org/10.1038/nprot.2009.191

Denard, B., Lee, C., Ye, J., 2012. Doxorubicin blocks proliferation of cancer cells through proteolytic activation of CREB3L1. eLife 1. https://doi.org/10.7554/eLife.00090

Di Fiore, P.P., Pierce, J.H., Kraus, M.H., Segatto, O., King, C.R., Aaronson, S.A., 1987. erbB-2 is a potent oncogene when overexpressed in NIH/3T3 cells. Science 237, 178–182. https://doi.org/10.1126/science.2885917

Dou, Y., Milne, T.A., Ruthenburg, A.J., Lee, S., Lee, J.W., Verdine, G.L., Allis, C.D., Roeder, R.G., 2006. Regulation of MLL1 H3K4 methyltransferase activity by its core components. Nat. Struct. Mol. Biol. 13, 713–719. https://doi.org/10.1038/nsmb1128

Duan, L., Maki, C.G., 2016. The IGF-1R/AKT pathway determines cell fate in response to p53. Transl. Cancer Res. 5, 664-675–675. https://doi.org/10.21037/9527

Ferri, K.F., Kroemer, G., 2001. Mitochondria--the suicide organelles. BioEssays News Rev. Mol. Cell. Dev. Biol. 23, 111–115. https://doi.org/10.1002/1521-1878(200102)23:2<111::AID-BIES1016>3.0.CO;2-Y

Galluzzi, L., Maiuri, M.C., Vitale, I., Zischka, H., Castedo, M., Zitvogel, L., Kroemer, G., 2007. Cell death modalities: classification and pathophysiological implications. Cell Death Differ. 14, 1237–1243. https://doi.org/10.1038/sj.cdd.4402148

Gewirtz, D., 1999. A critical evaluation of the mechanisms of action proposed for the antitumor effects of the anthracycline antibiotics adriamycin and daunorubicin. Biochem. Pharmacol. 57, 727–741. https://doi.org/10.1016/S0006-2952(98)00307-4

Ghosh, R., Narasanna, A., Wang, S.E., Liu, S., Chakrabarty, A., Balko, J.M., González-Angulo, A.M., Mills, G.B., Penuel, E., Winslow, J., Sperinde, J., Dua, R., Pidaparthi, S., Mukherjee, A., Leitzel, K., Kostler, W.J., Lipton, A., Bates, M., Arteaga, C.L., 2011. Trastuzumab has preferential activity against breast cancers driven by HER2 homodimers. Cancer Res. 71, 1871–1882. https://doi.org/10.1158/0008-5472.CAN-10-1872

Gil, J., Peters, G., 2006. Regulation of the INK4b-ARF-INK4a tumour suppressor locus: all for one or one for all. Nat. Rev. Mol. Cell Biol. 7, 667–677. https://doi.org/10.1038/nrm1987

Gorrini, C., Harris, I.S., Mak, T.W., 2013. Modulation of oxidative stress as an anticancer strategy. Nat. Rev. Drug Discov. 12, 931–947. https://doi.org/10.1038/nrd4002

Hermawan, A., Fitriasari, A., Junedi, S., Ikawati, M., 2011. PGV-0 AND PGV-1 INCREASED APOPTOSIS INDUCTION OF DOXORUBICIN ON MCF-7 BREAST CANCER CELLS.

Ikawati, M., Septisetyani, E.P., 2018. Pentagamavunone-0 (PGV-0), a Curcumin Analog, Enhances Cytotoxicity of 5-Fluorouracil and Modulates Cell Cycle

Efek Sinergistik Senyawa Kurkumin Analog, Pentagamavunon-0 (PGV-0) dengan Doxorubicin pada Sel HCC
1954: Kajian Keterkaitan Antara Apoptosis, ROS dan Senescence
SONIA META ANGRAINI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. rer. nat. Adam Hermawan, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

in WiDr Colon Cancer Cells. Indones. J. Cancer Chemoprevention 9, 23–31. https://doi.org/10.14499/indonesianjcanchemoprev9iss1pp23-31

Itahana, K., Campisi, J., Dimri, G.P., 2007. Methods to detect biomarkers of cellular senescence: the senescence-associated beta-galactosidase assay. Methods Mol. Biol. Clifton NJ 371, 21–31.

Kroemer, G., 2003. Mitochondrial control of apoptosis: an introduction. Biochem. Biophys. Res. Commun. 304, 433–435. https://doi.org/10.1016/S0006-291X(03)00614-4

Kurokawa, H., Lenferink, A.E., Simpson, J.F., Pisacane, P.I., Sliwkowski, M.X., Forbes, J.T., Arteaga, C.L., 2000. Inhibition of HER2/neu (erbB-2) and mitogen-activated protein kinases enhances tamoxifen action against HER2-overexpressing, tamoxifen-resistant breast cancer cells. Cancer Res. 60, 5887–5894.

Kurz, D.J., Decary, S., Hong, Y., Erusalimsky, J.D., 2000. Senescence-associated (beta)-galactosidase reflects an increase in lysosomal mass during replicative ageing of human endothelial cells. J. Cell Sci. 113 (Pt 2, 3613–22. https://doi.org/10.1016/j.arcped.2015.03.013

Larasati, Y.A., Yoneda-Kato, N., Nakamae, I., Yokoyama, T., Meiyanto, E., Kato, J., 2018. Curcumin targets multiple enzymes involved in the ROS metabolic pathway to suppress tumor cell growth. Sci. Rep. 8, 2039. https://doi.org/10.1038/s41598-018-20179-6

Liu, L., Greger, J., Shi, H., Liu, Y., Greshock, J., Annan, R., Halsey, W., Sathe, G.M., Martin, A.-M., Gilmer, T.M., 2009. Novel mechanism of lapatinib resistance in HER2-positive breast tumor cells: activation of AXL. Cancer Res. 69, 6871–6878. https://doi.org/10.1158/0008-5472.CAN-08-4490

Martinou, J.C., Green, D.R., 2001. Breaking the mitochondrial barrier. Nat. Rev. Mol. Cell Biol. 2, 63–67. https://doi.org/10.1038/35048069

Martins, C.P., Brown-Swigart, L., Evan, G.I., 2006. Modeling the therapeutic efficacy of p53 restoration in tumors. Cell 127, 1323–1334. https://doi.org/10.1016/j.cell.2006.12.007

Mcdermott, M., Eustace, A., Busschots, S., Breen, L., Crown, J., Clynes, M., O'Donovan, N., Stordal, B., 2014. In vitro Development of Chemotherapy and Targeted Therapy Drug-Resistant Cancer Cell Lines: A Practical Guide with Case Studies. Front. Oncol. 4, 40. https://doi.org/10.3389/fonc.2014.00040

McDermott, M.S.J., Conlon, N., Browne, B.C., Szabo, A., Synnott, N.C., O'Brien, N.A., Duffy, M.J., Crown, J., O'Donovan, N., 2019. HER2-Targeted Tyrosine Kinase Inhibitors Cause Therapy-Induced-Senescence in Breast Cancer Cells. Cancers 11. https://doi.org/10.3390/cancers11020197

Meiyanto, E., 2011. PGV-0 AND PGV-1 INCREASED APOPTOSIS INDUCTION OF DOXORUBICIN ON MCF-7 BREAST CANCER CELLS. Pharmacon J. Farm. Indones. 12, 55-59–59. https://doi.org/10.23917/pharmacon.v12i2.32

Meiyanto, E., Putri, D.D.P., Susidarti, R.A., Murwanti, R., Sardjiman, null, Fitriasari, A., Husnaa, U., Purnomo, H., Kawaichi, M., 2014. Curcumin and its analogues (PGV-0 and PGV-1) enhance sensitivity of resistant MCF-7

Efek Sinergistik Senyawa Kurkumin Analog, Pentagamavunon-0 (PGV-0) dengan Doxorubicin pada Sel HCC
1954: Kajian Keterkaitan Antara Apoptosis, ROS dan Senescence
SONIA META ANGRAINI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. rer. nat. Adam Hermawan, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

cells to doxorubicin through inhibition of HER2 and NF-kB activation. Asian Pac. J. Cancer Prev. APJCP 15, 179–184.

Meng, G., Wang, W., Chai, K., Yang, S., Li, F., Jiang, K., 2015. Combination treatment with triptolide and hydroxycamptothecin synergistically enhances apoptosis in A549 lung adenocarcinoma cells through PP2A-regulated ERK, p38 MAPKs and Akt signaling pathways. Int. J. Oncol. 46. https://doi.org/10.3892/ijo.2015.2814

Mosmann, T., 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. J. Immunol. Methods 65, 55–63.

Murphy, M.P., 2009. How mitochondria produce reactive oxygen species. Biochem. J. 417, 1–13. https://doi.org/10.1042/BJ20081386

Piegari, E., Angelis, A. De, Cappetta, D., Russo, R., Rossi, F., 2013. Doxorubicin induces senescence and impairs function of human cardiac progenitor cells. https://doi.org/10.1007/s00395-013-0334-4

Pollack, M., Phaneuf, S., Dirks, A., Leeuwenburgh, C., 2002. The role of apoptosis in the normal aging brain, skeletal muscle, and heart. Ann. N. Y. Acad. Sci. 959, 93–107. https://doi.org/10.1111/j.1749-6632.2002.tb02086.x

Putri, D., Sarmoko, S., Febriansah, R., Puspitasari, E., Ismiyati, N., Fitriasari, A., 2012. MCF-7 Resistant Doxorubicin are Characterized by Lamelapodia, Strong Adhesion on Substrate and P-gp Overexpression. Indones. J. Cancer Chemoprevention 2, 304–308. https://doi.org/10.14499/indonesianjcanchemoprev2iss3pp304-309

Putri, H., Jenie, R.I., Handayani, S., Kastian, R.F., Meiyanto, E., 2016. Combination of Potassium Pentagamavunon-0 and Doxorubicin Induces Apoptosis and Cell Cycle Arrest and Inhibits Metastasis in Breast Cancer Cells. Asian Pac. J. Cancer Prev. APJCP 17, 2683–2688.

Qodria, L., Hairunisa, I., Utomo, R.Y., Hermawan, A., Meiyanto, E., 2018. Anti-metastatic Activity of Curcumin Analog Pentagamaboronon-0-Sorbitol Against HER2-overexpressed MCF-7 Breast Cancer Cells. Indones. J. Cancer Chemoprevention 9, 118–125. https://doi.org/10.14499/indonesianjcanchemoprev9iss3pp118-125

Reksohadiprodjo, M.S., Timmerman, H., Sardjiman, Margono, S.A., Martono, S., Sugiyanto, Hakim, L.R., Nurlaila, Hakim, A.R., Puspitasari, I., Nurrochmad, A., Purwantiningsih, Oetari, Tedjo Yuwono, 2004. Derivatives of benzylidene cyclohexanone, benzylidene cyclopentanone, and benzylidene acetone, and therapeutic uses thereof. US6777447 B2.

Reynisdóttir, I., Polyak, K., Iavarone, A., Massagué, J., 1995. Kip/Cip and Ink4 Cdk inhibitors cooperate to induce cell cycle arrest in response to TGF-beta. Genes Dev. 9, 1831–1845. https://doi.org/10.1101/gad.9.15.1831

Rusnak, D.W., Lackey, K., Affleck, K., Wood, E.R., Alligood, K.J., Rhodes, N., Keith, B.R., Murray, D.M., Knight, W.B., Mullin, R.J., Gilmer, T.M., 2001. The effects of the novel, reversible epidermal growth factor receptor/ErbB-2 tyrosine kinase inhibitor, GW2016, on the growth of human normal and tumor-derived cell lines in vitro and in vivo. Mol. Cancer Ther. 1, 85–94.

UNIVERSITAS
GADJAH MADA
Efek Sinergistik Senyawa Kurkumin Analog, Pentagamavunon-0 (PGV-0) dengan Doxorubicin pada Sel HCC
1954: Kajian Keterkaitan Antara Apoptosis, ROS dan Senescence
SONIA META ANGRAINI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. rer. nat. Adam Hermawan, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Samanta, A., LeVea, C.M., Dougall, W.C., Qian, X., Greene, M.I., 1994. Ligand and p185c-neu density govern receptor interactions and tyrosine kinase activation. Proc. Natl. Acad. Sci. U. S. A. 91, 1711–1715. https://doi.org/10.1073/pnas.91.5.1711

Sugrue, M.M., Shin, D.Y., Lee, S.W., Aaronson, S.A., 1997. Wild-type p53 triggers a rapid senescence program in human tumor cells lacking functional p53. Proc. Natl. Acad. Sci. U. S. A. 94, 9648–9653.

Syljuåsen, R.G., Krolewski, B., Little, J.B., 1999. Loss of normal G1 checkpoint control is an early step in carcinogenesis, independent of p53 status. Cancer Res. 59, 1008–1014.

Terranova, R., Agherbi, H., Boned, A., Meresse, S., Djabali, M., 2006. Histone and DNA methylation defects at Hox genes in mice expressing a SET domain-truncated form of Mll. Proc. Natl. Acad. Sci. U. S. A. 103, 6629–6634. https://doi.org/10.1073/pnas.0507425103

Torres, M., Forman, H.J., 2003. Redox signaling and the MAP kinase pathways. BioFactors Oxf. Engl. 17, 287–296.

Trachootham, D., Lu, W., Ogasawara, M.A., Valle, N.R.-D., Huang, P., 2008. Redox Regulation of Cell Survival. Antioxid. Redox Signal. 10, 1343–1374. https://doi.org/10.1089/ars.2007.1957

Utomo, R.Y., Putri, H.R.I., Pudjono, P., Susidarti, R.A., Jenie, R.I., Meiyanto, E., 2017. SYNTHESIS AND CYTOTOXIC ACTIVITY OF 2,5-BIS(4-BORONIC ACID)BENZYLIDINE CYCLOPENTANONE ON HER2 OVEREXPRESSED-CANCER CELLS [WWW Document]. URL /paper/SYNTHESIS-AND-CYTOTOXIC-ACTIVITY-OF-CYCLOPENTANONE-Utomo-Putri/4e5515f8d1c7e48f85750f8a1de9735191ca9c6c (accessed 7.10.19).

Whitcomb, S.J., Basu, A., Allis, C.D., Bernstein, E., 2007. Polycomb Group proteins: an evolutionary perspective. Trends Genet. TIG 23, 494–502. https://doi.org/10.1016/j.tig.2007.08.006

Xiao, M., Yang, H., Xu, W., Ma, S., Lin, H., Zhu, H., Liu, L., Liu, Y., Yang, C., Xu, Y., Zhao, S., Ye, D., Xiong, Y., Guan, K.-L., 2012. Inhibition of α-KG-dependent histone and DNA demethylases by fumarate and succinate that are accumulated in mutations of FH and SDH tumor suppressors. Genes Dev. 26, 1326–1338. https://doi.org/10.1101/gad.191056.112

Yang, Y., Karakhanova, S., Werner, J., Bazhin, A.V., 2013. Reactive oxygen species in cancer biology and anticancer therapy. Curr. Med. Chem. 20, 3677–3692.

Zamzami, N., El Hamel, C., Maisse, C., Brenner, C., Muñoz-Pinedo, C., Belzacq, A.S., Costantini, P., Vieira, H., Loeffler, M., Molle, G., Kroemer, G., 2000. Bid acts on the permeability transition pore complex to induce apoptosis. Oncogene 19, 6342–6350.