

DAFTAR PUSTAKA

- Ansari, M.O., Khan, M.M., Ansari, S.A., and Cho, M.H., 2015, Electrically Conductive Polyaniline Sensitized Defective-TiO₂ for Improved Visible Light Photocatalytic and Photoelectrochemical Performance: A Synergistic Effect, *New J. Chem.*, 39, 8381-8388.
- Aroua, M.K., Leong, S.P., Teo, L.Y., Yin, C.Y. and Daud, W.M., 2008, Real time determination of kinetics of adsorption of lead(II) onto palm shell-based active carbon using ion selective electrode, *Bioresour. Technol.*, 13, 5786-5792.
- Banisharif, A., Elahi, S.H., Firooz, A.A., Khodadadi, A.A., Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9, 193-202.
- Bosc, F., Ayral, A., Keller, N., Keller, V., 2007, Room temperature visible light oxidation of CO by high surface area rutile TiO₂-supported metal photocatalyst, *Appl. Catal. B.*, 69, 133-137.
- Castillo, R.R.V., Gracia, M.E.R., Mendoza, R.N., Ruiz, M.G., and Cortez-Lorenzo, F.A., 2013, Crystallographic Study of TiO₂ Obtained by Different Synthesis Methods, *Sci. Res.*, 1, 30-37.
- Chabungbam, S., Loh, G.C., Sahariah, M.B., Pal, A.R., and Pandey, R., 2016, Atomic Level Understanding of Site-Specific Interaction in Polyaniline/TiO₂ Composite, *Chem. Phys. Lett.*, 645, 144-149.
- Chen, D., and Ray, A.K., 2001, Removal of toxic metal ion from waste water by semiconductor photocatalysis, *Chem. Eng. Sci.*, 56, 1561-1570.
- Cotton, F.A. and Wilkinson, G., 1999, *Basic inorganic chemistry*, John Wiley and Sons Inc., New York.
- Daghman, A.N.J., Ibrahim, K., Ahmed, N.M. and Zaidan, K.M., 2015 Effect of TiO₂ Thin Film Morphology on Polyaniline/TiO₂ Solar Cell Efficiency, *World J. Nano Sci. Eng.*, 5, 41-48.
- Duan, S., Tang, R., Xue, Z., Zhang, X., Zeng, S., Sun, D., 2015, Effective removal of Pb(II) using magnetic Co_{0.6}Fe_{2.4}O₄ micro-particles as the adsorbent: Synthesis and study on the kinetic and thermodynamic, *Colloids and Surfaces*, 469, 211-223.

- Farimani, M.H.R., Shahtahmasebi, N., Roknabadi, M.R., Ghows, N., and Kazemi, A., 2014, Study of Structural and Magnetic Properties of Superparamagnetic Fe₃O₄/SiO₂ Core-shell Nanocomposites Synthesized with Hydrophilic Citrate-modified Fe₃O₄ Seeds via a Sol-gel Approach, *Physica E*, 53, 207-216.
- Gao, Y., Chen, B., Li, H., and Ma, Y., 2003, Preparation and characterisation of a magnetically separated photocatalyst and its catalytic properties, *J. Mater Chem. Phys.*, 80, 348-355.
- Gonzales, M.J., 2010, Development and application of titanium dioxide coated magnetic particles for photocatalytic oxidation of aqueous phase organic pollutants, *Dissertasi*, Prozesswissenschaften der Technischen Universität Berlin.
- Gramatyka, P., Nowosielki, R., and Sakiewicz, P., 2007, Recycling of waste Electrical and Electronic Equipment, *J. Ach of Mat. Manf. Eng.*, 20, 535-538.
- Grätzel, M., 2003, Dye-sensitized solar cells. *J. Photochem. Photobiol., C*, 4, 145-153
- Grieken, R.V., Aguado, J., Marugan, J., and Munoz, L., 2005, Photocatalytic Gold Recovery From Spent Cyanide plating Bath Solution, *Gold Bull.*, 180-188.
- Guanghui, W., Wenzhe, F., Qin, L. Deng, Nansheng, 2018, Enhanced photocatalytic New Coccine degradation and Pb(II) reduction over graphene oxide-TiO₂ composite in the presence of aspartic acid- β -cyclodextrin. *Chemoshere*, 216, 707-714.
- Han, Y.G., Kusunose, T., Sekino, T., 2008, One-pot preparation of core-shell structure titania/polyaniline hybrid materials: the effect of sodium dodecyl sulfate surfactant, *Chem. Lett.*, 37, 858-859.
- Hanan, H.M., Alomair, N.A., Bahnemann, D.W., 2017, Kinetic and mechanistic features on the reaction of stored TiO₂ electrons with Hg(II), Pb(II) dan Ni(II) in aqueous suspension, *Arabian. J. Chem.*, 10, 1-8.
- He, Q., Zhang, Z., Xiong, J., Xiong, Y. and Xiao, H., 2008, A novel biomaterial: Fe₃O₄/TiO₂ core-shell nanoparticle with magnetic performance and high visible light photocatalyst activity, *J. Opt. Mater.*, 31, 380-384.

- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *J. Chem. Rev.*, 95, 69-95.
- Hu, C., Gao, Z., and Yang, X., 2006, Fabrication and Magnetic Properties of Fe₃O₄ Octahedral, *Chem. Phys. Lett.*, 429, 513-517.
- Huang, X., Wang, G., Yang, M., and Guo, W., 2011, Synthesis of polyaniline-modified Fe₃O₄/SiO₂/TiO₂ composite microspheres and their photocatalytic application, *Mater. Lett.*, 65, 2887-2890.
- Huyen, D.N, Tung, N.T, Thlen, N.D and Thanh, L.H., 2011, Effect of TiO₂ on the gas sensing features of TiO₂/PANI nanocomposites, *Sensors*, 11, 1924-1931.
- Ho, Y.S., 2004, Citation Review of Lagergren Kinetic Rate Equation on Adsorption Reactions, *Scientometrics*, 59(1), 171-177.
- Ho, Y.S., 2006, Review of Second-Order Models for Adsorption System, *J. Hazard. Mater.*, 164, 399-408.
- Iida, H., Takayanagi, K., Nakanishi, T., and Osaka, T., 2007, Synthesis of Fe₃O₄ Nanoparticles with Various Size and Magnetic Properties by Controlled Hydrolysis, *J. Colloid Interface Sci.*, 314, 274-280.
- Litter, M.I., 2014, Mechanism of removal of heavy metals and arsenic from water by TiO₂-heterogeneous photocatalysis, *Pure. Appl. Chem.*, 87, 557-567
- Li, J., Zhu, L.H., Wu, Y.H., Harima, Y., Zhang, A.Q., and Tang, H.Q., 2006, Hybrid composites of conductive polyaniline and nanocrystalline titanium oxide prepared via self-assembling and graft polymerization, *Polym.*, 47, 7361-7367.
- Li, X., Wang, D., Cheng, G., Luo, Q., An, J., and Wang, Y., 2008, Preparation of polyaniline-modified TiO₂ nanoparticles and their photocatalytic activity under visible light illumination, *Appl. Catal. B.*, 81, 267-273.
- Liang, H.C., and Li, X. Z., 2009, Visible-induced photocatalytic reactivity of polymer-sensitized titania nanotube films, *Appl. Catal. B.*, 86, 8-17.
- Kirillov, V.L., Balaev, D.A., Semenov, S.V., Shaikhutdinov, K.A., 2014, Size Control in the Formation of Magnetite Nanoparticles in the Presence of Citrate Ions, *Mater. Chem. Phys.*, 145, 75-81.

- Maddu, A., Wahyudi, S.T., Kurniati, M., 2008, Sintesis dan karakterisasi nanosat polianilin, *J. Nanosains & Nanoteknologi*, 74-78.
- Mahulikar, P., Jadhav, R.S., and Hundiwale, D.G., 2011, Performance of Polyaniline/TiO₂ Nanocomposites in Epoxy for Corrosion Resistant Coatings, *Iranian Polym. J.*, 20, 367-376.
- Majidnia, Z., and Fulazzaky, M.A., 2016, Photoreduction of Pb(II) ions from aqueous solution by titania polyvinylalcohol–alginate beads, *J. Taiwan. Chem. Eng.*, 66, 88-96.
- Mital, G.S., and Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chin. Sci. Bull.*, 56, 1639-1657.
- Murruni, L. Conde, F. Leyva, G. Litter, M.I., 2008, Photocatalytic reduction of Pb(II) over TiO₂: New insights on the effect of different electron donors, *App. Catal. B. Environ.*, 84, 563-569.
- Nakata, K., and Fujishima, A., 2012, TiO₂ Photocatalysis: Design and Applications, *J. Photochem. Photobiol. C: Photochem. Rev.*, 13, 169-189.
- Olad, A., Behboudi, S., and Entezami, A.A., 2012, Preparation, characterization and photocatalytic activity of TiO₂/polyaniline core-shell nanocomposite, *Bull. Mater. Sci.*, 35, 801–809.
- Park, H. and Choi, W., 2006, Visible-light-sensitized production of hydrogen using perfluorosulfonate polymer-coated TiO₂ nanoparticles: an alternative approach to sensitizer anchoring, *Langmuir*, 22, 2906–2911.
- Petcharoen, K. and Sirivat, A., 2012, Synthesis and Characterization of Magnetite Nanoparticles via the Chemical Co-precipitation Method, *Mater. Sci. Eng.*, 177, 421-427.
- Pozzo, R.L., Baltan'as, M.A, and Cassano, A.E., 1997, Supported titanium dioxide as photocatalyst in water decontamination, *J.State of the art. Catal. Today*, 39 219-231.
- Radoicic, M., Saponjic, Z., Jankovic, I.A., Ciric-Marjanovic, G., Ahrenkiel, S.P., and Comor, M.I., 2013, Improvements to the Photocatalytic Efficiency of Polyaniline Modified TiO₂ Nanoparticles, *Appl. Catal. B: Environ.*, 136-137, 133-139.

- Rajendran, V., and Vijayalakshmi, R., 2012, Synthesis and Characterization of Nano-TiO₂ via Different Methods, *Arch. Appl. Sci. Res.*, 4(2), 1183-1190.
- Riyanto, A., Listiawati, D., Suharyadi, E., and Abraha, K., 2012, Analisis Struktur Kristal dan Sifat Magnetik pada Nanopartikel Magnetit (Fe₃O₄) sebagai Bahan Aktif Biosensor *Surface Plasmon Resonance (SPR)*, *Prosiding Peremuan Ilmiah XXVI. ISSN, 0852-0853*.
- Rusmini, A., 2005, Kajian fotoreduksi Cr(IV) terkatalisis TiO₂, *Tesis*, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Sayed, W.M., Soliman, L.I., 2000, Optical properties of polyaniline salt and polyaniline base with KBr, CO(CH₃COO)₂ and picric acid composites, *Fizika A*, 4, 147-152.
- Sosrosuhardjo, D., 2010, *Pengamanan Pangan Berbahaya : Mengenal Logam Beracun*, Badan Pengawas Obat dan Makanan, Jakarta.
- Stejskal, 2002, Polyaniline preparation of a conducting polymer, *Pure Appl. Chem.*, 74, 856-867.
- Thakur, R.S., Chaudhary, R., and Singh, C., 2015, Influence of pH on photocatalytic reduction, adsorption, and deposition of metal ions: speciation modeling, *Desalination and Water Treatment*, 56:5, 1335-1363.
- Wang, F., Min, S., Han, Y., Feng, L., 2010, Visible-light-induced photocatalytic degradation of methylene blue with polyaniline-sensitized composite photocatalysts, *Superlattices Microstruct.*, 48, 170-180
- Wang, R., Wang, X., Xi, X., Hu, R., and Jiang, G., 2012, Preparation and Photocatalytic Activity of Magnetic Fe₃O₄/SiO₂/TiO₂ Composites, *J. Mater. Sci. Chem. Eng.*, 409379, 1-8
- Wang, S., Qian, K., Bi, X., and Huang, W., 2009, Influence of Speciation of Aqueous H₂AuCl₄ on the Synthesis, Structure, and Property of Au Colloids, *J. Phys. Chem.*, C.113, 6505-6510.
- Wu, S., Jiang, W., Sun, Z., Dai, J., Liu, L., and Li, F., 2011, Preparation of Magnetic Fluorescent Nanospheres by Sonochemical Method, *J. Magnetism. Magnetic Mater.*, 323, 2170-2173.
- Xu, Y., and Langford, C.L., 1997, Photoactivity of Titanium dioxide supported on MCM-41, Zeolite X, and Zeolite Y, *J. Phys. Chem. B.*, 101, 3115-3121.

- Xuan, S., Jiang, W., Gong, X., Yuan, H., and Chen, Z., 2009, Magnetically Separable Fe₃O₄/TiO₂ Hollow Spheres: Fabrication and Photocatalytic activity, *J. Phys. Chem.*, 113, 553-558.
- Yang, Z.P. dan Zhang, C.J., 2010, Kinetics of photocatalytic reduction of Pb(II) on nanocrystalline TiO₂ coatings: a quartz crystal microbalance study, *Thin Solid Films*, 518, 6006-6009.
- Yilmaz, F., 2007, Polyaniline: Synthesis, Characterization, Solution Properties and Composites, *Thesis*, Polymer Sciences and Technology, Middle East Technical University, Ankara.
- Zhang, H., Zong, R., Zhao, J., and Zhu, Y., 2008, Dramatic visible photocatalytic degradation performances due to synergetic effect of TiO₂ with PANI, *Environ. Sci. Technol.*, 42, 3803-3807.
- Zhang, R., Guo, Y., Jin, C., Xie, J., Zhu, Y., and Xie, Y., 2010, Novel Thermally Stable Phosphorous-Doped TiO₂ Photocatalyst Synthesized by Hydrolysis of TiCl₄, *J. Mol. Catal. A- Chem.*, 319, 46-51.