

DAFTAR PUSTAKA

- Ahmad, B., Amin I., Akram, T., Muneeb-Ur-Rehman., Ahmad, S., Rasool, S., Arif, A., Farooq, A., Muzamil, S., Hussain, I., and Mir, M. R., 2016, Zingerone (4-(4-hydroxy-3-methoxyphenyl)-2-butanone) Protects Against Acetaminophen Induced Hepatotoxicity in Wistar Rats via Alleviation of Oxidative Stress and Inflammation, *Asian. J. Anim. Adv.*, 11(12), 832-839.
- Ahmad, B., Rehman, M.U., Amin I., Arif, A., Rasool, S., Bhat, S.A., Afdal, I., Hussain, I., Bilal, S., and Mir, M.R., 2015, A Review on Pharmacological Properties of Zingerone (4-(4-Hydroxy-3-methoxyphenyl)-2-butanone), *Sci. World J*, 1-6.
- Amilia, B., Joy, B., dan Sunardi, 2016, Residu Pestisida pada Tanaman Hortikultura (Studi Kasus di Desa Cihanjuang Rahayu Kecamatan Parongpong Kabupaten Bandung Barat), *Jurnal Agrikultura*, 27(1), 23-29.
- Anonim, 2002, *Pedoman Pengendalian Lalat Buah*, Direktorat Perlindungan Hortikultura, Jakarta.
- Anonim, 2018, *Statistics of Horticulture Establishments and other Horticulture Business*, Badan Pusat Statistik, Jakarta.
- Armstrong, J.W., 1992, Fruit Fly Disinfestation Strategis beyond Methyl Bromide, 20, 181-193.
- Asman, A., 2004, Daun Wangi si Pemikat Serangga, *Majalah Pertanian ILEIA The Netherlands dan VECO Indonesia*, 28-29.
- Bandarenko, M., and Kovalenko, V., 2014, Synthesis of Raspberry and Ginger Ketones by Nickel Boride-catalyzed Hydrogenation of 4-Arylbut-3-en-2-ones, *Z. Naturforsch*, 69b, 885-888.
- Barthel, W.F., Green, N., Keiser, I., and Steiner, F., 1957, Anisylacetone, Synthetic Attractant for Male Melon Fly, *Science*, 126(3275), 654.
- Beekwilder, J., van der Meer, I. M., and Sibbesen, O., 2007, Microbial Production of Natural Raspberry Ketone, *Biotechnol. J.*, 2 (10), 1270-1279.
- Bredsdorff, L., Wedeby, E.B., Nikolov, N.G., Hallas-Moller, T., and Pilegaard, K., 2015, Raspberry Ketone in Food Supplements – High Intake, Few Toxicity Data – A Cause for Safety Concern?, *Regul. Toxicol. Pharmacol.*, 73, 196 –200.
- Budimarwati, C., dan Handayani, S., 2010, Efektivitas Katalis Asam Basa pada Sintesis 2-hidroksikalkon, Senyawa yang Berpotensi sebagai Zat Warna, *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia*, Yogyakarta.
- Bustaman, S., 2011, Potensi Pengembangan Minyak Daun Cengkeh sebagai Komoditas Ekspor Maluku, *Jurnal Litbang Pertanian*, 30(4), 132-129.
- Daintith, J., 1999, *Kamus Lengkap Kimia*, Erlangga, Jakarta.

- Fessenden, R.J., dan Fessenden, J.S., 2001, *Kimia Organik*, Edisi ketiga, Jilid 2, Penerbit Erlangga, Jakarta.
- Gionar, Y.R., 1996, Studi Pendahuluan Pengendalian Lalat Buah dengan Menggunakan Kombinasi Atraktan Metil Eugenol, *J. Pemanfaatan Bahan Alami dalam Upaya Pengendalian Populasi Organisme Pengganggu Tanaman*, 3(4), 3-6.
- Handayani, S., Budimarwanti, C., and Haryadi, W., 2017, Microwave-Assisted Organic Reactions: Eco-friendly Synthesis of Dibenzylidenecyclohexanone Derivatives via Crossed Aldol Condensation, *Indones. J. Chem.*, 17(2), 336-341.
- Han, J.H., Lee, D.U., Lee, J.T., Kim, J.S., Yong, C.S., Kim, J.A., and Huh, K., 2000, 4-Hydroxybenzaldehyde from *Gastrodia elata* B1. Is Active in the Antioxidation and GABAergic Neuromodulation of the Rat Brain, *J. Ethnopharmacology*, 73(1), 329-333.
- Haq, R., Khan, M.F., and Haq, E., 2012, Heavy Weight Protein Affected by Lead Acetate in *Bactrocera dorsalis*, *J. Basic Appl. Sci.*, 8, 411-415.
- Hassan, Y., Klein, R., and Kaye, P.T., 2017, Aldol Condensation Reactions Effectively Catalysed by Lewis acid, *Acta Chem. Iasi*, 25, 63-72.
- Hasyim, A., Muryati, dan de Kogel, W.J., 2008, Population Fluctuation of Adult Males of the Fruit Fly *Bactrocera tau* Walker (Diptera: Tephritidae) in Passion Fruit Orchards in Relation to Factors and Sanitation, *Indo. J. Agric. Sci.*, 9(1), 29-33.
- Iyar, 2006, Survei Hama Lalat Buah di Provinsi Sulawesi Tengah Tahun 2006, *Prosiding Seminar Ilmiah dan Pertemuan Tahunan PEI dan PFI XVIII*, Sinjai.
- Kardinan, A., 2002, *Pestisida Nabati*, Penerbit Swadaya, Jakarta.
- Kardinan, A., 2010, *Prospek dan Kendala dalam Pengembangan dan Penerapan Biopestisida di Indonesia*, Penerbit Swadaya, Jakarta.
- Kardinan, A., dan Syakir, A.M., 2007, Potensi Bahan Alami sebagai Pengendali Hama Lalat Buah (*Bactrocera* spp.), *Jurnal Bahan Alami Indonesia*, 7(2), 72-76.
- Khrimian, A., Siderhurst, M.S., Mcquate, G.T., Liquido, N.J., Nagara, J., Carvalho, L., Guzman, F., and Jang, E.B., 2009, Ring-Fluorinated Analog of Methyl Eugenol: Attractiveness to and Metabolism in the Oriental Fruit Fly, *Bactrocera Dorsalis* (Handel), *J. Chem. Ecol.*, 35, 209-128.
- Khurana, J. M., And Sharma, P., 2004, Chemoselective Reduction of α,β -Unsaturated Aldehydes, Ketones, Carboxylic Acids, and Esters with Nickel Boride in Methanol-Water, *Bull. Chem. Soc. Jpn.*, 77, 549-552.
- Kusnaedi, 2004, *Pengendalian Hama Tanpa Pestisida*, Penerbit Swadaya, Jakarta.

- Li, Y.M., Zhou, Z.L., and Hong, Y.F., 1993, Studies on the Phenolic Derivates from Galeola Faberi Rofle, *Acta pharmacol. Sin.*, 28(10), 766-771.
- Martin, R., 1997, *Handbook of Hydroxyacetophenones*, Spinger-Science and Bussines Media, B.V., Paris.
- Metcalf, R.L., 1990, Chemical Ecology of Dacinae Fruit Flies (Diptera: Tephritidae), *Ann. Entomol. Soc. Am.*, 83 (6), 1017-1030.
- McMurry, J., 2008, *Organic Chemistry*, 7th Ed, Thomson Brooks Cole, Singapore.
- Murdiah, 2018, Sintesis Turunan Senyawa Zingeron dan Uji Potensi Sebagai Atraktan Lalat Buah, *Tesis*, Jurusan Kimia UGM, Yogyakarta.
- Muryati, Hasyim, A., dan Riska, 2008, Preferensi Spesies lalat Buah Hama terhadap Atraktan Metil Eugenol dan Cuelure dan Populasinya di Sumatera Barat dan Riau, *J.Hort*, 18(2), 227-233.
- Nishida, R., and Tan, K.H., 2016, Search for New Fruit Fly Attractants from Plants A review, *Proc. 9th ISFFEI*, 249-262.
- Park, S.J., Moreli, R., Hanssen, B.L., Jamie, J.F., Jamie, I.M., Sidehurst, M.S., and Taylor, P.W., 2017, Raspberry Ketone Analogs: Vapour Pressure Measurements and Attractiveness to Queensland Fruit Fly, *Bactrocera Tryoni* (Froggatt) (Diptera tephritidae), *J. P. One.*, 11(5), 1-16.
- Pranowo, D., Affandi, M.Y., Candraningrum, W., dan Muchalal, M., 2010, Mempelajari Sintesis 4-(Hidroksifenil)-3-buten-2-on, *Makalah Pedamping: Kimia*, 93-99.
- Pasetriyani, E.T., 2010, Pengendalian Hama Tanaman Sayuran dengan Cara Mudah, Murah, Efektif dan Ramah Lingkungan, *Jurnal Agribisnis dan Pengembangan Wilayah*, 2(1), 34-42.
- Van, E.L.L., Hoagland, R.E., Zablotowicz, R.M., and Hall, J.C., 2003, Pesticide Metabolism in Plants and Microorganisms, *Weed Science*, 168930, 121-132.
- Schatz, P.F., 1996, Bromination of Acetnilide, *J. Chem. Educ.*, 73, 267.
- Setamdideh, D., and Ghahremani S., 2012, Convenient Reduction of Carbonyl Compounds to their Corresponding Alcohols with NaBH₄/(NH₄)₂C₂O₄ System, *S. Afr. J. Chem.*, 65, 91-97.
- Setamdideh, D. and Zeynizadeh B., 2006, Mild and Convenient Method for Reduction of Carbonyl Compounds with the NaBH₄/Charcoal System in Wet THF, *Z. Naturforsch*, 61b, 1275-1281.
- Silverstein, R.M., Webster, F.X., and Kemle, D.J., 2005, *Spectrometric Identification of Organic Compounds*, John Wiley and Sons, USA.
- Sinamarta, J., Ningsih, Y.P., dan Zahara, F., 2013, Uji Efektivitas Beberapa Jenis Atraktan untuk Mengendalikan Hama Lalat Buah (*Bactrocera dorsalis*

- Hend.) pada Tanaman Jambu Biji (*Psidium guajava* L.), *Jurnal Online Agroetnologi*, 1(2), 192-200.
- Siwi, S.S., Hidayat P., dan Suputa, 2006, *Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae)*, BB Biogen dan Dep. Agriculture, Fisheries and Forestry Australia, Bogor.
- Sjostrom, E., 1998, *Kimia Kayu, Dasar-dasar dan Penggunaan*, Edisi Kedua, Gadjah Mada University Press, Yogyakarta.
- Smith, L.R., 1996, Rheosmin (“Raspberry Ketone”) and Zingerone, and Their Preparation by Crossed Aldol-Catalytic Hydrogenation, *The Chemical Educator*, 1(3), 1-18.
- Suputa, Cahyani, Arminudin, A.T., Kustaryati, A., Railan, M., dan Issusilaningtyas, 2007, *Pedoman Koleksi dan Preservasi Lalat Buah (Diptera: Tephritidae)*, Direktorat Perlindungan Tanaman Hortikultura, Direktorat Jendral Hortikultura, Departemen Pertanian Indonesia, Jakarta.
- Suputa, Trisyono, Y.A., Martono, E., and Siwi, S.S., 2010, Update on the Host Range of Different Species of Fruit Flies in Indonesia, *Jurnal Perlindungan Tanaman Indonesia*, 16, 62-75.
- Sutanto, A., Faisal, F., Atami, N.L.N., dan Tohidin., 2017, Fluktuasi Populasi Lalat Buah (*Bactrocera dorsalis* kompleks.) (Diptera: Tephritidae) pada Pertanaman Pepaya di Desa Margaluyu, Kabupaten Garut, *J. Agrikultura*, 28(1), 32-38.
- Svetaz, L.A., Di Liberto, M.G., Zanardi, M.M., Suarez, A.G., and Zacchino, S.A., 2014, Efficient Production of the Flavoring Agenet Zingerone and of Both (R)- and (S)-zingerols via Green Fungal Cioatalysis. Comparative Bntifungal Activities between Enantiomers, *Int. J. Mol. Sci.*, 15, 22042-22058.
- Sykes, P., 1985, *A Guide to Mechanism in Organic Chemistry*, Christ’s Collage, Cambridge.
- Tan, K.H., and Nishida, R., 2000, Mutual Reproductive Benefits between A Wild Orchid, *Bulbophyllum Patens*, and *Bactrocera* Fruit Flies Via a Floral Synomone, *J. Chem. Ecol.*, 26, 533–546.
- Tan, K.H., and Nishida, R., 2007, Zingerone in the Floral Synomone of *Bulbophyllum Baileyi* (Orchidaceae) Attracts *Bactrocera* Fruit Flies during Pollination, *Biochem. Syst. Ecol.*, 35, 334-341.
- Tan, K.H., and Nishida, R., 2012, Methyl Eugenol: Its Occourence, Distribution, and Role in Nature, especially in Relation to Insect Behavior and Pollination, *Journal of Insect Science*, 12, 1-18.
- Xu, Y., Liu, L., Chong, H., Yang, S., Xiang, J., Meng, X., and Zhu, M., 2016, The Key Gold: Enhanced Platinum Catalysis for the Selective Hydrogenation of α,β -Unsaturated Ketonee, *J. Phys. Chem.*, 120, 12446-12451.

Windholz, M., 1983, *The Merck Index*, Edisi Kesepuluh, Merk dan Co. Inc., New Jersey.

Zeynizadeh, B., and Yahyaei S., 2003, A Mild and Convenient Method for the Reduction of Carbonyl Compounds with NaBH_4 in the Presence of Catalytic Amounts of MoCl_5 , *Bull. Korean Chem. Soc.*, 24 (11), 1664-1670.