

DAFTAR PUSTAKA

- Aaronson NK, Ahmedzai S, Bergman B. The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology. *J Natl Cancer Inst.* 1993.
- Alvarez Secord A, Havrilesky LJ, Bae-Jump V, Chin J, Calingaert B, Bland A. The role of multi-modality adjuvant chemotherapy and radiation in women with advanced stage endometrial cancer. *Gynecol Oncol* 2007;107(2): p.285–91.
- Allen NE, Tsilidis KK, Key TJ, Dossus L, Kaaks R, Lund E. Menopausal hormone therapy and risk of endometrial carcinoma among postmenopausal women in the European Prospective Investigation Into Cancer and Nutrition. *Am J Epidemiol.* 2010;172: p.1394–403.
- Angioli R., Plotti F., Cafà E.V., Dugo N., Capriglione S., Terranova C. “Quality of life in patients with endometrial cancer treated with or without systematic lymphadenectomy”. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 2013.
- ASTEC/EN.5 Study Group. Adjuvant external beam radiotherapy in the treatment of endometrial cancer (MRC ASTEC and NCIC CTG EN.5 randomised trials): pooled trial results, systematic review, and meta-analysis. *Lancet.* 2009.
- Badan Registrasi Kanker IAPI. *Data Histopatologi Kanker di Indonesia.* Jakarta: Direktorat Jendral Pelayanan Medik Departemen Kesehatan RI; 2013.
- Barlin JN, Puri I, Bristow RE. Cytoreductive surgery for advanced or recurrent endometrial cancer: A meta-analysis. *Gynecol Oncol.* 2010;118: p.14-18.
- Benedetti-Panici P, Basile S, Maneschi F, Lissoni AA, Signorelli M, Scambia G. Systematic pelvic lymphadenectomy in early-stage endometrial carcinoma: randomised clinical trial. *J Natl Cancer Inst.* 2008;100(23): p.1707-1716.

Boente MP, Yordan ELJ, McIntosh DG, Grendys ECJ, Orandi YA, Davies S.
Prognostic factors and long-term survival in endometrial adenocarcinoma
with cervical involvement. *Gynecol Oncol* 1993;51(3): p.316-322.

Bokhman JV. Two pathogenic types of endometrial carcinoma. *Gynecol Oncol*
1983 : p.10–17.

Brinton LA, Felix AS, McMeekin DS, Creasman WT, Sherman ME, Mutch D.
Etiologic heterogeneity in endometrial cancer: evidence from a
Gynecologic Oncology Group trial. *Gynecol Oncol*. 2013;129: p.277–84.

Burstein HJ, Temin S, Anderson H, Buchholz TA, Davidson NE, Gelmon KE.
Adjuvant endocrine therapy for women with hormone receptor-positive
breast cancer: american society of clinical oncology clinical practice
guideline focused update. *J Clin Oncol*. 2014;32(21): p.2255-2269.

Cella DF. Quality of life outcomes: measurement and validation. *Oncology*
(Williston Park). 1996.

CKitchener H, Swart AM, Qian Q, Amos C, Parmar MK. Efficacy of systematic
pelvic lymphadenectomy in endometrial cancer (MRC ASTEC trial): a
randomised study. *Lancet*. 2009;373(9658): p.125-136.

Cocks K, King MT, Velikova G. Evidence-based guidelines for interpreting
change scores for the European Organisation for the Research and
Treatment of Cancer Quality of Life Questionnaire Core 30. *Eur J*
Cancer. 2012;48(11): p.1713–1721.

Colombo, N., Creutzberg, C., Amant, F., Bosse, T., González-Martín, A.,
Ledermann, J., Sessa, C. (2016). ESMO-ESGO-ESTRO Consensus
Conference on Endometrial Cancer: diagnosis, treatment and follow-up.
Annals of Oncology, 27(1), 16–41.
<https://doi.org/10.1093/annonc/mdv484>

Creutzberg CL, van Putten WL, Koper PC, Lybeert ML, Jobsen JJ, Wárlám-
Rodenhuis CC. Surgery and postoperative radiotherapy versus surgery
alone for patients with stage-1 endometrial carcinoma: multicentre
randomised trial. PORTEC Study Group. Post Operative Radiation
Therapy in Endometrial Carcinoma. *Lancet*. 2000.

- Crosbie EJ, Zwahlen M, Kitchener HC, Egger M, Renehan AG. Body mass index, hormone replacement therapy, and endometrial cancer risk: a meta-analysis. *Cancer Epidemiol Biomarkers Prev.* 2010;19: p.3119–30.
- Daniels MS, Urbauer DL, Zangeneh A, Batte BA, Dempsey KM, Lu KH. Outcomes of screening endometrial cancer patients for Lynch syndrome by patient administered checklist. *Gynecol Oncol.* 2013.
- Dobrzycka B, Terlikowski R, Kulesza-bronczyk B, Niklinski J. *Quality of life in long-term survivors of early stage endometrial cancer.* 2017;24(3): p. 513–6.
- Dossus, Allen, Kaaks, Bakken, Lund, Tjonneland, Schu. Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. 2010. p. 442-51. <https://doi.org/10.1002/ijc.25050>
- Eto T, Saito T, Kasamatsu T, Nakanishi T, Yokota H, Satoh T. Clinicopathological prognostic factors and the role of cytoreduction in surgical stage IVb endometrial cancer: a retrospective multi-institutional analysis of 248 patients in Japan. *Gynecol Oncol.* 2012;127(2): p.338-344.
- Evans T, Sany O, Pearmain P, Ganesan R, Blann A, Sundar S. Differential trends in the rising incidence of endometrial cancer by type: data from a UK population-based registry from 1994 to 2006. *Br J Cancer.* 2011; 104(9): p.1505-1510.
- Fayers PM, AN, Bjordal K., Groenvold M., Curran D., Bottomley A. EORTC QLQ-C30 Scoring Manual. 3rd ed. Brussels: European Organisation for Research and Treatment of Cancer. 2001.
- Frost JA, Webster KE, Bryant A, Morrison J. Lymphadenectomy for the management of endometrial cancer. *Cochrane Database of Systematic Reviews.* 2015.
- Gates EJ, Hirschfield L, Matthews RP, Yap OWS. Body mass index as a prognostic factor in endometrioid adenocarcinoma of the endometrium. *J Natl Med Assoc.* 2006: p.1814–1822.

- Greimel E, Nordin AJ. Application of quality of life measurements in clinical trials and in clinical practice for gynecologic cancer patients. *Expert Rev Pharmacoecon Outcomes Res.* 2010.
- Helder-Woolderlink J, De Bock G, Sijmons Rea. The additional value of endometrial sampling in the early detection of endometrial cancer in women with Lynch syndrome. *Gynecol Oncol* 2013;131(2): p.304-308.
- Hoffman, BL; Schorge, JO; Schaffer, JI; Halvorson, LM; Bradshaw, KD; Cunningham, FG eds. *Endometrial Cancer*. In: Williams Gynecology (2nd ed). McGraw-Hill. p; 2012. page 819–34.
- Hoskins WJ, Perez CA, Young RC, Barakat RR, Markman M, Randall ME. Principles and practice of gynecologic oncology, 4th ed. Philadelphia: Lippincott Williams & Wilkins; 2005. p. 823-63.
- Iang Yuan, Uan, Heng WZ, Heng JC. *Menstrual and reproductive factors and endometrial cancer risk : results from a population-based case-control study in urban shanghai*. *Int J Cancer.* 2004. p: 613–9.
- Johnson N, Cornes P. Survival and recurrent disease after postoperative radiotherapy for early endometrial cancer: systematic review and meta-analysis. *Br J Obstet Gynaecol* 2007;114: p.1313-1320.
- Kornblith AB, Huang HQ, Walker JL, Spirtos NM, Rotmensch J, Cella D. Quality of life of patients with endometrial cancer undergoing laparoscopic international federation of gynecology and obstetrics staging compared with laparotomy: a Gynecologic Oncology Group. *J Clin Oncol.* 2010.
- Lax SF, Kurman RJ, Pizer ES, Wu L, Ronnett BM. A binary architectural grading system for uterine endometrial carcinoma has superior reproducibility compared with FIGO grading and identifies subsets of advancedstage tumors with favorable and unfavorable prognosis. *Am J Surg Pathol* 2000; 24: p.1201–1208.
- Levine DA, Lin O, Barakat RR, Robson ME, McDermott D, Cohen L. Risk of endometrial carcinoma associated with BRCA mutation. *Gynecol Oncol.* 2001;80: p.395–8.

Mariani A, Webb MJ, Keeney GL, Calori G, Podratz KC. Role of wide/radical hysterectomy and pelvic lymph node dissection in endometrial cancer with cervical involvement. *Gynecol Oncol.* 2001;83(1): p.72-80.

Meyer L, Broaddus R, Lu K. Endometrial Cancer and Lynch Syndrome: clinical and pathologic considerations. *Cancer Control* 2009;16 (1) : p.14-22.

National Cancer Institute. *Endometrial Cancer*. National Institute of Health; 2010.

National Institute for Health and Care Excellence. NICE guidelines (NG12) Suspected cancer: recognition and referral. June 2015; Available at: <https://www.nice.org.uk/guidance/ng12>.

Nout RA, Putter H, Ju IM, Slot A, Stenfert MC, Nijman HW. *Five-year quality of life of endometrial cancer patients treated in the randomised Post Operative Radiation Therapy in Endometrial Cancer (PORTEC-2) trial and comparison with norm data*. *European Journal Cancer.* 2012;8(0): p.1638–48. Available from: www.ejconline.com

Ota T, Yoshida M, Kimura M, Kinoshita K. Clinicopathologic study of uterine endometrial carcinoma in young women aged 40 years and younger. *Int J Gynecol Cancer.* 2005; **15**: p.657–662.

Pecorelli S. International Journal of Gynecology and Obstetrics Revised FIGO. *Staging for carcinoma of the vulva, cervix, and endometrium*. *Int J Gynecol Obstet.*2009;105(2) p:103–4.

Pellerin GP, Finan MA. *Endometrial cancer in women 45 years of age or younger: A clinicopathological analysis*. *Am J Obstet Gynecol* 2005; p.1640–4.

Rosenberg P, Risberg B, Askmal L, Simonsen E. The prognosis in early endometrial carcinoma. The importance of uterine papillary serous carcinoma (UPSC), age, FIGO grade and nuclear grade. *Acta Obstet Gynecol Scand.* 1989;68(2): p.157-163.

Sofowan MS. *Endometrium dan desidua*. In: Saiffudin AB, Rachimhadhi T, Wiknjosastro GH, editors. Ilmu kebidanan edisi IV. Jakarta: PT Bina Pustaka Sarwono Prawirohrdjo, 2012; p. 130-8.

- Sorbe B, Horvath G, Andersson H, Boman K, Lundgren C, Pettersson B. External pelvic and vaginal irradiation versus vaginal irradiation alone as postoperative therapy in medium-risk endometrial carcinoma - a prospective randomised study. *Int J Radiat Oncol Biol Phys* 2011;82(3): p.1249-1255.
- Stukan M, Zalewski K, Mardas M. Independent psychometric validation of European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-Endometrial Cancer Module (EORTC QLQ-EN24). *Eur J Cancer Care*. 2018; p.27.
- Thomas CC, Wingo PA, Dolan MS, Lee NC, Richardson LC. Endometrial cancer risk among younger, overweight women. *Obstet Gynecol*. 2009; p.114:22–7.
- Varughese J, Richman S. *Women's Health in the Developing World*. *Cancer Care Inequity for Women in Resource-Poor Countries*. 2010;3(1):122–32.
- Wright JD, Fiorelli J, Kansler AL, Burke WM, Schiff PB, Cohen CJ. Optimizing the management of stage II endometrial cancer: the role of radical hysterectomy and radiation. *Am J Obstet Gynecol*. 2009;200(4): p.419.e1-7. doi: 10.1016/j.ajog.2008.11.003.
- World Cancer Research Fund/ American Institute for Cancer Research. *Food, Nutrition, Physical Activity, and the Prevention of Cancer: Endometrial cancer 2013 report*.
- Yasumizu T, Ogawa K, Kato J. Comparison of the clinicopathological characteristics of premenopausal and postmenopausal endometrial carcinomas: analysis of endocrinologically evaluated cases. *Jpn J Clin Oncol*. 1996: p.152-6.