

DAFTAR PUSTAKA

- Agarwal, A., Schechter, C., Zaman, A.(2009). Assesment of functional status an quality of life after percutaneous coronary revascularization in octogenarians. *Age and Aging: British Geriatrik Society* 38: 6(748-751). doi: 10.1093/ageing/afp174
- Austin, J., Williams, R., Ross, L., Moseley, L. and Hutchison, S., (2005). Randomised controlled trial of cardiac rehabilitation in elderly patients with heart failure. *European Journal of Heart Failure*, 7(3), pp.411-417.
- Blankenship, J.C., Marshall, J.J., Pinto, D.S., Lange, R.A., Bates, E.R., Holper, E.M., Grines, C.L. and Chambers, C.E., (2013). Effect of percutaneous coronary intervention on quality of life: a consensus statement from the Society for Cardiovascular Angiography and Interventions. *Catheterization and Cardiovascular Interventions*, 81(2), pp.243-259.
- Bonaventura, A., Montecucco, F., Liberale, L.(2017). Coronary stenting; A matter of revascularization. *World J Cardioll.* 9(3): 207-21. Doi:10.4330/wjc.v9.i3.207.
- Budiarto, Eko.(2012). *Biostatistika untuk kedokteran dan kesehatan masyarakat*. Jakarta: EGC.
- Burt, H. M. and Hunter, W. L. (2006). Drug-eluting stents: A multidisciplinary success story B. *Advance drug delivery reviews*, 58: 350–357. doi: 10.1016/j.addr.2006.01.014.
- Byrne, R. A., Stone, G.W., Ornishon, J and Kastrati, A.(2017). Coronary balloon angioplasty, stents, and scaffolds. *The Lancet. Elsevier Ltd*, 390(10096): 781–792. doi: 10.1016/S0140-6736(17)31927-X.
- Cao F., Zhang B., Li X., Duan S.(2018). Effect of percutaneous coronar intervention and medical therapy on quality of life and cognitive function in patients with coronary heart disease. doi : 10.11817/j.issn.1672-7347.2018.05.013
- Cassar, S. and Baldacchino, D.R., (2012). Quality of life after percutaneous coronary intervention: part 1. *British Journal of Nursing*, 21(16), pp.965-971.
- Cassar, S. and Baldacchino, D.R., 2012. Quality of life after percutaneous coronary intervention: part 2. *British Journal of Nursing*, 21(19), pp.1125-1130.

- Chhatriwalla, A. K., Venkitachalam, L., Kennedy, K. F., Stolker, J. M., Jones, P. G., Cohen, D. J., & Spertus, J. A.(2015). Relationship between stent type and quality of life after percutaneous coronary intervention for acute myocardial infarction. *American heart journal*, 170(4), 796-804.
- Chudek, J., Kowalczyk, A., Kowalczyk, A.K., Kwiatkowska, J., Raczak, G. and Kozłowski, D.,(2014). Quality of life (QOL) evaluation after acute coronary syndrome with simultaneous clopidogrel treatment. *Archives of medical science: AMS*, 10(1), p.33.
- Cockburn, J., Blows, L., Cohen., Holmberg, S., Hyde, J., Lewis, M., Trivedi, U., Hildick, S.D., Belder, D.E. A.(2013). Acute ischemic complications of PCI and CABG: Who should cover from coronary revascularization?. *Journal Interventional Cardiology* : Aug;26(4):372-7. doi: 10.1111/joic.12045.
- Crosby, R. D., Kolotkin, R. L. and Williams, G. R.(2003). Defining clinically meaningful change in health-related quality of life. *Journal of Clinical Epidemiology*.56(5): 395–407. doi: 10.1016/S0895-4356(03)00044-1.
- Cutlip DE, Windecker S, Mehran R.(2007). Clinical end points in coronary stent trials: a case for standardized definitions. *Circulation*;115(17): 2344–51
- Cutlip, D.E., Windecker, S.M., Mehran, R.(2007). Clinical end points in coronary stent trials: a case for standardized definitions. *Circulation* : 115(17).23344-51.
- Dahlan, M.S. 2012. *Analisis multivariat/ regresi linear*. Epidemiologi Indonesia.
- Dahlan, M.S. 2015. *Statistik untuk kedokteran dan kesehatan*. Epidemiologi Indonesia.
- Dahlan, M.S. 2016. *Besar sampel dalam penelitian kedokteran dan kesehatan*. Epidemiologi Indonesia.
- Darvishpour, A., Javadi-Pashaki, N., Salari, A., Sadeghi, T., & Taleshan-Nejad, M. 2017. Factors associated with quality of life in patients undergoing coronary angioplasty. *International Journal of Health sciences*, 11(4), 35.
- Dewi, K.P.(2013). *Hubungan antara dukungan sosial dengan kualitas hidup penderita kanker di RSUP Dr Sardjito Yogyakarta*. Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta
- Dharma, K.K.(2011). *Metodologi penelitian keperawatan*. Jakarta : Trans Info Media
- Elliot, J., Kelly, S.E., Bai, Z., Lie, W., Skidmore, B., Boucher, M., So. D. So., Wells, G. A.(2017). Optimal duration of dual antiplatelet therapy

following percutaneous coronary intervention: protocol for an umbrella review. *BMJ Open*. DOI: 10.1136/bmjopen-2016-015421.

- Ferrans, C. E., Zerwic, J. J., Wilbur, J. E., Larson, J.L.(2005). Conceptual model of health-related quality of life. *Journal of nursing scholarship : an official publication of Sigma Theta Tau International Honor Society of Nursing / Sigma Theta Tau*, 37(4): 336–342. doi: <http://dx.doi.org/10.1111/j.1547-5069.2005.00058.x>.
- Garg, S. and Serruys, P. W.(2010). Coronary Stents Current Status. *JAC. Elsevier Masson SAS*, 56(10): S1–S42. doi: 10.1016/j.jacc.2010.06.007.
- Gharacholou, S. M., Lopes, R. D., Alexander, K. P., Mehta, R. H., Stebbins, A. L., Pieper, K. S& Granger, C. B. (2011). Age and outcomes in ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: findings from the APEX-AMI trial. *Archives of internal medicine*, 171(6), 559-567.
- Ginting, H., Naring, G., Veld, W.M., Srisayekti, W., Becker, E.S.,(2013). Validating the Beck Depression Inventory-II in Indonesian's general population and coronary heart disease patients. *Int. J. Clin. Health Psychol*, 13: 235–242.
- Ginting, H., Ven, M., Becker, E.S., naring, G.(2016). Type D personality is associated with health behavior and perceived social support in individuals with coronary heart disease. *Journal of health Psychology*, (5): 727-737. DOI: 10.1177/1359105314536750
- Guagliumi, G., Stone, G.W., Cox, D.A., Stuckey, T., Tchong, J.E., Turco, M., Musumeci, G., Griffin, J.J., Lansky, A.J., Mehran, R. and Grines, C.L., (2004). Outcome in elderly patients undergoing primary coronary intervention for acute myocardial infarction: results from the Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications (CADILLAC) trial. *Circulation*, 110(12), pp.1598-1604.
- Hajar, R. 2017. Risk factors for coronary artery disease: Historical perspectives. *Heart views: the official journal of the Gulf Heart Association*, 18(3), 109.
- Hess, C.N., Krucoff, M.W., Sheng, S., Anstrom, K.J., Barham, W.B., Gilchrist, I.C., Harrington, R.A., Jacobs, A.K., Mehran, R., Messenger, J.C. and Mark, D.B., (2015). Comparison of quality-of-life measures after radial versus femoral artery access for cardiac catheterization in women: Results of the Study of Access Site for Enhancement of Percutaneous Coronary Intervention for Women quality-of-life substudy. *American heart journal*, 170(2), pp.371-379.
- Hill, R., Bagust, A., Bakhai, A., Dickson, R., Dundar, Y., Haycox, A., Mota, R.M., Reaney, A., Roberts, D., Williamson, P., Walley.(2004). *Coronary artery stents: rapid systematic review and socioeconomic evaluation*.

Health TechnologyAssesment:Sep;8(35):iii-iv,1242
<https://doi.org/10.3310/hta8350>.

- Holmes DR Jr, Kereiakes DJ, Garg S.(2010). Stent thrombosis. *J Am Coll Cardiol*, 56(17):1357–65.
- Iqbal, J. and Serruys, P.W.(2014). Revascularization strategies for patients with stable coronary artery disease. *Journal of internal medicine*, 276(4): 336-351. doi: 10.1111/joim.12243. Epub 2014 Apr 28.
- Iqbal, J., Gunn, J. and Serruys, P. W.(2018). Coronary stents: historical development , current status and future directions, *BMJ*. (January): 193–211. doi: 10.1093/bmb/ldt009.
- Isnanta, R., Panggabean, M. M., & Alwi, I.(2016). Comparison of coronary angiography characteristics among acute coronary syndrome patients in young and old age patients at Cipto Mangunkusumo Hospital Jakarta. *Acta Medica Indonesiana*, 46(2)
- Johnman, C., Mackay, D.F., Oldroyd, K.G. and Pell, J.P., (2013). Quality of life following percutaneous coronary interventions in octogenarians: a systematic review. *Heart*, 99(11), pp.779-784.
- Kaehler, J., Meinertz, T., & Hamm, C. W. (2006). Coronary interventions in the elderly. *Heart*, 92(8), 1167-1171.
- Kawecka-Jaszcz, K., Klocek, M., Tobiasz-Adameczyk, B. and Bulpitt, C.J. eds., (2012). *Health-related quality of life in cardiovascular patients*. Springer Science & Business Media.
- Kemenkes RI. 2013. *Riset Kesehatan Dasar; RISKESDAS*. Jakarta: Balitbang Kemenkes RI
- Kimble, L.P., Dunbar, S.B., Weintraub, W.S., McGuire, D.B., Manzo, S.F. and Strickland, O.L., (2011). Symptom clusters and health- related quality of life in people with chronic stable angina. *Journal of advanced nursing*, 67(5), pp.1000-1011.
- Kulik, A., (2017). Quality of life after coronary artery bypass graft surgery versus percutaneous coronary intervention: what do the trials tell us?. *Current opinion in cardiology*, 32(6), pp.707-714
- Kumar, S., Innasimuthu, A.L. and Marmur, J.D.(2014). The nature and pattern of coronary stent recalls. *The Journal of invasive cardiology*, 26(9): 433-436. PMID: 25198486
- Lee, DT, Choi, KC, Chair, SY. 2014. Psychological distress mediates the effects of socio-demographic and clinical characteristics on the physical health

- component of health-related quality of life in patients with coronary heart disease. *Eur J Prev Cardiol In press*. doi: 10.1177/2047487312451541.
- Lee, M. S. and Banka, G. (2016). In-stent Restenosis. *Interventional Cardiology Clinics. Elsevier Inc*, 5(2): 211–220. doi: 10.1016/j.iccl.2015.12.006.
- Levine, G.N., Bates, E.R., Blankenship, J.C., Bailey, S.R., Bittl, J.A., Cercek, B., Chambers, C.E., Ellis, S.G., Guyton, R.A., Hollenberg, S.M. and Khot, U.N., (2011). 2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. *Journal of the American College of Cardiology*, 58(24), pp.e44-e122.
- Lewis, S.L., Bucher, L., Heitkemper, M.M., Harding, M.M., Kwong, J. and Roberts, D.,(2016). *Medical-Surgical Nursing-E-Book: Assessment and Management of Clinical Problems, Single Volume*. Elsevier Health Sciences.
- Li, R., Yan, B. P., Dong, M., Zhang, Q., Yip, G. W. K., Chan, C. P., & Yu, C. M. (2012). Quality of life after percutaneous coronary intervention in the elderly with acute coronary syndrome. *International journal of cardiology*, 155(1), 90-96.
- Mangla, A. and Oliveros, E.(2017). Cardiac Imaging in the Diagnosis of Coronary Artery Disease. *Current Problems in Cardiology*. Elsevier, 42(10): 316–366. doi: 10.1016/j.cpcardiol.2017.04.005.
- Monteleone,P.P .and Yeh, R. W.(2017). Management of Complications. *Interventional Cardiology Clinics*. Elsevier Inc, 5(2): 201–209. doi: 10.1016/j.iccl.2015.12.005.
- Muñoz, J. C., Alonso, J. J., Duran, J. M., Gimeno, F., Ramos, B., Garcimartin, I., ... & Fernandez-Aviles, F. (2002). Coronary stent implantation in patients older than 75 years of age: clinical profile and initial and long-term (3 years) outcome. *American heart journal*, 143(4), 620-626.
- Nazir, Kiki Abdurahman.(2006). Penilaian Kualitas Hidup Pasien Pasca Bedah Pintas Koroner Yang Menjalani Rehabilitasi fase III Dengan Menggunakan SF-36. Tesis. Program pendidikan dokter spesialis I Departemen kardiologi dan kedokteran vaskular. *Fakultas Kedokteran Universitas Indonesia*. Jakarta
- Nilsson, E.,(2012). *Aspects of health-related quality of life: Associations with psychological and biological factors, and use as patient reported outcome in routine health care*(Doctoral dissertation, Linköping University Electronic Press).

- Novalia, Shiska.(2014). *Komparasi Dosis Radiasi Yang Diterima Operator Percutaneous Coronary Intervention Dengan Nilai batas Dosis Menurut Penetapan badan Pengawas Tenaga Nuklir*. Tesis. Bagian radiologi fakultas kedokteran Universitas Gadjah Mada. Yogyakarta
- Nur'aimin, H.W.(2016). *Efektivitas terapi tigacelor dibandingkan klopidoogrel dalam menurunkan risiko major adverse cardiovascular event pada pasien penyakit jantung pasca percutaneous coronary intervention*. Tesis. Program Studi Ilmu kedokteran Dasar Dan biomedis Minat utama Farmakologi Program Pascasarjana Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta.
- Nuraeni, A., Mirwanti, R., Anna, A. and Prawesti, A.,(2016). Faktor yang Memengaruhi Kualitas Hidup Pasien dengan Penyakit Jantung Koroner. *Jurnal Keperawatan Padjadjaran*, 4(2).
- Omar, Sami A and Belder, Adam de.(2016). Percutaneous Coronary Intervention in Older People: Does Age make A Difference?. *Interventional Cardiology Review*. Volume 11(2).
- Orimo, H., Ito, H., Suzuki, T., Araki, A., Hosoi, T. and Sawabe, M., (2006). Reviewing the definition of “elderly”. *Geriatrics & gerontology international*, 6(3), pp.149-158.
- Palmerini, T., Benedetto, U., Bacchi, R.L., Della, R.D., Biondi, Z.G., Genereux, P., Bhat, D., Orlandi, C., De, S.S., Petrous, M., Rapezzi, C., Stone, G.W.(2015). Mortality in patients treated with extended duration dual antiplatelet therapy after drug eluting stent implantation pairwise and bayesian network meta-analysis of randomised trials. *Lancet*, 35:2371
- Panthee, Dan kritpraca,C.,(2011). Anxiety and Quality of Life in Patients with Myocardial Infarction. *Nurse Media Jurnal of Nursing*, 1(10): 105-115.
- Pocock, S. J., Henderson, R. A., Clayton, T., Lyman, G. H., & Chamberlain, D. A. (2000). Quality of life after coronary angioplasty or continued medical treatment for angina: three-year follow-up in the RITA-2 trial. *Journal of the American College of Cardiology*, 35(4), 907-914.
- Polit, D.F & Back, C.T.(2009). *Nursing Research: Generating and Assessing Evidence for Nursing Practice (8th edition)*. Philadelphia. Lippincott Williams & Wilkins.
- Quadros, A. S., Lima, T. C., Rodrigues, A. P. D. R., Modkovski, T. B., Welter, D. I., Sarmiento- Leite, R., & Gottschall, C. A.(2011). Quality of life and health status after percutaneous coronary intervention in stable angina patients: results from the real- world practice. *Catheterization and Cardiovascular Interventions*, 77(7), 954-960.

- Rahmandityo, D.F.,(2016). *Hubungan Hipertensi Dengan Keparahan Penyakit Jantung Koroner Berdasarkan Sullivan Vessel Score*. Skripsi. Program Studi Kedokteran dan Profesi Dokter Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Syarif Hidayatullah. Jakarta
- Rilantono, Lily I.,(2013). *Penyakit Kardiovaskular*. Badan penerbit Fakultas Kedokteran Universitas Indonesia. Jakarta.
- Rittger, H., Rieber, J., Kögler, K., Sinha, A., Schmidt, M., Breithardt, O. A., & Brachmann, J.(2011). Clinical outcome and quality of life after interventional treatment of left main disease with drug-eluting-stents in comparison to CABG in elderly and younger patients. *Clinical Research in Cardiology*, 100(5), 439-446.
- Rochmayanti, R.,(2017). Analisis Faktor-Faktor Yang Mempengaruhi Kualitas Hidup Pasien Penyakit Jantung Koroner Di Rumah Sakit Pelni Jakarta 2011. *Jurnal Ilmiah Widya*, 1(1).
- Rumsfeld, J.S., Magdid, D.J., Sales, A.E., Grunwald, G.K., Every, N.R., Spertus, J.A.(2003). History of depression, angina and quality of life after acute coronary syndromes. *American heart Journal*: Mar; 145(3):493-9. Doi:10.1067/mhj.2003.177
- Salazar, A., Dueñas, M., Fernandez-Palacin, F., & Failde, I. (2016). Factors related to the evolution of health related quality of life in coronary patients. A longitudinal approach using weighted generalized estimating equations with missing data. *International Journal of Cardiology*, 223, 940-946.
- Salim, S. Yamin, M., Alwi, I., Setiati, S. (2017). Validity and Reliability of the Indonesian Version of SF-36 Quality of Life Questionnaire on Patients with Permanent Pacemakers. *Indones J Intern Med*, 49(1), pp. 10–16.
- Saputra, F., Yunibhand, J. and Sukratul, S.,(2017). Relationship between personal, maternal, and familial factors with mental health problems in school-aged children in Aceh province, Indonesia. *Asian journal of psychiatry*, 25, pp.207-2
- Setyaji, D.Y., Prabandari, Y.S. and Gunawan, I.M.A., (2018). Aktivitas fisik dengan penyakit jantung koroner di Indonesia. *Jurnal Gizi Klinik Indonesia*, 14(3), pp.115-121.
- Shan, L., Saxena, A., & McMahon, R. (2014). A systematic review on the quality of life benefits after percutaneous coronary intervention in the elderly. *Cardiology*, 129(1), 46-54.
- Shanmugasundaram, M. (2011). Percutaneous coronary intervention in elderly patients: is it beneficial?. *Texas Heart Institute Journal*, 38(4), 398.

- Spertus, J. A., Winder, J.A., Dewhurst, A. T., Deyo, R.A., Prodzinski, J., McDonell, M., Fihn, S.D.(1995). Development and evaluation of the Seattle Angina questionnaire: A new functional status measure for coronary artery disease. *Journal of the American College of Cardiology*, 25(2): 333–341. doi: 10.1016/0735-1097(94)00397-9.
- Sullivan, D. R., Marwick, T. H., & Freedman, S. B. (1990). A new method of scoring coronary angiograms to reflect extent of coronary atherosclerosis and improve correlation with major risk factors. *American heart journal*, 119(6), 1262-1267.
- Taghadosi, M., Aliakbarzade Arani, Z. and Gilasi, H.R.,(2014). Quality of life in patients with ischemic heart disease. *Journal of Nursing and Midwifery Sciences*, 1(1), pp.19-26.
- Takousi, M. G., Schmeer, S., Manaras, I., Olimpios, C. D., Makos, G., Troop, N. A.(2016). Health-related quality of life after coronary revascularization: A systematic review with meta-analysi. *Hellenic Journal of Cardiology*. Elsevier Ltd, 57(4): 223–237. doi: 10.1016/j.hjc.2016.05.003.
- Van den Berge, J. C., Dulfer, K., Utens, E. M., Hartman, E. M., Daemen, J., van Geuns, R. J., & van Domburg, R. T.(2016). Predictors of subjective health status 10 years post-PCI. *IJC Heart & Vasculature*, 11, 19-23.
- Wilson, I.B., Cleary, P.D. 1995. Linking clinical variabel with health-related Quality of life. *JAMA*: 4; 273(1):59-65 PMID: 7996652
- Windecker, S., Kolh, P., Alfonso, F., Collet, J.P., Cremer, J., Falk, V., Filipatos, G., Hamm, C., Head, S.J., Juni, P., Kappetein, A.P., Kasrati, A., Knuti, J., Landmesser, U., laufer, G., Neumann, F.J., Richter D.J., Schaeuerte, P., Sousa, U.M., Stefani, G.G., Tagart, D.P., Toraca, L., Valgimigli, M., Wijns, W., Witkowski, A.(2014). ESC/EACTS Guidelines on myocardial revascularization: The Task Force on myocardial Revascularization of European society of cardiology (ESC) and EACTS. *Eur Heart J.*, 35: 2541-2519. PMID: 251733339 DOI: 10.1093/eurheartj/ehu278.
- Wong, M. S. and Chair, S. Y.(2007). Changes in health-related quality of life following percutaneous coronary intervention: A longitudinal study. *International Journal of Nursing Studies*, 44(8): 1334–1342. doi: 10.1016/j.ijnurstu.2006.07.011.
- World Health Organisation (2017) ‘World Health Organization’, pp. 1–6. doi: 10.1038/2031016e0.
- Yeng, S.H.S., Gallagher, R. and Elliott, D.(2016). Factors influencing health-related quality of life after primary percutaneous coronary intervention for ST-elevation myocardial infarction. *Applied Nursing Research*, 30: 237-244.

Yunani, P.I., 2014. *Analisis Peramalan Jumlah Pemakaian Stent di Indonesia (Studi Kasus di RSJPD Harapan Kita, RSUP Dr. Sardjito, RSUD Dr. Soetomo)* (Doctoral dissertation, Universitas Gadjah Mada).

Widiyanti, C.R (2017). *Gambaran Kualitas Hidup Pasien Jantung Koroner di Poliklinik Penyakit Jantung RS AU dr.Salamun Bandung. Politeknik Kemenkes Bandung. Skripsi.*