

DAFTAR PUSTAKA

1. WHO. low birthweight: country, regional and global estimates. WHO publications. 2004.
2. Eichenwald EC, Stark AR. Management and Outcomes of Very Low Birth Weight. *N Engl J Med*. 2008;358:1700–11.
3. Wibowo T, Haksari EL, Wandita S. Faktor Prognostik Kematian Bayi Berat Lahir Sangat Rendah di Rumah Sakit Rujukan Tingkat Tersier. *Sari Pediatr*. 2016;13:401.
4. Valero De Bernabé J, Soriano T, Albaladejo R, Juarranz M, Calle ME, Martínez D, et al. Risk factors for low birth weight: A review. *Eur J Obstet Gynecol Reprod Biol*. 2004;116:3–15.
5. Goldenberg R, Culhane J, Iams J. Preterm Birth 1: Epidemiology and Causes of Preterm Birth. *Obstet Anesth*. 2009;75–84.
6. Arias E, Heron M, Xu J. National Vital Statistics Reports, Volume 66, Number 3 (April 11, 2017). *Natl Vital Stat Reports*. 2013;66.
7. Stoll BJ, Hansen NI, Bell EF, Shankaran S, Laptook AR, Walsh MC, et al. Neonatal Outcomes of Extremely Preterm Infants From the NICHD Neonatal Research Network. *Pediatrics*. 2010;126:443–56.
8. Boyle EM, Poulsen G, Field DJ, Kurinczuk JJ, Wolke D, Alfirevic Z, et al. Effects of gestational age at birth on health outcomes at 3 and 5 years of age: Population based cohort study. *BMJ*. 2012;344.
9. Luu TM, Rehman Mian MO, Nuyt AM. Long-Term Impact of Preterm Birth: Neurodevelopmental and Physical Health Outcomes. *Clin Perinatol*. 2017;44:305–14.
10. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan. Riset kesehatan dasar. 2013;
11. Sebayang SK, Dibley MJ, Kelly PJ, Shankar A V., Shankar AH. Determinants of low birthweight, small-for-gestational-age and preterm birth in Lombok, Indonesia: Analyses of the birthweight cohort of the SUMMIT trial. *Trop Med Int Heal*. 2012;17:938–50.
12. Bromer JG, Ata B, Seli M, Lockwood CJ, Seli E. Preterm deliveries that result from multiple pregnancies associated with assisted reproductive technologies in the USA: A

- cost analysis. *Curr Opin Obstet Gynecol*. 2011;23:168–73.
13. Halliday J. Outcomes of IVF conceptions: are they different? *Best Pract Res Clin Obstet Gynaecol*. 2007;21:67–81.
 14. Rajput A, Gauderer MWL, Hack M. Inguinal hernias in very low birth weight infants: Incidence and timing of repair. *J Pediatr Surg*. 1992;27:1322–4.
 15. Vaucher Y. Bronchopulmonary Dysplasia: An Enduring Challenge. *Pediatr Rev*. 2002;23:349–58.
 16. Summary E. Statement on the Care of the Child with Chronic Lung Disease of Infancy and Childhood. *Am J Respir Crit Care Med*. 2003;168:356–96.
 17. Pruetz JD, Votava-smith JK, Tesoriero L. CHAPTER 31 Neonates With Critical Congenital Heart Disease : Delivery Room Management and Stabilization Before Transfer to the Cardiac Intensive Care Unit [Internet]. Third Edit. Vol. 1, Hemodynamics and Cardiology. Elsevier Inc.; 2018. 553–570 p.
 18. Jensen EA, Schmidt B. Epidemiology of bronchopulmonary dysplasia. *Birth Defects Res Part A - Clin Mol Teratol*. 2014;100:145–57.
 19. Hornik CP, Fort P, Clark RH, Watt K, Jr KB, Smith PB, et al. NIH Public Access. 2013;88:1–13.
 20. H wang, J. H., Lee, E. H., & Kim, E. A. R. Retinopathy of Prematurity among Very-Low-Birth-Weight Infants in Korea: Incidence, Treatment, and Risk Factors. *J Korean Med Sci*. 2015;30:S88–94.
 21. AlajbegovicHalimic J, Zvizdic D, AlimanovicHalilovic E, Dodik I, Duvnjak S. Risk Factors for Retinopathy of Prematurity in Premature Born Children. *Med Arch*. 2015;69:409.
 22. Bocca-Tjeertes IFA, Kerstjens JM, Reijneveld SA, de Winter AF, Bos AF. Growth and Predictors of Growth Restraint in Moderately Preterm Children Aged 0 to 4 Years. *Pediatrics*. 2011;128:e1187–94.
 23. Nutrition and feeding in infants with BPD after initial hospital discharge: risk factors for growth failure.
 24. Hack, M., Breslau, N., Weissman, B., Aram, D., Klein, N., Borawski E. Effect of very low birth weight and subnormal head size on cognitive abilities at school age. *New*. 1991;
 25. Ismail, D. Pemantauan tumbuh kembang pada bayi kurang bulan. *Tata laksana*

- komprehensif bayi kecil* Winaya Waidya Anarawata. 2010;
26. Fenton TR, Sauve RS. Using the LMS method to calculate z-scores for the Fenton preterm infant growth chart. *Eur J Clin Nutr.* 2007;61:1380–5.
 27. Allen MC. Neurodevelopmental outcome of preterm infants. *Arch Hell Med.* 2014;31:272–7.
 28. Saigal S, Doyle LW. An overview of mortality and sequelae of preterm birth from infancy to adulthood. *Lancet.* 2008;371:261–9.
 29. Beaino G, Khoshnood B, Kaminski M, Marret S, Pierrat V, Vieux R. Predictors of the risk of cognitive deficiency in very preterm infants : the EPIPAGE prospective cohort. 2011;370–8.
 30. Ojala R, Haataja P, Gissler M, Tammela O. Cerebral Palsy Among Children Born Moderately and Late Preterm. 2014;
 31. Bassan H. Intracranial Hemorrhage in the Preterm Infant: Understanding It, Preventing It. *Clin Perinatol* [Internet]. 2009;36:737–62. Available from: <http://dx.doi.org/10.1016/j.clp.2009.07.014>
 32. Harlor ADB, Bower C. Hearing Assessment in Infants and Children: Recommendations Beyond Neonatal Screening. *Pediatrics.* 2009;124:1252–63.
 33. Wroblewska-Seniuk K, Greczka G, Dabrowski P, Szyfter-Harris J, Mazela J. Hearing impairment in premature newborns —Analysis based on the national hearing screening database in Poland. *PLoS One.* 2017;12:1–15.
 34. Kosim, M. Sholeh, A. Yunanto, R. Dewi, G. I. Sarosa and AU. Buku ajar neonatologi. Edisi pertama. *Jakarta Ikat Dr Anak Indones.* 2008;
 35. Treatment E, Group PC. The Incidence and Course of Retinopathy of Prematurity: Findings From the Early Treatment for Retinopathy of Prematurity Study. *Pediatrics.* 2005;116:15–23.
 36. Darlow BA, Hutchinson JL, Simpson JM, Henderson-Smart DJ, Donoghue DA, Evans NJ. Variation in rates of severe retinopathy of prematurity among neonatal intensive care units in the Australian and New Zealand Neonatal Network. *Br J Ophthalmol.* 2005;89:1592–6.
 37. Statement P. Screening examination of premature infants for retinopathy of prematurity. *Ophthalmology.* 1997;104:888–9.
 38. Laws D, Shaw DE, Robinson J, Jones HS, Ng YK, Fielder AR. Retinopathy of

- prematurity: A prospective study. Review at six months. *Eye*. 1992;6:477–83.
39. Northway W.H., Moss R., Carisle K.B., Parker, B. PR. Late pulmonary sequelae of bronchopulmonary dysplasia. *New Engl J Med*. 1990;323:1361–6.
 40. Doyle LW, Olinsky A, Faber B, Callanan C. Adverse Effects of Smoking on Respiratory Function in Young Adults Born Weighing Less Than 1000 Grams. *Pediatrics*. 2003;112:565–9.
 41. Kim DH, Kim HS, Choi CW, Kim EK, Kim B Il, Choi JH. Risk factors for pulmonary artery hypertension in preterm infants with moderate or severe bronchopulmonary dysplasia. *Neonatology*. 2011;101:40–6.
 42. Xiong T, Gonzalez F, Mu DZ. An overview of risk factors for poor neurodevelopmental outcome associated with prematurity. *World J Pediatr*. 2012;8:293–300.
 43. Bhandari A, Panitch HB. Pulmonary Outcomes in Bronchopulmonary Dysplasia. *Semin Perinatol*. 2006;30:219–26.
 44. Greenough A, Giffin FJ, Yüksel B, Dimitriou G. Respiratory morbidity in young school children born prematurely-chronic lung disease is not a risk factor? *Eur J Pediatr*. 1996;155:823–6.
 45. Kuint J, Lerner-Geva L, Chodick G, Boyko V, Shalev V, Reichman B, et al. Rehospitalization Through Childhood and Adolescence: Association with Neonatal Morbidities in Infants of Very Low Birth Weight. *J Pediatr*. 2017;188:135-141.e2.
 46. Georgieff M. Iron Therapy for Preterm Infants. *Clin Perinatol*. 2017;36:27–42.
 47. Baker RD, Greer FR. Diagnosis and Prevention of Iron Deficiency and Iron-Deficiency Anemia in Infants and Young Children (0-3 Years of Age). *Pediatrics*. 2010;126:1040–50.
 48. IDAI. Suplementasi Zat Besi. 2011;
 49. Carlson ED. Screening for Iron Deficiency Anemia by Dietary History in a High-Risk Population. 1984;21:207–15.
 50. Clark RH, Thomas P, Peabody J. Extrauterine growth restriction remains a serious problem in prematurely born neonates. *Pediatrics*. 2003;111:986–90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12728076>
 51. Finken MJ, Dekker FW, de Zegher F, Wit JM. Long-term Height Gain of Prematurely Born Children With Neonatal Growth Restraint: Parallellism With the Growth Pattern

- of Short Children Born Small for Gestational Age. *Pediatrics*. 2006;118:640–3.
52. Qvigstad E, Verloove-Vanhorick SP, Ens-Dokkum MH, Schreuder AM, Veen S, Brand R, et al. Prediction of height achievement at five years of age in children born very preterm or with very low birth weight: continuation of catch-up growth after two years of age. *Acta Pædiatrica*. 1993;82:444–8.
 53. Hack M, Weissman B B-CE. Catch-up growth during childhood among very low birth weight children. *Arch Pediatr Adolesc Med*. 1996;150:1122–9.
 54. Lira PIC, Eickmann SH, Lima MC, Amorim RJ, Emond AM, Ashworth A. Early head growth: Relation with IQ at 8 years and determinants in term infants of low and appropriate birthweight. *Dev Med Child Neurol*. 2010;52:40–6.
 55. Chiriboga CA, K KC, Durkin M, Kuhn L, Sanocka U, Bellinger D. Factors associated with microcephaly at school age in a very-low-birthweight population. *Dev Med Child Neurol*. 2010;45:796–801.
 56. Gross SJ. Newborn Head Size and Neurological Status. *Am J Dis Child*. 2011;132:753.
 57. INGEBORG BRANDT, MD, ELISABETH J. STICKER, PHD, AND MICHAEL J. LENTZE M. Catch-Up Growth of Head Circumference of Very Low Birth Development To Adulthood. *J Pediatr*. 2003;142:463–8.
 58. Wilson-Costello D, Friedman H, Minich N, Siner B, Taylor G, Schluchter M, et al. Improved Neurodevelopmental Outcomes for Extremely Low Birth Weight Infants in 2000-2002. *Pediatrics*. 2007;119:37–45.
 59. Conrad AL, Richman L, Lindgren S, Nopoulos P. Biological and Environmental Predictors of Behavioral Sequelae in Children Born Preterm. *Pediatrics*. 2010;125:e83–9.
 60. American Academy of Pediatrics. Follow-up care of high-risk infants. *Pediatrics* 114.Supplement 5 (2004): 1377-1397.
 61. Vohr BR. Neurodevelopmental Outcomes of Extremely Low Birth Weight Infants <32 Weeks' Gestation Between 1993 and 1998. *Pediatrics*. 2005;116:635–43.
 62. Singer LT, Davillier M, Preuss L, Szekely L, Hawkins S, Yamashita T, et al. Feeding interactions in infants with very low birth weight and bronchopulmonary dysplasia. *J Dev Behav Pediatr*. 1996;17:69–76.
 63. Mathisen B, Worrall L, O'Callaghan M, Wall C, Shepherd RW. Feeding problems and dysphagia in six-month-old extremely low birth weight infants. *Int J Speech Lang*

- Pathol.* 2000;2:9–17.
64. Dodrill P. Feeding Difficulties in Preterm Infants. *ICAN Infant, Child, Adolesc Nutr.* 2011;3:324–31.
 65. Nardella M, Campo L, Ogata B. Nutrition interventions for children with special health care needs. *Wash State Dept Heal.* 2010;63.
 66. Weisglas-Kuperus N, Hille ETM, Duivenvoorden HJ, Finken MJJ, Wit JM, Van Buuren S, et al. Intelligence of very preterm or very low birthweight infants in young adulthood. *Arch Dis Child Fetal Neonatal Ed.* 2009;94:196–201.
 67. Hille ETM, Den Ouden AL, Saigal S, Wolke D, Lambert M, Whitaker A, et al. Behavioural problems in children who weigh 1000 g or less at birth in four countries. *Lancet.* 2001;357:1641–3.
 68. Cristobal R, Oghalai JS. Hearing loss in children with very low birth weight: Current review of epidemiology and pathophysiology. *Arch Dis Child Fetal Neonatal Ed.* 2008;93:462–8.
 69. Smith R, Gooi A. Hearing loss in children: Treatment. *UpToDate.* 2018;30.
 70. American AN, Society O. Long-term visual outcomes in extremely low-birth-weight children. 2006;104:493–516.
 71. Gibson NA, Fielder AR, Levene MI. Ophthalmic findings in infants of very low birthweight.
 72. Srinivasjois R, Slimings C, Einarsdóttir K, Burgner D, Leonard H. Association of gestational age at birth with reasons for subsequent hospitalisation: 18 Years of follow-up in a Western Australian population study. *PLoS One.* 2015;10:1–11.
 73. Zhang Y, Purdy ER. American Academy of Pediatrics (AAP). *Encycl Glob Heal.* 2012;112.
 74. Darlow BA, Horwood LJ, Woodward LJ, Elliott JM, Troughton RW, Elder MJ, et al. The New Zealand 1986 very low birth weight cohort as young adults: Mapping the road ahead. *BMC Pediatr.* 2015;15:1–8.
 75. Zwicker JG, Harris SR. Quality of Life of Formerly Preterm and Very Low Birth Weight Infants From Preschool Age to Adulthood: A Systematic Review. *Pediatrics.* 2008;121:e366–76.
 76. Lindstrom K, Winbladh B, Haglund B, Hjern A. Preterm Infants as Young Adults: A Swedish National Cohort Study. *Pediatrics.* 2007;120:70–7.



77. Walther FJ, Den Ouden AL, Verloove-Vanhorick SP. Looking back in time: Outcome of a national cohort of very preterm infants born in The Netherlands in 1983. *Early Hum Dev.* 2000;59:175–91.
78. Sjaruf DR, Lestari ED, Mexitalia M NS. Buku ajar nutrisi pediatrik dan penyakit metabolik. 2011;13:36–8.
79. Harris SR. Measuring head circumference. *Can Fam Physician.* 2015;61:680–4.
80. O'Connell EJ, Feldt RH, Stickler GB. Head circumference, mental retardation, and growth failure. *Pediatrics.* 1965 Jul 1;36(1):62-6.
81. Organization W health. WHO child growth standards: growth velocity based on weight, length, and head circumference: methods and development. 2009;
82. O'Connor AR, Stewart CE, Singh J, Fielder AR. Do infants of birth weight less than 1500 g require additional long term ophthalmic follow up? *Br J Ophthalmol.* 2006;90:451–5.
83. Euser AM, De Wit CC, Finken MJJ, Rijken M, Wit JM. Growth of preterm born children. *Horm Res.* 2008;70:319–28.
84. Ernst JA, Bull MJ, Rickard KA, Brady MS, Lemons JA. Growth outcome and feeding practices of the very low birth weight infant (less than 1500 grams) within the first year of life. *J Pediatr.* 1990;117.
85. Casey PH, Kraemer HC, Bernbaum J, Yogman MW, Sells JC. Growth status and growth rates of a varied sample of low birth weight, preterm infants: A longitudinal cohort from birth to three years of age. *J Pediatr.* 1991;119:599–605.
86. Weissman B, Borawski-clark E. Catch-up Low-Birth-Weight. 2015;
87. Kitchen WH, Doyle LW, Ford GW, Callanan C. Very Low Birth Weight and Growth to Age 8 Years: I: Weight and Height. *Am J Dis Child.* 1992;146:40–5.
88. Wilson, D. C., McClure, G., Halliday, H. L., Reid, M. M., & Dodge, J. A. Nutrition and bronchopulmonary dysplasia. *Archives of disease in childhood*, 1991 :66(1 Spec No), 37-38.89. Ghezzi F, Gomez R, Romero R, Yoon BH, Edwin SS, David C, et al. Elevated interleukin-8 concentrations in amniotic fluid of mothers whose neonates subsequently develop bronchopulmonary dysplasia. *Eur J Obstet Gynecol Reprod Biol.* 1998;78:5–10.
90. Sheth R, Mullet MD, Bodensteiner JB HG. Longitudinal head growth in developmentally normal preterm infants. *Arch Pediatr Adolesc Med.* 1995;149:1358–



61.

91. Çolak, H., Dülgergil, Ç. T., Dalli, M., Hamidi MM(. Early childhood caries update: A review of causes, diagnoses, and treatment. *J Nat Sci Biol Med.* 2013;4:29.