

DAFTAR PUSTAKA

- Alvares, G.A., Quintana, D.S., Hickie, I.B., Guastella, A.J., 2016. Autonomic nervous system dysfunction in psychiatric disorders and the impact of psychotropic medications: a systematic review and meta-analysis. *Journal of Psychiatry & Neuroscience* ; 41 (2) : 89-104
- American Psychiatric Association. 2013. Diagnostic and Statistical Manual of Mental Disorders. 5th edn. 2013. Arlington, VA: *American Psychiatric Association*
- Amira, Fitriyanti, Mardiati, Idris. 2019. Buku Saku Sehati, Sehat Saat Berhaji; 7-47
- Anderson E, Shivakumar G. 2013. Effects of exercise and physical activity on anxiety. *Frontiers in Psychiatry*; 4: 27
- Andreescu C, Varon D. 2015. New Research on Anxiety Disorders in the Elderly and an Update on Evidence-Based Treatments. *Curr Psychiatry Rep*; 17:53
- Antunes HK, Stella SG, Santos RF, Bueno OF, de Mello MT. 2005. Depression, anxiety and quality of life scores in seniors after an endurance exercise program. *Rev Bras Psiquiatr* ; 27: 266-71
- Arazi, H., Benar, N., Esfanjani, R. M., & Yeganegi, S. 2012. The effect of an aerobic training on perceived stress, anxiety and depression of non-athlete female students. *Acta Kinesiologica*; 6(2): 7-12
- Asmundson GJ, Fetzner MG, Deboer LB, Powers MB, Otto MW, Smits JA. 2013. Let's get physical: a contemporary review of the anxiolytic effects of exercise for anxiety and its disorders. *Depress Anxiety*; 30:362-73
- Az-Zumaro. 2011. Aktivasi energi doa dan dzikir khusus untuk kecerdasan super. Diva press.
- Babazadeh T, Sarkhoshi R, Bahadori F. 2016. Prevalence of depression, anxiety and stress disorders in elderly people residing in Khoy, Iran (2014-2015). *Anal Res Clin Med*; 4(2): 122-8. Doi: 10.15171/jarcm.2016.020
- Barton S, Karner C, Salih F, Baldwin DS, Edwards SJ. 2014. Clinical effectiveness of interventions for treatment-resistant anxiety in older people: a systematic review. *National Institute for Health Research*; 18: 50
- Beck AT, Epstein N, Brown G. 1988. An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology*; 56: 893-897
- Beck, A. T, Steer, R. A. 1993. Beck Anxiety Inventory manual. San Antonio, TX: Psychological Corporation.

- Bardhoshi G, Duncan K, Bradley T. 2016. Psychometric Meta-Analysis of the English Version of the Beck Anxiety Inventory. *Journal of Counseling & Development. The American Counseling Association*: vol 94
- Benson H. 2000. The relaxation response. *Harvard Medical School*:233-257
- Bhutkar PM, Bhutkar MV, Taware GB, Vinayak D and Doddamani BR. Effect of Suryanamaskar Practice on Cardio-respiratory Fitness Parameters: A Pilot Study. *Al Ameen J Med Sci* 2008; 1(2): 126–129.
- Bystritsky A, Khalsa SS, Cameron ME, Schiffman J. 2012. Current Diagnosis and Treatment of Anxiety Disorders. *P&T*; 38(1): 30-57
- Carmin CN, Wiegartz PS, Scher C. 2000. Anxiety disorders in the elderly. *Curr Psychiatry Rep*; 2: 13–19
- Cardinal Bradley J. 1996. Evaluation of the Revised Physical Activity Readiness Questionnaire in Older Adults. *Medicine and Science in Sport and Exercise*;468-472
- Cardinal Bradley J. 1997. Assessing the Physical Activity Readiness of inactive older adults. *Physical Activity Quarterly*; 14:65-73
- Clow A. 2001. *The Physiology of Stress. Myth, Theory and Research*. Boston, Jones and Bartlett Pub; 47-61
- Cassidy K, Kotynia-English R, Acres J, Flicker L, Lautenschlager NT, Almeida OP. 2004. Association between lifestyle factors and mental health measures among community-dwelling older women. *Aust N Z J Psychiatry*;38:940-7
- Chodzko-Zajko WJ, Proctor DN, Singh MAF, Minson CT, Nigg CR, Salem GJ, Skinner JS. 2009. Exercise and Physical Activity for Older Adults. *American College of Sports Medicine*. DOI: 10.1249/MSS.0b013e3181a0c95c
- Dell'Osso B, Buoli M, Baldwin DS, Altamura AC. 2010. Serotonin norepinephrine reuptake inhibitors (SNRIs) in anxiety disorders: A comprehensive review of their clinical efficacy. *Hum Psychopharmacol*; 25(1): 17–29
- Esturk OK, Akandere M, Yarimkaya E, Yilmaz A. 2016. The Effect of Physical Activity Program on Trait Anxiety Level on Adults. *Science, Movement and Health*; 16 (2): 609-618
- Forlani C, Morri M, Ferrari B. 2014. Prevalence and gender differences in late-life depression: a population-based study. *Am J Geriatr Psychiatry*. ;22(4):370-80. doi: 10.1016/j.jagp.2012.08.015
- Gale, C. R. et al. 2011. Factors associated with symptoms of anxiety and depression in five cohorts of community-based older people: the HALCYON

- (healthy ageing across the life course) programme. *Psychological Medicine*; 41: 2057–2073.
- Gellis ZD, McCracken SG. 2007. Anxiety Disorders among Older Adults (literature review). Council for Social Work Education. URL: www.cswe.org/File.aspx?id=23504
- Ginting, H., Van der Veld, W.M., Naring, G., Becker, E., 2013. Validating The Beck Depression Inventory-II in Indonesia's General Population and Coronary Heart Disease Patients. *International Journal of Clinical and Health Psychology*. DOI: 10.1016/S1697-2600 (13)70028-0
- Gomes L, et al. 2007. Validity of the physical activity readiness questionnaire (PAR-Q) in elder subjects. *Rev. Bras.Cineantropom. Desempenho Hum* ;9(4):366-371
- Greenberg, L.S. 2002. Emotion-focused therapy: Coaching clients to work through their feelings. Washington, DC American Psychological Association
- Hannan M. 2014. Dzikir khafi untuk menurunkan tingkat kecemasan pada lansia. *Jurnal Kesehatan Wiraraja Medika*: 47-53
- Hanum H, Hanida W, Sitorus H. 2006. Aspek psikosomatis pada gangguan irama jantung. Universitas Sumatra Utara; usu.ac.id
- Haryanto, Sentot. 2002. Psikologi Sholat; Kajian Aspek Aspek Psikologi Sholat. Pustaka Pelajar;85
- Jones GR. 2003. Aerobic Fitness for Older Adults. *Active Living Coalition for Older Adults*. Diunduh dari www.alcoa.ca
- Joint National Committee. 2004. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. US Department of Health and Human Services;NIH Publication No. 04-5230
- Julian, L.J., 2011. Measures of Anxiety. NIH Public Acces. *Arthritis Care Res* (Hoboken). 2011 November; 63 (0 11): .doi:10.1002/acr.20561
- Katula JA, Blissmer BJ, McAuley E. 1999. Exercise intensity and self-efficacy effects on anxiety reduction in healthy, older adults. *J Behav Med*; 22: 233-47
- Katz C, Stein MB, Sareen J. 2013. Anxiety Disorders in the DSM-5:New Rules on Diagnosis and Treatment. *Mood and Anxiety Disorders Rounds*; 2: 3
- Kvaal K, Macijauskiene. 2001. High prevalence of anxiety symptoms in hospitalized geriatric patients. *International Journal of Geriatric Psychiatry* Volume 16, Issue 7

- Kilpatrick K. 2003. The Importance of Exercise in the Elderly. *The Canadian Journal of CME*
- Kirmizioglu Y, Dogan O, Kugu N, Akyuz G. 2009. Prevalence of anxiety disorders among elderly people. *Int J Geriatr Psychiatry*; 24: 1026–1033
- Kumala OD, Yogi K, Fuad N. 2015. Efektivitas Pelatihan Dzikir Dalam Meningkatkan Ketenangan Jiwa pada Lansia Penderita Hipertensi. *Psymphatic Jurnal Ilmiah Psikologi Juni*; Vol. 4, No.1: 55 - 66
- Lazara SW, Kerrb C, Wasserman RH. 2005. Meditation experience is associated with increased cortical thickness. NIH Public Access; *Neuroreport*; 16(17): 1893–189
- Lemeshow S, Hosmer D, Klar J. 1990. Adequacy of sample size in health studies. *World Health Organization*:38
- Lenze EJ, Wetherell JL. 2011. Anxiety disorders: new developments in old age. *Am J Geriatr Psychiatry*; 19(4): 301–304
- Leyfer OT, Ruberg JL, Borde JW. 2006. Examination of the utility of the Beck Anxiety Inventory and its factors as a screener for anxiety disorders. Department of Psychological and Brain Sciences, University of Louisville, Louisville, KY 40292, USA. *Anxiety Disorders* 20:444–458
- Long BC, van Stavel R. 1995. Effects of exercise training on anxiety: a meta-analysis. *J Appl Sport Psychol*; 7:167–189
- Ludgendorf SK, Logan H, Costanzo H, Lubaroff D. 2003. Effect of acute stress, relaxation and a neurogenic inflammatory stimulus on interleukin-6 in human brains, behavior and immunity; 18:55-64
- Mamik. 2008. Senam Bugar Lansia AWARA 2004 Paket D: 10-17
- Mandoza, Z., 2008. Efektivitas Terapi Kognitif Perlakuan Terhadap Pasien yang Mendapatkan Pengobatan Medis Anti Ansietas. Tesis. Program Magister Program Psikologi Fakultas Psikologi Universitas Gadjah Mada Yogyakarta.
- Masood K, Gazzaz ZJ, Ismail K, Dhafar KO, Kamal A. 2007. Pattern of Psychiatry Morbidity During Hajj Period at Al-Noor Specialist Hospital. *Int’l J Psychiatry in Medicine*; 37:163-172
- Mardiyono. 2011. Spirituality intervention and outcomes : Corner Stone Of Holistic Nursing Practice. Semarang
- McCrone P, Dhanasiri S, Patel A, Knapp M, Lawton-Smith S. 2008. Paying the Price. The Cost of Mental Health Care in England to 2026. *Kings Fund*.
- Meeks T, Lanouette N, Vahia I, Dawes S, Jeste DV, Lebowitz B. 2009. Psychiatric Assessment and Diagnosis in Older Adults. *Psychiatryonline*. URL:<http://focus.psychiatryonline.org/article.aspx?articleID=52781>

- Mehri Nejad S A, Ramezan Saatchi L, Paydar S. 2017. Death Anxiety and Its Relationship with Social Support and Adherence to Religion in the Elderly. *Salmand: Iranian Journal of Ageing*; 11 (4) :494-503
URL: <http://salmandj.uswr.ac.ir/article-1-1311-en.html>
- Mochcovitch MD, Deslandes AC, Freire RC, Garcia RF, Nardi AE. 2016. The effects of regular physical activity on anxiety symptoms in healthy older adults: a systematic review. *Revista Brasileira de Psiquiatria*;38:255–261
- Moylan, S., Felice N.J., Julie A.P., and Michael B., 2013. How Cigarette smoking may increase the risk of anxiety symptoms and anxiety disorders: a critical review of biological pathways. *Brain and Behaviour* 2013; 3 (3):302-326.
- Novianto D. 2006. Pengaruh Latihan Pasrah Diri terhadap control tekanan darah penderita diabetes mellitus tipe 2 dengan hipertensi dan gejala depresi. *Universitas Gadjah Mada*;27-45
- Panton Lynn. 2004. Exercise for older adults. Health care provider edition Department of Nutrition, Food and Exercise Service Florida State University
- Park E, Traeger L, Vranceanu AM. 2013. The Development of a Patient-Centered Program Based on the Relaxation Response: The Relaxation Response. *The Academy of Psychosomatic Medicine*;54:165–174
- Paterniti S, Alperovitch A, Ducimetiere P, et al. 1999. Anxiety But Not Depression Is Associated With Elevated Blood Pressure in a Community Group of French Elderly; *Psychosomatic Medicine* 61:77–83
- Petruzzello SJ, Landers DM, Hatfield BD, Kubitz KA, Salazar W. 1991. A metaanalysis on the anxiety-reducing effects of acute and chronic exercise. Outcomes and mechanisms. *Sports Med*;11:143-82.
- Porensky EK, Dew MA, Karp JF, et al. 2009. The burden of late-life generalized anxiety disorder: effects on disability, health-related quality of life, and healthcare utilization. *Am J Geriatr Psychiatry*;17: 473-82.
- Purwanto S. 2006. Relaksasi Dzikir. *SUHUF*, Vol. XVIII, No. 01/Mei 2006: 39 - 48
- Rahmati F, Zareian E. 2014. Effects of 8 Weeks Aerobic Training on the Social Physical Anxiety in Women with Multiple Sclerosis. *Annals of Applied Sport Science*; 2(2): 65-74
- Razali SM, Aminah K, Khan U. 2002. Religious-Cultural Psychotherapy in the Management of Anxiety Patients. *Transcultural Psychiatry*. University Sains Malaysia
- Roma MFB, Busse AL, Betoni RA, de Melo AC, Kong J, Santarem JM, et al. 2013. Effects of resistance training and aerobic exercise in elderly people

- concerning physical fitness and ability: a prospective clinical trial. *Einstein*;11(2): 153-7
- Sami MB, Nilforooshan R. 2014. The natural course of anxiety disorders in the elderly: a systematic review of longitudinal trials. *International Psychogeriatrics*; 1-9
- Sareen J, Jacobi F, Cox BJ, Belik SL, Clara I, Stein MB. 2006. Disability and poor quality of life associated with comorbid anxiety disorders and physical conditions. *Arch Intern Med*; 166: 2109–16
- Seignourel PJ, Kunik ME, Snow L, et al. 2008. Anxiety in dementia: a critical review. *Clin Psychol Rev*; 28:1071-82
- Siguroardottir KO. 2014. Effect of a 12-week exercise intervention on anxiety and depressive symptom among community dwelling older adults. Department of Psychology, Reykjavik University
- Sari AE. 2015. Pengaruh Pengamalan Dzikir terhadap Ketenangan Jiwa di Majelis Dzakirin Kamulan Durenan Trenggalek
- Sarris J, Moylan S, Camfield DA, et al. 2012. Complementary Medicine, Exercise, Meditation, Diet, and Lifestyle Modification for Anxiety Disorders: A Review of Current Evidence. Hindawi Publishing Corporation:1-14
- Shear KM, Cloitre M, Pine D, Ross J. 2005. Anxiety disorder in women. *Anxiety Disorder Association of America*;1-15
- Sholeh, M. 2006. Terapi Salat Tahajud. Jakarta: Penerbit Hikmah: PT Mizan Publika.
- Siti FMN, Rosminah M, Suhaimi AW, Omar O. 2017. The Measurement of quality of life among population within the crowd: A case study among Malaysian Pilgrims in Makkah. *Malaysian Journal of Public Health Medicine*; 17(1): 137-145
- Stokes J. 2015. Mutual Influence and Older Married Adults' Anxiety Symptoms: Results From The Irish Longitudinal Study on Ageing: *Gerontologist*, 2017, Vol. 57, No. 3, 529–539; doi:10.1093/geront/gnv147.
- Stephard. 1997. Readiness for physical activity. *Phys. Act. Fitness Res. Digest* 1(5):1-8
- Stonerock GL, Hoffman BM, Smith PJ, Blumenthal JA. 2015. Exercise as Treatment for Anxiety: Systematic Review and Analysis. *Ann Behav Med.*; 49(4): 542–556
- Strohle A. 2009. Physical activity, exercise, depression and anxiety disorders. *J Neural Transm*; 116:777–784

- Stubbs B, Koyanagi A, Hallgren M, Firth J, Richards J, Schuch F, et al. 2016. Physical activity and anxiety: a perspective from the World Health Survey. *Journal of Affective Disorders*; S0165-0327(16): 31313
- Stubbs B, Vancampfort D, Rosenbaum S, Firth J, Cosco T, Veronese N. 2016. An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. *Psychiatry Research*; S0165
- Supriyadi, Ramelan S, Shobirun, Sudiarto, Sri U. 2017. Religious Therapy as an Alternative Treatment in Reducing the Cortisol Hormone and Blood Sugar. *ARC Journal of Public Health and Community Medicine* ; 2(3): 1-6
- Tampi RR, Tampi DJ. 2014. Anxiety disorders in late life: A comprehensive review. *Healthy Aging Research*; 3:14
- Tremblay MS, Warburton DER, Janssen I. 2011. New Canadian Physical Activity Guidelines. *Appl. Physiol. Nutr. Metab.* 36: 36–46 (2011) doi:10.1139/H11-009
- Thirafi FZ. 2015. Kecemasan lanjut usia dalam proses pelaksanaan ibadah haji regular. www.ums.ac.id
- Van Zelst WH, de Beurs E, Beekman AT, et al. 2003. Prevalence and risk factors of posttraumatic stress disorder in older adults. *Psychother Psychosom*; 72: 333-42
- Vink D, Aartsen MJ, Schoevers RA. 2008. Risk factors for anxiety and depression in the elderly: A review. *Journal of Affective Disorders*; 106: 29–44
- Wetherell, J.L., & Gatz, M. 2005. The Beck Anxiety Inventory in Older Adults With Generalized Anxiety Disorder. *Journal of Psychopathology and Behavioral Assessment*, 27 (1), 17-24.
- Wipfli BM, Rethorst CD, Landers DM. 2008. The anxiolytic effects of exercise: a meta-analysis of randomized trials and dose-response analysis. *J Sport Exerc Psychol* ;30:392-410. 34
- Whitehead WE, Blackwell B, De Silva H, Robinson A. 1994. Anxiety and anger in hypertension. *J Psychosom* ;21:383–9.
- World Health Organization (WHO). 1993. The ICD-10 Classification of Mental and Behavioural Disorders: *Diagnostic criteria for research*. WHO.
- Wolitzky-Taylor KB, Castriotta N, Lenze EJ, Stanley MA, Craske MG. 2010. Anxiety disorders in older adults: a comprehensive review. *Depress Anxiety*; 27:190–211
- Yurisaldi. 2010. Berdzikir untuk kesehatan saraf. Zaman
- Zhang X, Norton J, Carrierel I. 2014. Risk factors for late-onset generalized anxiety disorder: results from a 12-year prospective cohort (The ESPRIT study). *Transl Psychiatry* (2015) 5, e536; doi:10.1038/tp.2015.31