

## DAFTAR PUSTAKA

- Abujudeh HH, Gee MS, Kaewlai R, 2009. In Emergency Situations, Should Serum Creatinine Be Checked in All Patients Before Performing Second Contrast CT Examinations Within 24 Hours? *JACR Journal of the American College of Radiology* 6(4):268-273.
- Agrawal M, Swartz R. 2000. Acute renal failure. *Am Fam Physician*. 61(7):2077-2088.
- Barreto R. 2007. Prevention of contrast-induced nephropathy: the rational use of sodium bicarbonate. *Nephrol Nurs J*. 34(4):417-421.
- Birck R, Krzossok S, Markowitz F, Schnülle P, van der Woude FJ, Braun C. 2003. Acetylcysteine for the prevention of contrast nephropathy: metaanalysis. *Lancet*. 362(9384): 598-603.
- Brady HR, Singer GG, 1995. Acute renal failure. *Lancet* 346:1533–1540.
- Brewster UC, Perazella MA. 2003. The renin-angiotensin-aldosterone system and the kidney: effects on kidney disease. *Am J Med* 116:263-72.
- Dangas G, Lakovou I, Nikolsky E, Fashy M, Mintz GS, Moses JW, *et al.*, 2005. Contrast induced nephropathy after percutaneous coronary interventions in relation to chronic kidney disease and hemodynamic variables. *Am J Cardiol* 95:13-19.
- Dirkes S. 2011. Acute kidney injury: not just acute renal failure anymore? *Crit Care Nurse*. 31(1):37-49.
- Ellis HE, Cohan RH. 2009. Prevention of contrast induced nephropathy: an overview. *Radiol Clin North Am*. 47:801-811.
- Freeman RV, O'Donnell M, Share D, Meengs WL, Kline-Rogers E, Clark VL *et al.*, 2002. Nephropathy requiring dialysis after percutaneous coronary intervention and the critical role of an adjusted contrast dose. *Am J Cardiol* 90(10):1068-1073.
- Fuji T, Kurata H, Takaoka M, *et al.*, 2004. The role of renal sympathetic nervous system in the pathogenesis of ischemic acute renal failure. *Eur J Pharmacol* 481:241-8.
- Gruberg L, Mehran R, Dangas G, *et al.*, 2001. Acute renal failure requiring dialysis after percutaneous coronary interventions. *Catheterization and Cardiovascular Interventions* 52:409-416.
- Ibanez B *et al.*, 2017. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *ESC* 0:1-66.
- Jorgensen AL. 2013. Contrast-induced nephropathy: pathophysiology and preventive strategies. *Critical Care Nurse* 33(1):37-47.
- Lee PT, Chou KJ, Liu CP, *et al.*, 2007. Renal protection for coronary angiography in advanced renal failure patients by prophylactic hemodialysis. A randomized controlled trial. *J Am Coll Cardiol*. 50(11):1015–1020.
- Lehnert T, Keller E, Gondolf K, Schaffner T, Pavenstadt H, Schollmeyer P, 1998. Effect of haemodialysis after contrast medium administration in patients with renal insufficiency. *Nephrol Dial Transplant*. 13(2):358–362.

- Levy EM, Viscoli CM, Horwitz RI, 1996. The effect of acute renal failure on mortality. A cohort analysis. *JAMA* 275:1489–1494.
- Manske CL, Sprafka JM, Strony JT, Wang Y, 1990. Contrast nephropathy in azotemic diabetic patients undergoing coronary angiography. *Am J Med* 89:615–620.
- Marenzi G, Cosentino N, Bartorelli AL. 2015. Acute kidney injury in patients with acute coronary syndromes. *Heart* 0:1-8.
- Marenzi G, Lauri G, Assanelli E, Campodonico J, De Metrio M, Marana I, Grazi M, Veglia F, Bartorelli AL, 2004. Contrast-induced nephropathy in patients undergoing primary angioplasty for acute myocardial infarction. *J Am Coll Cardiol* 44:1780–1785.
- McCullough PA, 2008. Contrast induced acute kidney injury. *J Am Coll Cardiol* 51:1419–1428.
- McCullough PA, Soman SS, 2005. Contrast-induced nephropathy. *Crit Care Clin* 21(2):261-280.
- McCullough PA, Wolyn R, Rocher LL, Levin RN, O’Neill WW, 1997. Acute renal failure after coronary intervention: incidence, risk factors and relationship to mortality. *Am J Med* 103:368-375.
- McCullough PA, Wolyn R, Rocher LL, Levin RN, O’Neill WW, 1997. Acute renal failure after coronary intervention. Incidence, risk factors, and relationship to mortality. *Am J Med* 103:368–375.
- Mehran R, Aymong ED, Nikolsky E, Lasic Z, Iakovou I, Fahy M, Mintz GS, Lansky AJ, Moses JW, Stone GW, Leon MB, Dangas G, 2004. A simple risk score for prediction of contrast-induced nephropathy after percutaneous coronary intervention: development and initial validation. *J Am Coll Cardiol* 44:1393–1399.
- Merten GJ, Burgess WP, Gray LV, Holleman JH, Roush TS, Kowalchuk GJ *et al.*, 2004. Prevention of contrast-induced nephropathy with sodium bicarbonate: a randomized controlled trial. *JAMA* 291(19):2328-2334.
- Mueller C, Buerkle G, Buettner HJ, *et al.* 2002. Prevention of contrast media associated nephropathy: randomised comparison of 2 hydration regimens in 1620 patients undergoing coronary angioplasty. *Arch Intern Med* 162: 329-336.
- Nunag M, Brogan M, Garrick R. 2009. Mitigating contrast-induced acute kidney injury associated with cardiac catheterization. *Cardiol Rev.* 17(6):263-269.
- Owen RJ, Hiremath S, Myers A, Fraser-Hill M, Barrett B, 2011. Consensus Guidelines for The Prevention of Contrast Induced Nephropathy. *Canadian Association of Radiologists*
- Pakfetrat M, Nikoo MH, Malekmakan L, *et al.*, 2010. Risk factors for contrast-related acute kidney injury according to risk, injury, failure, loss, and end-stage criteria in patients with coronary interventions. *Iran J Kidney Dis.* 4(2):116-122.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2015. *Pedoman Tatalaksana Sindrom Koroner Akut*. Centra Communications, Jakarta.
- Rear R, Bell RM, Hausenloy DJ, 2016. Contrast-induced nephropathy following angiography and cardiac interventions. *Heart* 0:1-11.

- Rich MW, Crecelius CA, 1990. Incidence, risk factor and clinical course of acute renal insufficiency after cardiac catheterization in patients 70 years of age or older, prospective study. *Arch intern Med* 150:1237-1242.
- Rihal CS, Textor SC, Grill DE, Berger PB, Ting HH, Best PJ, Singh M, Bell MR, Barsness GW, Mathew V, Garratt KN, Holmes DR Jr, 2002. Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *Circulation* 105:2259–2264.
- Roche AM, James FM. 2009. Colloids and crystalloids: does it matter to the kidney? *Curr Opin Crit Care*. 15:520-524.
- Roffi M, *et al.*, 2016. ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *ESC* 37:267-315.
- Rudnick MR, Goldfarb S, Wexler L, *et al.* 1995. Nephrotoxicity of ionic and nonionic contrast media in 1196 patients: a randomized trial. *Kidney Int*. 47:254-261.
- Sanjib Kumar Sharma, Laxman Dubey, Shankar Laudary, *et al.*, 2014. Incidence and predictors of Contrast Induced Nephropathy after coronary intervention at College of Medical Sciences-Teaching Hospital, Bharatpur. *Nepalese Heart Journal* 11(1): 3-11.
- Sherwood L. 2001. *Human physiology: from cells to systems 4<sup>th</sup> ed.* Pacific Grove, CA: Brooks/Cole.
- Silvain J, Collet JP, Montalescot G, 2014. Contrast-induced nephropathy: the sin of primary percutaneous coronary intervention?. *ESC* 35:1504-1506.
- Sterling KA, Tehrani T, Rudnick MR. 2008. Clinical significance and preventive strategies for contrast-induced nephropathy. *Curr Opin Nephrol Hypertens*. 17:616-623.
- Sterling KA, Tehrani T, Rudnick MR. 2008. Clinical significance and preventive strategies for contrast-induced nephropathy. *Curr Opin Nephrol Hypertens* 17:616-623.
- Stevens MA, McCullough PA, Tobin KJ, Speck JP, Westveer DC, Guido-Allen DA *et al.*, 1999. A prospective randomized trial of prevention measures in patients at high risk for contrast nephropathy: results of the P.R.I.N.C.E. Study. Prevention of Radiocontrast Induced Nephropathy Clinical Evaluation. *J Am Coll Cardiol* 33(2):403-411.
- Thomsen HS, Morcos SK, Barrett BJ, 2008. Contrast-induced nephropathy: the wheel has turned 360 degrees. *Acta Radiol* 49(6):646-657.
- Thomson VS, Narayanan K, Singh C. 2009. Contrast induced nephropathy in urology. *Indian J Urol*. 25(4):437-445.
- Trivedi H, Foley WD, 2010. Contrast-induced nephropathy after a second contrast exposure. *Ren Fail* 32(7):796-801.
- Vasheghani-Farahani A, Sadigh G, Kassaian SE, *et al.*, 2009. Sodium bicarbonate plus isotonic saline versus saline for prevention of contrast induced nephropathy in patients undergoing coronary angiography: a randomized controlled trial. *Am J Kidney Dis*. 54(4):610-618.



UNIVERSITAS  
GADJAH MADA

**KEJADIAN NEFROPATI AKIBAT KONTRAS PADA PASIEN SINDROM KORONER AKUT YANG MENJALANI INTERVENSI KORONER PERKUTAN PRIMER DIBANDINGKAN DENGAN PASIEN ANGINA PEKTORIS STABIL YANG MENJALANI INTERVENSI KORONER PERKUTAN ELEKTIF**

MEITA UCCHÉ, Prof. Dr. dr. Budi Yuli Setianto, SpPD, KKV, SpJP(K).; dr. Iri Kuswadi, SpPD, KGH  
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Vogt B, Ferrari P, Schonholzer C, *et al.*, 2001. Prophylactic hemodialysis after radiocontrast media in patients with renal insufficiency is potentially harmful. *Am J Med* 111(9):692–698.

Windecker S, *et al.*, 2014. ESC/EACTS guidelines on myocardial revascularization. *ESC* 35:2541-2619.