

## DAFTAR PUSTAKA

- Abalos, E., Cuesta, C., Carroli, G., Qureshi, Z., Widmer, M., Vogel, J.P., Souza, J.P., WHO Multicountry Survey on Maternal and Newborn Health Research Network, 2014. Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. *BJOG Int. J. Obstet. Gynaecol.* 121 Suppl 1, 14–24.
- Abalos, E., Cuesta, C., Grosso, A.L., Chou, D., Say, L., 2013. Global and regional estimates of preeclampsia and eclampsia: a systematic review. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 170, 1–7.
- Aksornphusitaphong, A., & Phupong, V. (2013). Risk factors of early and late onset pre-eclampsia. *Journal of Obstetrics and Gynaecology Research*, 39(3), 627–631. <http://doi.org/10.1111/j.1447-0756.2012.02010.x>
- American College of Obstetricians and Gynecologists (Ed.), 2013. Hypertension in pregnancy. American College of Obstetricians and Gynecologists, Washington, DC.
- American College of Obstetricians and Gynecologists, 2013. Executive Summary: Hypertension in Pregnancy. *Obstet. Gynecol.* 122, 1122–1131.
- Bartsch, E., Medcalf, K.E., Park, A.L., Ray, J.G., 2016. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies. *BMJ* 353, i1753.
- Bilano, V.L., Ota, E., Ganchimeg, T., Mori, R., Souza, J.P., 2014. Risk Factors of Pre-Eclampsia/Eclampsia and Its Adverse Outcomes in Low- and Middle-Income Countries: A WHO Secondary Analysis. *PLoS ONE* 9, e91198.
- Brown, M.A., Magee, L.A., Kenny, L.C., Karumanchi, S.A., McCarthy, F.P., Saito, S., Hall, D.R., Warren, C.E., Adayi, G., Ishaku, S., 2018. Hypertensive Disorders of Pregnancy. *Hypertension* 72, 24–43.
- Cunningham, G. F., Kenneth J., Leveno Steven L., Bloom Catherine Y., Spong Jodi S., Dashe Barbara L., Hoffman Brian M., Casey Jeanne S., Sheffield., 2014. *William Obstetrics* 24th edition. hal. 2-854. USA: McGraw-Hill.
- Erez, O., Romero, R., Maymon, E., Chaemsathong, P., Done, B., Pacora, P., Panaitescu, B., Chaiworapongsa, T., Hassan, S.S., Tarca, A.L., 2017. The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. *PLoS ONE* 12.

Espinoza, J., Kusanovic, J.P., Bahado-Singh, R., Gervasi, M.T., Romero, R., Lee, W., Vaisbuch, E., Mazaki-Tovi, S., Mittal, P., Gotsch, F., Erez, O., Gomez, R., Yeo, L., Hassan, S.S., 2010. Should Bilateral Uterine Artery Notching be used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension? *J. Ultrasound Med. Off. J. Am. Inst. Ultrasound Med.* 29, 1103–1115.

Fisher, S. J. (2015). Why is placentation abnormal in preeclampsia? *The American Journal of Obstetrics & Gynecology*, 213(4), S115–S122. <http://doi.org/10.1016/j.ajog.2015.08.042>

Gashi, A.M., 2016. The Woman with Severe Preeclampsia Who Died from Postpartum Complications. *Rev. Cuba. Obstet. Ginecol.* 42, 519–523.

Gezer, C. (2015). The role of the first trimester inflammation markers at early and late preeclampsia. *Perinatal Journal*, 22(3), 128–132. <http://doi.org/10.2399/prn.140223003>

Gruslin, A., & Lemyre, B. (2011). Best Practice & Research Clinical Obstetrics and Gynaecology Pre-eclampsia: Fetal assessment and neonatal outcomes. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 25(4), 491–507. <http://doi.org/10.1016/j.bpobgyn.2011.02.004>

Guller, S., 2009. Role of the syncytium in placenta-mediated complications of preeclampsia. *Thromb. Res.* 124, 389–392.

Haram, K., Softeland, E., & Bukowski, R. (2006). Intrauterine growth restriction. <http://doi.org/10.1016/j.ijgo.2005.11.011>

Hartono, P. (2016). Pengelolaan Kehamilan Dengan Pertumbuhan Janin Terhambat. *Perkumpulan Obstetri Dan Ginekologi Indonesia Himpunan Kedokteran Feto Maternal 2016*.

Hod, T., Cerdeira, A. S., & Karumanchi, S. A. (2015). Molecular Mechanisms of Preeclampsia. *Cold Spring Harbor Perspectives in Medicine*, 5(10), a023473. <http://doi.org/10.1101/cshperspect.a023473>

Huppertz, B. (2008). Placental Origins of Preeclampsia: Challenging the Current Hypothesis. *American Heart Association*, (May 2008). <http://doi.org/10.1161/HYPERTENSIONAHA.107.107607>

Kongwattanakul, K., Saksiriwuttho, P., Chaiyarach, S., Thepsuthammarat, K., 2018. Incidence, characteristics, maternal complications, and perinatal outcomes associated with preeclampsia with severe features and HELLP syndrome. *Int. J. Womens Health* 10, 371–377.

- Kovo, M., Schreiber, L., Ben-Haroush, A., Gold, E., Golan, A., Bar, J., 2012. The placental component in early-onset and late-onset preeclampsia in relation to fetal growth restriction. *Prenat. Diagn.* 32, 632–637.
- Lisonkova, S., & Joseph, K. S. (2013). Incidence of preeclampsia: Risk factors and outcomes associated with early-versus late-onset disease. *American Journal of Obstetrics and Gynecology*, 209(6), 544.e1–544.e12. <http://doi.org/10.1016/j.ajog.2013.08.019>
- Maxwell, L. (2003). Preeclampsia: Theories and Speculations. *Wiener Klinische wochenschrift. The Middle European Journal of Medicine*, 115, 145–148.
- Moran, M. C., Mulcahy, C., Zombori, G., Ryan, J., Downey, P., & McAuliffe, F. M. (2015). Placental volume, vasculature and calcification in pregnancies complicated by pre-eclampsia and intra-uterine growth restriction. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 195, 12–17. <http://doi.org/10.1016/j.ejogrb.2015.07.023>
- Myatt, L., Webster, R.P., 2009. Vascular biology of preeclampsia. *J. Thromb. Haemost. JTH* 7, 375–384.
- Ness, R. B., & Sibai, B. M. (2006). Shared and disparate components of the pathophysiologies of fetal growth restriction and preeclampsia. *American Journal of Obstetrics and Gynecology*. <http://doi.org/10.1016/j.ajog.2005.07.049>
- Ngwenya, S., 2017. Severe preeclampsia and eclampsia: incidence, complications, and perinatal outcomes at a low-resource setting, Mpilo Central Hospital, Bulawayo, Zimbabwe. *Int. J. Womens Health* Volume 9, 353–357.
- Oudejans, C.B.M., van Dijk, M., Oosterkamp, M., Lachmeijer, A., Blankenstein, M.A., 2007. Genetics of preeclampsia: paradigm shifts. *Hum. Genet.* 120, 607–612.
- Phipps, E., Prasanna, D., Brima, W., Jim, B., 2016. Preeclampsia: Updates in Pathogenesis, Definitions, and Guidelines. *Clin. J. Am. Soc. Nephrol. CJASN* 11, 1102–1113.
- Raymond, D., Peterson, E., 2011. A critical review of early-onset and late-onset preeclampsia. *Obstet. Gynecol. Surv.* 66, 497–506.
- Redman, C.W., 2017. Early and late onset preeclampsia: Two sides of the same coin. *Pregnancy Hypertens. Int. J. Womens Cardiovasc. Health* 7, 58.

Redman, C.W., Sargent, I.L., Staff, A.C., 2014. IFPA Senior Award Lecture: making sense of pre-eclampsia - two placental causes of preeclampsia? *Placenta* 35 Suppl, S20-25.

Say, L., Chou, D., Gemmill, A., Tunçalp, Ö., Moller, A.-B., Daniels, J., Gülmezoglu, A.M., Temmerman, M., Alkema, L., 2014. Global causes of maternal death: a WHO systematic analysis. *Lancet Glob. Health* 2, e323–e333.

Shamsi, U., Saleem, S., Nishter, N., 2013. Epidemiology and risk factors of preeclampsia; an overview of observational studies 6, 9.

Sohlberg, S., Mulic-Lutvica, A., Lindgren, P., Ortiz-Nieto, F., Wikström, A. K., & Wikström, J. (2014). Placental perfusion in normal pregnancy and early and late preeclampsia: A magnetic resonance imaging study. *Placenta*, 35(3), 202–206. <http://doi.org/10.1016/j.placenta.2014.01.008>

Srinivas, S. K., Edlow, A. G., Neff, P. M., Sammel, M. D., Andrela, C. M., & Elovitz, M. A. (2009). Rethinking IUGR in preeclampsia: Dependent or independent of maternal hypertension? *Journal of Perinatology*, 29(10), 680–684. <http://doi.org/10.1038/jp.2009.83>

Staff, A. C., & Redman, C. W. G. (2018). The Differences Between Early- and Late-Onset Pre-eclampsia (pp. 157–172). [http://doi.org/10.1007/978-981-10-5891-2\\_10](http://doi.org/10.1007/978-981-10-5891-2_10)

Tranquilli, A. L., Brown, M. A., Zeeman, G. G., Dekker, G., & Sibai, B. M. (2013). The definition of severe and early-onset preeclampsia. Statements from the International Society for the Study of Hypertension in Pregnancy (ISSHP). *Pregnancy Hypertension*, 3(1), 44–47. <http://doi.org/10.1016/j.preghy.2012.11.001>

Tranquilli, A.L., 2013. Introduction to ISSHP new classification of preeclampsia. *Pregnancy Hypertens. Int. J. Womens Cardiovasc. Health* 3, 58–59.

Tuten, A., Oncul, M., Kucur, M., & Imamoglu, M. (2015). Taiwanese Journal of Obstetrics & Gynecology Maternal serum copeptin concentrations in early- and late-onset, 54, 350–354. <http://doi.org/10.1016/j.tjog.2013.10.045>

Valensise, H., Vasapollo, B., Gagliardi, G., Novelli, G.P., 2008. Early and Late Preeclampsia: Two Different Maternal Hemodynamic States in the Latent Phase of the Disease. *Hypertension* 52, 873–880.

- Villar, J., Carroli, G., Wojdyla, D., Abalos, E., Giordano, D., Ba'aqueel, H., Kramer, M. (2006). Preeclampsia, gestational hypertension and intrauterine growth restriction, related or independent conditions? *American Journal of Obstetrics and Gynecology*, 194(4), 921–931. <http://doi.org/10.1016/j.ajog.2005.10.813>
- Visintin, C., Mugglestone, M.A., Almerie, M.Q., Nherera, L.M., James, D., Walkinshaw, S., 2010. Management of hypertensive disorders during pregnancy: summary of NICE guidance. *BMJ* 341, c2207.
- Wagnew, M., Dessalegn, M., Worku, A., Nyagero, J., 2016. Trends of preeclampsia/eclampsia and maternal and neonatal outcomes among women delivering in addis ababa selected government hospitals, Ethiopia: a retrospective cross-sectional study. *Pan Afr. Med. J.* 25.
- Weiler, J., Tong, S., Palmer, K.R., 2011. Is Fetal Growth Restriction Associated with a More Severe Maternal Phenotype in the Setting of Early Onset Pre-Eclampsia? A Retrospective Study. *PLoS ONE* 6, e26937.
- Wibowo, N., Rima, I., Edwina, F., Made Kornea, K., Johannes C., M., & Maisuri T. (2016). Diagnosis dan Tatalaksana Pre Eklamsia. *Pogi*, 6–9.
- Zhou, Y., McMaster, M., Woo, K., Janatpour, M., Perry, J., Karpanen, T., Alitalo, K., Damsky, C., Fisher, S.J., 2002. Vascular endothelial growth factor ligands and receptors that regulate human cytotrophoblast survival are dysregulated in severe preeclampsia and hemolysis, elevated liver enzymes, and low platelets syndrome. *Am. J. Pathol.* 160, 1405–1423.