



## DAFTAR PUSTAKA

- Aarts JWM, Te, N., Johnson, N., Tavender, E., Garry, R., Bwj, M. and Kb, K. (2015) ‘Surgical approach to hysterectomy for benign gynaecological disease (Review )’, *The Cochrane Collaboration*, (8).
- Ajjammanavar, V., Jayashree, S. and Amrutha, B. (2016) ‘Blood loss assessment in abdominal hysterectomy: how accurate ?’, *Int J Reprod Contracept Obstet Gynecol.*, 5(2), pp. 306–309.
- Arango, H. A. and Roberts, W. S. (1999) ‘Does ligation of the hypogastric artery at the time of radical hysterectomy and lymphadenectomy decrease blood loss ? Results of a prospective randomized trial’, *Int j Gynecol Cancer*, (3), pp. 137–140.
- Burchell, R. C. (1964) ‘Internal\_Iliac\_Artery\_Ligation\_Hemodynamics\_.14.pdf’, in R. Clay burchell, MD.D., F. A. C. O. . (ed.) *Obstetrics and Gynecology*. philadelphia: Wolters Kluwer Health, Inc., p. ppg 737–739.
- Central, S. N. (2015) ‘Estimativa 2014 – Incidência de Câncer no Brasil’, *Jornalista, pós-graduada em ‘Produção do Livro’*, 60(1), pp. 63–64.
- Chitragari, G., Schlosser, F. J., Iyad, C. and Chaar, O. (2015) ‘Consequences of hypogastric artery ligation , embolization , or coverage’, *Journal of Vascular Surgery*. Society for Vascular Surgery, pp. 1–9. doi: 10.1016/j.jvs.2015.08.053.
- Committee, F. and Gynecologic, O. N. (2009) ‘International Journal of Gynecology and Obstetrics Revised FIGO staging for carcinoma of the vulva , cervix , and endometrium’, *International Journal of Gynecology and Obstetrics*, 105, pp. 103–104. doi: 10.1016/j.ijgo.2009.02.012.
- E.Bristow, R. (2013) ‘Gynecologic Oncology’, in Robert E. Bristow (Author), D. C. (Author) (ed.) *Radical and Reconstructive Gynecologic Cancer Surgery 1st Edition*. Pennsylvania Plaza: McGraw-Hill Education, pp. 79–90.
- Elord, K., Ribeiro, C., Batista, C. S., Osako, T., Lucia, C. and Alvares, N. (2016) ‘Results of Wertheim-Meigs surgery for treatment of early uterine cervix cancer: An observational study’, *Edorium Journal of Gynecology and Obstetrics*, 2, pp. 8–16. doi: 10.5348/G06-2016-8-OA-2.



Hannigan, E. V (2001) ‘Surgical Blood Loss in Abdominal Hysterectomy’, *Gynecologic Oncology* 82, 366, pp. 364–366. doi: 10.1006/gyno.2001.6269.

Hodges, K. R., Davis, B. R. and Swaim, L. S. (2014) ‘Prevention and Management of Hysterectomy Complications’, in *CLINICAL OBSTETRICS AND GYNECOLOGY*. Houston: Lippincott Williams & Wilkins, pp. 43–57.

James D. Douketis, MD, FRCP(C); Peter B. Berger, MD, FACP; Andrew S. Dunn, MD, FACP; Amir K. Jaffer, MD; Alex C. Spyropoulos, MD, FACP, FCCP; Richard C. Becker, MD, FACP, FCCP; and Jack Ansell, MD, FACP, F. and This (2013) ‘The Perioperative Management of Antithrombotic Therapy \* American College of Chest Physicians’, *chestjournal*, pp. 299–339. doi: 10.1378/chest.08-0675.

Kalburgi, E. B., Nagathan, V. and Kuntoji, N. (2012) ‘Emergency Bilateral Internal Iliac Artery Ligation – A Hospital Based , Cross Sectional Study’, *Journal of Clinical and Diagnostic Research*, 6(7), pp. 1223–1225.

Keith, L. G. and Campbell, W. B. (1900) ‘Internal Iliac (Hypogastric) Artery Ligation’, *POSTPARTUM HEMORRHAGE The*, pp. 441–447.

Mandal, D., Mandal, S., Maity, T. K. and Parmanik, S. (2013) ‘Role of hypogastric artery ligation in pelvic haemorrhage - is still alive’, *US National Library of Medicine enlisted journal*, 6, pp. 12–16.

McCarthy, J. J., Wade, C. E., Holcomb, J. B. and Cotton, B. A. (2016) ‘An Emergency Department Thawed Plasma Protocol for Severely Injured Patients’, *JAMA SURG*, 148(2), pp. 170–175.

Mota, F., Vergote, I., Trimbos, J. B., Amant, F., Siddiqui, N. and Rio, A. D. E. L. (2008) ‘Classification of radical hysterectomy adopted by the Gynecological Cancer Group of the European Organization for Research and Treatment of Cancer 1’, *Int j Gynecol Cancer*, (type II), pp. 1136–1138. doi: 10.1111/j.1525-1438.2007.01138.x.

Nayak, S., Ochalski, M. E., Fu, B., Wakim, K. M., Chu, T. J., Dong, X. and Wakim, A. N. (2014) ‘Progesterone level at oocyte retrieval predicts in vitro fertilization success in a short-antagonist protocol: a prospective cohort study’, *Fertil. Steril.*, 101(3), pp. 33–35. doi: 10.1016/j.fertnstert.2013.11.022.



Papp, Z., To, E., Silhavy, M. and Hupuczi, P. (2006) ‘Hypogastric artery ligation for intractable pelvic hemorrhage’, *International Journal of Gynecology and Obstetrics*, pp. 27–31. doi: 10.1016/j.ijgo.2005.08.022.

Patil, Y., Kathiriya, D., Kshirsagar, N. S. and Nagar, S. (2014) ‘Role of Internal Iliac Artery Ligation in Control of Pelvic Haemorrhage’, *International Journal of Recent Trends in Science And Technology*, 9(3), pp. 461–464.

Piver, M. S. and Ghomi, A. (2010) ‘The twenty-first century role of Piver-Rutledge type III radical hysterectomy and FIGO stage IA , IB1 , and IB2 cervical cancer in the era of robotic surgery : a personal perspective’, *J Gynecol Oncol*, 21(4), pp. 219–224. doi: 10.3802/jgo.2010.21.4.219.

Roy, C. P. K., Kharkwal, C. K. C., Das, A., Mahadik, K. and Jain, R. (2013) ‘Primary Internal Iliac Artery Ligation – An Effective Technique For Surgical Hemostasis In Wertheim ’ s Hysterectomy’, *NJIRM*, 4(6), pp. 145–147.

Selçuk, İ., Uzuner, B., Boduç, E., Baykuş, Y. and Akar, B. (2019) ‘Step-by-step ligation of the internal iliac artery’, *J Turk Ger Gynecol Assoc*, pp. 123–128. doi: 10.4274/jtgga.galenos.2018.2018.0124.

Shander, A., Knight, K., Thurer, R., Adamson, J. and Spence, R. (2003) ‘Prevalence and Outcomes of Anemia in Surgery : A Systematic Review of the Literature’, *j.amjmed*. doi: 10.1016/j.amjmed.2003.12.013.

Shankar, M., Lee, C. A., Sabin, C. A., Economides, D. L. and Kadir, A. (2004) ‘von Willebrand disease in women with menorrhagia : a systematic review’, *BJOG: an International Journal of Obstetrics and Gynaecology*, 111(July), pp. 734–740.

Sordia-hernández, L. H., Rodriguez, D. S., Vidal-gutierrez, O., Morales-martinez, A., Sordia-piñeyro, M. O. and Guerrero-gonzalez, G. (2012) ‘International Journal of Gynecology and Obstetrics Factors associated with the need for blood transfusion during hysterectomy’, *International Journal of Gynecology and Obstetrics*. International Federation of Gynecology and Obstetrics, 118(3), pp. 239–241. doi: 10.1016/j.ijgo.2012.03.040.

Ting-chung, MBBS, P. U. N. and Obstetrics, F. (2017) ‘Hysterectomy for Benign Disease’, *HKJGOM*, 17(2), pp. 121–128.

Venetis, C. ., Kolibianakis, E. ., Bosdou, J. . and Tarlatzis, B. . (2013) ‘Progesterone elevation and probability of pregnancy after IVF: a systematic review and meta-analysis of over 60000 cycles’, *Hum.Reprod.Update*, 19(5), pp. 433–457.



UNIVERSITAS  
GADJAH MADA

PENGARUH LIGASI ARTERI ILIAKA INTERNA TERHADAP JUMLAH PERDARAHAN DAN  
PENURUNAN KONSENTRASI

**HAEMOGLOBIN POST OPERASI HISTEREKTOMI RADIKAL**

M REZA ERLANGGA, dr. Shofwal Widad. Sp.OG (K); dr. Ardhanu Kusumanto,SpOG(K)

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

William, F. (2015) 'Internal Iliac Artery Ligation in Obstetrics and Gynecology',  
*JAMA*, 178, pp. 81–84.