

DAFTAR PUSTAKA

- Afzal, M.Z., Sun, X.F., Liu, J., Song, C., Wang, S.G., and Javed, A., 2018, Enhancement of ciprofloxacin sorption on chitosan/biochar hydrogel beads, *Sci. Total Environ.*, 639, 560–569.
- Aksu, Z., 2005, Application of biosorption for the removal of organic pollutants: A review, *Process Biochem.*, 40, 997–1026.
- Al-Jawhari, I. F. H., 2015, Decolorization of methylene blue and crystal violet by some filamentous fungi, *Int. J. Environ. Bioremediat. Biodegrad.*, 3, 62–65.
- Al jibouri, A.K.H., Wu, J., and Upreti, S.R., 2015, Continuous ozonation of methylene blue in water, *J. Water Process Eng.*, 8, 142–150.
- Berger, J., Reist, M., Mayer, J.M., Felt, O., and Gurny, R., 2004, Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications, *Eur. J. Pharm. Biopharm.*, 57, 35–52.
- Bhatnagar, A., Hogland, W., Marques, M., and Sillanpää, M., 2013, An overview of the modification methods of activated carbon for its water treatment applications, *Chem. Eng. J.*, 219, 499–511.
- Bonetto, L.R., Ferrarini, F., De Marco, C., Crespo, J.S., Guégan, R., and Giovanela, M., 2015, Removal of methyl violet 2B dye from aqueous solution using a magnetic composite as an adsorbent, *J. Water Process Eng.*, 6, 11–20.
- Chafidz A., Astuti W., Augustia V., Novira D.T. and Rofiah N., 2018, Removal of methyl violet dye via adsorption using activated carbon prepared from randu sawdust (*Ceiba pentandra*), *IOP Conf. Ser. Earth Environ. Sci. Pap.*, 167, 2–6.
- Chiou, M.S. and Chuang, G.S., 2006, Competitive adsorption of dye metanil yellow and RB15 in acid solutions on chemically cross-linked chitosan beads, *Chemosphere*, 62, 731–740.
- Corcho-Corral, B., Olivares-Marín, M., Fernández-González, C., Gómez-Serrano, V., and Macías-García, A., 2006, Preparation and textural characterisation of activated carbon from vine shoots (*Vitis vinifera*) by H₃PO₄ Chemical activation, *Appl. Surf. Sci.*, 252, 5961–5966.
- Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review, *Bioresour. Technol.*, 97, 1061–1085.
- Gao, Y., Yue, Q., Xu, S., and Gao, B., 2015, Activated carbons with well-developed mesoporosity prepared by activation with different alkali salts, *Mater. Lett.*, 146, 34–36.
- Hameed, B.H., 2008, Equilibrium and kinetic studies of methyl violet sorption by agricultural waste, *J. Hazard. Mater.*, 154, 204–212.
- Hameed, B.H., Din, A.T.M., and Ahmad, A.L., 2007, Adsorption of methylene blue onto bamboo-based activated carbon: Kinetics and equilibrium studies,

J. Hazard. Mater., 141, 819–825.

- Hassan, A.F., Abdel-Mohsen, A.M., and Elhadidy, H., 2014, Comparative study of calcium alginate, activated carbon, and their composite beads on methylene blue adsorption, *Int. J. Biol. Macromol.*, 68, 125–130.
- Hariani, P. L., Muryati, and Fatma, F., 2018, Synthesis alumina-activated carbon composite using sol-gel method as adsorption for methylene blue dye, *J. Phys. Conf. Ser.*, 1095, .
- He, X., Brabazon, D., Male, K.B., Luong, J.H.T., Nesterenko, P.N., and Paull, B., 2013, Adsorption and desorption of methylene blue on porous carbon monoliths and nanocrystalline cellulose, *ACS Appl. Mater. Interfaces*, 5, 8796–8804.
- Iriarte-Velasco, U., Chimenó-Alanís, N., and Álvarez-Uriarte, J.I., 2011, Relationship between thermodynamic data and adsorption/desorption performance of acid and basic dyes onto activated carbons, *J. Chem. Eng. Data*, 56, 2100–2109.
- Jeguirim, M., Belhachemi, M., Limousy, L., and Bennici, S., 2018, Adsorption/reduction of nitrogen dioxide on activated carbons: textural properties versus surface chemistry – A review, *Chem. Eng. J.*, 347, 493–504.
- Khanday, W.A., Asif, M., and Hameed, B.H., 2017, Cross-linked beads of activated oil palm ash zeolite/chitosan composite as a bio-adsorbent for the removal of methylene blue and acid blue 29 dyes, *Int. J. Biol. Macromol.*, 95, 895–902.
- Lazaridis, Nikolaos K.Kyzas, G.Z. and Bikiaris, D.N., 2007, Chitosan derivatives as biosorbents for basic dyes, *Langmuir*, 23, 7634–7643.
- Lee, J.S., Cha, D.S., and Park, H.J., 2004, Survival of freeze-dried *Lactobacillus bulgaricus* KFRI 673 in chitosan-coated calcium alginate microparticles, *J. Agric. Food Chem.*, 52, 7300–7305.
- Leswana, N. F., 2018, Sintesis film kompleks polielektrolit kitosan-polistirena sulfonat dari limbah styrofoam sebagai adsorben Cu(II) dan Ni(II), *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Li, P., Su, Y.J., Wang, Y., Liu, B., and Sun, L.M., 2010, Bioadsorption of methyl violet from aqueous solution onto pu-erh tea composite, *J. Hazard. Mater.*, 179, 43–48.
- Li, W., Yue, Q., Tu, P., Ma, Z., Gao, B., Li, J., and Xu, X., 2011, Adsorption characteristics of dyes in columns of activated carbon prepared from paper mill sewage sludge, *Chem. Eng. J.*, 178, 197–203.
- Liu, H., Zhong, L., Govindaraju, S., and Yun, K., 2019, ZnO rod decorated with Ag nanoparticles for enhanced photocatalytic degradation of methylene blue, *J. Phys. Chem. Solids*, 129, 46–53.
- Lucas, M.S., Dias, A.A., Sampaio, A., Amaral, C., and Peres, J.A., 2007, Degradation of a textile reactive azo dye by a combined chemical-biological

- process: fenton's reagent-yeast, *Water Res.*, 41, 1103–1109.
- Marrakchi, F., Bouaziz, M., and Hameed, B.H., 2017, Activated carbon–clay composite as an effective adsorbent from the spent bleaching sorbent of olive pomace oil: process optimization and adsorption of acid blue 29 and methylene blue, *Chem. Eng. Res. Des.*, 128, 221–230.
- Mohod, A. V., Hinge, S.P., Raut, R.S., Bagal, M. V., and Pinjari, D., 2018, Process intensified removal of methyl violet 2B using modified cavity-bubbles oxidation reactor, *J. Environ. Chem. Eng.*, 6, 574–582.
- Nasrullah, A., Bhat, A.H., Naeem, A., Isa, M.H., and Danish, M., 2018, High surface area mesoporous activated carbon-alginate beads for efficient removal of methylene blue, *Int. J. Biol. Macromol.*, 107, 1792–1799.
- Nitayaphat, W., 2014, Utilization of chitosan/bamboo charcoal composite as reactive dye adsorbent, *Chiang Mai J. Sci.*, 41, 174–183.
- Orts, F., del Río, A.I., Molina, J., Bonastre, J., and Cases, F., 2018, Electrochemical treatment of real textile wastewater: trichromy procion HEXL®, *J. Electroanal. Chem.*, 808, 387–394.
- Pathania, D., Sharma, S., and Singh, P., 2017, Removal of methylene blue by adsorption onto activated carbon developed from *Ficus carica* bast, *Arab. J. Chem.*, 10, S1445–S1451.
- Prahas, D., Kartika, Y., Indraswati, N., and Ismadji, S., 2008, Activated carbon from jackfruit peel waste by H₃PO₄ chemical activation : pore structure and surface chemistry characterization, 140, 32–42.
- Prauchner, M.J., Sapag, K., and Rodríguez-Reinoso, F., 2016, Tailoring biomass-based activated carbon for CH₄ storage by combining chemical activation with H₃PO₄ or ZnCl₂ and physical activation with CO₂, *Carbon N. Y.*, 110, 138–147.
- Rafatullah, M., Sulaiman, O., Hashim, R., and Ahmad, A., 2010, Adsorption of methylene blue on low-cost adsorbents: a review, *J. Hazard. Mater.*, 177, 70–80.
- Rezakazemi, M. and Shirazian, S., 2019, Lignin-chitosan blend for methylene blue removal: adsorption modeling, *J. Mol. Liq.*, 274, 778–791.
- Rocher, V., Siaugue, J.M., Cabuil, V., and Bee, A., 2008, Removal of organic dyes by magnetic alginate beads, *Water Res.*, 42, 1290–1298.
- Samiey, B. and Ashoori, F., 2012, Adsorptive removal of methylene blue by agar: effects of NaCl and ethanol, *Chem. Cent. J.*, 6, 14.
- Song, Y., Duan, Y., and Zhou, L., 2018, Multi-carboxylic magnetic gel from hyperbranched polyglycerol formed by thiol-ene photopolymerization for efficient and selective adsorption of methylene blue and methyl violet dyes, *J. Colloid Interface Sci.*, 529, 139–149.
- Sudaryanto, Y., Hartono, S.B., Irawaty, W., Hindarso, H., and Ismadji, S., 2006,

- High surface area activated carbon prepared from cassava peel by chemical activation, *Bioresour. Technol.*, 97, 734–739.
- Tan, I.A.W., Ahmad, A.L., and Hameed, B.H., 2008, Adsorption of basic dye on high-surface-area activated carbon prepared from coconut husk: equilibrium, kinetic and thermodynamic studies, *J. Hazard. Mater.*, 154, 337–346.
- Vijaya, Y., Popuri, S.R., Boddu, V.M., and Krishnaiah, A., 2008, Modified chitosan and calcium alginate biopolymer sorbents for removal of nickel (II) through adsorption, *Carbohydr. Polym.*, 72, 261–271.
- Wasupalli, G.K. and Verma, D., 2018, Molecular interactions in self-assembled nano-structures of chitosan-sodium alginate based polyelectrolyte complexes, *Int. J. Biol. Macromol.*, 114, 10–17.
- Webi, T.W. and Ranjit K. Chakravort, 1974, Pore and solid diffusion models for fixed-bed adsorbers, *AIChE J.*, 20, 228–238.
- Xu, R. kou, Xiao, S. cheng, Yuan, J. hua, and Zhao, A., 2011, Adsorption of methyl violet from aqueous solutions by the biochars derived from crop residues, *Bioresour. Technol.*, 102, 10293–10298.
- Zhang, X., Cheng, L., Wu, X., Tang, Y., and Wu, Y., 2015, Activated carbon coated palygorskite as adsorbent by activation and its adsorption for methylene blue, *J. Environ. Sci. (China)*, 33, 97–105.
- Zhao, R., Li, Y., Sun, B., Chao, S., Li, X., Wang, C., and Zhu, G., 2019, Highly flexible magnesium silicate nanofibrous membranes for effective removal of methylene blue from aqueous solution, *Chem. Eng. J.*, 359, 1603–1616.
- Zhou, L., Huang, J., He, B., Zhang, F., and Li, H., 2014, Peach gum for efficient removal of methylene blue and methyl violet dyes from aqueous solution, *Int. J. Biol. Macromol.*, 101, 574–581.