

DAFTAR PUSTAKA

- Arvianto, R.I., 2019, Preparasi Humus Sintetik Kaya Nitrogen dan Sulfur dari Limbah Rumah Pemotongan Ayam, *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Askegaard, M., Hansen, H.C.B., and Schjoerring, J.K., 2005, A Cation Exchange Resin Method for Measuring Long-term Potassium Release Rates From Soil, *Plant and Soil*, 271, 63-74.
- Bargmann, I., Rillig, M.C., Kruse, A., Greef, J.M., and Kucke, M., 2014, Effects of Hydrochar Application on the Dynamics of Soluble Nitrogen in Soils and on Plant Availability, *J. Plant Nutr. Soil Sci.*, 177, 48-58.
- Barth, A., 2007, Infrared Spectroscopy of Proteins, *Biochim. Biophys. Acta (BBA)-Bioenerg.*, 1767, 1073-1101.
- Belarmino, D.D., Ladchumananandasivam, R., Belarmino, L.D., Pimentel, J.R.M., Da-Rocha, B.G., Galvao, A.O., and De-Andrade, S.M.B., 2012, Physical and Morphological Structure of Chicken Feathers (Keratin Biofiber) in Natural, Chemically and Thermally Modified Forms, *J. Mater. Sci.*, 3, 887-893.
- Bermejo, M., and Cocero, M., 2006, Supercritical Water Oxidation: A Technical Review., *Aiche. J.*, 52, 3933-3951.
- Bohacz, J., and Kornilowicz-Kowalska, T., 2019, Fungal Diversity and Keratinolytic Activity of Fungi from Lignocellulosic Composts with Chicken Feathers, *Process Biochem.*, 80, 119-128.
- Chang, R.R., Mylotte, R., Hayes, M.H.B., McInerney, R., and Tzou, Y.M., 2014, A Comparison of the Compositional Differences between Humic Fractions Isolated by the IHSS and Exhaustive Extraction Procedures, *Naturwissenschaften*, 101, 197-209.
- Charlina, C., 2015, Karakterisasi Fraksi Humin, Asam Humat, dan Asam Fulvat pada CRH (*Carbonized Rice Husk*) dan Humus Sintetis, *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Chorover, J., and Brusseau, M. L., 2008, *Kinetics of Water-Rock Interaction*, Springer, New York.
- Coward-Kelly, G., Chang, V.S., Agbogbo, F.K., and Holtzapple, M.T., 2006, Lime Treatment of Keratinous Materials for the Generation of Highly Digestible Animal Feed: 1. Chicken Feathers, *Bioresour. Technol.*, 97, 1337-1343.

- De Oliveira, L.C., Sargentini, E., Rosa, A.H., Rocha, J.C., Simoes, M.L., Martin-Neto, L., da Silva, W.T.L., and Serudo, R.L., 2007, The Influence of Seasonalness on the Structural Characteristics of Aquatic Humic Substances Extracted from Negro River (Amazon State) Waters: Interactions with Hg(II), *J. Braz. Chem. Soc.*, 18, 860-868.
- Edwards, H.G.M., Hunt, D.E., and Sibley, M.G., 1998, FT-Raman Spectroscopic Study of Keratotic Materials: Horn, Hoof and Tortoiseshell, *Spectrochim. Acta Part A.*, 54, 745-757.
- Funke, A., and Ziegler, F., 2010, Hydrothermal Carbonization of Biomass: A Summary and Discussion of Chemical Mechanisms for Process Engineering, *Biofuels. Bioprod. Bioref.*, 4, 160-77.
- Gao, Y., Liu, Y., Zhu, G., Xu, J., Xu, H., Yuan, Q., Zhu, Y., Sarma, J., Wang, Y., Wang, J., and Ji, L., 2018, Microwave-assisted Hydrothermal Carbonization of Dairy Manure: Chemical and Structural Properties of the Products, *Energy*, 165, 662-672.
- Gasco, G., Paz-Ferreiro, J., Alvarez, M.L., Saa, A., and Mendez, A., 2018, Biochars and Hydrochars Prepared by Pyrolysis and Hydrothermal Carbonization of Pig Manure, *Waste Manage.*, 79, 395-403.
- Gunawan, A., 2015, Studi Adsorpsi Desorpsi Urea pada Humus Sintetis dalam Kondisi Lingkungan Asam, *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Gurav, R.G., and Jadhav, J.P., 2013, A Novel Source of Biofertilizer from Feather Biomass for Banana Cultivation, *Environ. Sci. Pollut. Res.*, 20, 4532-4539.
- Hayes, M.H.B., Swift, R.S., Byrne, C.M., Song, G., and Simpson, A.J., 2010, The Isolation and Characterization of Humic Substances and Humin from GreyBrown Podzolic and Gley Grassland Soils, *19th world congress of soil science, soil solution for changing world, 1-6 august 2010*, Brisbane.
- Hayes, M.T., Hayes, M.H.B., Skjemstad, J.O., and Swift, R.S., 2008, Compositional Relationships between Organic Matter in a Grassland Soil and its Drainage Waters, *Eur. J. Soil Sci.*, 59, 603-616.
- He C., Giannis A., and Wang J-Y., 2013, Conversion of Sewage Sludge to Clean Solid Fuel using Hydrothermal Carbonization: Hydrochar Fuel Characteristics and Combustion Behavior, *Appl. Energy.*, 111, 257-266.
- Helal, A.A., Murad, G.A., and Helal, A.A., 2011, Characterization of Different Humic Materials by Various Analytical Techniques, *Arab. J. Chem.*, 4, 51-54.

- Ho, Y.S., and McKay, G., 1999, Pseudo-second Order Model for Sorption Process, *Process Biochem.*, 34, 451-465.
- Hu, Z., Zhang, F.S., and Wu, J., 2010, Characterization and Application of Chars Produced from Pinewood Pyrolysis and Hydrothermal Treatment, *Fuel*, 89, 510-514.
- Idowu, I., Li, L., Flora, J.R.V., Pellechia, P.J., Darko, S., Ro, K.S., and Berge, N.D., 2017, Hydrothermal Carbonization of Food Waste for Nutrient Recovery and Reuse, *Waste Manage.*, 69, 480-491.
- Islam, A., Chandrabiswas, J., Karim, A.J.M.S., Salmapervin, M., and Saleque, M.A., 2015, Effects of Potassium Fertilization on Growth and Yield of Wetland Rice in Grey Terrace Soils of Bangladesh, *Res. Crop Ecophysiol. J.*, 10, 64–82.
- Jacundino, J.S., Santos, O.S., Santos, J.C.C., Botero, W.G., Goveia, D., Do-Carmo, J.B., and De-Oliveira, L.C., 2015, Interactions between Humin and Potentially Toxic Metals: Prospects for its Utilization as an Environmental Repair Agent, *J. Environ. Chem. Eng.*, 3, 708-715.
- Karr, M., 2000, Oxidized Lignites and Extracts from Oxidized Lignites in Agriculture, *Soil. Sci.*, 5-10.
- Kim, D., Lee, K., and Park, K.Y., 2014, Hydrothermal Carbonization of Anaerobically Digested Sludge for Solid Fuel Production and Energy Recovery., *Fuel*, 130, 120–125.
- Kowalski, S., Lukasiewicz, M., Duda-Chodak, A., and Ziec, G., 2013, 5-Hydroxymethyl-2-Furfural (HMF)- Heat Induced Formation, Occurrence in Food and Biotransformation- a Review, *Pol. J. Food Nutr. Sci.*, 63, 207-225.
- Kuncaka, A., 2016, *Metode Memproduksi Pupuk Organik Paramagnetik Pelepasan Lambat (Pupuk Slow Release Organic Paramagnetic/Pupuk SROP)*, Direktorat Jenderal Hak Kekayaan Intelektual, Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia, No. Paten P000042759.
- Lang, Q., Zhang, B., Liu, Z., Jiao, W., Xia, Y., Chen, Z., Li, D., Ma, J., and Gai, C., 2019, Properties of Hydrochars Derived from Swine Manure by CaO Assisted Hydrothermal Carbonization, *J. Environ. Manage.*, 233, 440-446.
- Lehmann, J., Gaunt, J., and Rondon, M., 2006, Bio-char Sequestration in Terrestrial Ecosystems-a Review, *Mitig. Adapt. Strat. Gl.*, 11, 403-427.

- Libra, J.A., Ro, K.S., Kammann, C., Funke, A., Berge, N.D., Neubauer, Y., Titirici, M.M., Fuhner, C., Bens, O., Kern, J., Emmerich, K.H., 2011. Hydrothermal Carbonization of Biomass Residuals: A Comparative Review of the Chemistry, Processes and Applications of Wet and Dry Pyrolysis. *Biofuels*, 2, 71–106.
- Lynam, J.G., Reza, M.T., Yan, W., Vásquez, V.R., Coronella, and C.J., 2015, Hydrothermal Carbonization of Various Lignocellulosic Biomass, *Biomass. Convers. Bior.*, 5, 173–181.
- Malghani, S., Gleixner, G., and Trumbore, S.E., 2013, Chars Produce by Slow Pyrolysis and Hydrothermal Carbonization Vary in Carbon Sequestration Potential and Greenhouse Gases Emissions, *Soil Boil. Biochem.*, 62, 137-146.
- Mazotto, A.M., Coelho, R.R.R., Cedrola, S.M.L., De Lima, M.F., Couri, S., De Souza, E.P., and Vermelho, A.B., 2011. Keratinase Production by Three *Bacillus* sp. using Feather Meal and Whole Feather as Substrate in a Submerged Fermentation, *Enzym. Res.*, 11, 723–780.
- McGaughy, K., and Reza, M.T., 2018, Recovery of Macro and Micro-Nutrients by Hydrothermal Carbonization of Septage, *J. Agric. Food. Chem.*, 66, 1854-1862.
- Nurdiawati, A., Nakhshiniev, B., Zaini, I.N., Saidov, N., Takahashi, F., and Yoshikawa, K., 2017, Characterization of Potential Liquid Fertilizers Obtained by Hydrothermal Treatment of Chicken Feathers, *Environ. Prog. Sustain Energy*, 37, 375-382.
- Piccolo, A., 2002, The Supramolecular Structure of Humic Substances: A Novel Understanding of Humus Chemistry and Implications in Soil Science, *Adv. Agro*, 75, 57-134.
- Qiang, W., Shiqiang, W., Yuming, H., and Jinzhong, Z., 2008, Characteristics of Isothermal Adsorption and Desorption of Aluminium Ion to/from Humic Acids, *J. Environ. Sci.*, 20, 579-584.
- Reza, M.T., Coronella, C., Holtman, K.M., Franqui-Villanueva, D., and Poulson, S.R., 2016. Hydrothermal Carbonization of Autoclaved Municipal Solid Waste Pulp and Anaerobically Treated Pulp Digestate. *ACS Sustain. Chem. Eng.*, 4, 3649-3658.
- Ro, K.S., Novak, J.M., Johnson, M.G., Szogi, A.A., Libra, J.A., Spokas, K.A., and Bae, S., 2016, Leachate Water Quality of Soils Amended with Different Swine Manure-based Amendments, *Chemosphere*, 142, 92-99.

- Rohrdanz, M., Rebling, T., Ohlert, J., Jasper, J., Greve, T., Buchwald, R., Frieling, P.V., and Wark, M., 2016, Hydrothermal Carbonization of Biomass from Landscape Management-Influence of Process Parameters on Soil Properties of Hydrochars, *J. Environ. Manage.*, 173, 72-78.
- Ruiz, H.A., Rodríguez-Jasso, R.M., Fernandes, B.D., Vicente, A.A., and Teixeira, J.A., 2013, Hydrothermal Processing as an Alternative for Upgrading Agriculture Residues and Marine Biomass according to the Biorefinery Concept: a Review, *Renew Sustain Energy Rev.*, 21, 35-51.
- Salminen, E., and Rintala, J., 2002, Anaerobic Digestion of Organic Solid Poultry Slaughterhouse Waste - a Review, *Bioresour. Technol.*, 83, 13-26.
- Sato, N., Quitain, A.T., Kang, K., Daimon, H., and Fujie, K., 2004, Reaction Kinetics of Amino Acid Decomposition in High-Temperature And High-Pressure Water, *Ind. Eng. Chem. Res.*, 43, 3217-3222.
- Savage, P.E., 1999, Organic Chemical Reactions in Supercritical Water, *Chem. Rev.*, 99, 603-622.
- Senoz, E., and Wool, R.P., 2010, Microporous Carbon-Nitrogen Fibers from Keratin Fibers by Pyrolysis, *J. Appl. Polym. Sci.*, 118, 1752-1765.
- Sevilla, M., and Fuertes, A.B., 2009, The Production of Carbon Materials by Hydrothermal Carbonization of Cellulose, *Carbon*, 47, 2281-2289.
- Simpson, A.J., Kingery, W.L., Hayes, M.H.B., Spraul, M., Humpfer, E., Dvortsak, P., Kerssebaum, R., Godejohann, M., and Hoffmann, M., 2002, Molecular Structures and Associations of Humic Substances in the Terrestrial Environment, *Naturwissenschaften*, 89, 84-88.
- Smejkalova, D., and Piccolo, A., 2008, Host-Guest Interactions between 2,4-Dichlorophenol and Humic Substances as Evaluated by ¹H NMR Relaxation and Diffusion Ordered Spectroscopy, *Environ. Sci. Technol.*, 42, 8440-8445.
- Song, G., Novotny, E.H., Simpson, A.J., Clapp, C.E., Hayes, M.H.B., 2008, Sequential Exhaustive Extraction of a Mollisol Soil, and Characterizations of Humic Components, including Humin, by Solid and Solution State NMR, *Eur. J. Soil Sci.*, 59, 505-516.
- Stevenson, F.J., 1994, *Humus Chemistry: Genesis Composition Reaction*, 2nd Ed., Wiley, New York.
- Sutton, R. dan Sposito, G., 2005, Molecular Structure in Soil Humic Substances: The New View, *Environ. Sci. Technol.*, 39 (23), 9009-9015.

- Tadini, A.M., Nicolodelli, G., Mounier, S., Montes, C.G., and Milori, D.M.B.P., 2015, The Importance of Humin in Soil Characterisation: A Study on Amazonian Soils using Different Fluorescence Techniques, *Sci. Total Environ.*, 537, 152-158.
- Taskin, M., Sisman, T., Erdal, S., and Kurbanoglu, E.B., 2011, Use of Waste Chicken Feathers as Peptone for Production of Carotenoids in Submerged Culture of *Rhodotorula glutinis* MT-5, *Eur. Food Res. Technol.*, 233, 657-665.
- Tesfaye, T., Sithole, B., Ramiugernath, D., and Chuniilall, V., 2017, Valorisation of Chicken Feathers: Characterisation of Chemical Properties, *Waste Manage.*, 68, 626-635.
- Vetterlein, D., Kuhn, T., Kaiser, K., and Jahn, R., 2013, Illite Transformation and Potassium Release upon Changes in Composition of the Rhizosphere Soil Solution, *Plant Soil*, 371, 267-279.
- Wahyuningtyas, A., Roto, R., and Kuncaka, A., 2016, Study of Glucose Adsorption on Synthetic Humin, *Asian J. Chem.*, 28, 987-992.
- Wang, H., Lin, K., Hou, Z., Richardson, B., and Gan, J., 2010, Sorption of the Herbicide Terbutylazine in Two New Zealand Forest Soils Amended with Biosolids and Biochars. *J. Soil. Sediment.*, 10, 283-289.
- Wang, T., Zhai, Y., Zhu, Y., Li, C., and Zeng, G., 2018, A review of the Hydrothermal Carbonization of Biomass Waste for Hydrochar Formation: Process Conditions, Fundamentals, and Physicochemical, *Energy Reviews*, 90, 223-247.
- Wasay, S.A., Barrington, S.F., Tokunaga, S., and Prasher, S., 2007, Kinetics of Heavy Metal Desorption from Three Soils using Citric Acid, Tartaric Acid, and EDTA, *J. Environ. Eng. Sci.*, 6, 611-622.
- West, E.S., and Todd, W.R., 1961, *Text Book of Biochemistry*, 3th Ed., The McMillan Company, New York.
- Wiyarno, Y., and Widyastuti, S., 2015, Isolation and Identification Odorous Chemical Markers of Wastewater Poultry Slaughterhouse, *Procedia Environ. Sci.*, 23, 400-406.
- Wu, L., and Liu, M., 2008, Preparation and Properties of Chitosan-coated NPK Compound Fertilizer with Controlled-Release and Water-Retention, *Carbohydr. Polym.*, 72, 240-247.

- Zaini, I.N., Novianti, S., Nurdiawati, A., Irhamna, A.R., Aziz, M., and Yoshikawa, K., 2017, Investigation of the Physical Characteristics of Washed Hydrochar Pellets Made from Empty Fruit Bunch, *Fuel Process. Technol.*, 160, 109-120.
- Zhang, S., Wen, J., Hu, Y., Fang, Y., Zhang, H., Xing, L., Wang, Y., and Zeng, G., 2019, Humic Substances from Green Waste Compost: An Effective Washing Agent for Heavy Metal (Cd, Ni) Removal from Contaminated Sediments, *J. Hazard. Mater.*, 366, 210-218.
- Zhao, W., Yang, R., Zhang, Y., and Wu, L., 2012, Sustainable and Practical Utilisation of Feather Keratin by an Innovative Physicochemical Pre-treatment: High Density Steam Flash-Explosion, *Green Chem.*, 14, 3352-3360.
- Ziechmann, W., Hubner, M., Jonassen, K.E.N., Batsberg, W., Nielsen, T., Hahner, S., Hansen, P.E., and Gudmudson, A.L., 2000, *Humic Substances and Humification*, Royal Society of Chemistry, Cornwall.