UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adib-moghaddam, S., Soleyman-jahi, S., Salmanian, B., Omidvari, A., Adili-aghdam, F., Noorizadeh, F., & Eslani, M. (2016). Single-step transepithelial photorefractive keratectomy in myopia and astigmatism : *J Cataract Refract Surg*, *42*(11), 1570–1578.

Adib-moghaddam, S., Soleyman-jahi, S., Adili-aghdam, F., Arba, S., Hoorshad, N., & Tofighi, S. (2017). Single-step transepithelial photorefractive keratectomy in high myopia: qualitative and quantitative visual functions. *Int J Ophthalmol*, *10*(3), 445–452.

Adib-Moghaddam, S., Soleyman-Jahi, S., Sanjari Moghaddam, A., Hoorshad, N., Tefagh, G., Haydar, A. A., Arba Mosquera, S. (2018). Efficacy and safety of transepithelial photorefractive keratectomy. *J Cataract Refract Surg*, *44*(10), 1267–1279.

Ahmet, S., Agca, A., Yaga, D., Koç, A. A., Togaç, M., Yildirim, Y., Demirok, A. (2018). Simultaneous transepithelial topography-guided photorefractive keratectomy and accelerated cross-linking in keratoconus: 2-year follow-up. *BioMed Res Int*, *2018*.

Akcam, H. T., Unlu, M., Karaca, E. E., Yazici, H., Aydin, B., & Hondur, A. M. (2018). Autologous serum eye-drops and enhanced epithelial healing time after photorefractive keratectomy. *Clin Exp Optom*, *101*(1), 34–37.

Alió, J. L., Muftuoglu, O., Ortiz, D., Artola, A., Pérez-Santonja, J. J., de Luna, G. C., … Garcia, M. J. (2008). Ten-year Follow-up of Photorefractive Keratectomy for Myopia of Less Than −6 Diopters. *Am J Ophthalmol*, *145*(1), 29–36.e1.

Alio, J. L., Soria, F. A., Abbouda, A., & Peña-García, P. (2016). Fifteen years follow-up of photorefractive keratectomy up to 10 D of myopia: outcomes and analysis of the refractive regression. *Br J Ophthalmol*, *100*(5), 626–632.

Ambrosio, R., Nogueira, L. P., Caldas, D. L., Fontes, B. M., Luz, A., & Belin, M. W. (2011). Evaluation of Corneal Shape and Biomechanics Before LASIK. *Int Ophthalmol*, *51*(2), 11–39.

American Academy of Ophthalmology. (2016a). Amblyopia. In *Basic and Clinical Science Course Pediatric Ophthalmology and Strabismus* (hal. 66–76). San Fransisco, California: American Academy of Ophthalmology.

American Academy of Ophthalmology. (2016b). Examination Techniques for the External Eye and Cornea. In *Basic and Clinical Science Course External Disease and Cornea* (hal. 35–72). San Fransisco, California: American Academy of Ophthalmology.

American Academy of Ophthalmology. (2016c). Intraocular Pressure and Aqueous Humor Dynamics. In *Basic and Clinical Science Course Glaucoma* (hal. 29–47). San Fransisco, California: American Academy of Ophthalmology.

American Academy of Ophthalmology. (2016d). The Eye. In *Basic and Clinical*

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Science Course Fundamentals and Principles of Ophthalmology (2016–2017 ed., hal. 73–79). San Fransisco, California: American Academy of Ophthalmology.

American Diabetes Association. (2018). Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2018. Diambil dari http://care.diabetesjournals.org/content/41/Supplement_1/S13

Ang, E. K., Couper, T., Dirani, M., Vajpayee, R. B., & Baird, P. N. (2009). Outcomes of laser refractive surgery for myopia. *J Cataract Refract Surg*, *35*(5), 921–933.

Anitua, E., de la Fuente, M., Muruzabal, F., Riestra, A., Merayo-Lloves, J., & Orive, G. (2015). Plasma rich in growth factors (PRGF) eye drops stimulates scarless regeneration compared to autologous serum in the ocular surface stromal fibroblasts. *Exp Eye Res*, *135*(February), 118–126.

Anitua, E., Muruzabal, F., Alcalde, I., Merayo-Lloves, J., & Orive, G. (2013). Plasma rich in growth factors (PRGF-Endoret) stimulates corneal wound healing and reduces haze formation after PRK surgery. *Expl Eye Res*, *115*, 153–161.

Antonios, R., Fattah, M. A., Mosquera, S. A., Abiad, B. H., Sleiman, K., & Awwad, S. T. (2017). Single-step transepithelial versus alcohol-assisted photorefractive keratectomy in the treatment of high myopia : a comparative evaluation over 12 months. *Br J Ophthalmol*, *101*, 1106–1112.

Arora, R., Goel, Y., Goyal, J. L., Goyal, G., Garg, A., & Jain, P. (2015). Refractive outcome of wavefront guided laser in situ keratomileusis and wavefront guided photorefractive keratectomy in high pre-existing higher order aberration. *Cont Lens Anterior Eye*, *38*(2), 127–133.

Aslanides, I. M., Georgoudis, P. N., Selimis, V. D., & Mukherjee, A. N. (2015). Single-step transepithelial ASLA (SCHWIND) with mitomycin-C for the correction of high myopia : long term follow-up. *Clin Ophthalmol*, *9*, 33–41.

Azar, D. T., Chang, J.-H., & Han, K. Y. (2013). Wound Healing After Keratorefractive Surgery: Review of Biological and Optical Considerations. *Cornea*, *31*, S9-I9.

Bahar, I., Levinger, S., & Kremer, I. (2007). Wavefront-guided LASIK for myopia with the Technolas 217z: results at 3 years. *J Refract Surg*, *23*(6), 586–90, discussion 591.

Bailey, A. J., Paul, R. G., & Knott, L. (1998). Mechanisms of maturation and ageing of collagen. *Mech Ageing Dev*, *106*(1–2), 1–56.

Benito-Llopis, L. de, Teus, M. A., & Alio, J. L. (2008). Mitomycin C in Surface Ablation: Benefits and Practical Use. In A. Garg & J. Alio (Ed.), *Mastering Advanced Surface Ablation Techniques* (First Edit, hal. 187–199). New Delhi: Jaypee Brothers Medical Publisher.

Binder, S. P. (2018). Combining single step transepithelial PRK with accelerated CXL. *Eyeworld*. Diambil dari https://www.eyeworld.org/combining-single-step-transepithelial-prk-accelerated-cxl

Carones, F., Vigo, L., Scandola, E., & Vacchini, L. (2002). Evaluation of the

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

prophylactic use of mitomycin-C to inhibit haze formation after photorefractive keratectomy. *J Cataract Refr Surg*, *28*(12), 2088–2095.

Cartwright, N. E. K., Tyrer, J. R., & Marshall, J. (2011). Age-related differences in the elasticity of the human cornea. *Invest Ophthalmol Vis Sci*, *52*(7), 4324–4329.

Chang, M. A., Jain, S., & Azar, D. T. (2004). Infections following laser in situ keratomileusis: An Integration of the Published Literature. *Surv Ophthalmol*, *49*(3), 269–280.

Christiansen, S. M., Neuffer, M. C., Sikder, S., Semnani, R. T., & Moshirfar, M. (2012). The effect of preoperative keratometry on visual outcomes after moderate myopic LASIK. *Clin Ophthalmol*, *6*(1), 459–464.

Clinch, T. E., Moshirfar, M., Weis, J. R., Ahn, C. S., Hutchinson, C. B., & Jeffrey, J. H. (1999). Comparison of Mechanical and Transepithelial Debridement during Photorefractive Keratectomy. *Ophthalmology*, 106, 483–489.

Daxer, A., Misof, K., Grabner, B., Ettl, A., & Fratzl, P. (1998). Collagen fibrils in the human corneal stroma: structure and aging. *Invest Ophthalmol Vis Sci*, *39*(3), 644–648.

Dupps, W. J. (2009). Principles of Biomechanics in Refractive Surgery. In F. S. Brightbill (Ed.), *Corneal Surgery Theory, Technique and Tissue* (4th Edition). China: Mosby Elsevier.

Dupps, W. J., & Wilson, S. E. (2006). Biomechanics and Wound Healing in the Cornea William. *Exp Eye Res*, *83*(4), 709–720.

Erie, J. C. (2003). Corneal wound healing after photorefractive keratectomy: a 3-year confocal microscopy study. *Trans Am Ophthalmol Soc*, *101*, 293–333.

Eslampour, A., Malaekeh-nikouei, B., Abrishami, M., & Bayani, R. (2013). Efficacy of Extended-Release Oral Diclofenac in Postoperative Pain Management After Photorefractive Keratectomy. *J Ocul Pharmacol Ther*, *29*(7), 670–673.

Fadlallah, A., Dirani, A., Chelala, E., Antonios, R., Cherfan, G., & Jarade, E. (2014). Non-topography–guided PRK Combined With CXL for the Correction of Refractive Errors in Patients With Early Stage Keratoconus. *J Refract Surg*, *30*(10), 688–693.

Fadlallah, A., Fahed, D., Khalil, K., Dunia, I., Menassa, J., El Rami, H., Fahed, S. (2011). Transepithelial photorefractive keratectomy: Clinical results. *J Cataract Refract Surg*, *37*, 1852–1857.

Feng, Y., & Simpson, T. L. (2005). Comparison of human central cornea and limbus in vivo using optical coherence tomography. *Optom Vis Sci*, *82*(5), 416–419.

Fournie, PierreShape, S. and B. P., Gordon, G. M., Ledee, D. R., Roberts, C. J., & Finni, M. E. (2009). Shape, Structure and Biomechanical Properties. In F. S. Brightbill (Ed.), *Corneal Surgery Theory, Technique and Tissue*. China: Mosby Elsevier.

Ganesh, S., & Brar, S. (2015). Clinical Outcomes of Small Incision Lenticule Extraction with Accelerated Cross-Linking (ReLEx SMILE Xtra) in Patients with Thin Corneas and Borderline Topography. *J Ophthalmol*, *2015*.

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Gauthier, C. a, Holden, B. a, Epstein, D., Tengroth, B., Fagerholm, P., & Hamberg-Nyström, H. (1996). Role of epithelial hyperplasia in regression following photorefractive keratectomy. *Br J Ophthalmol*, *80*(6), 545–548.

Ghadhfan, F., Al-Rajhi, A., & Wagoner, M. D. (2007). Laser in situ keratomileusis versus surface ablation: Visual outcomes and complications. *J Cataract Refract Surg*, *33*(12), 2041–2048.

Gharaee, H., Zarei-Ghanavati, S., Alizadeh, R., & Abrishami, M. (2018). Endothelial cell changes after photorefractive keratectomy with graded usage of mitomycin C. *Int Ophthalmol*, *38*(3), 1211–1217.

Gil, J. Q., Lobo, C., Tavares, C., Costa, E., Rosa, A. M., Quadrado, M. J., & Murta, J. (2015). Guidelines for excimer laser refractive surgery on cornea. *Oftalmologia*, *39*, 1–16.

Goggin, M., Foley-Nolan, A., Algawi, K., & O'Keefe, M. (1996). Regression after photorefractive keratectomy for myopia. *J Cataract Refract Surg*, *22*(2), 194–196.

Goss, D. A., Grosvenor, T. P., Keller, J. T., Marsh-Tootle, W., Norton, T. T., & Zadnik, K. (2006). *Optometric Clinical Practice Guideline Care of The Patient With Myopia*. (J. F. Amos, Ed.). Lindenbergh Blvd. St.Louis MO.

Guarnieri, F. A. (2015). Biomechanics of Subtractive Surgery: From ALK to LASIK. In F. A. Guarnieri (Ed.), *Corneal Biomechanics and Refractive Surgery* (hal. 68–70). New York: Springer.

Guerin, M. B., Darcy, F., Connor, J., & Keeffe, M. (2012). Excimer laser photorefractive keratectomy for low to moderate myopia using a 5.0 mm treatment zone and no transitional zone: 16-Year follow-up. *J Cataract Refract Surg*, *38*(7), 1246–1250.

Hersh, P. S., Fry, K. L., & Bishop, D. S. (2003). Incidence and associations of retreatment after LASIK. *Ophthalmology*, *110*(4), 748–754.

Hersh, P. S., Schein, O. D., Steinert, R., & Summit Photorefractive Keratectomy Phase III Study Group. (1996). Characteristics Influencing Outcomes of Excimer Laser Photorefractive Keratectomy. *Ophthalmology*, *103*, 1962–1969.

Hjortdal, J. Ø., Vestergaard, A. H., Ivarsen, A., Ragunathan, S., & Asp, S. (2012). Predictors for the Outcome of Small-incision Lenticule Extraction for Myopia. *J Refract Surg*, *28*(12), 865–871.

Ho, T., & Nallasamy, S. (2017). Myopia. *Adv Ophthalmol Optom*, *2*(1), 63–74.

Holden, B. A., Fricke, T. R., Wilson, D. A., Jong, M., Naidoo, K. S., Sankaridurg, P., Resnikoff, S. (2016). Global Prevalence of Myopia and High Myopia and Temporal Trends from 2000 through 2050. *Ophthalmology*, *123*(5), 1036–1042.

Hondur, A. M., Akcam, H. T., Karaca, E. E., Yazici Eroglu, H., & Aydin, B. (2016). Autologous serum eye drops accelerate epithelial healing after LASEK. *Curr Eye Res*, *41*(1), 15–19.

Ivarsen, A., Fledelius, W., & Hjortdal, J. Ø. (2009). Three-year changes in epithelial

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

and stromal thickness after PRK or LASIK for high myopia. *Invest Ophthalmol Vis Sci*, *50*(5), 2061–2066.

Kaiserman, I., Sadi, N., Mimouni, M., Sela, T., Munzer, G., & Levartovsky, S. (2017). Corneal Breakthrough Haze after Photorefractive Keratectomy with Mitomycin C: Incidence and Risk Factors. *Cornea*, *36*(8), 961–966.

Kaluzny, B. J., Cieslinska, I., Mosquera, S. A., & Verma, S. (2016). Single-Step Transepithelial PRK vs Alcohol-Assisted PRK in Myopia and Compound Myopic Astigmatism Correction. *Medicine (United States)*, *95*(6), 1–7.

Kamiya, K., Miyata, K., Tokunaga, T., Kiuchi, T., Hiraoka, T., & Oshika, T. (2004). Structural Analysis of the Cornea Using Scanning-Slit Corneal Topography in Eyes Undergoing Excimer Laser Refractive Surgery. *Cornea*, *23*(8), S59–SS64.

Kanellopoulos, A., & Pamel, G. (2013). Review of current indications for combined very high fluence collagen cross-linking and laser in situ keratomileusis surgery. *Indian J Ophthalmol*, *61*(8), 430.

Karimian, F., Baradaran-rafii, A., Bagheri, A., Eslani, M., Bayat, H., & Aramesh, S. (2010). Accomodative Changes After Photorefractive Keratectomy in Myopic Eyes. *Optom Vis Sci*, *87*(11), 833–838.

Karmel, M. (2013). Keratoconus: Consider Combination Therapy. *Eyenet*, 31–33.

KhabazKhoob, M., Hashemi, H., Yazdani, K., Mehravaran, S., Yekta, A. A., & Fotouhi, A. (2010). Keratometry measurements, corneal astigmatism and irregularity in a normal population: The Tehran Eye Study. *Ophthalmic Physiol Opt*, *30*(6), 800–805.

Kim, J. R., Kim, B. K., Mun, S. J., Chung, Y. T., & Kim, H. S. (2015). One-year outcomes of small-incision lenticule extraction (SMILE): Mild to moderate myopia vs. high myopia. *BMC Ophthalmol*, *15*(1), 6–10.

Kling, S., & Hafezi, F. (2017). Corneal biomechanics – a review. *Ophthalmic Physiol Opt*, *37*(3), 240–252.

Kuo, I. C., Lee, S. M., & Hwang, D. G. (2004). Late-onset corneal haze and myopic regression after photorefractive keratectomy (PRK). *Cornea*, *23*(4), 350–355.

Ladan, S. T., Reza, R. H. A., Akbar, B. A., AbolfazL, G., & Yalda, R. (2010). Evaluating The Efficiency of PRK in The Treatment of Myopia and Hyperopia in 1386 Using Technolas 217Z100. *Journal of Medical Science of Islamic Azad* University of Mashhad.

Lee, H. K., Lee, K. S. U. B., Kim, J. I. N. K., Kim, H. C., Seo, K. R., & Kim, E. K. (2005). Epithelial Healing and Clinical Outcomes in Excimer Laser Photorefractive Surgery Following Three Epithelial Removal Techniques: Mechanical, Alcohol, and Excimer Laser. *Am J Ophthalmol*, 139, 56–63

Lin, N., Yee, S. B., Mitra, S., Chuang, A. Z., & Yea, R. W. (2004). Prediction of Corneal Haze Using an Ablation Depth/Corneal Thickness Ratio After Laser Epithelial Keratomileusis. *J Refract Surg*, *20*(6), 797–802

Liu, H., Shi, C., & Huang, Q. (2018). Three-year results of small incision lenticule

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

extraction and wavefront-guided femtosecond laser-assisted laser in situ keratomileusis for correction of high myopia and myopic astigmatism. *Int J Ophthalmol 11*(3).

Lohmann, C. P., MacRobert, I., Patmore, A., O'Brart, D., Corbett, M., & Kerr-Muir, M. (1994). A histopathological study of photorefractive keratectomy. *Lasers and Light in Ophthalmology*, *6*(3), 149–158.

Lohmann, C. P., Reischl, U., & Marshall, J. (1999). Regression and epithelial hyperplasia after myopic photorefractive keratectomy in a human cornea. *J Cataract Refract Surg*, *25*(5), 712–715.

Luger, M. H. A., Ewering, T., & Arba-Mosquera, S. (2012). Consecutive myopia correction with transepithelial versus alcohol-assisted photorefractive keratectomy in contralateral eyes: One-year results. *J Cataract Refract Surg*, *38*(8), 1414–1423.

Lyle, W., & Jin GJ. (2000). Retreatment after initial laser in situ keratomileusis1 - Journal of Cataract & Refractive Surgery. *J Cataract Refract Surg*, *26*(5), 650–659.

Mimouni, M., Nemet, A., Pokroy, R., Sela, T., Munzer, G., & Kaiserman, I. (2017). The effect of astigmatism axis on visual acuity. *Eur J Ophthalmol*, *27*(3), 308–311.

Mimouni, M., Vainer, I., Shapira, Y., Levartovsky, S., Sela, T., Munzer, G., & Kaiserman, I. (2016). Factors Predicting the Need for Retreatment After Laser Refractive Surgery. *Cornea*, *35*(5), 607–612.

Mohammadi, S.-F., Nabovati, P., Mirzajani, A., Ashrafi, E., & Vakilian, B. (2015). Risk factors of regression and undercorrection in photorefractive keratectomy: a case-control study. *Int J Ophthalmol*, *8*(5), 933–937.

Moller-Pedersen, T., Cavanagh, H. D., Petroll, W. M., & Jester, J. V. (2000). Stromal wound healing explains refractive instability and haze development after photorefractive keratectomy: A 1-year confocal microscopic study. *Ophthalmology*, *107*(7), 1235–1245.

Mosquera, S. A., & Awwad, S. T. (2013). Theoretical analyses of the refractive implications of transepithelial PRK ablations. *Br J Ophthalmol*, *0*, 1–7.

Mostafaei, A., Motlagh, F., & Nejatbakhsh, S. (2019). Effectiveness of autologous serum eye drops in corneal epithelial healing after photorefractive keratectomy. *Int Eye Sci*, *19*(4).

Narayanaswamy, A., Chung, R. S., Wu, R. Y., Park, J., Wong, W. L., Saw, S. M., … Aung, T. (2011). Determinants of corneal biomechanical properties in an adult Chinese population. *Ophthalmology*, *118*(7), 1253–1259.

Nilforoushan, M.-R., Speaker, M., Marmor, M., Abramson, J., Tullo, W., Morschauser, D., & Latkany, R. (2008). Comparative evaluation of refractive surgery candidates with Placido topography, Orbscan II, Pentacam, and wavefront analysis. *J Cataract Refract Surg*, *34*(4), 623–631.

O'Brart, D. P. S., Shalchi, Z., McDonald, R. J., Patel, P., Archer, T. J., & Marshall, J. (2014). Twenty-year follow-up of a randomized prospective clinical trial of

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

excimer laser photorefractive keratectomy. *Am J Ophthalmol*, *158*(4), 651–663.e1.

Patel, N. P., Clinch, T. E., Weis, J. R., Ahn, C., Lundergan, M. K., & Heidenreich, K. (2000). Comparison of visual results in initial and re-treatment laser in situ keratomileusis procedures for myopia and astigmatism. *Am J Ophthalmol*, *130*(1), 1–11.

Patel, S. V, Erie, J. C., McLaren, J. W., & Bourne, W. M. (2007). Confocal microscopy changes in epithelial and stromal thickness up to 7 years after LASIK and photorefractive keratectomy for myopia. *J Refract Surg (Thorofare, N.J. : 1995)*, *23*(4), 385–392.

Pedersen, I. B., Ivarsen, A., & Hjortdal, J. (2015). Three-Year Results of Small Incision Lenticule Extraction for High Myopia: Refractive Outcomes and Aberrations. *J Refract Surg (Thorofare, N.J. : 1995)*, *31*(11), 719–724.

Perlman, E. M., & Reinert, S. E. (2004). Factors influencing the need for enhancement after laser in situ keratomileusis. *J Refract Surg*, *20*(6), 783–789.

Pokroy, R., Mimouni, M., Sela, T., Munzer, G., & Kaiserman, I. (2017). Predictors of myopic photorefractive keratectomy retreatment. *J Cataract Refract Surg*, *43*(6), 825–832.

Randleman, J. B. (2010). Clinical Features of Keratoectasia. In M. Wang (Ed.), *Keratoconus & Keratoectasia. Prevention, diagnosis and treatment* (hal. 43–48). New Jersey: SLACK Incorporated.

Randleman, J. B., White, A. J., Lynn, M. J., Hu, M. H., & Stulting, R. D. (2009). Incidence, outcomes, and risk factors for retreatment after wavefront-optimized ablations with PRK and LASIK. *J Refract Surg, 25*(3), 273–276.

Rao, S. N., Chuck, R. S., Chang, A. H., Labree, L., & McDonnell, P. J. (2000). Effect of age on the refractive outcome of myopic photorefractive keratectomy. *J Cataract Refract Surg*, *26*(4), 543–546.

Reinstein, D. Z., Archer, T. J., Gobbe, M., Silverman, R. H., & Coleman, J. (2008). Epithelial Thickness in the Normal Cornea: Three-dimensional Display With Very High Frequency Ultrasound. *J Refract Surg*, *24*(6), 571–581.

Rosenfield, M. (2006). Borish's Clinical Refraction. In W. J. Benjamin (Ed.), *Borish's Clinical Refraction* (second edi, hal. 3–7). St. Louis, Missouri: Buiterworth Heinemann Elsevier.

Rosman, M., Alió, J. L., Ortiz, D., & Perez-Santonja, J. J. (2010). Comparison of LASIK and Photorefractive Keratectomy for Myopia From −10.00 to −18.00 Diopters 10 Years After Surgery. *J Refract Surg*, *26*(3), 168–176.

Sakimoto, T., Rosenblatt, M. I., & Azar, D. T. (2006). Laser eye surgery for refractive errors. *Lancet (London, England)*, *367*(9520), 1432–1447.

Santhiago, M. R., Netto, M. V., & Wilson, S. E. (2012). Mitomycin C: Biological effects and use in refractive surgery. *Cornea*, *31*(3), 311–321.

Sedaghat, M. R., Sharepoor, M., Hassanzadeh, S., & Abrishami, M. (2012). The corneal volume and biomechanical corneal factors: Is there any correlation?

UNIVERSITAS GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

J Res Med Sci, *17*(1).

See, B., Nah, G., Gan, W. H., & Low, R. (2013). Efficacy of Photorefractive Keratectomy for Military Pilot Recruitment in an Asian Air Force. *AsMA Annual Scientific Meeting*.

See, B., Tan, M., Chia, S. E., Gan, W. H., Low, R., & Nah, G. (2014). Photorefractive keratectomy in young asian aviators with low-moderate Myopia. *Aviat Space Environ Med*, *85*(1), 25–29.

Seiler, T., & McDonnell, P. J. (1995). Excimer laser photorefractive keratectomy. *Surv Ophthalmol*, *40*(2), 89–118.

Seiler, T., & Wollensak, J. (1991). Myopic Photorefractive Keratectomy with the Excimer Laser: One-year Follow-up. *Ophthalmology*, *98*(8), 1156–1163.

Serrao, S., & Lombardo, M. (2005). Corneal epithelial healing after photorefractive keratectomy: Analytical study. *J Cataract Refract Surg*, *31*(5), 930–937.

Shojaei, A., Mohammad-Rabei, H., Eslani, M., Elahi, B., & Noorizadeh, F. (2009). Long-Term Evaluation of Complications and Results of Photorefractive Keratectomy in Myopia: An 8-Year Follow-Up. *Cornea*, *28*(3), 304–310.

Shortt, A. J., Allan, B. D., & Evans, J. R. (2013). Laser-assisted in-situ keratomileusis (LASIK) versus photorefractive keratectomy (PRK) for myopia. *Cochrane Database Syst Rev*, (1).

Sutomo, K. M., & Suhardjo. (2019). Comparison of Success Rate and Amount of Time to Achieved between Transepithelial PRK vs Conventional PRK at Tertiary Hospital in Yogyakarta. In *INASCRS 5th Biennal Meeting Towards A New Paradigm*. Yogyakarta, Indonesia: INASCRS.

Tanbakouee, E., Ghoreishi, M., & Aghazadeh-amiri, M. (2016). Photorefractive keratectomy for patients with preoperative low Schirmer test value. *J Curr Ophthalmol*, *28*(4), 176–180.

Taneri, S., Weisberg, M., & Azar, D. T. (2011). Surface ablation techniques. *J Cataract Refract Surg*, *37*(2), 392–408.

Thornton, I., Krueger, R. R., & Xu, M. (2008). Comparison of Standard (0.02%) and Low Dose (0.002%) Mitomycin C in the Prevention of Corneal Haze Following Surface Ablation for Myopia. *J Refract Surg*, *24*(1), S68–S76.

Urs, R., Lloyd, H. O., Reinstein, D. Z., & Silverman, R. H. (2016). Comparison of very-high-frequency ultrasound and spectral-domain optical coherence tomography corneal and epithelial thickness maps. *J Cataract Refract Surg*, *42*(1), 95–101.

Vajpayee, R. B., McCarty, C. A., Aldred, G. F., & Taylor, H. R. (1996). Undercorrection after excimer laser refractive surgery. *Am J Ophthalmol*, *122*(6), 801–807.

Vajpayee, R., McCarty, C., Aldred, G., & Taylor, H. (1996). Overcorrection After Excimer Laser Treatment of Myopia and Myopic Astigmatism. *Arch Ophthalmol*, *114*.

Vinciguerra, P., Camesasca, F. I., Vinciguerra, R., Arba-Mosquera, S., Torres, I., Morenghi, E., & Randleman, J. B. (2017). Advanced Surface Ablation With

UNIVERSITAS
GADJAH MADA
HUBUNGAN FAKTOR-FAKTOR PREOPERATIF DENGAN EMETROPISASI PASIEN MIOPIA PASCA TRANSEPITHELIAL PHOTOREFRACTIVE KERATECTOMY (TRANS PRK) DI RS MATA DR. YAP YOGYAKARTA
AMANDA N. SHINTA P., Prof. dr. Wasisdi Goenawan, Sp.M(K).; Prof. dr. Suhardjo, SU., Sp.M(K)
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

a New Software for the Reduction of Ablation Irregularities. *J Refract Surg*, *33*(2), 89–95.

Wollensak, G., Spoerl, E., & Seiler, T. (2003). Stress-strain measurements of human and porcine corneas after riboflavin-ultraviolet-A-induced cross-linking. *J Cataract Refr Surg*, *29*(9), 1780–1785.

Xi, L., Zhang, C., & He, Y. (2018). Clinical outcomes of Transepithelial photorefractive keratectomy to treat low to moderate myopic astigmatism. *BMC Ophthalmol*, *18*(1), 1–7.

Zeng, Y., Li, Y., & Gao, J. (2015). Application of a cold patch for relieving pain after transepithelial photorefractive keratectomy. *Pain Res Manag*, *20*(4), 195–199.