UNIVERSITAS
GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Aggoun Y, Farpour-Lambert NJ, Marchand LM, Golay E, Maggio AB, Beghetti Berg AH, Scherer PE. Adipose tissue, inflammation, and cardiovascular disease. *Circ Res.* 2005;96:939–49.

Aggoun Y, Farpour-Lambert NJ, Marchand LM, Golay E, Maggio AB, Beghetti Berg AH, Impaired endotelial and smooth muscle function and arterial stiffness appear before puberty in obese children and are associated with elevated ambulatory blood pressure.*Eur Heart J* 2008; 29: 792–799.

Aygun AD, Gungor S, Ustundag B, Gurgoze MK, Sen Y (2005) Proinflammatory cytokines and leptin are increased in serum of prepubertal obese children. *Mediators Inflamm* 2005:180–183

Baker, J. L., Olsen, L. W. & Sørensen, T. I. 2007. Childhood body-mass index and the risk of coronary heart disease in adulthood. *New England journal of medicine,* 357**,** 2329-2337.

Berrington DE Gonzales A, Hartge P, Cerhan JR, et al. Body-mass index and mortality among 1.46 million white adults. *N Engl J Med* 2010;363:2211–9.

Bibbins-Domingo, K., Coxson, P., Pletcher, M. J., Lightwood, J. & Goldman, L. 2007. Adolescent overweight and future adult coronary heart disease. *New England Journal of Medicine,* 357**,** 2371-2379.

Boillot, A., Zoungas, S., Mitchell, P., Klein, R., Klein, B., Ikram, M. K., Klaver, C., Wang, J. J., Gopinath, B. & Tai, E. S. 2013. Obesity and the microvasculature: a systematic review and meta-analysis. *PloS one,* 8**,** e52708.

Cambuli VM, Musiu MC, Incani M, Paderi M, Serpe R, Marras V, Cossu E, Cavallo MG, Mariotti S, Loche S, Baroni MG (2008) Assessment of adiponectin and leptin as biomarkers of positive metabolic outcomes after lifestyle intervention in overweight and obese children. *J Clin Endocrinol Metab* 93:3051–3057

Camici PG, Crea F. Coronary microvascular dysfunction. N Engl J Med. 2007;356:830–40.

Celermajer, D. S., Sorensen, K. E., Spiegelhalter, D. J., Georgakopoulos, D., Robinson, J. & Deanfield, J. E. 1994. Aging is associated with endothelial dysfunction in healthy men years before the age-related decline in women. *Journal of the American College of Cardiology,* 24**,** 471-476.

Cheun N, Wong TY. Obesity and Eye Disease. S*urv Ophthalmol* 2007;52(2) 180-95.

Cheung, N., Saw, S. M., Islam, F. A., Rogers, S. L., Shankar, A., De Haseth, K., Mitchell, P. & Wong, T. Y. 2007b. BMI and retinal vascular caliber in children. *Obesity,* 15**,** 209-209.

Chew SK, Xie J, Wang JJ. Retinal arteriolar diameter and the prevalence and Incidence of hypertension: a systematic review and meta-analysis of their association. *Current Hypertension Reports*. 2012; 14(2):144-51.

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ciccone MM, Miniello Vito, Marchioli Roberto, Scichitanno P, Cortesse F, Palumbo V, Primotivo SG, Sassara M, Ricci G, Carbonara S, Gesualdo M, Diafero L, Mercuro G, Pergola G, Giordano P, Favale S. Morphological and Functional Vascular Changes Induced by Childhood Obesity. 2011. *Europian Journal of Cardiovascular Prevention and Rehabilitation* 18(60 831-835.

Correti MC, Anderson TJ, Benjamin EJ et al., Guideline for the Ultrasound Assesment of Endotelial-Dependent Flow- Mediated Vasodilatation of Barchial Artery: a Report of The International Brachial Arterial Reactivity Task Force. *J Am Col Cardiol* 2002; **9**: 257–265.

Couillard C, Ruel G, Archer WR, et al. Circulating levels of oxidative stress markers and endothelial adhesion molecules in men with abdominal obesity. *J Clin Endocrinol Metab.* 2005;90(12):6454--9

Crowley DI, Khoury PR, Urbina EM, Ippisch HM, Kimball TR. Cardiovascular impact of the pediatric obesity epidemic: higher left ventricular mass is related to higher body mass index. *J Pediatr* 2011; 158:709–714.e1.

Daien V, Granados L, Kawasaki R, Villain M, Ribstein J, Du Cailar G et al. Retinal vascular caliber associated with cardiac and renal target organ damage in never-treated hypertensive patients. *Microcirculation.* 2017; 24(4).

De Leon JM, Cheung CY, Wong TY, Li X, Hamzah H, Aung T et al. Retinal vascular caliber between eyes with asymmetric glaucoma. Graefe's archive for clinical and experimental ophthalmology = *Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie.* 2015; 253(4):583-9.

Delles C, Michelson G, Harazny J, et al. Impaired endothelial function of the retinal vasculature in hypertensive patients. *Stroke*.2004;35(6):1289--93

Douglas, G. & Channon, K. M. 2014. The pathogenesis of atherosclerosis. *Medicine,* 42**,** 480-484.

Dumskyj, M. J., Eriksen, J. E., Doré, C. J. & Kohner, E. M. 1996. Autoregulation in the human retinal circulation: assessment using isometric exercise, laser Doppler velocimetry, and computer-assisted image analysis. *Microvascular research,* 51**,** 378-392.

Duncan BB, Schimdt MI, Chamless LE, Folsom AR, Carpenter M, Heiss G. Fibrinogen, other putative markers of inflammation, and weight gain in middle-aged adults: the ARIC study: Atherosclerosis Risk in Communities. *Obes Res*. 2000;8:279–86.

Falaschetti E, Hingorani AD, Jones A, et al. Adiposity and cardiovascular risk factors in a large contemporary population of pre-pubertal children. *Eur Heart J* 2010;31:3063–72.

Fontaine KR, Redden DT, Wang C, Westfall AO, Allison DB. Years of life lost due to obesity. J*AMA* 2003;289:187–193.

Franks, P. W., Hanson, R. L., Knowler, W. C., Sievers, M. L., Bennett, P. H. & Looker, H. C. 2010. Childhood obesity, other cardiovascular risk factors, and premature death. *New England Journal of Medicine,* 362**,** 485-493.

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Freedman DS, Dietz WH, Tang R, et al. The Relationship of Obesity Troughout Life to Carotid Intima Media Thickness in Adulthood: The Bogalusa Heart Study. *Int J Obes Relat metab Disord*. 2004;28:159-66

Gokce N, Keanay JF Jr, Hunter LM et al. Predictive Value of Noninvasively Determined Endothelial Dysfunction for Long Term Cardiovascular Event in Patient with Peripheral Vascular Disease. *J Am Col Cardiol* 2003;41:1769–75.

Gopinath, B., Baur, L. A., Teber, R., Liew, G., Wong, T. Y. & Mitchell, P. 2011a. Effect of obesity on retinal vascular structure in pre-adolescent children. *International Journal of Pediatric Obesity,* 6**,** e353-359.

Hanssen, H., Siegrist, M., Neidig, M., Renner, A., Birzele, P., Siclovan, A., Blume, K., Lammel, C., Haller, B. & Schmidt-Trucksäss, A. 2012. Retinal vessel diameter, obesity and metabolic risk factors in school children (JuvenTUM 3). *Atherosclerosis,* 221**,** 242-248.

Haslam DW, James WP.2005; *Obesity*.Lancet 366:1197-209.

Heitmar, R., Kalitzeos, A. A. & Panesar, V. 2015. Comparison of Two Formulas Used to Calculate Summarized Retinal Vessel Calibers. *Optometry and Vision Science,* 92**,** 1085-1091.

Hink, U., Li, H., Mollnau, H., Oelze, M., Matheis, E., Hartmann, M., Skatchkov, M., Thaiss, F., Stahl, R. A. & Warnholtz, A. 2001. Mechanisms underlying endothelial dysfunction in diabetes mellitus. *Circulation research,* 88**,** e14-e22.

Hirai FE, Moss SE, Klein BE, Klein R. Relationship of glycemic control, exogenous insulin, and C-peptide levels to ischemic heart disease mortality over a 16-year period in people with older-onset diabetes: the Wisconsin Epidemiologic Study of Diabetic Retinopathy (WESDR). *Diabetes Care. 2008*; 31(3):493-7.

Hong, Y. M. 2010. Atherosclerotic cardiovascular disease beginning in childhood. *Korean Circulation Journal,* 40**,** 1-9.

Hubbart LD, Brothers RJ, King WN, Clegg LX, Kleinn R, Cooper LS, Sharret AR, Davis MD, Cal J: Methods for evaluation of retinal microvascular abnormalities associated with hypertension/sclerosis in the Atherosclerosis Risk in Communities Study. *Ophthalmology* 1999; 106: 2269–2280.

Iacobellis G, Aasael F, Ribadou MC, et al. Epicardial fat from echocardiography: a new method for visceral adipose tissue prediction. *Obes Res* 2003;11:304–10.

Ianuzzi A, Licenzati MR, Acampora C, et al. Increased carotid intima-media thickness and stiffness in obese children. *Diabetes Care* 2004;27:2506–8.

Ianuzzi A, Licenzati MR, Acampora C, Renis M, Agrusta M, Romano L, Valerio G, Panico S, Trevisan M (2006) Carotid artery stiffness in obese children with the metabolic syndrome. *Am J Cardiol* 97:528–531

Ikram MK, De Jong FJ, Vingerling JR, et al. Are retinal arteriolar or venular diameters associated with markers for cardiovascular disorders? The Rotterdam Study. *Invest Ophthalmol Vis Sci*. 2004;45:2129 –34.

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ikram, M. K., Witteman, J. C., Vingerling, J. R., Breteler, M. M., Hofman, A. & De Jong, P. T. 2006. Retinal vessel diameters and risk of hypertension. *hypertension,* 47**,** 189-194.

Inokuchi S, Kimura K, Sugaya T.2001. Hyperplastic vascular smooth muscle cells of the internal arteries in angiotensin II type 1a receptor null mutant mice. *Kidney Int* 60:722–731

Ingul CB, Tjonna AE, Stolen TO, Stoylena A, Wistof U. 2010. Impaired cardiac function among obese adolescents: effect of aerobic interval training. *Arch Pediatr Adolesc Med*;164:852–9.

Jeganathan VS, Kawasaki R, Wang JJ, Aung T, Mitchell P, Saw SM et al. Retinal vascular caliber and age-related macular degeneration: the Singapore Malay Eye Study. *Am J Ophthalmol. 2008*; 146(6):954-9 e1.

Jourdan C, Wuhl E, Litwin M, et al. Normative values for intimamedia thickness and distensibility of large arteries in healthy adolescents. *J Hypertens* 2005;23:1707–15.

Kandasamy, Y., Smith, R. & Wright, I. M. 2011. Retinal microvasculature measurements in full-term newborn infants. *Microvascular research,* 82**,** 381-384.

Kapiotis S, Holzer G, Schaller G, et al. A proinflammatory state is detectable in obese children and is accompanied by functional and morphological vascular changes. *Arterioscler Thromb Vasc Biol* 2006; 26:2541–6.

Karakosta P, Gergiou V, Fthenoe E, Margioris A, Castanas E, Kogevinas M, Kampa M, Chatzi L (2012) Gender-specific reference intervals for cord blood leptin in Crete, Greece. *Eur J Pediatr* 171:1563–1566

Karavidas, A., Lazaros, G., Tsiachris, D. & Pyrgakis, V. 2010. Aging and the cardiovascular system. *Hellenic J Cardiol,* 51**,** 421-427.

Karpoff L, Vinett A, Schuster I, et al. Abnormal vascular reactivity at rest and exercise in obese boys. *Eur J Clin Invest* 2009;39:94–102.

Kelsey JL, Whitemore AS, Evans AS, Thompson WD. 1996. Methods in Observational Epidemiology. *Oxford University Press*.

Keoka D, Mader JK, Pieber TR (2010) Adipose tissue, inflammation and cardiovascular disease. *Rev Assoc Med Bras* 56:116–121

Koopman LP, MC Crindle BW, Slorach C, et al. Interaction between myocardial and vascular changes in obese children: a pilot study. *J Am Soc Echocardiogr* 2012;25:401–10.e1.

Kotsis V, Stabouli S, Pitiriga V, Toumandis S, Papamichael C, Zakopoulos N. Ambulatory blood pressure monitoring and target organ damage: effects of age and sex. *Blood Press Monit.* 2006; 11: 9-15.

Klein, R., Klein, B. E., Knudtson, M. D., Wong, T. Y. & Tsai, M. Y. 2006. Are inflammatory factors related to retinal vessel caliber?: The Beaver Dam Eye Study. *Archives of ophthalmology,* 124**,** 87-94.

Klein R, Klein BE, Moss SE, Wong TY. Retinal vessel caliber and microvascular and macrovascular disease in type 2 diabetes: XXI: the Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Ophthalmology.* 2007; 114(10):1884-92.

Klok MD, Jakobsdottir S, Drent ML .2007. The role of leptin and ghrelin in the

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

regulation of food intake and body weight in humans: a review. *Obes Rev* 8:21–34

Knudtson, M. D., Lee, K. E., Hubbard, L. D., Wong, T. Y., Klein, R. & Klein, B. E. 2003. Revised formulas for summarizing retinal vessel diameters. *Current eye research,* 27**,** 143-149.

Kuczmarski, R. J. 2002. 2000 CDC growth charts for the United States; methods and development.

Laties, A. M. 1967. Central retinal artery innervation: absence of adrenergic innervation to the intraocular branches. *Archives of Ophthalmology,* 77**,** 405-409.

Leung, H., Wang, J. J., Rochtchina, E., Tan, A. G., Wong, T. Y., Klein, R., Hubbard, L. D. & Mitchell, P. 2003. Relationships between age, blood pressure, and retinal vessel diameters in an older population. *Investigative Ophthalmology & Visual Science,* 44**,** 2900-2904.

Litwin M, Trewelicz J, Wawer Z, et al. Intima-media thickness and arterial elasticity in hypertensive children: controlled study. *Pediatr Nephrol*. 2004; 19: 767-774.

Lonstein T, Baur L, Uauy R. Obesity in children and young people: a crisis in public health.;5 *Obes Rev* Suppl 2004 1:4 – 104.

Lorenz MW, Markus HS, Bots ML, Rosvall M, Sitzer M. Prediction of clinical cardiovascular events with carotid intima-media thickness: a systematic review and meta-analysis. Circulation 2007; 115:459–67.

Lyon CJ, Law RE, Hsueh WA. Minireview: adiposity, inflammation, and atherogenesis. *Endocrinology*. 2003;144: 2195–200.

Martini G, Riva P, Rabbia F, et al. Heart rate variability in childhood obesity. *Clin Auton Res* 2001;11:87–91.

Meyer AA, Kundt G, Steiner M, Schuff-Werner P, Kienast W. Impaired flow-mediated vasodilation, carotid artery intima-media thickening, and elevated endothelial plasma markers in obese children: the impact of cardiovascular risk factors. *Pediatrics* 2006;117: 1560–7.

Mimoun E, Aggoun Y, Pousset M, et al. Association of Arterial Stiffness and Endothelial Dysfunction with Metabolic Syndrome in Obese Children. *J Pediatr* 2008;153:65–70.

Mitchell P, Leung H, Wang JJ, Rochtchina E, Lee AJ, Wong TY et al. Retinal vessel diameter and open-angle glaucoma: the Blue Mountains Eye Study. Ophthalmology. 2005; 112(2):245-50.

Mitchell, P., Liew, G., Rochtchina, E., Wang, J. J., Robaei, D., Cheung, N. & Wong, T. Y. 2008. Evidence of arteriolar narrowing in low-birth-weight children. *Circulation,* 118**,** 518-524.

Mithal, A., Wahl, D. A., Bonjour, J.-P., Burckhardt, P., Dawson-Hughes, B., Eisman, J. A., Fuleihan, G. E.-H., Josse, R. G., Lips, P. & Morales-Torres, J. 2009. Global vitamin D status and determinants of hypovitaminosis D. *Osteoporosis international,* 20**,** 1807-1820.

Mokdad LH, Ford ES, Bowman BA, Dietz WH, Vinicor F, Bales VS, Marks JS. Prevalence of obesity, diabetes, and obesity-related health risk factors. 2001. *JAMA* 2003;289:76 –79.

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Morisson KM, Dyal L, Conner W, et al. Cardiovascular risk factors and non-invasive assessment of subclinical atherosclerosis in youth. *Atherosclerosis* 2010;208:501–5.

Nagaoka T, Kuo L, Ren Y, Yoshida A, Hein TW. C-reactive protein inhibits endothelium-dependent nitric oxide-mediated dilation of retinal arterioles via enhanced superoxide production. *Invest Ophthalmol Vis Sci* 2008; 49(5): 2053–2060.

Narin F, Atabek ME, Karakukcu M, et al. The association of plasma homocysteine levels with serum leptin and apolipoprotein B levels in childhood obesity. *Ann Saudi Med*. 2005;25:209 –14.

Nemet D, Wang P, Funahashi T, Matsuzawa Y, Tanaka S, Engelmen L, Cooper DM.2003. Adipocytokines, body composition, and fitness in children. *Pediatr Res* 53:148–152

Nguyen TT, Wang JJ, Sharret AR, Islam FM, Klein R, Klein BE et al. Relationship of retinal vascular caliber with diabetes and retinopathy: the Multi-Ethnic Study of Atherosclerosis (MESA). *Diabetes Care. 2008*; 31(3):544-9.

Organization, W. H. 2000. *Obesity: preventing and managing the global epidemic*, World Health Organization.

Oren S, Grossman E, Frolich ED. Arterial and venous compliance in obese and nonobese subjects. *Am J Cardiol*. 1996;77:665–7

Ozcetin M, Celikyay ZR, Celik A, Yilmaz R, Yerli Y, Erkokmaz U. The importance of carotid artery stiffness and increased intima-media thickness in obese children. *S Afr Med J* 2012;102:295–9.

Parr JC, Spears GF: General caliber of the retinal arteries expressed as the equivalent width of the central retinal artery. *Am J Ophthalmol* 1974; 77: 472–477.

Pena AS, Whiltshire E, Mac Kenzie K et al. Vascular endothelial and smooth muscle relates to body mass index and glucose in obese and nonobese children. *J Clin Endocrinol Metab.*2006; 91: 4467–4471.

Pickup JC, Chusney GD, Thomas SM, Burt D (2000) Plasma interleukin-6, tumour necrosis factor alpha and blood cytokine production in type 2 diabetes. *Life Sci* 67:291–300

Raitakari, O. T., Juonala, M, Vikari JS. Obesity in childhood and vascular changes in adulthood: insights into the Cardiovascular Risk in Young Finns Study. *Int J Obes* (Lond). 2005;29 Suppl 2:S101 – 4.

Raitakari, O. T., Juonala, M., Kähönen, M., Taittonen, L., Laitinen, T., Mäki-Torkko, N., Järvisalo, M. J., Uhari, M., Jokinen, E. & Rönnemaa, T. 2003. Cardiovascular risk factors in childhood and carotid artery intima-media thickness in adulthood: the Cardiovascular Risk in Young Finns Study. *Jama,* 290**,** 2277-2283.

Reinehr T, Kies W, De Sousa G, Stoffel-Wagner B, Wunsch R. Intima media thickness in childhood obesity: relations to inflammatory marker, glucose metabolism, and blood pressure. Metabolism 2006;55:113–8.

Sakuragi, S., Abhayaratna, K., Gravenmaker, K. J., O'reilly, C., Srikusalanukul, W., Budge, M. M., Telford, R. D. & Abhayaratna, W. P. 2009. Influence

UNIVERSITAS GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

of adiposity and physical activity on arterial stiffness in healthy children. *Hypertension,* 53**,** 611-616.

Schiffrin, E. 1995. Endothelin: potential role in hypertension and vascular hypertrophy. *Hypertension,* 25**,** 1135-1143.

Schiffrin, E. L. 2001. Role of endothelin-1 in hypertension and vascular disease. *American journal of hypertension,* 14**,** 83S-89S.

Stabouli S, Kotsis V, Karagianni C, Zakopoulos N, Konstantopoulos A.2012. Blood Pressure and Carotid Artery Intima-Media Thickness in Children and Adolescents: The Role of Obesity. Hellenic J Cardiol, 2012; 53: 41-47

Stein JH, Korcarz CE, Hurst RT, et al. Use of carotid ultrasound to identify subclinical vascular disease and evaluate cardiovascular disease risk: a consensus statement from the American Society of Echocardiography Carotid Intima-Media Thickness Task Force. Endorsed by the Society for Vascular Medicine. *J Am Soc Echocardiogr*. 2008; 21: 93-111.

Smith W, Wang JJ, Wong TY, Rochtchina E, Klein R, Leeder SR et al. Retinal arteriolar narrowing is associated with 5-year incident severe hypertension: the Blue Mountains Eye Study. *Hypertension. 2004*; 44(4):442-7.

Sonta T, Inoguchi T, Tsubouchi H, Sekiguchi N, Kobayashi K, Matsumoto S et al.Evidence for contribution of vascular NAD(P)H oxidase to increased oxidative stress in animal models of diabetes and obesity. *Free Radic Biol Med* 2004; 37(1): 115–123.

Tham DM, Martin-MC Nulty B, Wang YX, Wilson DW, Vergona R, Sullivan ME, Dole W, Rutledge JC. 2002. Angiotensin II is associated with activation of NF-B-associated genes and downregulation of PPARs. Physiol Genomics 11:21–30

Tikeliss G, Wang JJ, Tapp R, Simpson R, Mitchell P, Zimmet PZ et al. The relationship of retinal vascular calibre to diabetes and retinopathy: the Australian Diabetes, Obesity and Lifestyle (AusDiab) study. *Diabetologia. 2007*; 50(11):2263-71.

Torres SF, Fuchs S, Maestri M, Fuchs F, Oliveira M, Moreira L, Gus M. Association Between Carotid Intima-Media Thickness and Arteriolar and Venular Diameter in Patients with Hypertension: A Cross Sectional Study. *Atherosclerosis J*. 2013. 229 (2013) 134-138.

Tounian, P., Aggoun, Y., Dubern, B., Varille, V., Guy-Grand, B., Sidi, D., Girardet, J.-P. & Bonnet, D. 2001. Presence of increased stiffness of the common carotid artery and endothelial dysfunction in severely obese children: a prospective study. *The Lancet,* 358**,** 1400-1404.

Trygesrad JB, Thompson DM, Copeland KC, Short KR. Obese children have higher arterial elasticity without a difference in endothelial function: the role of body composition. Obesity 2012;20: 165–71.

Vecchione C, Aretini A, Maffei A, et al. Cooperation between insulin and leptin in the modulation of vascular tone. *Hypertension*. 2003;42:166 –70.

UNIVERSITAS GADJAH MADA
HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang JJ, Taylor B, Wong TY, et al. Retinal vessel diameters and obesity: a population-based study in older persons. *Obesity*. 2006(a);14:206 –14.

Wang, J. J., Liew, G., Wong, T. Y., Smith, W., Klein, R., Leeder, S. & Mitchell, P. 2006 (b). Retinal vascular calibre and the risk of coronary heart disease-related death. *Heart,* 92**,** 1583-1587.

Wang Y, Lobstein T 2006(c) Worldwide trends in childhood overweight and obesity. *Int J Pediatr Obes* 1:11–25

Witte DR, Westerink J, De Koning EJ, Van Der Graaf Y, Groobee De, Bots ML. Is The Association Between Flow Mediated Dilatation and Cardiovascular Risk Limited to Low Risk Population? *J Am Coll Cardiol* 2005;45:1987–93.

Woo KS, Choock P, Yu CW, et al. Overweight in children is associated with arterial endothelial dysfunction and intima-media thickening. *Int J Obes Relat Metab Disord* 2004;28:852–7.

Wong TY, Klein R, Sharret AR, Schmidt MI, Pankow JS, Couper DJ et al. Retinal arteriolar narrowing and risk of diabetes mellitus in middle-aged persons. *Jama. 2002(a)*; 287(19):2528-33.

Wong TY, Klein R, Sharret AR, et al. Retinal arteriolar narrowing and risk of coronary heart disease in men and women. The Atherosclerosis Risk in Communities Study. J Am Med Assoc 2002(b);287:1153-9.

Wong TY, Klein R, Klein BE, Meuer SM, Hubbard LD. Retinal vessel diameters and their associations with age and blood pressure. Investigative Ophthalmology & Visual Science. 2003(a); 44(11):4644-50.

Wong TY, Klein R, Nieto FJ, Klein BE, Sharret AR, Meuer SM et al. Retinal microvascular abnormalities and 10-year cardiovascular mortality: a population-based case-control study. Ophthalmology. 2003(b); 110(5):933-40.

Wong TY, Coresh J, Klein R, Muntner P, Couper DJ, Sharret AR R et al. Retinal microvascular abnormalities and renal dysfunction: the atherosclerosis risk in communities study. *Journal of the American Society of Nephrology: JASN*. 2004 (a); 15(9):2469-76.

Wong TY, Knudson M, Klein R, Klein B, Meuer S, Hubbard L, et al. Computer-Assited Measurement of Retinal Vessel Diameter in The Beaver Dam Study. 2004 (b). *Elsevier.AAO*. Vol 111. Number 6.

Wong TY, Shankar A, Klein R, Klein BE, Hubbard LD. Retinal arteriolar narrowing, hypertension, and subsequent risk of diabetes mellitus. *Archives of Internal Medicine. 2005*; 165(9):1060-5.

Wong TY, Islam FM, Klein R, Klein BE, Cotch MF, Castro C et al. Retinal vascular caliber, cardiovascular risk factors, and inflammation: the multi-ethnic study of atherosclerosis (MESA). *Investigative Ophthalmology & Visual Science.* 2006; 47(6):2341-50

Wong TY, Mitchell P. The eye in hypertension. *Lancet* 2007; 369: 425–435.

Yeste D, Vendrell J, Tomasini R, Broch M, Gussinye M, Megia A, Carrasoca A .2007. Interleukin-6 in obese children and adolescents with and without glucose intolerance. *Diabetes Care* 30:1892–1894

Yilmazer MM, Tavli V, Carti OU, et al. Cardiovascular risk factors and

UNIVERSITAS
GADJAH MADA
**HUBUNGAN DIAMETER PEMBULUH DARAH RETINA DENGAN PARAMETER EKOKARDIOGRAFI PADA REMAJA DENGAN KELEBIHAN BERAT BADAN DAN OBESITAS**
IRENE TITIN DARAJATI, dr. Angela Nurini Agni, Sp.M (KVR), M.Kes.; dr. M. Bayu Sasongko, Sp.M,M.Epid,Ph.D
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

noninvasive assessment of arterial structure and function in obese Turkish children. *Eur J Pediatr* 2010;169:1241–8.

Zaldivar F, MC Murray RG, Nemet D, Galasetti P, Mills PJ, Cooper D M. Body fat and circulating leukocytes in children. *Int J Obes* (Lond). 2006;30:906 –11.

Zhu W, Huang X, He J, Li M, Neubauer H. Arterial intima-media thickening and endothelial dysfunction in obese Chinese children. *Eur J Pediatr* 2005;164:337–44.

Zou CC, Liang L, Wang CL, Fu JF, Zhao ZY (2009) The change in ghrelin and obestatin levels in obese children after weight reduction. *Acta Paediatr* 98:159–165