

## DAFTAR PUSTAKA

- Anand, T., Naika, M., Kumar, P., Khanum, F., 2010. Antioxidant&DNA Damage Preventive Properties of Centella asiatica (L) Urb. *Pharmacogn. J.* 2: 53–58.
- Azis, H.A., Taher, M., Ahmed, A.S., Sulaiman, W.M.A.W., Susanti, D., Chowdhury, S.R., Zakaria, Z.A., 2017. In vitro&In vivo wound healing studies of methanolic fraction of Centella asiatica extract. *South African J. Bot.* 108: 163–174.
- Ban, C.R., Twigg, S.M., 2008. Fibrosis in diabetes complications : Pathogenic mechanisms&circulating&urinary markers. *Vasc. Health Risk Manag.* 4: 575–596.
- Berlanga-Acosta, J., Schultz, G.S., López-Mola, E., Guillen-Nieto, G., García-Siverio, M., Herrera-Martínez, L., 2013. Glucose toxic effects on granulation tissue productive cells: The diabetics' impaired healing. *Biomed Res. Int.* 1: 1–8.
- Bian, D., Zhang, J., Wu, X., Dou, Y., Yang, Y., Tan, Q., Xia, Y., Gong, Z., 2013. Asiatic Acid Isolated From Centella Asiatica Inhibits TGF-  $\beta$  1-induced Collagen Expression in Human Keloid Fibroblasts via PPAR-  $\gamma$  Activation. *Int. J. Biol. Sci.* 9: 1032–1042.
- Cavalera, M., Wang, J., Frangogiannis, N.G., 2014. Obesity , metabolic dysfunction ,&cardiac fibrosis : pathophysiological pathways , molecular mechanisms ,&therapeutic opportunities. *Transl. Res.* 164: 323–335.
- Chen, X., Wei, J., Li, C., Pierson, C.R., Finlay, J.L., Lin, J., 2018. Blocking interleukin-6 signaling inhibits cell viability / proliferation , glycolysis ,&colony forming activity of human medulloblastoma cells. *Int. J. Oncol.* 52: 571–578.
- Chung, A., Lan, H., 2013. Molecular Mechanisms of TGF- beta Signaling in Renal Fibrosis. *Curr. Pathobiol. Rep.* 1: 291–299.
- Elmarakby, A.A., Sullivan, J.C., 2012. Relationship between Oxidative Stress&Inflammatory Cytokines in Diabetic Nephropathy Inflammation in Diabetic Nephropathy Oxidative Stress in Diabetic Nephropathy. *Cardiovasc. Ther.* 30: 49–59.
- Fang, W., Bi, D., Zheng, R., Cai, N., Xu, H., Zhou, R., Lu, J., Xu, X., 2017. Identification&activation of TLR4-mediated signalling pathways by alginate-derived guluronate oligosaccharide in. *Sci. Rep.* 7: 1–13.
- Fernandez, A., Vermeren, M., Humphries, D., Subiros-funosas, R., Barth, N., Campana, L., Mackinnon, A., Feng, Y., Vendrell, M., 2017. Chemical Modulation of in Vivo Macrophage Function with Subpopulation-Speci fi c Fluorescent Prodrug Conjugates. *ACS Cent. Sci.* 3: 995–1005.
- Fizur, M., Meeran, N., Goyal, S.N., Suchal, K., Sharma, C., 2018. Pharmacological Properties , Molecular Mechanisms ,&Pharmaceutical Development of Asiatic Acid : A Pentacyclic Triterpenoid of Therapeutic Promise. *Front. Pharmacol.* 9: 1–35.
- Freemerman, A.J., Johnson, A.R., Sacks, G.N., Milner, J.J., Kirk, E.L., Troester,

- M.A., Macintyre, A.N., Goraksha-hicks, P., Rathmell, J.C., Makowski, L., 2014. Metabolic Reprogramming of Macrophages: Glucose Transporter-1 (GLUT1) Mediated Glucose Metabolism Drives a Proinflammatory Phenotype. *J. Biol. Chem.* 289: 7884–7896.
- Galli, S.J., Borregaard, N., Wynn, T.A., 2012. Phenotypic&functional plasticity of cells of innate immunity: macrophages, mast cells&neutrophils Stephen. *Nat. Immunol.* 12: 1035–1044.
- Gao, S., Zhou, J., Liu, N., Wang, L., Gao, Q., Wu, Yan, Zhao, Q., Liu, P., Wang, S., Liu, Y., Guo, N., Shen, Y., Wu, Yue, Yuan, Z., 2015. Curcumin induces M2 macrophage polarization by secretion IL-4&/ or IL-13. *J. Mol. Cell. Cardiol.* 85: 131–139.
- Giacco, F., Brownlee, M., 2011. Oxidative stress&diabetic complications. *Circ. Res.* 107: 1058–1070.
- Gomes, K.B., Rodrigues, K.F., Fernandes, A.P., 2014. The Role of Transforming Growth Factor-Beta in Diabetic Nephropathy. *Int. J. Med. Genet.* 2014: 1–7.
- Hao, Y., Huang, J., Ma, Y.U.N., Chen, W., Fan, Q.I.N., Sun, X., Shao, M., Cai, H., 2018. Asiatic acid inhibits proliferation , migration&induces apoptosis by regulating Pcd4 via the PI3K / Akt / mTOR / p70S6K signaling pathway in human colon carcinoma cells. *Oncol. Lett.* 15: 8223–8230.
- Hashim, P., Sidek, H., Helan, M.H.M., Sabery, A., Palanisamy, U.D., Ilham, M., 2011. Triterpene composition&bioactivities of centella asiatica. *Molecules* 16: 1310–1322.
- Hawas, A.A., Nugrahaningsih, D.A., Sholikhah, E.N., Syarifuddin, S., Wijayaningsih, R.A., Ngatidjan, N., 2017. Anti-inflammatory effect of Centella asiatica extract on prevented aortic intima-media thickening in diabetic rats. *Thai J. Pharm. Sci.* 41: 1–7.
- Hesketh, M., Sahin, K.B., West, Z.E., Murray, R.Z., 2017. Macrophage phenotypes regulate scar formation&chronic wound healing. *Int. J. Mol. Sci.* 18: 1–10.
- Holt, D.J., Chamberlain, L.M., Grainger, D.W., 2010. Cell-cell signaling in co-culture of macrophages&fibroblasts. *Biomaterials* 31: 9382–9394.
- Hsu, Y., Kuo, P., Lin, L., Lin, C., 2005. Asiatic Acid , a Triterpene , Induces Apoptosis&Cell Cycle Arrest through Activation of Extracellular Signal-Regulated Kinase&p38 Mitogen-Activated Protein Kinase Pathways in Human Breast Cancer Cells. *J. Pharmacol. Exp. Ther.* 313: 333–344.
- Huo, L., Shi, W., Chong, L., Wang, J., Zhang, K., Li, Y., 2016. Asiatic acid inhibits left ventricular remodeling&improves cardiac function in a rat model of myocardial infarction. *Exp. Ther. Med.* 11: 57–64.
- Ikeda, T., Fargiadaki, M., Shi-wen, X., Ponticos, M., Khan, K., Denton, C., 2016. Transforming growth factor- $\beta$ -induced CUX1 isoforms are associated with fibrosis in systemic sclerosis lung fibroblasts. *Biochem. Biophys. Reports* 7: 246–252.
- James, J.T., Dubery, I.A., 2009. Pentacyclic triterpenoids from the medicinal herb, Centella asiatica (L.) Urban. *Molecules* 14: 3922–3941.
- Kasuya, A., Tokura, Y., 2014. Attempts to accelerate wound healing. *J. Dermatol. Sci.* 76: 169–172.

- Kendall, R.T., Feghali-Bostwick, C.A., 2014. Fibroblasts in fibrosis: Novel roles&mediators. *Front. Pharmacol.* 5: 1–13.
- Lamers, M.L., Almeida, M.E.S., Vicente-Manzanares, M., Horwitz, A.F., Santos, M.F., 2011. High glucose-mediated oxidative stress impairs cell migration. *PLoS One* 6: 1–9.
- Linthout, S. Van, Miteva, K., Tscho, C., 2014. Crosstalk between fibroblasts&inflammatory cells. *Cardiovasc. Res.* 102: 258–269.
- Maulidiani, Abas, F., Khatib, A., Perumal, V., Suppaiah, V., Ismail, A., Hamid, M., Shaari, K., Lajis, N.H., 2016. Metabolic alteration in obese diabetes rats upon treatment with Centella asiatica extract. *J. Ethnopharmacol.* 180: 60–69.
- Meng, X., Nikolic-paterson, D.J., Lan, H.Y., 2016. TGF- $\beta$ : the master regulator of fibrosis. *Nat. Rev. Nephrol.* 48: 1–15.
- Moganti, K., Li, F., Schmuttermaier, C., Riemann, S., Klüter, H., Gratchev, A., Harmsen, M.C., Kzhyshkowska, J., 2017. Hyperglycemia induces mixed M1 / M2 cytokine profile in primary human monocyte-derived macrophages. *Immunobiology* 222: 952–959.
- Mohamed, J., Nafizah, N., A, Z., S, B., 2016. Mechanisms of Diabetes-Induced Liver Damage: The role of oxidative stress&inflammation. *Sultan Qaboos Univ. Med. J.* 16: 132–141.
- Naudi, A., Jove, M., Ayala, V., Cassanye, A., Serrano, J., Gonzalo, H., Boada, J., Prat, J., Portero-Otin, M., Pamplona, R., 2011. Cellular dysfunction in diabetes as maladaptive response to mitochondrial oxidative stress. *Exp. Diabetes Res.* 1: 1–14.
- Okado, T., Terada, Y., Tanaka, H., Inoshita, S., 2002. Smad7 mediates transforming growth factor (TGF) induced apoptosis in mesangial cells. *Kidney Int.* 62: 1178–1186.
- Okizaki, S., Ito, Y., Hosono, K., Oba, K., Ohkubo, H., 2015. Suppressed recruitment of alternatively activated macrophages reduces TGF- $\beta$  1&impairs wound healing in streptozotocin-induced diabetic mice. *Biomed. Pharmacother.* 70: 317–325.
- Pakdeechote, P., Bunbupha, S., Kukongviriyapan, U., Prachaney, P., Khrisanapant, W., Kukongviriyapan, V., 2014. Asiatic Acid Alleviates Hemodynamic&Metabolic Alterations via Restoring eNOS/iNOS Expression, Oxidative Stress,&Inflammation in Diet-Induced Metabolic Syndrome Rats. *Nutrients* 6: 355–370.
- Patel, P., Abate, N., 2013. Role of subcutaneous adipose tissue in the pathogenesis of insulin resistance. *J. Obes.* 1–5.
- Paula, A., Cantuária, C., Figueiredo, T.M., Freire, M.S., Lima, S.M.F., 2018. The effects of glucose concentrations associated with lipopolysaccharide&interferon-gamma stimulus on mediators ' production of RAW 264 . 7 cells. *Cytokine* 107: 18–25.
- Ploeger, D.T.A., Hosper, N.A., Schipper, M., Koerts, J.A., Rond, S. De, Bank, R.A., 2013. Cell plasticity in wound healing : paracrine factors of M1 / M2 polarized macrophages influence the phenotypical state of dermal fibroblasts. *Cell Commun. Signal.* 11: 1–17.

- Queiroz, E., Puukila, S., Eichler, R., Sampaio, S.C., Forsyth, H.L., Lees, S.J., Barbosa, A.M., Dekker, R.F.H., Fortes, Z.B., Khaper, N., 2014. Metformin Induces Apoptosis&Cell Cycle Arrest Mediated by Oxidative Stress , AMPK&FOXO3a in MCF-7 Breast Cancer Cells. *PLoS One* 9: 1–5.
- Ramachandran, V., Saravanan, R., 2013. Efficacy of asiatic acid, a pentacyclic triterpene on attenuating the key enzymes activities of carbohydrate metabolism in streptozotocin-induced diabetic rats. *Phytomedicine* 20: 230–236.
- Ramachandran, V., Saravanan, R., Senthilraja, P., 2014. Antidiabetic&antihyperlipidemic activity of asiatic acid in diabetic rats , role of HMG CoA : In vivo&in silico approaches. *Phytomedicine* 21: 225–232.
- Roszer, T., 2015. Understanding the Mysterious M2 Macrophage through Activation Markers&Effector Mechanisms. *Mediators Inflamm.* 2015: 1–16.
- Shamhart, P.E., Luther, D.J., Adapala, R.K., Bryant, J.E., Petersen, K.A., Meszaros, G., Thodeti, C., 2017. Hyperglycemia enhances function&differentiation of adult rat cardiac fibroblasts Patricia. *Cannadian J. Pharmacol.* 92: 69–81.
- Shou-yan, C., Wang, W., Nan, F., Liu, Y., Wei, S., Li, F., Chen, L., 2018. Asiatic acid inhibits LPS-induced inflammatory response in endometrial epithelial cells. *Microb. Pathog.* 116: 195–199.
- Sullivan, D.E., Ferris, M., Nguyen, H., Abboud, E., Brody, A.R., Sciences, B., 2009. TNF- $\alpha$  induces TGF- $\beta$  expression in lung fibroblasts at the transcriptional level via AP-1 activation. *J. Cell. Mol. Med.* 13: 1866–1876.
- Sun, L., Xiu, M., Wang, S., Brigstock, D.R., Li, H., Qu, L., Gao, R., 2018. Lipopolysaccharide enhances TGF- Beta1 signalling pathway&rat pancreatic fibrosis. *J. Cell. Mol. Med.* 22: 2346–2356.
- Sundararaj, K.P., Samuvel, D.J., Li, Y., Sanders, J.J., Lopes-Virella, M.F., Huang, Y., 2009. Interleukin-6 released from fibroblasts is essential for up-regulation of matrix metalloproteinase-1 expression by U937 macrophages in coculture: Cross-talking between fibroblasts&U937 macrophages exposed to high glucose. *J. Biol. Chem.* 284: 13714–13724.
- Tang, L., He, R., Yang, G., Tan, J., Zhou, L., Meng, X., Huang, X.R., 2012. Asiatic Acid Inhibits Liver Fibrosis by Blocking TGF-beta / Smad Signaling In Vivo&In Vitro. *PLoS One* 7: 1–13.
- Thomsen, L.H., Rosendahl, A., 2015. Polarization of Macrophages in Metabolic Diseases. *J. Clin. Cell. Immunol.* 6: 1–14.
- Toni, L.S., Garcia, A.M., Jeffrey, D.A., Jiang, X., Stauffer, B.L., Miyamoto, S.D., Sucharov, C.C., 2018. Optimization of phenol-chloroform RNA extraction. *MethodsX* 5: 599–608.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., 2007. Free radicals&antioxidants in normal physiological functions&human disease. *Int. J. Biochem. Cell Biol.* 39: 44–84.
- Wang, X., Lu, Q., Yu, D.S., Chen, Y.P., Shang, J., Zhang, L.Y., Sun, H. Bin, Liu, J., 2015. Asiatic acid mitigates hyperglycemia&reduces islet fibrosis in Goto-Kakizaki rat, a spontaneous type 2 diabetic animal model. *Chin. J. Nat. Med.* 13: 0529–0534.

- Xia, X., Dai, C., Yu, H.U.A., Huang, X., Chen, A.L.I., Tan, Y., Wang, L., 2018. Asiatic acid prevents the development of interstitial lung disease in a hypochlorous acid - induced mouse model of scleroderma. *Oncol. Lett.* 15: 8711–8716.
- Xiao, H., Zhang, J., Xu, Z., Feng, Y., Zhang, M., Liu, J., Chen, R., Shen, J., Wu, J., Lu, Z., Fang, X., Li, J., Zhang, Y., 2016. Metformin is a novel suppressor for transforming growth factor (TGF)- $\beta$ 1. *Sci. Rep.* 6: 1–9.
- Xu, F., Zhang, C., Graves, D.T., 2013. Abnormal Cell Responses & Role of TNF- $\alpha$  in Impaired Diabetic Wound Healing Abnormal Cell Responses & Role of TNF- $\alpha$  in Impaired Diabetic. *Biomed Res. Int.* 1: 1–9.
- Xu, J., Zhao, Y., Aisa, H.A., 2017. Anti-inflammatory effect of pomegranate flower macrophages. *Pharm. Biol.* 55: 2095–2101.
- Yang, Y., Shin, J.A., Yang, H.K., Lee, S.H., Ko, S.H., Ahn, Y.B., Yoon, K.H., Cho, J.H., 2016. Reduction of sulfonylurea with the initiation of basal insulin in patients with inadequately controlled type 2 diabetes mellitus undergoing long-term sulfonylurea-based treatment. *Diabetes Metab. J.* 40: 454–462.
- Ye, N., Ding, Y., Wild, C., Shen, Q., Zhou, J., 2014. Small Molecule Inhibitors Targeting Activator Protein 1 (AP-1). *J Med Chem* 57: 6930–6948.
- Younis, L.T., Abu Hassan, mohammaed ibrahim, Ali, tara bai taiyeb, Bustami, tommy julianto, 2017. 3D TECA hydrogel reduces cellular senescence & enhances fibroblasts migration in wound. *Asian J. Pharm. Sci.* 12: 1–9.
- Yun, K., Kim, J.-Y., Kim, J.-B., Lee, K., Jeong, S.-Y., Park, H.-J., 2008. Inhibition of LPS-induced NO & PGE2 production by asiatic acid via NF- $\kappa$ B inactivation in RAW 264.7 macrophages.pdf. *Int. Immunopharmacol.* 8: 431–441.
- Yuyun, X., Xi, C., Qing, Y., Lin, X., Ke, R., Bingwei, S., 2018. Asiatic acid attenuates lipopolysaccharide-induced injury by suppressing activation of the Notch signaling pathway. *Oncotarget* 9: 15036–15046.
- Zhang, C., Lu, X., Tan, Y., Li, B., Miao, X., Jin, L., Shi, X., Zhang, X., Miao, L., Li, X., Cai, L., 2012. Diabetes-Induced Hepatic Pathogenic Damage , Inflammation , Oxidative Stress , & Insulin Resistance Was Exacerbated in Zinc Deficient Mouse Model. *PLoS One* 7: 3–10.
- Zhang, Z., Ma, J., Feng, R., Wang, Z., 2018. Centella asiatica inhibits renal interstitial fibrosis by regulating Smad3 & Smad7 expression in the TGF $\beta$  signaling pathway. *Int. J. Clin. Exp. Pathol.* 11: 1009–1017.
- Zhao, W., Wang, X., Sun, K.-H., Zhou, L., 2018.  $\alpha$ -smooth muscle actin is not a marker of fibrogenic cell activity in skeletal muscle fibrosis. *PLoS One* 13: 1–16.
- Zhongshi, H., Zhang, H., Yang, C., Zhou, Yajuan, Zhou, Yong, Han, G., Xia, L., 2011. The interaction between different types of activated RAW 264 . 7 cells & macrophage inflammatory protein-1 alpha. *Radiat. Oncol.* 6: 1–7.
- Zhou, D., Huang, C., Lin, Z., Zhan, S., Kong, L., Fang, C., Li, J., 2014. Macrophage polarization & function with emphasis on the evolving roles of coordinated regulation of cellular signaling pathways. *Cell. Signal.* 26: 192–197.



UNIVERSITAS  
GADJAH MADA

**EFEK PEMBERIAN ASAM ASIATIKA TERHADAP EKSPRESI mRNA IL-6, TGF-Beta, alfa-SMA DAN SEKRESI KOLAGEN PADA COCULTURE SEL FIBROBLAS NIH3T3 DAN SEL MAKROFAG RAW264.7 YANG DIINDUKSI INFLAMASI DAN MEDIA TINGGI GLUKOSA**

RIZKI AWALUDDIN, dr. Dwi Aris Agung Nugrahaningsih., Ph.D.; Dr.dr. Eti Nurwening Sholikhah, M.Kes.,M.Med.Ed.  
Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhu, Y., Usui, H.K., Sharma, K., 2007. Regulation of Transforming Growth Factor-Beta in Diabetic Nephropathy: Implications for Treatment. *Semin. Nephrol.* 14: 384–399.