

Daftar Pustaka

- Afidah, A.C..2016, Optimasi konsentrasi limbah cair tahu untuk produksi gum xanthan oleh *Xanthomonas campestris*,[Skripsi]Institut Pertanian Bogor.
- Aparicio, J.D., Benimelia, C.S., Almeida, C.A., Polti, M.A., and Colin, V.L., 2017,Integral use of sugarcane vinasse for biomass production of Actinobacteria: Potential application in soil remediation. *J. Chemosphere*
- Basu Prabir, 2018, Biomass gasification, pyrolysis and torrefaction, Practical design theory. Third edition.Academic Press.
- Becker, A., Katzen, F., Puhler, A., and Iepi, I., 1998, Xanthan gum Biosynthesis and application: a biochemical/genetic perspective. *Appl Microbiol Biotechnol* 50: 145-152.
- Bejenariu, A., Popa, M., Picton, L., and Cerf, D., 2010, Effect of concentration pH andtemperature on xanthan conformation: a preliminary study before crosslinking. *Rev. Roum. Chim*, 55(2), 147-152
- Benke, M.B., Mermut, A.R., and Chatson, B., 1998, Carbon-13 CP/MAS NMR and DR-FTIR spectroscopic studies of sugarcane distillery waste.*Can. J. Soil Sci.* 78, 227–236.
- Borges, C.D., and Vendruscolo, C.T., 2007,Xanthan synthesized by strains of *Xanthomonas campestris* pv. *pruni*: production, viscosity and chemical composition. *J Biosci.*,23, 4: 67-73
- Bradbury, J.F., 1984, Genus II: *Xanthomonas*. In: Krieg NR, Holt CG, editors. Manual of systematic bacteriology. Baltimore, MD: Williams & Wilkins. pp. 199±210.
- Carrignatto, C.R.R., Oliveir, K.S.M., De Lima, V.M.G., and Neto, P.D.O., 2011, New Culture Medium to Xanthan Production by *Xanthomonas campestris* pv. *campestris*. *Indian J. Microbiol.* 51 (3):283-288.
- Colin, V.L., Juárez Cortes, A.A., Aparicio, J.D., and Amoroso, M.J., 2016. Potential application of a bioemulsifier-producing actinobacterium for treatment of vinasse.*Chemosphere* 144, 842–847.
- Costa, E., Teixido, J., Usall, E., and Atares. 2002. The effect of nitrogen and carbon sources on growth of biocontrol agent *Pantaea agglomerans* strain CPA-2. *The Society for Applied Microbiology.* 35, 117-120.
- Costa, L.A., Campos, M., Drizian, J.I., Oliveira, A.M., and Junior E.N.O.,2014, Biosynthesis of Xanthan Gum from Fermenting Shrip Shell: Yield and apparent Viscosity. *International j. if Polymer science.*

- Corzi-Martinez, M., Luscher, A., Rivas, B., Munoz, R., and Moreno F.J., 2015, Valorization of Cheese and Tofu Whey through Enzymatic Synthesis of Lactosucrose. *PLoS ONE* 10(9): e0139035.
- Dianursanti, Rizkytata, B.T., Gumelar, M.T., and Abdullah, T.H., 2014, Industrial tofu wasted as cultivation medium of microalgae *Chlorella vulgaris*. Conference and Exhibition Indonesia Renewable Energy & Energy Conservation 2013.
- De Vuyst, L., and Vermeire, A., 1994, Use of industrial medium components for xanthan production by *Xanthomonas campestris* NRRL-B-1459. *Appl Microbiol Biotechnol* 42: 187-191.
- De Vuyst, L., Van Loo, J., and Vandamme, E.J., 1987, Two-step fermentation process for improved xanthan production by *Xanthomonas campestris* NRRL B-1459. *J Chem Technol Biotechnol* 39: 263±73.
- Duja, A.B., 2009, Pengaruh konsentrasi presipitan dan rasio volum presipitan dan volume cairan hasil fermentasi terhadap recovery produk xanthan gum pada bakteri *Xanthomonas campestris* pv. *campestris*. [Laporan Penelitian] Teknik Kimia. Universitas Gadjah Mada.
- Espana-Gamboa, E., Mijangos-Cortes J., Barahona-Perez L., Dominguez-Madonado, J., Hernandez-Zerate, G., and Alzate-Gaviria, L., 2010, Vinasses: characterization and treatments. *Waste Management & Research* 0(0) 1–16.
- Evans, C.G.T., Yeo, R.G., and Ellwood, D.C., 1978, In microbial polysaccharides and polysaccharases, eds. London, New York and San Francisco, Academic Press, 51-68.
- Faria S., Petkowicz C.L.O., Lemos de Morais S.A., Terrones M.G., Maria de Resende M., Pessoa de Franca F., Cardoso V.L., 2011. Characterization of Xanthan Gum Production from Sugar Cane Broth. *Carbohydrate Polymers* 86: 469-476.
- FitzGibbon, F., Singh, D., McMullan, G., and Marchant, R., 1998, The effect of phenolic acids and molasses spent wash concentration on distillery wastewater remediation by fungi. *Process Biochem.* 33, 799–803.
- Flores Candia, J.L., Deckwer, W.D., 1999, Xanthan Gum. Encyclopedia of bioprocess technology: Fermentation, biocatalysis, and bioseparation. Vol 5. New York: Wiley 2695-711.
- Fu Shan-Fei, Xu Xiao-Hui, Dai Meng, and Yuan Xiang-Zheng. 2015. Hydrogen and methane production from vinasse using two-stage anaerobic digestion. *J. Process Safety and Environmental Protection* 107, 81–86.

- Garcia-Ochoa, F., Santos, V.E., and Fritsch A.P., 1992, Nutritional Study of *Xanthomonas campestris* in Xanthan Gum Production by Factorial Design if Experiments. *Enzyme Microb. Technol* 14:991-996.
- Garcia-Ochoa, F., Santos, V.E., and Alcoa, A., 1997, Xanthan gum production in a laboratory aerated stirred tank bioreactor. *Chem Biochem EngQ* ;11:69±74.
- Garcia-Ochoa, F., Santos, V.E., and Casas, J.A., 1999, Production and isolation of xanthan gum. Method in biotechnology, Vol 10: Carbohydrate Biotechnology Protocol. Hunawa Press.
- Garcia-Ochoa, F., Santos, V.E., Casas, J.A., and Gomez, E., 2000, Xanthan gum: production, recovery, dan properties. *Biotechnology Advances* 18: 549-579.
- Gemtos, T.A., Chouliarias, N., and Marakis, S.T., 1995, Vinnase (Alcohol Industri waste) recycling in agriculture.Symp. *Agric. Food Proc. Waste* 95(3):429-438.
- Glazer, A.N., and Nikaido, H., 2007, Microbial Biotechnology: Fundamental of Applied Microbiology, Second Edition. Cambrige.
- Glick, B.R., Pasternak, J.J., and Patten, C.L., 2010, Molecular Biotechnology: Principle and applications of recombinant DNA, 4th edition. Address editorial correspondence to ASM Press, 1752 N St. NW, Washington, DC 20036-2904, USA.
- Ghazal, S.M.A., Elsayed, W.S., Badr, U.M., Gebreel, H.M., and Khalila, K.M.A, 2011, Genetically Modified Strains of *Xanthomonas campestris* Higher Xanthan Producer and Capable to ulitize Whey. *Current Reseach in Bacteriology* 4 (2): 44-62.
- Harding, N. E., J. M. Cleary, D. K. Cabanas, I. G. Rosen, and K. S. Kang. 1987. Genetic and physical analysis of genes essential for xanthan gumbiosynthesis in *Xanthomonas campestris*. *J. Bacteriol.* 169:2854–2861.
- Holzwarth, G., 1978, Molecular weight of xathan polysaccharide. *Carbohydrate Research* 66: 173-186.
- Ielpi, L., Couso, R.O., and Dankert, M.A., 1993, Sequential assembly and polymerization of polyprenol linked pentasaccharide repeating unit of xanthan polysaccharide in *xanthomonas campestris*. *J Bacteriol* 175:2490-2500.
- Jensen, B.D., Vicente, J.G., Manandhar, H.K., and Roberts, S.J., 2010, Occurrence and diversity of *Xanthomonas campestris* pv. *campestris* in vegetable *Brassica* fields in Nepal. *Plant Dis.* 94:298-305.

- Kaswinarni, F., 2007, Kajian Teknis Pengolahan Limbah Padat dan Cair Industri cair. [Tesis] Universitas Diponegoro Semarang.
- Katzen, F., Ferreiro, D.U., Oddo, C.G., Ielmini, V., Becker, A., Puhler, A. and Ielpi, L., 1998, *X. campestris* pv. *campestris* mutants effects on xanthan biosynthesis and plant virulence. *J. Bacteriol.* 180, 1607-1617.
- Kim, M.S., and Lee, D.Y., 2010, Fermentative hydrogen production from tofu-processing waste and anaerobic digester sludge using microbial consortium. *J Bioresource Technology* 101 1:S48-52.
- Lachke, A., 2004, Xanthan - A versatile gum. *Resonance* 9: 25-33.
- Lema, M., Cartea, M.E., Sotelo, T., Velasco, and Soengas, P., 2012, Discrimination of *Xanthomonas campestris* pv. *campestris* races among strains from northwestern Spain by Brassica spp. genotypes and rep-PCR. *Eur J Plant Pathol* (2012) 133:159–169.
- Letisse, F., Cevallereau, P., Simon, J.L., and Lindley, N.D., 2002, The influence of metabolic network structure and energy requirements on xanthan gum yields. *J Biotechnol.* 99: 307-317.
- Luvielmo, M., and Borges, C., 2015, Structure of Xanthan Gum and Cell Ultrastructure at Different Times of Alkali Stress. *Bjmicrobiol* 102-109.
- Mabrouk, M.E., El Ahwany, A.M., Beliah, M.M., and Sabry, S.A., 2013, Xanthan Production by a Novel Mutant Strain of *Xanthomonas campestris*: Application of Statistical Design for Optimization of Process Parameters. *J. Life Science* 1. 10.
- Palaniraj, A., and Jayaraman, V., 2011, Review: Production, Recovery, and Applications of Xanthan gum by *Xanthomonas campestris*. *Journal of Food Engineering* 106: 1-12.
- Parnaudeau, V., Condom, N., Oliver, R., Cazevielle, P., and Recous, S., 2007, Vinasse organic matter quality and mineralization potential, as influenced by raw material, fermentation and concentration processes. *J. Bioresource Technol* 99: 1553–1562.
- Purnawati, R., Sunarti, T., Syamsu, K., and Rahayuningsih, M., 2014, Characterization of novel *Bacillus thuringiensis* isolated from *Attacus atlas* and its growth kinetics in the cultivation media of tofu whey for bioinsecticide production. *J Biol Agric Healthc.* 4(16):33-39
- Pramanik, A., Mitra, A., Arumugam, M., Bhattacharyya, A., Sadhukhan, S., Ray, A., Haldar, S., Mukhopadhyay, U.K., and Mukherjee, J., 2012, Utilization of vinasse for production of polyhydroxybutyrate by *Haloarcula marismortui*. *Folia Microbiol* 57: 71-79.

- Rottava, I., Batesini, G., Silva, M.F., Lerin, L., Oliveira, D., Ferreira, F., Toniazzo, G., Mossi, A., Cansian, R., Luccio, M., and Treichel, H., 2009, Xanthan um production and rheological behavior using different strains of *Xanthomonsa* sp. *Carbohydrate Polymer* 77: 65-71.
- Saputri, L.H., 2016, Optimasi Proses Hidrolisis Vinasse sebagai Bahan Baku Resin Polimer yang Ramah Lingkungan. *Chemica* 3, 1: 25-30.
- Sari, D.I.P., 2009, Pengaruh limbah vinase sebagai medium fermentasi terhadap produksi xanthan gum oleh bakteri *Xanthomonas campestris* pv. *campestris* [Laporan Penelitian]. Teknik Kimia, Universitas Gadjah Mada.
- Salah, R.B., Chaari, K., Besbes, S., Ktari, N., Blecker, C., Deroanne, C., and Attia H., 2009, Optimisation of xanthan gum production by palm date (*Phoenix dactylifera* L.) juice by-products using response surface methodology. *J. Food Chemistry* 121 627–633.
- Silman, R.W., and Rogovin, P., 1970, Continuous fermentation to produce xanthan biopolymer: laboratory investigation. *Biotechnol Bioeng.* 12:75±83.
- Silva, M.F., Fornani, R., Mazutti, M., Oliver, D., Padila, F.F., Cichoski, A., Cansian, R.L., Lucio, A., and Treichel, H., 2009, Production and characterization of xanthan gum by *Xanthomonas campestris* using cheese whey as sole carbon source. *Journal of Food Engineering* 90:119-123.
- Simangunsong L., 2009, Pengaruh Perbandingan Limbah Abangan Tapioka dan Limbah Vinase sebagai Medium Fermentasi terhadap Produksi Xanthan Gum oleh *Xanthomonas campestris* pv. *campestris*. [Laporan Penelitian] Teknik Kimia, Universitas Gadjah Mada.
- Soudi, M.R., Alimadadi, N., and Ghadam, P., 2011, Minimal phenotypic test for simple differentiation of *Xanthomonas campestris* from other yellow-pigmented bacteria isolated from soil. *Iranian Journal Microbiology.* 3(2): 84-91.
- Souw, P., and Demain, A.L., 1979, Nutritional studies on xanthan production by *Xanthomonas campestris*. *Appl Env Microbiol* 37:1186-1192.
- Sutherland, 1981 I.W. *Carbohydrat Polymers* 1, 107.
- Thi, L.N., Champage, C.P., and Lee, B.H., 2003, Growth of *Lactobacillus paracasei* on Tofu Whey. *International Journal of Food Microbiology* 89: 67– 75.
- Vadivel, R., Minhas, P.S., Kumar, S., and Singh, Y., 2014, Significance of vinasses waste management in agriculture and environmental quality-Review. *African J. Agri Research.*

Wadhai, V.S., and Dixit, A.N., 2011, Production Xanthan Gum by *Xanthomonas campestris* And Comparative Study of *Xanthomonas campestris* Isolates For The Selection Of Potential Xanthan Producer. *Indian Streams Reserach Journal (ISRJ)*1, 1-4.

Wilkie, A., Riedesel, K., and Owens, J., 2000, Stillage characterization and anaerobic treatment of ethanol stillage from conventional and cellulosic feedstocks. *Biomass and Bioenergy*19: 63–102.