

DAFTAR PUSTAKA

- Abreu, D., Cabral, M. S., Ribeiro, F., 2014. Factors associated with longer delays in reperfusion in ST-segment elevation myocardial infarction. *IJC Heart & Vessels*, 4, 97–101.
- Adhikari, G. dan Baral, D., 2018. Clinical profile of patients presenting with acute myocardial infarction. *Int J Adv Med*, 5(2):228-233.
- Ahmad, M.I., Yadaw, B.K., Sharma, N., Varshney, A.K., Sharma, L., Singh, R., Nath, R.J. 2013. Cardiac Troponin I Level in STEMI and Clinical Correlation with Left Ventricular Dysfunction in Indian Population. *J Cardiovasc Dis Diagn*, 1:4.
- Alishahi, A., Carolina, N., Hill, C., Sciences, M., Carolina, N., Hill, C., Sciences, M., 2014. Factors Associated with Delay in Thrombolytic Therapy in Patients with ST-Elevation Myocardial Infarction : Factors Associated with Delay in Thrombolytic Therapy in Patients with ST-Elevation Myocardial Infarction. *J Teh Univ Heart Ctr*; 7(2):65-71.
- Ambrosio, G., Pinto, M. Del, Tritto, I., Agnelli, G., Bentivoglio, M., Zuchi, C., Fox, K.A.A., 2010. Chronic nitrate therapy is associated with different presentation and evolution of acute coronary syndromes : insights from 52 693 patients in the Global Registry of Acute Coronary Events. *European Heart Journal*, 31:430-438.
- Antman, E., Bassand, J.P., Klein, W., Ohman, M.G., Sendon, J.L., Ryden, L., Simoons, M., Tendera, M., 2000. Myocardial Infarction Redefined — A Consensus Document of The Joint European Society of Cardiology / American College of Cardiology Committee for the Redefinition of Myocardial Infarction The Joint European Society of Cardiology / American College of Cardiology Committee. *Journal of the American College of Cardiology*, 36 (3), 959-69.
- Azevedo, P. S., Polegato, B. F., Minicucci, M. F., Paiva, S. A. R., Zornoff, L. A. M., 2015. Review Article Cardiac Remodeling: Concepts, Clinical Impact, Pathophysiological Mechanisms and Pharmacologic Treatment, 62–69.
- Bansal, M., & Kasliwal, R. R., 2012. How do I do it? Speckle-tracking echocardiography. *Indian Heart Journal*, 65(1), 117–123.
- Baumgartner, H., Hung, J., Bermejo, J., Chambers, J.B., Evangelista, A., Griffin, B.P., 2009. Erratum: Echocardiographic assessment of valve stenosis: EAE/ASE recommendations for clinical practice. *European Journal of Echocardiography*, 10(3), p.479.
- Bello, D., Einhorn, A., Kaushal, R., Kenchaiah, S., Raney, A., Fieno, D., Kadish, A., 2011. Cardiac magnetic resonance imaging : infarct size is an independent predictor of mortality in patients with coronary artery disease. *Magnetic Resonance Imaging*, 29(1), 50–56.
- Bendiab, N.S.T., Tani, A.M., Ouabdesselam, S., Methia, N., Latreche, S., Henaoui, L., Monsuez, J.J., Benkhedda, S., 2017. Factors associated with global longitudinal strain decline in hypertensive patients with normal left ventricular ejection fraction. *European Journal of Preventive Cardiology*, 0(00) 1–10.

- Bertini, M., Mollema, S. A., Delgado, V., Antoni, M. L., Ng, A. C. T., Holman, E. R., Bax, J. J., 2020. Impact of Time to Reperfusion After Acute Myocardial Infarction on Myocardial Damage Assessed by Left Ventricular Longitudinal Strain. *AJC*, 104(4), 480–485.
- Bhatt, D. L., & Flather, M. D., 2004. Handbook of Acute Coronary Syndromes Handbook of Acute Coronary Syndromes. *Remedica, Chicago, UK*.
- Bière, L., Donal, E., Terrien, G., Kervio, G., Willoteaux, S., Furber, A., Prunier, F., 2014. Longitudinal Strain Is a Marker of Microvascular Obstruction and Infarct Size in Patients with Acute ST- Segment Elevation Myocardial Infarction. *PLoS ONE*, 9 (1): e86959.
- Bogdanović, J., Ašanin, M., Krljanac, G., Lalić, N.M., Jotić, A., Stanković, S., Rajković, N., Stošić, L., Rasulić, I., Milin, J., Popović, D., Bogdanović, L., Lalić, K., 2019. Impact of acute hyperglycemia on layer-specific left ventricular strain in asymptomatic diabetic patients: an analysis based on two-dimensional speckle tracking echocardiography. *Cardiovasc Diabetol*, 18:68.
- Bolognese L, Cerisano G, Buonamici P *et al.* 1997. Influence of infarct-zone viability on left ventricular remodeling after acute myocardial infarction. *Circulation*, 96: 3353–9.
- Boudi, F.B., Ahsan, C.H., Ali, Y.S., Compton, S.J., Talavera, F. 2016. Risk Factors for Coronary Artery Disease. Available at <https://emedicine.medscape.com/article/164163-overview>.
- Bshiebish, H.A.H., Al-musawi, A. H., Ali, S., 2019. Role of global longitudinal strain function in patients with heart failure with preserved ejection fraction. *Journal of the Saudi Heart Association*, 31(2), 100–105.
- Bulluck, H., Yellon, D. M., Hausenloy, D. J., 2016. Reducing myocardial infarct size : challenges and future opportunities. *Heart*, 102:341–348.
- Bussmann, W.D., Micke, G., Hildenbrand, R., Klepzig, H., 1995. Captopril in Acute Myocardial Infarction: Beneficial Effects on Infarct Size and Arrhythmia. *Clin. Cardiol*, 18,465-470.
- Care, M.I., & Smalling, R.W., 2009. Ischemic Time. *JAC*, 54(23),2154-2156.
- Choudhary, R., Maheshwari, D., Rijhwani, P., Rathore, M., 2013. Cardiac mechanics in Patients with Systemic Hypertension with Normal EF : A Speckle Strain Imaging Study. *JHC*, 13, 272.
- Cimino, S., Canali, E., Petronilli, V., Cicogna, F., Luca, L. De, Francone, M., Agati, L., 2013. Global and regional longitudinal strain assessed by two-dimensional speckle tracking echocardiography identifies early myocardial dysfunction and transmural extent of myocardial scar in patients with acute ST elevation myocardial infarction and relatively preserved LV function, 805–811. *European Heart Journal – Cardiovascular Imaging*,14, 805–811.
- Collier, P., Phelan, D., & Klein, A.2017. A Test in Context: Myocardial Strain Measured by Speckle-Tracking Echocardiography. *JACC*, 69(8).
- Cruz-gonzalez, I., Chia, S., Raffel, O. C., Sanchez-ledesma, M., Senatore, F., Wackers, F. J., Jang, I., 2010. Hyperglycemia on admission predicts larger infarct size in patients undergoing percutaneous coronary intervention for acute ST-segment elevation myocardial infarction. *Diabetes Research and*

Clinical Practice, 88(1), 97–102.

- Deedwania, P., Kosiborod, M., Barrett, E., Ceriello, A., Isley, W., Mazzone, T., Raskin, P., 2015. Hyperglycemia and Acute Coronary Syndrome A Scientific Statement From the American Heart Association Diabetes Committee of the Council on Nutrition , Physical Activity and Metabolism. *Circulation*, 117:1610-1619.
- De Luca, G. D, Parodi, G., Sciagrà, R., Venditti, F., Bellandi, B., Vergara, R., Antonucci, D., 2012. Time-to-treatment and infarct size in STEMI patients undergoing primary angioplasty. *International Journal of Cardiology*. <https://doi.org/10.1016/j.ijcard.2012.04.078>.
- De Luca, G., Parodi, G., Sciagra, R., Bellandi, B., Comito, V., Vergara, R., Migliorini, A., Valenti, R., Antonucci, D., 2013. Impact of hypertension on infarct size in ST elevation myocardial infarction patients undergoing primary angioplasty. *J Hypertens*, 31:2433–2437.
- Denktas, A. E., Anderson, H. V., Mccarthy, J., Smalling, R.W., 2011. Total Ischemic Time. *JCIN*, 4(6), 599–604.
- D'Elia, N., D'Hooge, J. & Marwick, T.H., 2015. Association Between Myocardial Mechanics and Ischemic LV Remodeling. *JACC: Cardiovascular Imaging*, 8(12),pp.1430-1443.
- Dharma, S., Andriantoro, H., Purnawan, I., Dakota, I., Basalamah, F., Hartono, B., Suling, F. R. W., 2016. Characteristics , treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country : an initial report of the extended Jakarta Acute Coronary Syndrome registry. *BMJ Open*, 6:e012193.
- Dogan, C., Bayram, Z., candan, O., Omaygenc, O., Yilmaz, F., Acar, R.D., Akbal, O.Y., Kay,az, C., Ozdemir, R., 2017. Prediction of infarct size using two- -dimensional speckle tracking echocardiography in acute myocardial infarction. *Echocardiography*, 1–7.
- Ersbøll, M. K., 2013. Left ventricular global longitudinal strain in acute myocardial infarction. *Dan Med J* , 60(8), B4697.
- Ertl, G & Frantz, S., 2005. Healing after myocardial infarction. *Cardiovascular Research*, 66, 22–32.
- Farsalinos, K., Tsiapras, D., Kyrzopoulos, S., Voudris, V., 2013. Chronic Effect of Smoking on Myocardial Function in Healthy Heavy Smokers: A Study of Doppler Flow, Doppler Tissue, and Two-Dimensional Speckle Tracking Echocardiography. *Echocardiography*, 30 : 285-292.
- Francone, M., Buciarelli-Ducci, C., Carbone, I., Canali, E., Scardala, R., Calabrese, F., Sardella, G., Mancone, M., Catalano, C., Fedele, F., 2009. Impact of Primary Coronary Angioplasty Delay on Myocardial Salvage , Infarct Size , and Microvascular Damage in Patients With ST-Segment Elevation Myocardial Infarction. *JAC*, 54(23), 2145–2153.
- French, B.A., & Kramer, C.M., 2008. Mechanisme post-infarct left ventricular remodelling. *Drug Discov Today Dis Mech*, 4(3), 185–196.
- French, J.K., Amos, D.J., Williams, B.F., Cross, D.B., Elliott, J.M., Hart, H.H., Williams, M.G., Norris, R.M., ashton, N.G., Whitlock, R.M., McLaughlin, S.C., White, H.D., 1999. Effects of Early Captopril Administration After

- Thrombolysis on Regional Wall Motion in Relation to Infarct Artery Blood Flow. *JACC*, 33, 1: 139-45.
- Gelfand, E.V. & Cannon, C.P., 2009. Management of Acute Coronary Syndromes. *John Wiley & Sons Ltd, Chichester, UK*.
- Giustino, G., Brener, S.J., Redfors, B., Kirtane, A.J., Genereux, P.G., Maehara, A., Neunteufl, T., Metzger, C., Mehran, R., Gibson, M., Stone, G.W., 2016. Effect of Smoking on Infarct Size and Major Adverse cardiac Events in Patients with Large Anterior ST-Elevation Myocardial Infarction (from the INFUSE-AMI Trial). *The American Journal of cardiology*, 118(8):1097-1104.
- Guerchicoff, A., Brener, S.J., Maehara, Ak., Witzenblische, B., Fahy, M., Gersh, B.J., Mehran, R., Gibson, C. M., Stone, G. W., 2014. Impact of Delay to Reperfusion on Reperfusion Success, Infarct Size, and Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction. *J Am Coll Cardiol Intv*, 7:733-40.
- Hof, A. W. J., 2010. Successful Reperfusion Therapy: From Epicardial to Myocardial Salvage. *Rev Esp Cardiol*, 63(7),757-9.
- Hidayati, F., Huda, R.F., Bagaswoto, H.P., Taufiq, N., Setiyanto, B.Y., 2017. Patient's Profile Accross Our Intensive Cardiac Care Unit: A Single Center Study at Sardjito Hospital. *Acta Cardiologia Indonesia*, 1 : S22.
- Hsiao, J., Chung, C., Chu, C., Lin, Y., Pan, K., Chang, T., Hsu, J., 2016. Two-Dimensional Speckle Tracking Echocardiography Predict Left Ventricular Remodeling after Acute Myocardial Infarction in Patients with Preserved Ejection Fraction. *PLOS ONE*, 48, 1-16.
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H., 2017. Guidelines for the management of acute myocardial infarction in patients presenting with ST -segment elevation. The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Socie. *Eur J Emerg Med*, 39, pp.119-177.
- Ibanez, B., Macaya, C., Sanchez-Brunete, V., Pizzaro, G., Fernandez-Friera, L., Fuster, V., 2014. Effect of early metoprolol on infarct size in ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention: The effect of metoprolol in cardioprotection during an acute myocardial infarction (METOCARD-CNIC) trial. *Circulation*, 128, 1495-1503.
- Irmalita., Juzar, D.A., Andrianto., Setianto, B.Y., Tobing, D.L., Firman, D., Firdaus, I., 2015. *Pedoman tatalaksana sindrom koroner akut. Edisi Ketiga*. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Ishihara, M., 2012. Acute Hyperglycemia in Patients With Acute Myocardial Infarction. *Circ J*, 76: 563 - 571.
- Ismail, A. M., Samy, W., Aly, R., Fawzy, S., Hussein, K., 2015. Longitudinal strain in patients with STEMI using speckle tracking echocardiography . Correlation with peak infarction mass and ejection fraction. *The Egyptian Journal of Critical Care Medicine*, 3(2-3), 45-53.
- Joyce, E., Hoogslag, G. E., Leong, D. P., Debonnaire, P., Katsanos, S., Delgado, V., 2013. Association Between Left Ventricular Global Longitudinal Strain and Adverse Left Ventricular Dilatation After. *Circ Cardiovasc Imaging*, 7,

74-81.

- Judutt, B.I., 1994. Nitrates in myocardial infarction. *Cardiovasc Drugs Ther*, 8(4):635-46.
- Kumar, V., Abbas, A., & Fausto, N., 2009. Robbins & Cotran Pathologic Basis of Disease. 8th ed. *WB Saunders, Philadelphia, USA*
- Kristian, T., Alpert, J.S., Jaffe, A.S., Chaitman, B.R., Bax, J.J., Morrow, D.A., White, H.D., 2018. Fourth universal definition of myocardial infarction. *European Heart Journal*, 00,1–33.
- Lai, C. C., Chang, K.C., Liao, P.C., Wu, C.T., Lai, W.T., Wu, C.J., Chang, S.C., Mar, G.Y., 2015. Effects of Door-to-Balloon Times on Outcomes in Taiwanese Patients Receiving Primary Percutaneous Coronary Intervention : A Report of Taiwan Acute Coronary Syndrome Full Spectrum Registry. *Acta Cardiol Sin*, 31, pp.215–225.
- Lalor, N., Nau, G., Rodriguez, M.P., Pace, D., Mitri, S., Costabel, J.P., Pedernera, G., Spaletra, P., Banos, N., Trivi, M., 2018. Effect of prehospital catheterization laboratory activation on STEMI diagnosis-wire crossing time, ventricular ejection fraction and mortality. *European Heart Journal*, 39: ehy566.P6451.
- Lubovich, A., Radziszewsky, E., Goldenberg, I., Matezky, S., & Rosenschein, U., 2018. Total ischemic time and short, intermediate and long term mortality of patients with STEMI treated by primary percutaneous coronary intervention : Analysis of data from 2004 – 2013 ACSIS registry. *J Integr Cardiol*, 4(1), 1–4.
- Luca, G.D., Suryapranata, H., Ottervanger, J.P., Antman, E.M. 2004. Time Delay to Treatment and Mortality in Primary Angioplasty for Acute Myocardial Infarction Every Minute of Delay Counts. *Circulation*, 109:pp. 1223-1225.
- Mann, L.D., Zipes, D.P., Libby, P., Bonow, R.O., 2015. Braunwald's Heart disease A textbook of Cardiovascular Medicine. *Elsevier, Philadelphia, UK*.
- Mcalindon, E., Suleiman, M. S., Baumbach, A., 2014. Infarct size reduction in acute myocardial infarction. *Heart*, 0, 1–6.
- Mele, D., Nardoza, M., Chiodi, E., 2017. Early Speckle - tracking Echocardiography Predicts Left Ventricle Remodeling after Acute ST - segment Elevation Myocardial Infarction. *J Cardiovasc Echography*, 27:93-8.
- Morris, J. L., Zaman, A. G., Smyllie, J. H., Cowan, J. C., 1995. Nitrates in myocardial infarction : influence on infarct size, reperfusion, and ventricular remodelling. *Br Heartj*, 73:310-319.
- Munk, K., Andersen, N. H., Nielsen, S. S., Bibby, B. M., Bøtker, H. E., Nielsen, T. T., Poulsen, S. H., 2011. Global longitudinal strain by speckle tracking for infarct size estimation. *European Journal of Echocardiography*, 12, 156–165.
- Nadruz, W., 2015. Myocardial remodeling in hypertension. *Journal of Human Hypertension*, 29, 1-6.
- O' Gara, P. T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., de Lemos, J.A., Ettiner, S.M., Fang, J.C., Fesmire, F.M., Franklin, B.A., Granger, C.B., Krumholz, H.M., Linderbaum, J.A., Morrow, D.A., Newby, K., Ornato, J.P., Tracy, C.M., Woo, Y.J., Zhao, D.X., 2013. ACCF / AHA Guideline 2013 ACCF / AHA Guideline for the Management of ST-Elevation Myocardial Infarction A Report of the American College of Cardiology Foundation /

- American Heart Association Task Force on Practice Guidelines. *Circulation*, 27:e362-e425.
- Ong, S., Hernández-reséndiz, S., Crespo-avilan, G. E., Mukhametshina, R. T., Kwek, X., Cabrera-fuentes, H. A., Hausenloy, D. J., 2018. Pharmacology & Therapeutics Inflammation following acute myocardial infarction : Multiple players , dynamic roles , and novel therapeutic opportunities. *Pharmacology and Therapeutics*, 186, 73–87.
- Ottervanger, J.P., van't Hof, A.W.J., Reiffers, S., Hoorntje, J.C.A., Suryapranata, H., de Boer, M.J *et al.* Long-term recovery of left ventricular function after primary angioplasty for acute myocardial infarction. *European Heart Journal*, 22, pp.785 790
- Park, Y. H., Kang, S., Kang, S.J., Song, J.K., Lee, E.O., Song, J.M., Kang, D.H., Kim, Y.K., Lee, C.W., Hong, M.K., Kim, J.J., Park, S.J., 2008. Prognostic Value of Longitudinal Strain After Primary Reperfusion Therapy in Patients with Anterior-wall Acute Myocardial Infarction. *J-echo*, 262–267.
- Parviz, Y., Vijayan, S., Lavi, S., 2017. A Review of strategies for infarct size reduction during acute myocardial infarction. *Cardiovascular Revascularization Medicine*, 17, 30019-2.
- Reinstadler, S.J., Stiermaier, T., Eitel, C., Saad, M., Metzler, B., de Waha, S., Fuernau, G., Desch, S., Thiele, H., Eitel, I., 2016. Antecedent hypertension and myocardial injury in patients with reperfused ST-elevation myocardial infarction. *Journal of Cardiovascular Magnetic Resonance*, 18:80.
- Roos, C.J., Scholte, A.J., Kharagjitsingh, A.V., Bax, J.J., Delgado, V., 2014. Changes in multidirectional LV strain in asymptomatic patients with type 2 diabetes mellitus: a 2-year follow-up study. *European Heart Journal – Cardiovascular Imaging*, 15, 41–47.
- Rosendahl, L., 2010. Infarct Size and Myocardial Function. *Linköping University Medical Dissertation*, 1169.
- Schwaiger, M., 2015. Ischemic time , infarct size and transmuralty in acute ST-elevation myocardial infarction. *Medical Journal of Dr. D.Y. Patil University*, 8, 706-7.
- Sengupta, P.P., Korinek, J., Belohlavek, M., Narula, J., Vannan, M.A., Jahangir, A., Khanderia, B.K. 2006. Left Ventricular Structure and Function. *Journal of the American College of Cardiology*, 48(10), 1988–2001.
- Shavadia, J.S., Youngson, E., Baine, K.R., Bakal, J., Welsh, R.C., 2017. Outcomes and Prognostic Impact of Prophylactic Oral Anticoagulation in Anterior ST-Segment Elevation Myocardial Infarction Patients With Left Ventricular Dysfunction. *J Am Heart Assoc*, 6 : e006054.
- Sjøli, B., Ørn, S., Grenne, B., Ihlen, H., Edvardsen, T., & Brunvand, H., 2009. Diagnostic Capability and Reproducibility of Strain by Doppler and by Speckle Tracking in Patients With Acute Myocardial Infarction. *JACC : Cardiovascular imaging*, 2(1), 24–33.
- Siswanto, B.B., Hersunanarti, N., Erwinanto., Barack, R., Pratikto, R.S., Nauli, S.E., Lubis, A.C., 2015. Pedoman tatalaksana gagal jantung PERKI 2015. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Solhpour, A., Chang, K., Arain, S. A., Balan, P., Loghin, C., Mccarthy, J. J.,

- Smalling, R. W., 2016. Ischemic Time is a Better Predictor Than Door-to-Balloon Time for Mortality and Infarct Size in ST-Elevation Myocardial Infarction. *Catheterization and Cardiovascular Interventions*, 87:1194–1200
- Song, J., Zhu, L., Lee, C., Ren, H., Cao, C., Chen, H., 2016. Total ischemic time and outcomes for patients with ST-elevation myocardial infarction : does time of admission make a difference ?. *Journal of Geriatric Cardiology*, 13, 658–664.
- Song, P.S., Kim, M.J., Jeon, H.K., Lim, S., Park, J., Coi, R.K., kim, J.S., Lee, H.J., Kim, T.H., Choi, Y.J., Lim, D.S., yu, C.W., 2019. Efficacy of postprocedural anticoagulation after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction A post-hoc analysis of the randomized INNOVATION trial. *Medicine*, 98:17
- Spinler, S.A. & Denus, S., 2014. Acute Coronary Syndromes Chapter 7. *McGraw-Hill, Newyork, UK*.
- St, M. G., Sutton, J., & Sharpe, N., 2000. Clinical Cardiology : New Frontiers Left Ventricular Remodeling After Myocardial Infarction Pathophysiology and Therapy. *Circulation*, 101, 2981–2988.
- Steg, G., James, S.K., Atar, D., Badano, L.P., Borger, M.A., Di Mario, C., Dickstein, K., Gianuzzi, P., Halvorsen, S., Lenzen, M.J., Zahger, D., 2012. Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European Heart journal*, 33, 2569–2619.
- Stone, G. W., Selker, H. P., Thiele, H., Patel, M. R., Udelson, J. E., Ohman, E. M., Ben-yehuda, O., 2016. Relationship Between Infarct Size and Outcomes Following Primary PCI. *J Am Coll Cardiol*, 67:1674–83.
- Sim, W.J., Ang, A.S., Tan, M.C., Xiang, W.W., Foo, D., 2017. Causes of delay in door-to-balloon time in south-east Asian patients undergoing primary percutaneous coronary intervention. *PLoS ONE*, 12(9), pp.1–8.
- Tarantini, G., Cacciavillani, L., Corbetti, F., Ramondo, A., Marra, M. P., Bacchiega, E., Iliceto, S., 2005. Treatment Standards for Acute Infarction Duration of Ischemia Is a Major Determinant of Transmurality and Severe Microvascular Obstruction After Primary Angioplasty A Study Performed With Contrast-Enhanced Magnetic Resonance. *Journal of the American College of Cardiology*, 46(7), 1229–1235.
- Teraguchi, I., Imanishi, T., Ozaki, Y., Tanimoto, T., Ueyama, M., Orii, M., Akasaka, T., 2014. Acute-Phase Glucose Fluctuation Is Negatively Correlated With Myocardial Salvage After Acute Myocardial Infarction. *Circ J*, 78: 170 – 179.
- Voigt, J., Pedrizzetti, G., Lysyansky, P., Marwick, T. H., Houle, H., Baumann, R., Badano, L. P. 2015. Definitions for a common standard for 2D speckle tracking echocardiography : consensus document of the EACVI / ASE / Industry Task Force to standardize deformation imaging. *European Heart journal-Cardiovascular imaging*, 16,1-11.
- Wang, T.K., Snow, T.A., Chen, Y., Rostom, H., White, JM., Stewart, J.T., Webster, M.W., ruygrok, P.N., Watson, T., White, H.D., 2014. high-sensitivity troponin level pre-chateterization predicts adverse cardiovascular outcomes

- after primary angioplasty for ST-elevation myocardial infarction. *Eur Heart J Acute Cardiovasc Care*, 3(2):118-25.
- Weisman, H. F., Bush, D. E., Mannisi, J. A., Weisfeldt, M. L., Healy, B., 2015. Cellular Mechanisms of Myocardial Infarct Expansion. *Circulation*, 78,186-201.
- Windecker, S., Kolh, P., Alfonso, F., Collet, J-P., Cremer, J *et al.*, 2014. 2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association. *European Heart Journal*, 35, pp.2541–2619.
- Wu, E., Ortiz, J. T., Tejedor, P., Lee, D. C., Kansal, P., Carr, J. C., Bonow, R. O. (2008). Infarct size by contrast enhanced cardiac magnetic resonance is a stronger predictor of outcomes than left ventricular ejection fraction or end-systolic volume index : prospective cohort study. *Heart*, 94:730–736.
- Zghal, F., Bougteb, H., Patricia, R., & Roudaut, R. 2011. Assessing Global and Regional Left Ventricular Myocardial Function in Elderly Patients Using the Bidimensional Strain Method Population. *Echocardiography*, 978–982.
- Zoghbi, W.A., Adams, D., Bonow, R.O., Enriquez-Sarano, M., Foster, E., Grayburn, P.A *et al.*, 2017. Recommendations for Noninvasive Evaluation of Native Valvular Regurgitation: A Report from the American Society of Echocardiography Developed in Collaboration with the Society for Cardiovascular Magnetic Resonance. *Journal of the American Society of Echocardiography*, 30(4), pp.303–371.
- Voorhees, A. P. dan Han, H., 2016. Biomechanics of Cardiac Function. *Compr Physiol*, 5(4), 1623–1644.