

DAFTAR PUSTAKA

- American Diabetes Association, 2014 . Diagnosis and Classification of Diabetes Mellitus. *J.Diab.Care.* 37(1): 887.
- Afridi, A.K., Khan, A. 2004. Prevalence and etiology of obesity. *J. Pakistan Nutr.* 3(1):14-25
- Al-Goblan, A.S., Al-Alfi, M.A., Khan, M.Z. 2014. Mechanism linking diabetes mellitus and obesity. *J. Diab.* 7:587-591.
- Baši , M., Butorac, A., Jurcevic, I.L., Ba un-Družina, V. 2012. Obesity genome and environment interactions. *Arh. Za Hig.Rada Toks.* 63(3):395–405.
- Bays, H., Mandarino, L., DeFronzo, R.A., 2004. Role of the adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator-activated receptor agonists provide a rational therapeutic approach. *J. Clin. Endoc.Metab.* 89(2):463-478.
- Becer, E., Mehmetcik, G., Bareke, H., Serakinci, N. 2013. Association of leptin receptor gene Q223R polymorphism profiles in comparison study between obese and non obese subjects. *J. Genet.* 529(1):16-20.
- Bouchard, C. 1991. Heredity and the path to overweight and obesity. *Med. Scie. Sports Exerc.* 23(3): 285-291.
- Boumaiza, I., Omezzine, A., Rejeb, J., Rebhi, L., Ouedrani, A., Bouzlama, A. 2012. Relationship between leptin G2548A and leptin receptor Q223R gene polymorphisms and obesity and etabolic syndrome risk in Tunisian volunteers. *J.Genet. Test. Mol.Biomarkers.* 16(7):726-733.
- Brabant, G., Müller, G., Horn, R., Anderwald, C., Roden, M., Nave,H. 2005. Hepatic leptin signaling in obesity. *J.FASEB.* 19(8):1048-1050.
- Campbell, L.V. 2017. Genetics of obesity. *Aust. Fam. Physic.* 46(7):456-459.
- Centers for Disease Control and Prevention. 2010. Adult obesity causes and consequences behavior other factors. *National Center for Chronic Disease Prevention and Health Promotion.* 4–6.
- Chiu, C.K., Chu, A., Chuang. L., Saad, M.F. 2004. Association of leptin receptor polymorphism with insulin resistance. *Eu. J. Endoc.* 150:725-729.
- Clement, K., Vaisse, C., Lahlou, N., Cabrol, S., Pelloux, V. 1998. A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. *J. Nature,* 392(6674):398-401.

- Comuzzie, A.G., Cole, S.A., Martin, L., Carey, K.D., Mahaney, M.C., Blanger, J., VandeBerg, J. 2003. The baboon as a nonhuman primate model for the study of the genetics of obesity. *Obes. Res.* 11(1):75-80.
- Daghestani, M., Purohit, R., Daghistani, M., Warsy, A. 2019. Molecular dynamic (MD) studies on Gln233Arg (rs1137101) polymorphism of leptin receptor gene and associated variations in the anthropometric and metabolic profiles of Saudi women. *J. Pone.* 14(2): 01-15.
- Dahlan, M.S. 2018. Diagnosis aksis komparatif. Pintu gerbang memahami epidemiologi, biostatistik dan metode penelitian. 2:122-150
- Das, U.N. 2010. Obesity genes, brain, gut, and environment. *J.Nutr.* 26:459-473.
- DeFronzo, R.A., Ferrannini, E., Groop, L., Henry, R.R., Herman, W.H., Hols, J., Hu, F.B., Kahn, C.R., Raz, I., Shulman, G.I., Simonson, D., Testa M.A., Weis, R. . 2015. Type 2 diabetes mellitus. *Nat. Rev. Dis. Primers.* 1:1-23.
- Dinas Kesehatan Sulawesi Tengah. 2010. Profil kesehatan Provinsi Sulawesi Tengah tahun 2010. (3): 190-222.
- Dobrian, A.D., Davies, M.J., Schriver, S.D., Lauterio, T.J., Prewitt, R.L. 2001. Oxidative stress in a rat model of obesity-induced hypertension. *Hypertension.* 37(2) :554-560.
- Dubern, B., Karin, C. 2012. Leptin and leptin receptor-related monogenic obesity. *Biochimie.* 2111-2115.
- Ensembl Asia. 2019. The International Genome Sample Resource.
- Etemad, A., Ramachandran, S., Heidari, F., Aziz.A. 2013. Analysis of Gln223Agr polymorphism of leptin receptorgene in type II diabetic mellitus subjects among Malaysians. *Int. J. Mol. Scie.* 14(9):19230-19244.
- Fan, S., Say Y,. 2014. Leptin and leptin receptor gene polymorphisms and their association with plasma leptin levels and obesity in a multi-ethnic Malaysian suburban population. *J.Phys. Anthro.*33(1):15.
- Furukawa, S., Fujita, T., Shumabukuro, M., Iwaki, M., Yamada, Y., Nakajima, Y., Nakayama, O., makishima, M., Matsuda, M., Shimomura, I. 2004. Increased oxidative stress in obesity and its impact on metabolic syndrome. *J.Clin.Invest.* 114(12):1752-1761.
- Görtzen, A., Veh, R. 2007. Obesity An introduction into molecular mechanisms. *Dtsch. Arztebl.* 104(17):1166-1171.

- Gotoda, T., Manning, B.S., Goldstone, A.P., Imrie, H., Evans, A.L., Strosberg, A.D., McKeigue, P.M., Scott, J. Aitman, T. J. 1997. Leptin receptor gene variation and obesity: Lack of association in a white British male population. *J.Hum.Mol.Genet.* 6(6): 869–876.
- Guzman, O., Chavarria, A.E., Munoz, V.J.F., Armas, R.L., Castro, A., Aldrete, M., Oregon E., Mercado, M.V., Hernandez, R. 2012. Association of ADIPOQ polymorphism with body fat mass and blood levels of soluble adiponectin and inflammation markers in a mexican-mestizo population. *Diab. Metab. Syndr. and Obes.* 5:369-378.
- Guyton A.C., Hall J.E. 2006. Insulin, Glucagon and Diabetes Mellitus. Textbook of Medical Physiology. Saunders, Philadelphia. 961-976.
- Hardy, O.T., Michael, P., Silvia, C. 2012. What causes the insulin resistance underlying obesity. *J. Endoc. Diab. Obes.* 19(2):81-87.
- Hastuti, P., Zukhrufia, I., Padwaswari, M.H., Nuraini, A., Sadewa, A.H. 2016. Polymorphism in leptin receptor gene was associated with obesity in Yogyakarta, Indonesia. *J. Med. Hum. Genet.* 271-276.
- Hill, J.O., Wyatt, H.R., Peters, J.C., Levine, J. 2012. Energy balance and obesity. *J. Circ.* 126(1):126-132.
- Jazaldi, F., Handayani, E.D., Damayanti, Y.N.U., Sarwono, A.T., Soegiharto, B.M., Nurtami., Ibrahim, E. 2016. The LEPR Q223R Polymorphism as a Potential Bioindicator of Class II Malocclusion. *J. Int. Dent. Med. Res.* 9: 351-355.
- Jebb, S. 2004. Obesity causes and consequences. *Women's Health Med*1(1): 38-41.
- Jiang, B., Liu, Y., Fang, Y., Wang, X., Li, B. 2014. Association of four insulin resistance genes with type 2 diabetes mellitus and hypertension in the Chinese Han population. *Mol. Biol. Rep.* 41:925-933.
- Jonathan, J.C., Jeronimo, A.L., Brenda, C.V., Claudia, B.C., Absalom, Z.C., Cesar, R.L., Cesar, L.C., Laurence, M.A. 2013. G-2548A Leptin promoter and Q223R leptin receptor polymorphisms in obese Mexican subjects. *Am. J. Agril. Bio. Scien.* 8(1):34-43
- Kahn, B.B., Flier. 2000. Obesity, insulin resistance. *J.Clin.Invest.* 106(4):473-481.
- Kahn, S.E., Hull, R.L., Utzschneider, K., Kahn, B.B., Flier, J.S. 2000. Obesity and insulin resistance. *J.Nat.* 106(4):473-481.
- Kantartzis, K., Killian, R., Bernd, B., Jurgen, M., Fritzche, A., Harring., Stefan. 2006. The relationships of plasma adiponectin with a favorable lipid

profile, decreased inflammation, and less ectopic fat accumulation depend on adiposity. *Clin. Chem.* 52(10):1934-1942.

Kementrian Kesehatan Republik Indonesia. 2018. Hasil utama Riskesdas 2018. Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan Republik Indonesia. 66-68.

Keskin, M., Kurtoglu, S., Kendirci., Atabek, M.E., Yazici, C. 2005. Homeostasis model assessment is more reliable than the fasting glucose/insulin ratio and quantitative insulin sensitivity check index for assessing insulin resistance among obese children and adolescents. *J. Ped.* 115:500-503.

Lakka, H., Bouchard. 2007. Etiology of obesity. *Surg. Manag. Obes.* 16(3):18-28.

Lee, C.H., Shih, A.Z., Fong, C.H., Lam, K.S. 2016. Optimal cut offs of homeostasis model assesment of insulin resistance to identify dysglycemia and type 2 diabetes mellitus. *J. Pone.* 11(9).

Li, Y., Wang, H., Yang, X., Wu, J., Geng, H. 2017. LEPR gene Gln223Arg polymorphism and type 2 diabetes mellitus. *J. onco.* 8(37):61927-61934.

Liao, W.L., Chen, C., Chang, C., Wu, J., Chen, H., Huang, Y., Tsai, C.H. 2012. Gene polymorphism of adiponectin and leptin receptor are associated with early onset of type 2 diabetes mellitus in the Taiwanese population. *Int. J. Obes.* 36:790-796.

Lim, S.M., Choi, D.P., Rhee, Y., Kim, H.C. 2015. Association between obesity indices and insulin resistance among healthy Korean adolescents. *J. Pone.* 10(5):01-12.

Linjawi, S., Linjawi, M., Mosleh, S., Al-Harbi, A. 2014. Impact of leptin receptor gene LYS109ARG polymorphism on obesity in Jeddah City. *J. Life Sci.* 11(7): 856–865.

Matsuoka, N., Ogawa, Y., Hosoda, K., Matsuda, J., Masuzaki, T., Miyawaki, T., Azuma, N., Natsui, K., Nishimura, H., Yoshimas, Y., Thompson, D.B., Nakao, K. 1997. Human leptin receptor gene in obese Japanese subjects evidence against either obesity causing mutations or association of sequence variants with obesity. *Diabetologia.* 40:1204-1210

Mohammadzadeh, G., Nikzamir, A., Mohammadi, J., Pourdasthi, S., Shabazian, H., Latifi, S.M. 2013. Association of the 223 A/G LEPR polymorphism with serum leptin levels in Iranian subjects with type 2 diabetes mellitus. *Arch. Iran. Med.* 16(11):636-641.

Mohapatra, D., Sasmal, P.K., Priyadarsini, N., Devi, Panda, P. 2014. Leptin Its role in energy homeostasis. *J. Current. Res. Rev.* 6(21):21-25.

- Murugesan, D., Arunachalam, T., Ramamurthy., Subramanian. 2010. Association of polymorphisms in leptin receptors gene with obesity and type 2 diabetes mellitus in the local population of Coimbatore. *Indian J. Hum. Genet.* 16 (2):72-77.
- Nammi, S., Koka, S., Chinnala, K.M., Boini, K.M. 2004. Obesity an overview on its current perspectives and treatment options. *J. Nutr.* 3:1-8.
- Oliveira, R., Cerda, A., Dalla, F., Sampaio., Armaganijan, D., Bernik, M., Dorea., Hirata, M.H., Hinuy. R.D. 2013. Leptin receptor gene polymorphisms are associated with adiposity and metabolic alterations in Brazilian individuals. *Arq.Bras.Endoc.Metab.* 57 (7):677-684.
- Osegbe, I., Okpara, H., Azinge, E. 2016. Relationship between serum leptin and insulin resistance among obese Nigerian women. *Ann. Afr. Med.* 15(1): 14-19
- Paracchini, V., Pedotti, P., Taioli, E. 2005. Genetics of leptin and obesity, review. *J. Epid.* 162(2):101-114.
- Park, J., Sung, S.C., Choi, A.H., Kang, H.K., Myeong, J.Y. 2006. Increase in glucose-6-phosphate dehydrogenase in adipocytes stimulates oxidative stress and inflammatory signals. *J. Diab.* 55(11):2939-2949.
- Park, K., Ahima, R. 2015. Physiology of leptin energy homeostasis neuroendocrine function and metabolism. *J. Metab.* 64(1):24-34
- Park, K., Hyoung D., Byung, L., Hyun, S., Young, C., Lee, H., Kimm, B.K. 2006. Polymorphisms in the leptin receptor (LEPR) – putative association with obesity and T2DM. *J. Hum.Genet.* 51(2): 85-91.
- Portoles, O., Sorli, J.V., Frances, F., Coltell, O., Gonzales, J., Saiz, C., Corella, D. 2006. Effect of genetic variation in the leptin gene promoter and the leptin receptor gene on obesity risk in a population based case control study in Spain. *Eur. J. Epid.* 21(8):605-612.
- Rahmouni, Haynes, W.G. 2004. Leptin and cardiovascular system. *J. Endoc.* 226-228.
- Rankinen, T., Zuberi, A., Chagnon, Y.C., Weisnagel, S.J., Argyropoulos, G. 2006. The human obesity gene map. *Obesity.* 14(4): 529–644.
- Ricquier, D., Bouillaud, F. 2000. The uncoupling protein homologues UCP1, UCP2, UCP3, StUCP and UCP. *J. Bioch.* 345(2):161–179.
- Rojaz, J., Arraiz, N., Aguirre, M., Velasco, M., Bermúdez, V. 2011. AMPK as target for intervention in adolescent obesity. *J.Obes.* 1-19.

- Roszkowska, G., Kurylowicz, A., Mossakowska, M., Franek., Puzianowska. 2014. Functional polymorphisms of the leptin and leptin receptors genes are associated with longevity and with the risk of myocardial infarction and of type 2 diabetes mellitus. *Endoc. Pol.* 65(1):11-16.
- Ruijgrok, C., Dekker, J.M., Beulens, J., Brouwer, I., Coupe, V., Mela, D.J., Olthof., Alsema, M. Size and shape of the associations of glucose, HbA 1c, insulin and HOMA-IR with incident type 2 Diabetes. *Diabetologia.* 61(1):93-100.
- Salgado A.L., Carvalho, L., Oliviera, A.C., Santos, V.R., Vieira, J.G., Parise, E.R. 2010. Insulin Resistance Index (HOMA-IR) in the differentiation of patients with non alcoholic fatty liver disease and healthy individuals. *Arq.Gastro.* 47(2):165- 169.
- Salopuro, T., Pulkkinen, L., Lindstrom, J., Eriksson, J.G., Valle, T.T., Hamalainen, H., Parikka, P., Kiukaanniemi, S., Tuomilehto, J., Laakso, M., Uusitupa. 2005. Genetic variation in leptin receptor gene is associated with type 2 diabetes and body weight . *J. Int. Obes.* 2(10):1245-1251.
- Schork, N. J., Fallin, D., Lanchbury, J.S. 2000. Single nucleotide polymorphisms and the future of genetic epidemiology. *Clin.Genet.* 58:250-264.
- Shawky, M.R., Sadik, D. 2012. Genetics of obesity. *J. Egypt.Med.Hum. Genet.* 13:11-17.
- Shulman, G.I. 2000. Cellular mechanisms of insulin resistance. *J. Clin. Invest.* 106(2):171-176.
- Sjoholm, A. 1995. Ceramide inhibits pancreatic β -cell insulin production and mitogenesis and mimics the actions of interleukin-1 β . *FEBS Letters* 367:283-286
- Soelistijo, S.A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K. 2015. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. *Perkeni.* 6-14.
- Sugiyono, 2012. Statistik nonparametrik, metode penelitian kualitatif. Alfabeta Bandung. 247-252
- Tateya, S., Kim, F., Tamo. 2013. Recent advances obesity-induced inflammation and insulin resistance. *J. Front. Endoc.* 4:93.
- Unger, R.H., Orci, L. 2000. Lipotoxic diseases of non adipose tissues in obesity. *J. Obes. Relat. Metab. Disord.* 4:28-32
- Weiss, M., Aranugiri, A., Yong, J. 2014. Biosynthesis, structure and folding of the insulin precursor protein. *J.Diab.Ob.Metab.* 20(2):28-50.

- World Health Organization Expert Consultation. 2004. Appropriate body mass index for Asian population and its implications for policy and intervention strategies. *Lancet*. 363: 157-163.
- World Health Organization. 2013. Media centre diabetes. Geneva : World Health Organization.
- World Health Organization. 2018. Obesity and overweight. Geneva : World Health Organization.
- Whiting, D.R., Guariguata, L., Weil, C., Shaw, J. 2011. Global estimates of the prevalence of diabetes for 2011 and 2030. *J. Diab. Res. Clin. Pract.* 94:311-321.
- Wilcox, G. 2005. Insulin and insulin resistance. *Clin. Biochem.* 26(2):19-39.
- Wu, H., Tang, W., Liu, C., Xue, Hou. J. 2018. The association of LEPR rs1137101 polymorphism with the risk of type 2 diabetes mellitus study of meta analysis. *Int. J. Clin. Exp. Med.* 12(4):3798-3809.
- Xia, Q., Grant, S.F.A. 2013. The genetics of human obesity. *Ann. N.Y. Acad. Scie.* 1281(1): 178–190. Yang, M., Peng, S., Wan, Z., Fan, L., Du, Y. 2016. Relationships between plasma leptin levels, leptin G2548A, leptin receptor Gln223Arg polymorphisms and gestational diabetes mellitus in Chinese population. *J.Nat.Res.* 2045-2322.
- Yang, M., Wang, J., Fan, J., Sun, D.J., Guo, X., Li, Y. 2016. Variations in the obesity gene “ LEPR ” contribute to risk of type 2 diabetes mellitus: evidence from a meta-analysis. *J. Diab.Res.* 1-12.
- Yang, Y., Tianhua, N. 2018. A meta-analysis of associations of LEPR Q223R and K109R polymorphisms with type 2 diabetes risk. *J. Pone.* 13(1).
- Yiannakouris, N., Yannakoulia, M., Melistas., Chan, J., Klimis, Z., Mantzoros, C. 2001. The Q223R polymorphism of the leptin receptor gene is significantly associated with obesity and predicts a small percentage of body weight and body composition variability. *J. Clin. Endoc. Metab.* 86(9):4434-4439.
- Zhang, L., Qin, Y., Liang, D., Liang, Y., Chen, L., Tong, L., Zhou, J., Li, H., Zhang, H. 2018. Association of polymorphisms in LEPR with type 2 diabetes and related metabolic traits in Chinese population. *Lipids in health and disease* 17(2).
- Ziablitsev, S.V., Chernobrivset, O.P., Grishov, A., Palamar, S. 2018. Influence of rs1137101 gene polymorphism of leptin receptor on the development of diabetes mellitus type 2 and obesity. *J. Endoc. Thy. Res.* 3(5):555621.