

DAFTAR PUSTAKA

- Berseth, C.L. 1992. Effect of early feeding on maturation of the preterm infant's small intestine. *J Pediatr*, 120(6): 947–953.
- Blencowe, H., Cousens, S., Chou, D., Oestergaard, M., Say, L., Moller, A.-B., Kinney, M. dan Lawn, J. 2013. Born Too Soon: The global epidemiology of 15 million preterm births. *Reproductive Health*, 10(Suppl 1): S2.
- Blencowe, H., Cousens, S., Oestergaard, M.Z., Chou, D., Moller, A.B., Narwal, R., Adler, A., Vera Garcia, C., Rohde, S., Say, L. dan Lawn, J.E. 2012. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: A systematic analysis and implications. *Lancet*, 379(9832): 2162–2172.
- Bombell, S. dan McGuire, W. 2009. Early trophic feeding for very low birth weight infants. *Cochrane Database Syst Rev*, 3: CD000504. Available from: <http://doi.wiley.com/10.1002/14651858.CD000504.pub3>.
- Boo, N.Y., Soon, C.C., Lye, M.S. 2000. Risk factors associated with feed intolerance in very low birthweight infants following initiation of enteral feeds during the first 72 hours of life. *J Trop Pediatr*, 46: 272-277.
- Bozzetti, V., Paterlini, G., DeLorenzo, P., Meroni, V., Gazzalo, D., Van Bel, F., Visser, G.H., Valsecchi, M.G., Tagliabue, P.E. 2013. Feeding tolerance of preterm infants appropriate for gestational age (AGA) as compared to those small gestational age (SGA). *J Matern Fetal Neonatal Med*, 26(16): 1610-1615.
- Corvaglia, L., Fantini, M.P., Aceti, A., Gibertoni, D., Rucci, P., Baronciani, D., Faldella, G. 2014. Predictors of full enteral feeding achievement in very low birth weight infants. *PLoS ONE*, 9(3): e92335.
- Davey, A.M., Wagner, C.L., Cox, C., Kendig, J.W. 1994. Feeding premature infants while low umbilical artery catheters are in place: a prospective, randomized trial. *J Pediatr*, 124(5): 795–799.
- Dunn, L., Hulman, S., Weiner, J. dan Kliegman, R. 1988. Beneficial effects of early hypocaloric enteral feeding on neonatal gastrointestinal function: preliminary report of a randomized trial. *J Pediatr*, 112(4): 622–629.
- Dutta, S., Singh, B., Chessell, L., Wilson, J., Janes, M., McDonald, K., Shahid S Gardner, V.A., Hjartarson, A., Purcha, M., Watson, J., Boer, C. De, Ga: 57 dan Fusch, C. 2015. Guidelines for feeding very low birth weight infants. *Nutrients*, 7(1): 423–442.

- Ehrenkranz, R.A., Younes, N., Lemons, J.A., Fanaroff, A.A., Donovan, E.F., Wright, L.L., Katsikiotis, V., Tyson, J.E., Oh, W., Shankaran, S., Bauer, C.R., Korones, S.B., Stoll, B.J., Stevenson, D.K. dan Papile, L.-A. 1999. Longitudinal growth of hospitalized very low birth weight infants. *Pediatrics*, 104(2): 280–289. Available from: <http://pediatrics.aappublications.org/cgi/doi/10.1542/peds.104.2.280>.
- Flidel-Rimon, O., Friedman, S., Lev, E., Juster-Reicher, A., Amilay, M., Shinwell, ES., 2004. Early enteral feeding and nosocomial sepsis in very low birthweight infants. *Arch Dis Child Fetal Neonatal Ed*, 89(4): F289–F292.
- Haksari, E.L., Lafeber, H.N., Hakimi, M., Pawirohartono, E.P. dan Nyström, L. 2016. Reference curves of birth weight, length, and head circumference for gestational ages in Yogyakarta, Indonesia. *BMC Pediatrics*, 16: 188. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5117525/>.
- Ho, J.J. dan Chang, A.S. 2007. Changes in the process of care and outcome in over 10 year period in neonatal nursery in developing country. *J Trop Pediatr*, 53(4):232-7.
- Ho, M.Y., Yen, Y. H., Hsieh, M. C., Chen, H.Y., Chien, S. C., Lee, S. H. 2003. Early versus late nutrition support in premature neonates with respiratory distress syndrome. *Nutrition*, 19:257–260. Available from: [https://doi.org/10.1016/S0899-9007\(02\)01110-3](https://doi.org/10.1016/S0899-9007(02)01110-3).
- Jadcherla, S.R., Wang, M., Vijayapati, A.S., Leuthner S.R. 2010. Impact of prematurity and co-morbidities on feeding milestones in neonates: a retrospective study. *J Perinatol*, 30: 201-208.
- Kemendes RI. 2015. *Profil Kesehatan Indonesia Tahun 2014*. Kementerian Kesehatan Republik Indonesia, Jakarta. Available from: www.depkes.go.id/.../profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf.
- Kennedy, K.A. dan Tyson, J.E. 2000. Early versus delayed initiation of progressive enteral feedings for parenterally fed low birth weight or preterm infants. *Cochrane Database Syst Rev*, (1): CD001970.
- Leaf, A., Dorling, J., Kempley, S., McCormick, K., Mannix, P., Linsell, L., Juszczak, E., Brocklehurst, P. dan on behalf of the Abnormal Doppler Enteral Prescription Trial Collaborative Group. 2012. Early or delayed enteral feeding for preterm growth-restricted infants: A Randomized Trial. *Pediatrics*, 129(5): e1260–e1268. Available from: <http://pediatrics.aappublications.org/cgi/doi/10.1542/peds.2011-2379>.

- Leksomono, N., Sutomo, R., Haksari, E.L. 2017. Faktor prediktor gangguan pertumbuhan pada bayi berat lahir sangat rendah dan kurang bulan selama rawat inap. *Thesis*. Universitas Gadjah Mada, Indonesia.
- Lubis, G. dan Suciati, R.T. 2007. Hubungan pemberian enteral makanan dini dan pertambahan berat badan pada bayi prematur. *Sari Pediatri*, 9(2): 145-150.
- Lucas, A., Bloom, S.R. dan Aynsley-Green, A. 1986. Gut hormones and 'minimal enteral feeding'. *Acta Paediatr Scandinav*, 75(5): 719-723.
- Mezu-Ndubuisi, O. dan Maheshwari, A. 2013. Enteral Nutrition. In: Patole, S., editor, *Nutrition for the Preterm Neonate: a clinical prespective*. Springer, New York.
- McClure, R.J. dan Newell, S.J. 2000. Randomised controlled study of clinical outcome following trophic feeding. *Arch Dis Child Fetal Neonatal Ed*, 82(1): F29-F33.
- Meetze, W.H., Valentine, C., McGuigan, J.E., Conlon, M., Sacks, N. dan Neu, J. 1992. Gastrointestinal priming prior to full enteral nutrition in very low birth weight infants. *J Pediatr Gastroenterol and Nutr*, 15(2): 163-170.
- Miller, M., Vaidya, R., Rastogi, D., Bhutada, A. dan Rastogi, S. 2014. From parenteral to enteral nutrition: a nutrition-based approach for evaluating postnatal growth failure in preterm infants. *J Parenter and Enteral Nutr*, 38(4): 489-497. Available from: <http://journals.sagepub.com/doi/pdf/10.1177/0148607113487926>.
- Moreno Algara, M.C., Fernandez Romero, V., Sanchez Tamayo, T., Espinosa Fernandez, M.G., Salguero Gracia, E., Red SEN-1500. 2017. Variability in enteral feeding practices of preterm infants among hospitals in SEN1500 Spanish neonatal network. *An Pediatr (Barc)*, 87:245-252.
- Morgan, J., Bombell, S. dan McGuire, W. 2013. Early trophic feeding versus enteral fasting for very preterm or very low birth weight infants. *Cochrane Database Syst Rev*, (3): CD000504.
- Morgan, J., Young, L. dan McGuire, W. 2014. Slow advancement of enteral feed volumes to prevent necrotising enterocolitis in very low birth weight infants. In The Cochrane Collaboration, ed. *Cochrane Database Syst Rev*. John Wiley dan Sons, Ltd., Chichester. Available from: <http://doi.wiley.com/10.1002/14651858.CD001241.pub5>.
- Neu, J. 2014. Necrotizing enterocolitis. In: Koletzko, B., Poindexter, B., Uauy, R., (eds), *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines*. World Rev Nutr Diet. Karger, Basel.

- Ng, D.V.Y., Brennan-Donnan, J., Unger, S., Bando, N., Gibbins, S., Nash, A., Kiss, A., O'Connor, D.L. 2015. How close are we to achieving energy and nutrient goals for very low birthweight in the first week. *J Parenter Enteral Nutr*, XX:XX.
- Park, M.K. 2008. Left to right shunt lesions. In: Park, M.K., editor, *Park: Pediatric cardiology for practioners*. 5th ed., Mosby Elsevier, Philadelphia
- Park, J., Knafi, G., Thoyne, S., Brandon, D. 2015. Factors associated with feeding progression in extremely preterm infants. *Nurs Rev*, 64(3): 159-167.
- Patole, S. 2013. Developmental physiology of the gastrointestinal tract and feed intolerance in preterm neonates. In: Patole, S., editor, *Nutrition for the Preterm Neonate: a clinical prespective*. Springer, New York.
- Patole, S., Kumaran, V., Travadi, J.N., Brooks, J.M., Doherty, D.A. 2007. Does patent ductus arteriosus affect feed tolerance in preterm neonatess. *Arch Dis Child Fetal Neonatal Ed*, 92(1): F53-F55.
- Patole, S.K. dan de Klerk, N. 2005. Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: a systematic review and meta-analysis of observational studies. *Arch Dis Child Fetal Neonatal Ed*, 90(2): F147–F151.
- Patwardhan, G., Soni, A., Rachwani, N., Kadam, S., Patole, S. Pandit, A. 2017. Factors associated with time to full feeds in preterm very low birthweight infants. *J Trop Pediatr*, 0: 1-6.
- Sallakh-Niknezad, A., Bashar-Hashemi, F., Satarzadeh, N., Ghojazadeh, M., Sahnazarli, G. 2012. Early versus late trophic feeding in very low birth weight preterm infants. *Iran J Pediatr*, 22(2): 171-176
- Schanler, R.J., Shulman, R.J., Lau, C., Smith, E.O. dan Heitkemper, M.M. 1999. Feeding strategies for premature infants: randomized trial of gastrointestinal priming and tube-feeding method. *Pediatrics*, 103(2): 434–439.
- Senterre, T. 2014. Practice of enteral nutrition in very low birth weight and extremely low birth weight infants. In: Koletzko, B., Poindexter, B., Uauy, R., (eds), *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines*. World Rev Nutr Diet. Karger, Basel
- Shulman, R.J., Schanler, R.J., Lau, C., Heitkemper, M., Ou, C.-N.N. dan Smith, E.O. 1998. Early feeding, feeding tolerance, and lactase activity in preterm infants. *J Pediatr*, 133(5): 645–649.
- Soper, D.S. 2017. A-priori sample size calculator for multiple regression [Software]. Available from <http://www.danielsoper.com/statcalc>.

- Su, B.-H. 2014. Optimizing nutrition in preterm infants. *Pediatr and Neonatol*, 55(1): 5–13.
- Sulistijono, E., Alasiry, E., Irawan, G., Utomo, M.T., Iskandar, A.T.P., Etika, R. 2016. *Konsensus Asuhan Nutrisi pada bayi prematur*. ed pertama. IDAI, Jakarta.
- Sweet, D.G., Carnielli, V., Greisen, G., Hallman, M., Ozek, E., Plavka, R., Saugstad, O.D., Simeoni, U., Speer, C.P., Vento, M., Halliday, H.L. 2013. European consensus guidelines on the management of neonatal respiratory distress syndrome in preterm infants-2013 update. *Neonatology*, 103: 353-368.
- Tavares, P.N., Flor-de-Lima, F., Soares, H., Guimaraes, H. 2013. Early nCPAP versus intubation in very low birth weight infants. *J Pediatr Neonat Individual Med*, 2(2): e020201.
- Terrin, G., Passariello, A., Canani, R.B., Manguso, F., Paludetto, R. dan Cascioli, C. 2009. Minimal enteral feeding reduces the risk of sepsis in feed-intolerant very low birth weight newborns. *Acta Paediatr*, 98(1): 31–35.
- Thureen, P.J. 1999. Early aggressive nutrition in the neonate. *Neoreviews*, 20(9): e45–e55.
- Troche, B., Harvey-Wilkes, K., Engle, W.D., Nielsen, H.C., Frantz, I.D., Mitchell, M.L. dan Hermos, R.J. 1995. Early minimal feedings promote growth in critically ill premature infants. *Biol Neonate*, 67(3): 172–181.
- Tsai, L.Y., Chen, Y.L., Tsou, K.I. dan Mu, S.C. 2015. The impact of small gestational for age on neonatal outcome among very low birthweight infants. *Pediatr Neonatol*, 56(2): 101-107.
- Tyson, J.E. dan Kennedy, K.A. 2005. Trophic feedings for parenterally fed infants. *Cochrane Database Syst Rev*, (3): CD000504.
- UNICEF dan WHO eds. 2004. *Low birthweight: Country, regional and global estimates*. UNICEF, New York.
- WHO. 2011. *Guidelines on Optimal Feeding of Low Birth Weight Infants in Low- and Middle-income Countries*. World Health Organization, Geneva. Available from: http://www.who.int/maternal_child_adolescent/documents/infant_feeding_low_bw/en/.
- WHO. 2015. *WHO recommendations on interventions to improve preterm birth outcomes*. World Health Organization, Geneva. Available from: http://apps.who.int/iris/bitstream/10665/183037/1/9789241508988_eng.pdf?ua=1.

Wibowo, T., Haksari, E.L. dan Wandita, S. 2012. Faktor prognostik kematian bayi berat lahir sangat rendah di rumah sakit rujukan tingkat tersier. *Sari Pediatri*, 13(6): 401–405.