

Daftar Pustaka

- Andersson, G., Cuijpers, P., Carlbring, P., Riper, H., & Hedman, E. (2014). Guided internet-based vs. face-to-face cognitive behavior therapy for psychiatric and somatic disorders: a systematic review and meta-analysis. *World Psychiatry*, 13(3), 288-295. doi: 10.1002/wps.20151
- Andersson, G., Hesser, H., Veilord, A., Svedling, L., Andersson, F., Sleman, O., dkk. (2013). Randomised controlled non-inferiority trial with 3-year follow-up of internet-delivered versus face-to-face group cognitive behavioural therapy for depression. *Journal of Affective Disorder*, 151(3), 986-994. doi: 10.1016/j.jad.2013.08.022
- Andersson, L. M., Schierenbeck, I., Krantz, G., Topper, K., Backman, G., Ricks, E., dkk. (2013). Help-seeking behaviour, barriers to care and experiences of care among persons with depression in Eastern Cape, South Africa. *Journal of Affective Disorders*, 151 (2), 439-448. doi: 10.1016/j.jad.2013.06.022
- Arjadi, R., Nauta, M. H., Scholte, W. F., Hollon, S. D., Chowdhary, N., Suryani, A. O., & Bockting, C. L. (2016). Guided Act and Feel Indonesia (GAF-ID) - Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. *Trials*, 17(1), 455. doi:10.1186/s13063-016-1577-9
- Arjadi, R., Nauta, M. H., & Bockting, C. L. (2018). Acceptability of internet-based interventions for depression in Indonesia. *Internet Interventions*, 13, 8-15. doi: 10.1016/j.invent.2018.04.004
- Arjadi, Retha & Nauta, Maaike & Scholte, Willem & D Hollon, Steven & Chowdhary, Neerja & Suryani, Angela & S P M Uiterwaal, Cuno & Bockting, Claudi. (2018). Internet-based behavioural activation with lay counsellor support versus online minimal psychoeducation without support for treatment of depression: a randomised controlled trial in Indonesia. *The Lancet Psychiatry*. 5. doi: 10.1016/S2215-0366(18)30223-2.
- Azwar, S. (2018). *Metode Penelitian Psikologi* (Edisi II). Yogyakarta: Pustaka Pelajar.
- Australian Psychological Society. (2018). *Evidence-based Psychological Interventions in the Treatment of Mental Disorders: A Review of Literature*. Retrieved 12 18, 2018, from Evidence-based Psychological Interventions in the Treatment of Mental Disorders: A Review of Literature: <https://www.psychology.org.au/getmedia/23c6a11b-2600-4e19-9a1d-6ff9c2f26fae/Evidence-based-psych-interventions.pdf>
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2013). *Riset Kesehatan Dasar*. Jakarta: Kementerian Kesehatan RI.
- Barlow, D., Farchione, T., Fairholme, C., Ellard, K., Boisseau, C., Allen, L., dkk. (2011a). *Unified Protocol for Transdiagnostic Treatment of Emotional Disorders: Workbook*. New York: Oxford University Press.

- Barlow, D., Farchione, T., Fairholme, C., Ellard, K., Boisseau, C., Allen, L., dkk. (2011b). *Unified Protocol for Transdiagnostic Treatment of Emotional Disorders: Therapist Guide*. New York: Oxford University Press.
- Barth, J., Munder, T., Gerger, H., Nüesch, E., Trelle, S., Znoj, H., Jüni, P., Cuijpers, P.. (2013). Comparative Efficacy of Seven Psychotherapeutic Interventions for Patients with Depression: A Network Meta-Analysis. *PLOS Medicine*, 10 (5), 1-17. doi: 10.1371/journal.pmed.1001454
- Beck, A. T. (1976). *Cognitive therapy and the emotional disorders*. New York, NY: International Universities Press.
- Boerema, A. M., Kleiboer, A., Beekman, A. T., van Zoonen, K., Dijkshoorn, H., & Cuijpers, P. (2016). Determinants of help-seeking behavior in depression: a cross-sectional study. *BMC psychiatry*, 16, 78. doi:10.1186/s12888-016-0790-0
- Boreham, N. (2003). Models of expert judgement: the hidden assumptions of professional education. Conference Proceeding. Retrieved from <http://www.leeds.ac.uk/educol/documents/00002700.htm>
- Boswell, J., Conklin, L., Oswald, J., & Bugatti, M. (2017-08). The Unified Protocol for Major Depressive Disorder. In *Applications of the Unified Protocol for Transdiagnostic Treatment of Emotional Disorders*. New York, NY: Oxford University Press. Retrieved 20 Aug. 2019, from <https://www.oxfordclinicalpsych.com/view/10.1093/med-psych/9780190255541.001.0001/med-9780190255541-chapter-5>.
- Broomhall, A. G., Phillips, W. J., Hine, D. W., & Loi, N. M. (2017). Upward counterfactual thinking and depression: A meta analysis. *Clinical Psychology Review*, 55, 56-73. doi: 10.1016/j.cpr.2017.04.010
- Caouette, J. D., & Guyer, A. E. (2016). Cognitive distortions mediate depression and affective response to social acceptance and rejection. *Journal of affective disorders*, 190, 792–799. doi:10.1016/j.jad.2015.11.015
- Carswell, K., Harper-Shehadeh, M., Watts, S., Van't Hof, E., Abi Ramia, J., Heim, E., Wenger, A., van Ommeren, M. (2018). Step-by-Step: a new WHO digital mental health intervention for depression. *mHealth*, 4, 34. doi:10.21037/mhealth.2018.08.01
- Center for Technology and Behavioral Health. (2018). *Program Reviews The Sadness Program*. Retrieved 12 14, 2018, from CTBH: <https://www.c4tbh.org/program-review/the-sadness-program>
- Damghanian, M., & Alijanzadeh, M. (2018). Theory of planned behavior, self-stigma, and perceived barriers explains the behavior of seeking mental health services for people at risk of affective disorders. *Social Health and Behaviour*, 1 (2), 54-61. doi: 10.4103/SHB.SHB_27_18
- Doherty, G., Coyle, D., & Sharry, J. (2012). Engagement with online mental health interventions: an exploratory clinical study of a treatment for depression. *SIGCHI Conference on Human Factors in Computing Systems* (pp. 1421-1430). New York: Conference on Human Factors Papers and Notes.

- Ferdiansyah. (2018). *Konseling online berbasis brief CBT dapat menurunkan kecemasan sosial* (Tesis tidak dipublikasikan). Fakultas Psikologi Universitas Gadjah Mada, Yogyakarta.
- Genet, J. J., & Siemer, M. (2011). Flexible control in processing affective and non-affective material predicts individual differences in trait resilience. *Cognition & Emotion*, 25(2), 380–388. doi: 10.1080/02699931.2010.491647
- González-Robles, A., García-Palacios, A., Baños, R., Riera, A., Llorca, G., Traver, F., Haro, G., Palop, V., Lera, G., Romeu, J. E., Botella, C. (2015). Effectiveness of a transdiagnostic internet-based protocol for the treatment of emotional disorders versus treatment as usual in specialized care: study protocol for a randomized controlled trial. *Trials*, 16, 488. doi:10.1186/s13063-015-1024-3
- Ika. (2015). *Minim Psikolog, ribuan penderita gangguan jiwa belum tertangani*. Retrieved September 23, 2018, from Universitas Gadjah Mada: <https://ugm.ac.id/id/berita/9715-minim.psikolog.ribuan.penderita.gangguan.jiwa.belum.tertangani>
- Ikatan Psikolog Klinis Indonesia. 2019. *Statistik Kesnggotaan Ikatan Psikoog Klinis Indonesia*. Retrieved September 8, 2019, from <https://simak.ipkindonesia.or.id/statistik/keanggotaan-ikatan-psikolog-klinis-indonesia.php>
- Ito, M., Okumura, Y., Horikoshi, M., Kato, N., Oe, Y., Miyamae, M., ... Ono, Y. (2016). Japan unified protocol clinical trial for depressive and anxiety disorders (JUNP study): Study protocol for a randomized controlled trial. *BMC Psychiatry*, 16, Article ID 71. doi: 10.1186/s12888-016-0779-8
- Joormann, J., & Siemer, M. Affective processing and emotion regulation in dysphoria and depression: cognitive biases and deficits in cognitive control. *Social and Personality Psychology Compass*, 5(11), 13–28. doi: 10.1111/j/1751-9004.2010.00335.x
- Königbauer, J., Letsch, J., Doeblner, P., Ebert, D., & Baumeister, H. (2017). Internet- and mobile-based depression interventions for people with diagnosed depression: A systematic review and meta-analysis. *Journal of Affective Disorders*, 223, 28–40. doi: 10.1016/j.jad.2017.07.021.
- Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan. (2018). *Hasil Utama Riskesdas 2018*. Retrieved December 14, 2018, from Hasil Utama Riskesdas 2018: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf
- Kring, A. M., Johnson, S. M., Davison, G., & Neale, J. (2018). *Abnormal Psychology* (14th Edition ed.). New York: John Wiley & Sons.
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of general internal medicine*, 16(9), 606–613. doi:10.1046/j.1525-1497.2001.016009606.x

- Magaard, J. L., Seeralan, T., Schulz, H., & Brütt, A. L. (2017). Factors associated with help-seeking behaviour among individuals with major depression: A systematic review. *PloS One*, 12(5), e0176730. doi:10.1371/journal.pone.0176730
- Makarim, Z. R. (2018). *Brief cognitive behavioral therapy melalui media online untuk menurunkan gejala depresi*. (Tesis tidak dipublikasikan). Fakultas Psikologi Universitas Gadjah Mada, Yogyakarta.
- McHugh, K., Whitton, S. W., Peckham, A. D., Welge, J. A., & Otto, M. W. (2013). Patient Preference for Psychological vs. Pharmacological Treatment of Psychiatric Disorders: A Meta-Analytic Review. *Journal of Clinical Psychiatry*, 595-602. doi: 10.4088/JCP.12r07757
- National Collaborating Centre for Mental Health. (2010). *Depression: The Treatment and Management of Depression in Adults (Updated Edition)*. Leichester: The British Psychological Society.
- National Institute for Health and Care Excellence. (2004). *Depression: management of depression in primary and secondary car*. london: National Institute for Health and Care Excellence (NICE).
- National Institute for Health and Care Excellence. (2006). *Guidance on the Use of Computerised Cognitive Behavioural Therapy for Anxiety and Depression (NICE Technology Appraisal Guidance 97)*. Retrieved July 11, 2018, from National Institute for Health and Care Excellence: <https://www.nice.org.uk/guidance/ta97>
- Osma, Jorge. (2018). Applying the Unified Protocol to a case of Major Depression with Schizoid and Depressive Personality Traits. *Psicothema*. 30. 364-369. doi: 10.7334/psicothema2018.41
- Osma, J., Suso-Ribera, C., García-Palacios, A., Crespo-Delgado, E., Robert-Flor, C., Sánchez-Guerrero, A., ... Torres-Alfosea, M. Á. (2018). Efficacy of the unified protocol for the treatment of emotional disorders in the Spanish public mental health system using a group format: study protocol for a multicenter, randomized, non-inferiority controlled trial. *Health and quality of life outcomes*, 16(1), 46. doi:10.1186/s12955-018-0866-2
- Peckham, A. D., McHugh, R. K., Otto, M. W. (2010). A meta-analysis of the magnitude of biased attention in depression. *Depression and Anxiety*, 27(12), 1135-1142. doi: 10.1002/da.20755
- Ramdhani, N., Widjaja, J., & Rahmawati, N. (2015). Internet Supported cognitive behavior therapy to help students with shy-socially isolated problems. *Procedia - Social and Behavioral Sciences*, 165, 179-188. doi: 10.1016/j.sbspro.2014.12.620
- Roepke, A. M., Seligman, M. E. P. (2016). Depression and Prospection. *The British Journal of Clinical Psychology*, 55(1), 23-48. doi: 10.1111/bcj.12087
- Sherman, J. A., Tonarely, N. A., Ehrenreich-May, J. (2018). Targeting comorbid anxiety and depression using the unified protocol for transdiagnostic treatment

- of emosional disorders in adolescents. *Clinical Case Studies*, 17(2), 59-76. doi: 10.1177/1534650117753671
- Shinohara, K., Honyashiki, M., Imai, H., Hunot, V., Caldwell, D. M., Davies, P., dkk. (2013). Behavioral therapies versus other psychological therapies for depression. *Cochrane Database of Systematic Review*, 9. doi: 10.1002/14651858.CD008696.pub2
- Spinhoven, P., Drost, J., de Rooij, M., van Hemert, A. M., & Penninx, B. W. (2016). Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. *Cognitive therapy and research*, 40, 150–163. doi:10.1007/s10608-015-9747-8
- Stange, J. P., Alloy, L. B., & Fresco, D. M. (2017). Inflexibility as a vulnerability to depression: A systematic qualitative review. *Clinical Psychology Science and Practice*, 24(3), 245-276. doi: 10.111/cpsp.12201
- Tolin, D. F. (2010). Is cognitive-behavioral therapy more effective than other therapies? A meta-analytic review. *Clinical Psychology Review*, 30(6), 710-720. doi: 10.1016/j.cpr.2010.05.003
- Vander Linden, A. (2019). *Cross-cultural validation of the PHQ-9 in Bahasa Indonesia to measure depression among persons affected by leprosy*. (Tesis tidak dipublikasikan). Vrije Universiteit, Amsterdam. Diakses dari <https://www.infondt.org/resource/cross-cultural-validation-phq-9-bahasa-indonesia-measure-depression-among-persons-affected>.
- Wagner, B., Horn, A. B., & Maercker, A. (2014). Internet-based versus face-to-face cognitive-behavioral intervention for depression: A randomized controlled non-inferiority trial. *Journal of Affective Disorders*, 152-154, 113-121. doi: 10.1016/j.jad.2013.06.032
- WHO. (2013). *Mental Health Action Plan 2013-2020*. Geneva: WHO Press.
- WHO. (2018). *Depression*. Retrieved September 19, 2018, from World Health Organization: <http://www.who.int/mediacentre/factsheets/fs369/en>
- Wibowo, O. A. Y. (2019). *Pengaruh CBT based self help gamification terhadap tingkat gangguan depresi pada mahasiswa* (Tesis tidak dipublikasikan). Fakultas Psikologi Universitas Gadjah Mada, Yogyakarta.
- Wilding, C., & Milne, A. (2008). *Cognitive Behavioural Therapy*. California: The Mc-Graw Hill Companies, Inc.