

## DAFTAR PUSTAKA

- Ahmad M and S .Benjakul. 2010. Extraction and Characterisation of Pepsin Solubilized Collagen from The Skin Of Unicorn Leather Jacket (Aluterus monoceros). *The Journal of Food Chemistry* 120: 817-824.
- Alberts, B., D. Bray., J. Lewis., M. Raff., K. Roberts., and P. Walter. 2002. *Molecular Biology of the Cell* 4th ed. Garland Science. New York.
- Alhana, P. S. dan K. Tarman. 2015. Ekstraksi dan Karakterisasi Kolagen dari Daging Teripang Gamma. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 18:2.
- Bhagwat, P. K. and P.B. Dandge. 2016. Isolation, Characterization and Valorizable Applications of Fish Scale Collagen in Food and Agriculture Industries. *Journal Biocatalysis and Agricultural Biotechnology*. 7: 234–240.
- Balakrishnan, B., M. Mohanty., P. R. Umashankar., and A. Jayakrishnan. 2005. Evaluation of an in Situ Forming Hydrogel Wound Dressing Based on Oxidized Alginate and Gelatin. *Journal Biomaterials*. 26: 6335–6342.
- Banerjee, P., Suguna, L., and C. Shanthi. 2015. Wound Healing Activity of a Collagen-Derived Cryptic Peptide. *Amino Acids*. 47(2). 317–328.
- Bartle, K. D., T. Boddington., A. Clifford., N. J. Cotton., and C. J. Dowle. 1991. Supercritical Fluid Extraction and Chromatography for the Determination of Oligomers In Poly (Ethylene Terephthalate) Films. *Analytical Chemistry*, 63, 2371-2377.
- Batubara, A., F. Mahmilia., I. Inounu., B. Tiesnamurti., dan H. Hasinah. 2012. Rumpun Kambing Kacang di Indonesia. Badan Penelitian dan Pengembangan Pertanian. Kementerian Pertanian. Jakarta.
- Bea, K. Osatomi, A. Yoshida, K. Osako, A. Yamaguchi, K., and Hara. 2008. Biochemical Properties of Acid-Soluble Collagens Extracted from the Skins of Under Utilized Fishes. *Food Chem*. 108, 49–54.
- Benjakul, S., Y. Thiansilakul., W. Visessanguan., S.Roytrakul., H. Kishimura., and T. Prodprand. 2010. Extraction and Characterization of Pepsin-Solubilised Collagens from the Skin of Bigeye Snapper (*Priacanthus Tayenus* and *Priacanthus Macracanthus*). *Journal of the Science of Food and Agriculture*, 90, 132–138.
- Bilek, S. E. and S. K. Bayram. 2015. Fruit Juice Drink Production Containing Hydrolyzed Collagen. *Journal of Functional Foods*. 14: 562-569.
- British Standard 757. 1975. *Methods for Sampling and Testing Gelatine (Physical and Chemical Methods)*. BSI, 67.120.99: 34.

- Burton, Garaham W. 1988. Antioxidant Action of Caratenoids. The Journal of Nutrition.
- Carvalho, A. S. L., E. P, Melo., B. S. Ferreira.,M. T. Neves-Petersen., S. Petersen., and M. R. Barros. 2003. Heme and pH-Dependent Stability of an Anionic Horseradish Peroxidase. Archives of Biochemistry and Biophysics, 415, 257-267.
- Cui, F. X., C. H. Xue., Z. J. Li., Y. Q. Zhang., P. Dong., X. Y. Fu., and X. Gao. 2005. Characterization and Subunit Composition of Collagen from the Body Wall of Sea Cucumber Stichopus Japonicus. Food Chemistry 100:1120-1125.doi:10.1016/j.foodchem.2005.11.019.
- Djajanegara, A dan A, Misniwaty. 1992. Industrialisasi Usaha Ternak Domba dan Kambing. Dalam “Domba dan Kambing Untuk Kesejahteraan Masyarakat” ISPI, HPDKI Bogor.
- Draget, K. I.,K. Ostgaard., and O. Smidsrod. 1991. Homogenous Alginate Gels: a Technical Approach. Carbohydrate Polymers 14: 159–178.
- Draget, K. I., O. Gaserod., I. Aune., P. O. Andersen., B. Storbakken., B. T. Stokke., and O. Smidsod. 2001. Effect of Molecular Weight and Elstic Segment Flexibility on Syneresis in Ca-Alginate Gels. Food Hydrocolloids. 15: 485–490.
- Duan, R., J. J. Zhang., X. Q. Du., X. C. Yao., and K. Konno. 2009. Properties of Collagen from Skin, Scale and Bone of Carp (Cyprinus Carpio). Food Chemistry. 112, 702–706.
- Dunn, B. 2006. Quantitative Amino Acid Analysis. In:Colligan, J.E. *et al.* (eds.). Current Protocols in Protein. John Wiley and Sons, New York.
- Fontain-Vive, F., F. Merzel., M. R. Johnson., and G. J. Kearley. 2009. Collagen and Component Polypeptides: Low Frequency and Amide Vibrations. Chemical Physics 355 (2–3): 141–148.doi: 10.1016/j.chemphys.2008.12.005.
- Friess W. 1998. Collagen – Biomaterial for Drug Delivery. European Journal of Pharmaceutics and Biopharmaceutics 45:113-136.doi:10.1016/S0939-6411(98)00017-4.
- Gelse, K., E. Poschl., and T. Aigner. 2003. Collagens Structure, Function, and Biosynthesis. Advanced Drug Delivery Reviews. 55. 1531-1546.
- Giraud-Guille, M. M., L. Besseau., C. Chopin., P. Durand., and D. Herbage. 2000. Structural Aspects of Fish Skin Collagen which Forms Ordered Arrays Via Liquid Crystalline States. Biomaterials 21(9), 899–906.
- Hartati, I. 2010. Kajian Produksi Kolagen dari Limbah Sisik Ikan secara Ekstraksi Enzimatis. Momentum. 6: 33-35.

- Hoefler, A. C. 2004. Hydrocolloids. Eagan Press st. Pane. Minnesota. USA 111 pp.
- Hwang, J. H., S. Mizuta, Y. Yokoyama. and R. Yoshinaka. 2005. Purification of Molecular Species of Collagen in the Skin of Skate (Raja Kenojei). Food Chem. 100: 921–925.
- Ilham, F. 2012. Keragaman Fenotip Kambing Lokal Kabupaten Bone Bolango. Laporan Penelitian Dasar Keilmuan. Gorontalo.
- Jaswir, I., H. A. Monsur., and H. M. Salleh. 2011. Nano-Structural Analysis of Fish Collagen Extracts for New Process Development. African Journal of Biotechnology 10: 18847-18854.
- Jongjareonrak, A., S. Benjakul., W. Visessanguan., T. Nagai., and M. Tanaka. 2005. Isolation and Characterization of Acid and Pepsin-Solubilised Collagens from the Skin of Brown Striped Snapper (*Lutjanus vitta*). Food Chemistry, 93, 475–484.
- Kawaguchi, Y., E. Kondo., N. Kitamura., K. Arakaki., Y. Tanaka., M. Munekata., N. Nagai., and K. Yasuda. In Vitro Effects of Isolated Implantation of Salmon-Derived Crosslinked Atelocollagen Sponge into an Osteochondral Defect. J. Mater. Sci. Mater. Med, 22; 397-404.
- Kittiphattanabawon, P., S. Benjakul, W. Visessanguan, T. Nagai. and M. Tanaka, 2005. Characterization of Acid-Soluble Collagen from Skin and Bone of Bigeye Snapper (*Priacanthus tayenus*). Food Chem. 221: 363–372.
- Kong, J. and S. Yu. 2007. Fourier Transform Infrared Spectroscopic Analysis of Protein Secondary Structures. Acta Biochimica et Biophysica Sinica 39: 549-559.
- Kozłowska, J., A. Sionkowska, J. Skopinska-Wisniewska, and K. Piechowicz. 2015. Northern Pike (*Esox lucius*) Collagen: Extraction, Characterization, and Potential Application. Int. J. of Biol. Macromolecules. 220-227.
- Krinsky, N. I. And S. M. Denecke. 1984. J. Natl. Cancer Inst., 69:205.
- Laemmli, V. K. 1970. Cleavage of Structural Protein during the Assembly of the Head of Bacteriophage T4. Nature 227: 680-685.
- Lee, C. H., A. Singla., and Y. Lee. 2001. Review: Biomedical Application of Collagen. Int. J. of Pharmacy. 221: 1–22.
- Lehninger, A. L. 2008. Principles of Biochemistry. Fifth ed. David L.Nelson and Michael M.Cox. W.H.Freeman and Company, NY.
- Li, Z. R., B. Wing, C. Chi, Q. Zhang, Y. Gong, J. Tang, H. Luo, and G. Ding. 2013. Isolation and Characterization of Acid Soluble Collagens and Pepsin

Soluble Collagens from the Skin and Bone of Spanish Mackerel (*Scomberomorus niphonius*). *Food Hydrocolloids*. 31: 103-113.

Listya, A., O. A. Parwata., dan K. Ratnayani. 2010. Aktivitas Antiradikal Bebas serta Kadar Beta Karoten pada Madu Randu (*Ceiba Pentandra*) dan Madu Kelengkeng (*Nephelium longata* L.). *Jurnal Kimia* 4 (1): 54-62.

Liu, H. Y., D. Li., and S. H. Guo. 2007. Studies on Collagen from the Skin of Channel Catfish (*Ictalurus punctatus*). *Food Chemistry*. (101): 621–625.

Liu, D., G. Wei., T. Li., J. Hua., J. Lu., J. M. Regenstein., and P. Zhou. 2015. Effects of Alkaline Pre treatments and Acid Extraction Conditions on the Acid-Soluble Collagen from Grass Carp (*Ctenopharyngodon Idella*) Skin. *Food Chemistry* 172:836–843.

Lowry, O. H., N. J. Rosebrough., A. L. Farr., and R. J. Randal. 1951. Protein Measurement with The Folin Phenol Reagent. Department of pharmacology, Washington University School of Medicine, St. Louis, Missouri.

Minh Thuy le, T., E. Okazaki., and K. Osako. 2014. Isolation and Characterization of Acid Soluble Collagen from the Scales of Marine Fishes from Japan and Vietnam. *Food chemistry*. 149; 264-270.

Morgan, D. 2002. Wounds – What Should a Dressing Formulary Include, *Hosp. Pharm.* 9, p.261-266.

Mury. 2005. Alginate fibers, *Biodegradable and Sustainable Fibers*, edited by R.S. Black Burn, Woodhead, Manchester.

Muyonga, J. H., C. G. B. Cole., and K. G. Duodu. 2004a. Characterisation of Acid Soluble Collagen from Skins of Young and Adult Nile Perch (*Lates niloticus*). *Food Chem.* 85: 81–89.

Muyonga, J. H., C. G. B. Cole., and K. G. Duodu. 2004b. Fourier Transform Infrared (FTIR) Spectroscopic Study of Acid Soluble Collagen and Gelatin from Skins and Bones of Young and Adult Nile Perch (*Lates Niloticus*). *Food Chem.* 86: 325–332.

Nurhayati, T., dan Murniyati. 2013. Ekstraksi dan Karakterisasi Kolagen Larut Asam dari Kulit Ikan Nila (*Oreochromis niloticus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 8: 85-92.

Nurhayati dan R. Peranginangin. 2009. Prospek Pemanfaatan Limbah Perikanan sebagai Sumber Kolagen. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. Vol. 4 No.3.

Ockerman, H. W., and C. L. Hansen. 2000. *Animal By Product Processing and Utilization*. CRC Press, USA.

- Ortiz, M. A., A. D. Hernandez., D. J. Pimentel-Gonzalez., R. G. Campos-Montiel., A. Vargaz-Torres, and G. Aguirre-Alvarez. 2015. Extraction and Characterization of Collagen from Rabbit Skin: Partial Characterization. *CyTA-Journal of Food*. 13: 253-258.
- Othman and Azizah. 2005. Antioxidant Capacity and Phenolic Content of Cocoa Beans. *Journal of Food Chemistry*, 100: 1523-1530.
- Pamungkas, F. A., A. Batubara., M. Doloksaribu., and E. Sihite. 2009. Petunjuk Teknis Potensi Plasma Nutfah Kambing Lokal di Indonesia. Pusat Penelitian dan Pengembangan Peternakan, Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian. Bogor.
- Ratnasari, I., S. S. Yuwono., H. Nusyam., and S. B. Widjanarko. 2013. Extraction and Characterization of Gelatin from Different Fresh Water Fishes as Alternative Sources of Gelatin. *International Food Research Journal* 20(6): 3085-3091.
- Regenstein, J. M., and P. Zhou. 2007. Collagen and Gelatin from Marine by-Product. Inf.Shahidi (Ed.), *Maximising The Value Of Marine By-Products* (pp.279–303). Florida:CRC Press.
- Robinson, T. 1995. Kandungan Organik Tumbuhan Tinggi. Penerjemah: Kosasih Padmawinat. Penerbit ITB. Bandung, hal 163.
- Rodziewicz-Motowidlo, S., A. Sladewska., E. Mulkiewicz., A.S. Kolodziejczyk., A. Aleksandrowicz., J. Miszkiewicz., and P. Stepnowski. Isolation and Characterization of Thermally Stable Collagen Preparation from Outer Skin of the Silver Carp *Hypophthalmichthys Molitrix*. *Aquaculture*, 285; 130-134.
- Sadowska, M., I. Koodziejska., and C. Niecikowska. 2003. Isolation of Collagen from the Skins of Valtic Cod (*Gadus morhua*). *Food Chemistry*, 81, 257-262.
- Sahubawa, L., dan A. B. N. Putra. 2011. Pengaruh Konsentrasi Asam Asetat dan Waktu Ekstraksi terhadap Mutu Kolagen Limbah Kulit Ikan Nila Hitam. *Jurnal Teknosains*. 1: 1-69.
- Said, M. I. 2013. Profil Histologis Serabut Kolagen pada Kulit Kambing Bligon yang Direndam dalam Larutan Asam dan Basa Lemah pada Konsentrasi Berbeda. *Jurnal Ilmu dan Teknologi Hasil Ternak*. 8: 19-24.
- Saito, M., N. Kunisaki., Urano., and S. Kimura. 2002. Collagen as the Major Edible Component of Sea Cucumber (*Stichopus japonicus*). *Journal of Food Science*, 67, 4.
- Samouillan, V., F. Delaunay., J. Dandurand., N. Merbahi., J. P. Gardou., M. Yousfi, A. Gandaglia., M. Spina., and C. Lacabanne. 2011. The Use of Thermal Techniques for the Characterization and Selection of Natural Biomaterials. *The Journal of Functional Biomaterials* 2:230-248.

- Sarkar, K. T. 1995. Theory and Practice of Leather Manufacture. Revised Ed. The Author. Madras.
- Setiadi, B. 2003. Alternatif Konsep Pembibitan dan Pengembangan Usaha Ternak Kambing. Makalah Sarasehan "Potensi Ternak Kambing dan Prospek Agribisnis Peternakan". Bengkulu.
- Sibilla, S., G. Martin., B. Sarah., B. Anil., and G. Licia. 2015. An Overview of the Beneficial Effects of Hydrolysed Collagen As a Nutraceutical on Skin Properties: Scientific Background and Clinical Studies. The Open Nutraceuticals Journal, 8: 29-42.
- Singh, P., S. Benjakul., S. Maqsood., and H. Kishimura. 2011. Isolation and Characterisation of Collagen Extracted from the Skin of Striped Catfish (*Pangasianodon hypophthalmus*). Food Chemistry 124(1):97-105. doi:10.1016/j.foodchem. 2010.05.111.
- Sionkowska, A., J. Kozłowska., M. Skorupska., and M. Michalska. 2015. Isolation and Characterization of Collagen from the Skin of *Brama Australis*. International Journal of Biological Macromolecules. 80: 605–609.
- Skierka, E., and M. Sadowska. 2007. The Influence of Different Acids and Pepsins on the Extractability of Collagen from the Skin of Baltic Cod (*Gadus morhua*). Food Chemistry, 105, 1302-1306.
- Subandriyo, 2005. Strategi Pemanfaatan Plasma Nutfah Kambing Lokal dan Peningkatan Mutu Genetik Kambing di Indonesia. Balai Penelitian Ternak, Pusat Penelitian dan Pengembangan Peternakan. Bogor.
- Susilorini, E. T., Manik Eirry Sawitri, dan Muharlieni. 2009. Budidaya 22 Ternak Potong. Penebar Swadaya. Bogor.
- Tabarestani, S. H., Y. Maghsoudlou., A. Motamedzadegan., A. R. Mahoonak., and H. Rostamzad. 2010. Study on Some Properties of Acid Soluble Collagen Isolated from Fish Skin and Bones of Rainbow Trout (*Onchorynchus mykiss*). International Food Research Journal. 19(1): 251-257.
- Tabarestani, S. H., Y. Maghsoudlou., A. Motamedzadegan., S. A. R. Mahoonak., and H. Rostamzad. 2012. Study on Some Properties of Acid-Soluble Collagens Isolated from Fish Skin and Bones of Rainbow Trout (*Onchorhynchus mykiss*). International Food Research Journal 19(1):251-257.
- Tamilmozhi, S., A. Veeruraj., and M. Arumugam. 2013. Isolation and Characterization of Acid and Pepsin-Solubilized Collagen from the Skin of Sail Fish (*Istiophorus platypterus*). Food Res. Int. 54 (2013) 1499–1505.
- Tania, S. U., R. Arbianti., H. Hermansyah., A. Reza., dan Rini. 2009. Perbandingan Aktivitas Antioksidan Ekstrak Etanol Daun Simpup (*Dillenia indica*) dari



Berbagai Metode Ekstraksi dengan Uji Anova. Seminar Nasional Teknik Kimia Indonesia. Bandung. ISBN 978-979-98300-1-2.

- Triatmojo, S., dan M. Z. Abidin. 2014. *Penyamakan Kulit Ramah Lingkungan*. Gadjah Mada University Press. Yogyakarta.
- Veeruraj, A., M. Arumugam., and T. Balasubramanian. 2013. Isolation and Characterization of Thermostable Collagen from the Marineeel-Fish (*Evenchelysma- crura*). *Process Biochem.* 48(10),1592–1602.
- Vojdani, F. 1996. Solubility. In G. M. Hall (Ed.). *Methods of Testing Protein Functionality* (1st ed.). (pp. 11e60). Great Britain: St Edmundsbury Press.
- Wang, L., B. Yang, X. Du., Y. Yang., and J. Liu. 2008. Optimization of Conditions for Extraction of Acid-Soluble Collagen from Grass Carp (*Ctenopharyngodon Idella*) by Response Surface Methodology. *Innovative Food Science and Emerging Technologies.* 9: 604–607.
- Woo, J. W., S. J. Yu., S. M. Cho., Y. B. Lee., and S. B. Kim. 2008. Extraction Optimization and Properties of Collagen from Yellowfin Tuna (*Thunnus albacares*) dorsal skin. *Food Hydrocolloids.* 22: 879-887.
- Wulandari., P.Suptijah., dan K. Tarman. 2015. Efektivitas *Pre Treatment* Alkali dan Hidrolisis Asam Asetat terhadap Karakteristik Kolagen dari Kulit Ikan Gabus. *JPHPI*, 18 (3); 287-302.
- Yoshimura, K., M. Terashima., D. Hozan., and K. Shirai. 2000. Preparation and Dynamic Viscoelasticity Characterization of Alkali-Solubilized Collagen from Shark Skin. *Journal of Agriculture Food Chemistry* 48:685- 690.
- Zhou, C., Y. Li., X. Yu., H. Yang., H. Ma., A.E.A. Yogoub., Y. Cheng., J. Hu., and P.N.Y. Otu. 2016. Extraction and Characterization of Chicken Feet Soluble Collagen. *J. Food Science and Thechology.* 74. 145-153.