

## DAFTAR PUSTAKA

- Ahmed, M. Z., Ren, S.-X., Mandour, N. S., Greeff, J. M. and Qiu, B.-L. 2010. Prevalence of *Wolbachia* Supergroups A and B in *Bemisia tabaci* (Hemiptera: Aleyrodidae) and Some of Its Natural Enemies. *Journal of Economic Entomology*. 103(5): pp.1848–1859. doi: 10.1603/EC10033.
- Ahmed, M. Z., De Barro, P. J., Ren, S.-X., Greeff, J. M. and Qiu, B.-L. 2013. Evidence for Horizontal Transmission of Secondary Endosymbionts in the *Bemisia tabaci* Cryptic Species Complex', *PLoS ONE*. Edited by H. Smidt. Public Library of Science. 8(1): p. e53084. doi: 10.1371/journal.pone.0053084.
- Aidawati, N. 2006. Keanekaragaman *Begomovirus* pada tomat dan serangga vektornya, *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae), serta pengujian ketahanan genotipe tomat terhadap strain *Begomovirus*. *Disertasi*. Sekolah Pascasarjana IPB. Bogor.
- Badri, I. B. 1983. Identification of the Aleyrodid on Soybean from two Location in West Java and Some Bionomics of *Bemisia tabaci* Genn. (Hemiptera: Aleyrodidae) on three Soybean Varieties. *Biotrop. Seameo-Regional Center for Tropical Biology Indonesia*. Bogor. 62 pp.
- Baldo, L., Hotopp, J. C. D., Jolley, K. A., Bordenstein, S. R., Biber, S. A., Choudhury, R. R., Hayashi, C., Maiden, M. C. J., Tettelin, H. and Werren, J. H. 2006. Multilocus sequence typing system for the endosymbiont *Wolbachia pipientis*. *Applied and Environmental Microbiology*. 72(11): pp.7098–7110. doi: 10.1128/AEM.00731-06.
- Benedict, M. Q. and Robinson, A. S. 2003. The first releases of transgenic mosquitoes: and argument for the sterile insect technique. *Trends in Parasitology* 19: 349-355.
- Bird, J. 1957. A whitefly-transmitted mosaic of *Jatropha gossypifolia*. *Agric. Exp. Stn. Univ. P. R. Tech. Pap.* 22: 1-35.
- Braig, H. R., Zhou, W., Dobson, S. L. and O'Neill, S. L. 1998. Cloning and characterization of a gene encoding the major surface protein of the bacterial endosymbiont *Wolbachia pipientis*. *Journal of bacteriology*. 180(9): pp.2373–8.
- Bedford, I.D., Briddon R.W., Markham P.G., Brown J. K., & Rosell, R.C. 1994. Geminivirus Transmission and Biological Characterisation of *Bemisia tabaci* (Gennadius) Biotype from Different Geographic Regions, *Ann. Appl. Biol.*, 125: pp 311-325
- Bock K.R. 1982. Geminivirus Diseases. *Plant Dis.* 66: pp 266-270
- Bosco D., Loria A., Sartor C., Cenis J.L. 2006. PCR-RFLP identification of *Bemisia tabaci* biotypes in the Mediterranean basin. *Phytoparasitica*, 34: pp 243–251

- Brelsfoard, C.L. & Dobson, S.L. 2009. *Wolbachia*-based strategies to control insect pests and disease vectors. *Asia-Pacific Journal of Molecular Biology and Biotechnology*. 17(3): pp.55–63.
- Brown J.K., Coats S., Bedford, Markham P.G, Bird J., Frochlich D.R. 1995. Characterization and Distribution of Esterase Electromorphs in the Whitefly, *Bemisia tabaci* (Genn.) (Hemiptera: Aleyrodidae), *Biochem. Gen.*, 22: pp 205–214
- Brown J.K., Costa H.S. & Laemmlen F. 1994. First Report of Whitefly Associated Labu Silverleaf Disorder of Cucurbita in Arizona and of White Streaking Disorder of Brassica in Arizona and California. *Plant Dis.* 76: p.426
- Burban C., Fishpol L.D.C., Fauquet C., Fargette D., Thouvenel J.C. 1992. Host Associated Biotypes within West African Population of the Whitefly *Bemisia tabaci* Genn. (Hemiptera: Aleyrodidae). *J. Appl. Entomol.* 113: pp.416–423
- Byrne F. J., Bedford I. D., Devonshire A.L., Markham P. G. 1995. Esterase Variation and Labu Silverleaf Induction in B-type *Bemisia tabaci* (Homoptera: Aleyrodidae). *Bull. Entomol. Res.* 85: pp.175–179
- Caballero, R. D. 2006. Systematics of the *Bemisia tabaci* Complex and the Role of Endosymbionts in Reproductive Compatibility. *Dissertation*. The University of Arizona. p.33
- Carapia Ruiz, V.E. & Castillo-Gutiérrez, A. 2013. Estudio Comparativo Sobre la Morfología de *Trialeurodes vaporariorum* (Westwood ) y *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae). *Acta Zoológica Mexicana*. 29(1): pp.178–193.
- Casiraghi, M., Bordenstein, S. R., Baldo, L., Lo, N., Beninati, T., Wernegreen, J. J., Werren, J. H., & Bandi, C. 2005. Phylogeny of *Wolbachia pipientis* based on *gltA*, *groEL* and *ftsZ* gene sequences: clustering of arthropod and nematode symbionts in the F supergroup, and evidence for further diversity in the *Wolbachia* tree. *Microbiology*. 151: pp.4015–4022
- Caspi-Fluger A, Inbar M, Mozes-Daube N, Katzir N, Portnoy V, Belausov E et al. 2012. Horizontal transmission of the insect symbiont *Rickettsia* is plant-mediated. *Proc R Soc Ser B* 279: pp.1791–1796.
- Chen, A. Y. S., Walker, G. P., Carter, D. and Ng, J. C. K. 2011. A virus capsid component mediates virion retention and transmission by its insect vector. *Proceedings of the National Academy of Sciences*. 108(40): pp.16777–16782.
- Claridge M.F., Dawah H.A., & Wilson M.R. 1997. Species in Insect Herbivores and Parasitoid-Sibling Species, Host Races and Biotypes. *Chapman & Hall*. London. p.247–272

- Clerck, C. De, Fujiwara, A., Joncour, P., Léonard, S., Félix, M., Francis, F., Jijakli, M. H., Tsuchida, T. and Massart, S. 2015. A metagenomic approach from aphid's hemolymph sheds light on the potential roles of co-existing endosymbionts. *Microbiome*. pp.1–11. doi: 10.1186/s40168-015-0130-5.
- Cock M.J.N. 1986. *Bemisia tabaci*-A Literature Survey on the Cotton Whitefly with an Annotated Bibliography. Ascot. FAO/CAB International Institute of Biological Control. United Kingdom. P.21
- Costa H.S. & Brown J.K. 1991. Variation in Biological Characteristics Isozyme Patterns Among Population of *Bemisia tabaci* Genn. In Arizona. *Phytopathol.* 80: p.888
- Czosnek, H., Hariton-Shalev, A., Sobol, I., Gorovits, R. and Ghanim, M. 2017. The incredible journey of *Begomoviruses* in their whitefly vector. *Viruses*. 9(10). doi: 10.3390/v9100273
- Dennis Berbulla Bela-ong & Bajet, N.B., 2007. Molecular Detection of Whitefly-Transmissible Geminiviruses (Family Geminiviridae, Genus *Begomovirus*) in the ... *Philippine Journal of Science*. 136(2): pp.87–101.
- De Barro, P. J. 1995. *Bemisia tabaci* biotype B, a review of its biology, distribution and control. *CSIRO Division of Entomology*, Technical Paper 36: pp.1-58.
- De Barro P.J., Driver F., Trueman J.W.H., Curran J. 2000. Phylogenetic Relationship of World Populations of *Bemisia tabaci* (Gennadius) Using Ribosomal ITS1, *Mol. Phylogeny. Evol.* 16: p.29-36
- De Barro, P. J., Hidayat, S. H., Frohlich, D., Subandiyah, S. and Ueda, S. 2008. A virus and its vector, pepper yellow leaf curl virus and *Bemisia tabaci*, two new invaders of Indonesia', *Biological Invasions*, 10(4), pp. 411–433. doi: 10.1007/s10530-007-9141-x.
- Dobson, S. L. 2003 Reversing *Wolbachia*-based population replacement. *Trends Parasitol.* 19: p.128–133.
- Dumler J.S., Anthony F.B., Cornelis P.J.B., Gregory A.D., Guy H.P., Stuart C.R., Yasuko R., Fred R.R. 2001. Reorganization of Genera in the Families Rickettsiaceae and Anaplasmataceae in the Order Rickettsiales: Unification of Some Species of *Ehrlichia equi* and 'HE Agent' as Subjective Synonyms of *Ehrlichia phagocytophila*, *International Journal of Systematic and Evolutionary Microbiology*. 51: p.2145-2165
- Duron O., Wilkes T.E., and Hurst G.D.D. 2010. Interspecific transmission of a male-killing bacterium on an ecological timescale. *Ecol Lett.* 13: pp.1139–1148.

- Frohlich, D. R., Torres-Jerez, I., Bedford, I. D., Markham, P. G., & Brown, J. K. 1999. A phylogeographical analysis of the *Bemisia tabaci* species complex based on mitochondrial DNA markers. *Molecular ecology*. 8(10): p.1683-1691.
- Gameel, O. I. 1977. *Bemisia tabaci*. Diseases, Pests and Weeds in Tropical Crops. Kranz, J., Schumutterer, H. and Kock, W.(Eds.). Paul Parey. Berlin. pp.320-322.
- Gehrer L, Vorburger C. 2012. Parasitoids as vectors of facultative bacterial endosymbionts in aphids. *Biol Lett* 8: pp.613–615.
- Gennadius P. 1889. Disease of Tobacco Plantations in Trikonina. The Aleyrodid of Tobacco. Ellenike Georgia: 1-3. Didalam. Perring T.M. 2001. The *Bemisia tabaci* Species Complex. *Crop Protect*. 20: pp.779-799
- Goodwin, P. H., Xue, B. G., Kuske, C. R. And Sears, M. K. 1994. Amplification of plasmid DNA to detect plant pathogenic mycoplasmalike organisms. *Annals of Applied Biology*. 124(1): pp.27–36.
- Greathead, A. H. 1986. Host plants. *Bemisia tabaci: a literature survey on the cotton whitefly with an annotated bibliography*. pp.17-25.
- Hidayat, P., Aidawati, N. and Hidayat, S.H. 2008. Studies on genetic diversity of *Bemisia tabaci* (Hemiptera: Aleyrodidae) in Java and transmission of whitefly-transmitted tomato Geminiviruses. *Indian Journal of Virology*. 19: pp.77–77.
- Hidayat S.H., Rusli E.S., dan Aidawati N. 1999. Penggunaan Primer Universal dalam Polymerase Chain Reaction untuk Mendeteksi Virus Gemini pada Cabe, di dalam: *Prosiding Kongres Nasional XV dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia*. Purwokerto. 16-18 September 1999. hal.355-359
- Hidayat, S.H. 2003. Rangkuman hasil penelitian *Geminivirus* di Indonesia: Sebagai bahan diskusi untuk menghadapi peningkatan infeksi *Geminivirus* pada cabai. Makalah disampaikan pada Seminar Sehari Pengenalan dan Pengendalian Penyakit Virus pada Cabai, Dir. Perlindungan Hortikultura, Dir. Jen. Bina Produksi Hortikultura.
- Huigens M. E., De Almeida R.P., Boons P.A.H., Luck R.F., and Stouthamer R. 2004. Natural interspecific and intraspecific horizontal transfer of parthenogenesis-inducing *Wolbachia* in *Trichogramma* wasps. *Proc R Soc Ser B* 271: pp.509–515.
- Huigens M.E., Luck R.F., Klaassen R.H.G., Maas M.F.P.M., Timmermans M.J.T.N., Stouthamer R. 2000. Infectious parthenogenesis. *Nature* 405: pp.178–179.
- Hurst, G. D. D., Schulenburg, J. H. G. v. d., Majerus, T. M. O., Bertrand, D., Zakharov, I. A., Baungaard, J., Volkl, W., Stouthamer, R. & Majerus, M. E. N. 1999. Invasion of one insect species, *Adalia bipunctata*, by two different male-killing bacteria. *Insect Mol. Biol.* 8: pp.133-139.

- Knipling, E. F. 1959. Sterile-male method of population control. *Science* 130: pp.902-904.
- Li, Z.-X., Lin, H.-Z. & Guo, X.-P. 2007. Prevalence of *Wolbachia* Infection in *Bemisia tabaci*. *Current Microbiology*. 54(6): pp.467–471. doi: 10.1007/s00284-007-0011-7.
- Lin, H.-Z. & Li, Z.-X. 2008. Characteristics of *Wolbachia* infection in natural population of *Bemisia tabaci* in Fujian Province. *Acta entomologica sinica*, 51(1): pp.14–19.
- Lo, N., Paraskevopoulos, C., Bourtzis, K., O'Neill, S. L., Werren, J. H., Bordenstein, S. R. and Bandi, C. 2007. Taxonomic status of the intracellular bacterium *Wolbachia pipientis*. *International Journal of Systematic and Evolutionary Microbiology*, 57(3): pp.654–657. doi: 10.1099/ijs.0.64515-0.
- McKenzie C.L., Anderson P.K., Villarreal N. 2004. An extensive survey of *Bemisia tabaci* (Homoptera: Aleyrodidae) in agricultural ecosystems in Florida. *FLA Entomol* 87: pp.403– 407
- Morales, F. J. & Anderson, P. K. 2001. The emergence and dissemination of whitefly transmitted Geminiviruses in Latin America. *Journal of Virology*. 146: pp.415 - 41.
- Nirgianaki, A., Banks, G. K., Frohlich, D. R., Veneti, Z., Braig, H. R., Miller, T. A., Bedford, I. D., Markham, P. G., Savakis, C. and Bourtzis, K. 2003. *Wolbachia* Infections of the Whitefly *Bemisia tabaci*. *Current microbiology*. 47: pp.93–101. doi: 10.1007/s00284-002-3969-1.
- Oliveira M.R.V., Henneberry T.J., Anderson P. 2001. History, current status, and collaborative research projects for *Bemisia tabaci*. *Crop Protection* 20: pp.709–723. doi: [https://doi.org/10.1016/S0261-2194\(01\)00108-9](https://doi.org/10.1016/S0261-2194(01)00108-9).
- Perring, T. M. 2001. The *Bemisia tabaci* species complex. *Crop Protection* 20: pp.725-737.
- Pradana, M.G.. 2013. Deteksi keberadaan dan keragaman bakteri endosimbion *Wolbachia* pada beberapa ordo serangga di Bogor. *Skripsi*. Departemen Proteksi Tanaman, Fakultas Pertanian, IPB. Bogor.
- Quaintance A.L. 1900. Contribution Towarns a Monograph of the Amrican Aleyrodidae. *Us Dept. Agric. Tech. Ser., Bureau. Entomol.* 8: pp.9-64
- Quaintance A. L. & Baker A. C. 1914. Classification of the Aleyrodidae Part II. US Departement of Agriculture. *Technica Series. Bur. Entomo.* 27: pp.95-109
- Rahayuwati, S., Hendrastuti Hidayat, S. and Hidayat, P. 2016. Identitas genetik *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) dari daerah endemik penyakit kuning cabai di Indonesia bagian barat berdasarkan fragmen mitokondria

- sitokrom oksidase I (mtCOI). *Jurnal Entomologi Indonesia*. 13(3): pp.156–164. doi: 10.5994/jei.13.3.156.
- Rainey, S. M., Martinez, J., McFarlane, M., Juneja, P., Sarkies, P., Lulla, A., Schnettler, E., Varjak, M., Merits, A., Miska, E. A., Jiggins, F. M. and Kohl, A. 2016. *Wolbachia* Blocks Viral Genome Replication Early in Infection without a Transcriptional Response by the Endosymbiont or Host Small RNA Pathways. *PLoS Pathogens*. 12(4): pp.1–22. doi: 10.1371/journal.ppat.1005536.
- Rojas, M.R. Gilbertson, R.L. Russell, D.R., Maxwell, D.P. 1993. Use of Degenerate Primers in the Polymerase Chain Reaction to Detect Whitefly-transmitted Geminivirus. *Plant Dis*. 77: pp.340-347
- Setiawati, W., Udiarto, B.K. and Gunaeni, N. 2009. Preference and infestation pattern of *Bemisia tabaci* (Genn) on some tomato varieties and its effect on *Geminivirus* infestation. *Indonesian Journal of Agriculture* 2(1): 57-64.
- Simons, C. *et al.*, 1994. Evolution, Weighting, and Phylogenetic Utility of Mitochondrial Gene Sequences and a Compilation of Conserved Polymerase Chain Reaction Primers.
- Sintupachee S., Milne J.R., Poonchaisri S., Baimai V., and Kittayapong P. 2006. Closely related *Wolbachia* strains within the pumpkin arthropod community and the potential for horizontal transmission via the plant. *Microbiol Ecol* 51: pp.294–301.
- Stouthamer, R., J. A. J. Breeuwer, G. D. D. Hurst. 1999. *Wolbachia pipientis*: microbial manipulator of arthropod reproduction. *Annu. Rev. Microbio*. 53: pp.71-102
- Sukada, I.W., Sudana, I.M., Nyana, I.D.N., Suastika, G. dan Siadi, K. 2014. Pengaruh infeksi beberapa jenis virus terhadap penurunan hasil pada tanaman cabai rawit (*Capsicum frutescens* L.). *E-jurnal Agroekoteknologi tropika*. 3: pp.158-165.
- Sulandari, S. 2004. *Karakterisasi Biologi, Serologi, dan Analisis Sidik Jari DNA Virus Penyebab Penyakit Daun Keriting Kuning Cabai*. Intitut Pertanian Bogor.
- Sullivan, W. and O'Neill, S. L. 2017. Microbiology: Manipulation of the manipulators. *Nature*, 543(7644), pp.182–183.
- Sun, X., Cui, L., & Li, Z. 2014. Diversity and phylogeny of *Wolbachia* infecting *Bactrocera dorsalis* (Diptera: Tephritidae) populations from China. *Environmental entomology*. 36(5): pp.1283-1289.
- Tram, U. & Sullivan W. 2002. Role of delayed nuclear envelope breakdown and mitosis in *Wolbachia* induced cytoplasmic incompatibility. *Science* 296, pp.1124–1126.
- Trisno, J., S. H. Hidayat., T. Habazar, I. Manti, Jamsari. 2009. Detection and Sequence Diversity of *Begomovirus* Associated with Yellow Leaf Curl Disease of Pepper



- (*Capsicum annuum*) in West Sumatra, Indonesia. Indonesian Society for Microbiology.
- Untung. K. 2006. *Kebijakan Perlindungan Tanaman*. Gadjah Mada University Press. Yogyakarta.
- Weinert L.A., Araujo-Jnr E.V., Ahmed M.Z., Welch J.J. 2015. The incidence of bacterial endosymbionts in terrestrial arthropods. *Proc R Soc Ser B* 282: p.0249.
- Wenseleers, T. et al., 1998. Widespread occurrence of the micro-organism *Wolbachia* in ants. *Proceedings of the Royal Society B: Biological Sciences*, 265(1404), pp.1447–1452.
- Werren, J.H., Baldo, L. & Clark, M.E. 2008. *Wolbachia*: Master manipulators of invertebrate biology. *Nature Reviews Microbiology* 6(10): pp.741–751.
- Werren J.H., Windsor D., & Guo L. 1995. Distribution of *Wolbachia* among Neotropical Arthropods. *Proceedings of the Royal Society of London*. 262: pp.197-204
- White, J., 2013. Whiteflies in the greenhouse. *Cooperative Extension Service, University of Kentucky*, pp.1–4.
- Wisler, G.C., Li R.H. Liu H.Y., Lowry D.S., Duffus J.E. 1996. Tomato Chlorosis Virus. A New Whitefly Transmitted Phloem-Limited, Bipartite Closterovirus of Tomato. *Phytopathol.* 88: 402-409
- Xia, W.-Q., Wang, X.-W., Liu, S.-S., Gui, J.-D., Yan, G.-H. and Bing, X.-L. 2014. Diversity and evolution of the *Wolbachia* endosymbionts of *Bemisia* (Hemiptera: Aleyrodidae) whiteflies ', *Ecology and Evolution*, 4(13), pp. 2714–2737. doi: 10.1002/ece3.1126.
- Yang X.H., Zhu D.H., Liu Z.W., Zhao L., Su C.Y. (2013). High levels of multiple infections, recombination and horizontal transmission of *Wolbachia* in the *Andricus mukaigawae* (Hymenoptera; Cynipidae) communities. *PLoS One* 8: e78970.
- Zabalou, S., Riegler, M., Theodorakopoulou, M., Stauffer, C., Savakis, C. and Bourtzis, K. 2004. *Wolbachia*-induced cytoplasmic incompatibility as a means for insect pest population control. *Proceedings of the National Academy of Sciences* 101: 15042-15045.
- Zhou, W., Rousset, F. & O'Neill, S. 1998. Phylogeny and PCR-based classification of *Wolbachia* strains using wsp gene sequences. *Proceedings of the Royal Society B: Biological Sciences*. 265(1395): pp.509–515.