

DAFTAR PUSTAKA

- Alkire. D. 2012. The Advantages Of Crossbreeding. Noble Research Institute. <https://www.noble.org/news/publications/ag-news-and-views/2012/april/the-advantages-of-crossbreeding/> (Diakses pada tanggal 1 Oktober 2018).
- Allison, C. 2009. Color Patterns in Crossbred Beef. Oklahoma Cooperative Extension Service Fact Sheet F-3154. Department of Extension Animal Sciences and Natural Resources, New Mexico State University. Las Cruces.
- Anderson, S. 2004. Environmental effects on animal genetic resources: a review. AGAP FAO.
- Andini, M dan I.B.N.Swacita. 2014. Kualitas daging sapi wagyu dan daging sapi Bali yang disimpan pada suhu 4°C. Indonesia Medicus Veterinus. 3(5):430-435.
- Andrews, T. 2015. Live cattle assessment. NSW Department of Primary Industries, © State of New South Wales.
- Andriani. L., E, Hernawan, K.A. Kamil, dan A. Mushawwir. 2010. Fisiologi Ternak. Widya Padjadjaran, Bandung.
- Anonim. 2009. Encyclopedia Of Life Support System. Eolss, Unesco.
- Anonim. 2012. Missisipi Beef Cattle Producer Pocket Guide. Mississippi State University.
- Bahashwan, S. 2014. Application of Morphometric Traits for Live Body Weight Estimation in Dhofari Calves. Int. J. Sci. Res. Agric. Sci. 1(5):90-96.
- Barham, B., S.M. Jones. and T.R.Troxel. 2011. An Analysis of Beef Cattle Conformation. University of Arkansas, United States Department of Agriculture, and County Governments Cooperating. Arkansas.
- Bene, S., B. Nagy, L. Nagy, B. Kiss, J.P. Polgar, and F. Szabo. 2007. Comparison of Body Measurements of Beef Cattles of Different Breeds. Arch. Tierz. Dummerstorf. 50(4):363-373.
- Berg, R.T and R.M. Butterfield. 1976. New concept of cattle growth. Ydney university press, United Kingdom.
- Bernard, C., dan M, Hidioglou. 1968. Body Measurements Of Purebred And Crossbred Shorthorn Beef Calves From Birth To One Year. Cen. J, Animal Sci. 48:389-395
- Bozidarka, M., M. Markovic and D. Radonjic. 2012. The Morphometric Characteristics Of Indigenous Sheep Population Named Sora. Pages 1-4. The 1st International Symposium On Animal Science. Zemun, Serbia.

- Budras K-D, and R.E. Habel. 2003. Bovine Anatomy, An Illustrated Text firstEdition. Schlutersche. Hannover, Germany
- Bures, D., dan L. Barton. 2012. Growth performance, carcass traits and meat quality of bulls and heifers slaughtered at different ages. Czech J. Anim. Sci. 57(1):34-43.
- Cake, M,A., M.D. Boyce, G.E. Gardner, D.L. Hopkins and D.W. Pethick. (2007). Australian Journal of Experimental Agriculture. 47:1128-1136.
- Campbell, J. R., M.D. Kenealy, K, K.L. Campbell.2010.Animal Sciences: The Biology, Care, and Production of Domestic Animals Fourth addition. Waveland Press, Inc. United States of America.
- Chamberlain, A. 2017. Identification of a Horned and Polled Bos taurus using a Gene Test. Dissertation. Lincoln University. Christchurch.
- Chamdi. A. N. 2005. Karakteristik Sumberdaya Genetik Ternak Sapi Bali (Bos-bibos banteng) dan Alternatif Pola Konservasinya. Biodivesitas. 6(1):70-75.
- [CGRFA] Commission On Genetic Resources For Food and Agriculture. 2011. Crossbreeding. Food and agriculture organization of the united nation, Rome.
- Dahlanuddin, D., B. S. Ningsih, D. P. Poppi , S. T. Anderson and S. P. Quigley. 2014. Long-term growth of male and female Bali cattle fed Sesbania grandiflora. Animal Prod. Sci. 54(10):1615-1619.
- Depison. 2010. Performans Anak Hasil Persilangan Induk Sapi Bali dengan Beberapa bangsa Pejantan di Kabupaten Batanghari Provinsi Jambi. Agripet. 1(10):37-41.
- Dharma, I.G.N., I Putu, S., dan Ketut. 2015. Pertumbuhan dimensi panjang tubuh pedet sapi Bali. Indonesia Medicus Veterinus. 4(5):428-436.
- Dorminanto. G. P., Moch. N., and Sri. W. 2016. Evaluating Performance of Crossbreed Calves in Manokwari, West Papua, Indonesia. Research in Zoology. 6(1):1-7.
- Ekarius, C. 2008. Storey's Illustrated Breed Guide To Sheep, Goats, Cattle, And Pigs. Walsworth Publishing Company. United States.
- Field, T.G. And R.E. Taylor. 2008. Scientific farm animal production: an introduction to animal science ninth edition. Pearson Practice Hall. Colombus. Ohio.
- Fikar . S dan D. Ruhyadi. 2012. Penggemukan Sapi. Agromedia.
- Gading, B.M.W.T. 2017. Kinerja Pertumbuhan Pedet Brahman Cross Lepas Sapih Yang Diberi High Quality Feed Supplementi. Tesis. Fakultas Peternakan, Universitas Gadjah Mada.

Yogyakarta

Gosey, J.A. 1991. Crossbreeding Systems and The Theory Behind Composite Breeds. Page 236. Range Beef Cattle Symposium. United state.

Gunawan, A dan Jakaria. 2010. Application of Linear Body Measurements for Predicting Weaning and Yearling Weight of Bali Cattle. Production. 12 (3):163-168.

Guntoro. S. 2002. Membudidayakan Sapi Bali. Kanisius, Yogyakarta.

Hartatik, T., T. S. M. Widi, Ismaya, D.T. Widayati and E. Baliarti. 2010. The exploration of genetic characteristics of Madura cattle. Pages 578-584. The 5th International Seminar on Tropical Animal Production, Yogyakarta, Indonesia.

Herring, A.D. 2014. Beef Cattle Production System. CABI. Boston, UK.

Hilmawan. F., H. Nuraini, R. Priyanto dan B.W. Putra. 2016. Pengukuran morfometrik sapi Peranakan Ongole dan kerbau jantan dengan metode citra digital. Jurnal Veteriner. 4(17).

Huxley, J. N. 2013. Impact of lameness and claw lesions in cows on health and production. Livest Sci. 156(1-3):64–70.

Ige, A.O., Adedeji, T.A., Ojedapo, L.O., Obafemi, S.O. and Ariyo, O.O. 2015. Linear Body Measurement Relationship in White Fulani Cattle in Derived Savannah zone of Nigeria. Journal of Biology, Agriculture and Healthcare. 15(5).

Johnson, Z.B., A.H Brown, and C. F Rosenkrans. 1996. Growth Patterns of Angus Cattle. The Professional Animal Scientist. 12(3): 181–186.

Knierim, U., N. Irgang, dan B.A. Roth. 2015. To be or not to be horned Consequences in cattle. Livestock Science.179:29-37.

Kocu, N., R. Priyanto, Salundik, dan Jakaria. Produktivitas Sapi Bali Betina dan Hasil Persilangannya dengan Limousin dan Simmental yang di Pelihara Berbasis Pakan Hijauan di Kabupaten Kerom Papua. Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan. 1(7):29-34.

Kurnianto, E. 2009. Pemuliaan Ternak. Graha Ilmu. Yogyakarta

Lawrence. T. L. J and V.R. Fowler. 2002. Growth of Farm Animal Second edition. © CAB International, New York.

Lukuyu, M. N., J. P. Gibson, D. B. Savage, A. J. Duncan, F. D. N. Mujibi² and A. M. Okeyo. 2016. Use of body linear measurements to estimate liveweight of crossbred dairy cattle in smallholder farms in Kenya. SpringerPlus. 5:63

Markert, B.A., A.M. Breure, and H.G. Zechmeister. 2003. Bioindicator and Biomonitor: principles, concept and applications. Pages 15-25 in Trace Metals

and other Contaminants in the Environment. Elsevier Science Ltd. Kidlington, UK.

- Mazzucco, J.P., Goszczynski, D.E., Ripoli, M.V., Melucci, L.M., Pardo, A.M., Colatto, E., Villarreal, E. L. (2016). Growth, carcass and meat quality traits in beef from Angus, Hereford and cross-breed grazing steers, and their association with SNPs in genes related to fat deposition metabolism. *Meat Sci.* 114:121–129.
- Miglani, G.S. 2006. *Developmental genetics*. I.K. International Pvt. Ltd, New Delhi.
- Mohamad, K., M. Oslon, H.T.A.V. Tol, S. Mikko, B.H. Vlamings, G. Andersson, H. Rodriguez-Martinez, B. Purwanta, R.W. Paling, B. Colenbrander and J.A. Lenstra. 2009. On The Origin Of Indonesian Cattle. *PLoS One.* 4(5).
- Mostari MP, M.Y.A. Khan, B.K. Roy, S.M.J. Hossain and K.S. Huque. 2017. Growth performance of yearling F1 progeny of different crossbred beef cattle. *Bang. J. Anim. Sci.* 2017. 46(2):82-87
- Musa, A.M., K.M. Elamin, S.A. Mohammed and H.O. Abdalla. 2011. Morphometric Traits As Indicators For Body Weight In Sudanese Kenana Cattle. *Online J. anim. Feed Res.* 5(1):218-222.
- Muslim, K. N., H. nugroho, dan T. Susilawati. 2013. Hubungan antara bobot badan induk dan bobot lahir pedet sapi *Brahman cross* pada jenis kelamin yang berbeda. *Jurnal Ilmu-Ilmu Peternakan.* 23(1):18-24.
- Ni'am, H.U.M., A. Purnomoadi dan S. Dartosukarno. 2012. Hubungan Antara Ukuran-Ukuran Tubuh Dengan Bobot Badan Sapi Bali Betina Pada Berbagai Kelompok Umur. *Anim. Agric. J.* 1(1):541-556.
- Oldenbroek, K. and Liesbeth. V. D. W. 2014. *Animal Breeding and Genetics for BSc students*. Centre for Genetic Resources The Netherlands and Animal Breeding and Genomics Centre. Groen Kennisnet.
- Olson, T.A. 1999. Genetics of colour variation. Pages 33-54 In *The genetics of cattle*. CABI Pub. Wallingford, UK
- Panjono. 2012. *Bangsa – Bangsa Sapi*. Citra Aji Parama, Yogyakarta.
- Park, H.B. 2004. *Genetic Analysis of quantitative Traits Using Domestic Animal*. Dissertation. Acta University Upsaliensis. Uppsala University, Sweden.
- Park, N. H., M.D. Bishop, and M.E. Davis. 1993. Divergent selection for postweaning feed conversion in Angus beef cattle: III. Linear body measurements of progeny. *J. Anim Sci.* 71(2):334–340.
- Pesonen, M., M. Honkavaara, and A. Huuskonen. 2012. Effect of breed on production, carcass traits and meat quality of Aberdeen Angus, Limousin

- and Aberdeen Angus×Limousin bulls offered a grass silage-grain-based diet. *J. Agric. Food Sci.* 21(4):361-369.
- Pribadi, L. W., S. M. Moch.Nasich, and S. Suyadi. 2014. Prepubertal growth rate of Bali cattle and its crosses with Simmental breed at lowland and highland environment. *IOSR-JAVS.* 12(7):52-59.
- Purwantara, B, Noor, R.R, Andersson G, and Rodriguez-Martinez, H. 2012. Banteng and Bali cattle in Indonesia: status and forecasts. [Reprod Domest Anim.](#) 47(1):2-6.
- Putra, B. W., A. M. Fuah, H. Nuraini dan R. Priyanto. 2016. Penerapan Teknik Citra Digital Sebagai Metode Pengukuran Morfometrik Ternak pada Sapi Bali dan Peranakan Ongole. *Jurnal Ilmu Pertanian Indonesia (JIPI).* 21(1): 63-68.
- Putra, T. D. 2019. Kemampuan Adaptasi Fisiologis Sapi Persilangan Bali-Angus Pada Lingkungan Tropis Di Kabupaten Bungo Provinsi Jambi. Tesis. Universitas Gadjah Mada. Yogyakarta
- Payne, W.J.A. and D.H.L. Rollinson. 1973. Bali cattle from World Animal Review. Food and Agriculture Organization of The United Nations. Via Delle Terme. Italy.
- Reinhardt C. D., M. L. Hands, T. T. Marston, J. W. Waggoner, and L. R. Corah. 2012. Relationships between feedlot health, average daily gain, and carcass traits of Angus steers. *The Professional Animal Scientist.* 28(1): 11–19.
- Rolf. 2017. Color Patterns in Crossbred Beef Cattle. Oklahoma Cooperative Extension Service, Oklahoma.
- Saharia. 2017. Pertumbuhan Sapihan Sapi Bali Jantan Dan Betina Yang Dipelihara Secara Intensif di Kabupaten Barru. Skripsi. Fakultas Peternakan. Universitas Hasanuddin, Makasar.
- Sampurna, I.P., I.K. Suatha. 2010. Pertumbuhan alometri dimensi panjang dan lingkaran tubuh sapi bali jantan. *Jurnal veteriner.* 14(1).
- Sanders, J.O., D.G. Riley, J. Paschal, and D.K. Lunt. 2005. Evaluation of the F1 Crosses of Five *Bos indicus* Breeds With Hereford for Birth, Growth, Carcass, Cattle Productivity, and Longevity Characteristics. *J. Anim. Sci.* 83:27-27.
- Sugeng, Y.B. 1992. Sapi Potong. Penebar Swadaya, Jakarta.
- Sulastris dan M.D.I. Hamdani. 2018. Dasar pemuliaan ternak. Anugrah utama Raha Raja. Bandar Lampung.
- Susanti. I., M.N. Ihsan, dan S. Wahyuningsih. 2015. Pengaruh Bangsa Pejantan Terhadap Pertumbuhan Pedet Hasil IB Di Wilayah Kecamatan Bantul Kabupaten Malang. *J. Ternak Tropika* 16(1):41-47.

- Suryanto, E., Bulkaini, Soeparno, dan I.W. Karda. 2017. Carcass Quality, Marbling, Meat Cholesterol And Non-Carcass Components Of Bali Cattle Fed With Fermented Cacao Shell. *Buletin Peternakan*. 41(1):72-78.
- Syarif, E.K. dan B. Harianto. 2011. *Buku pintar beternak dan bisnis sapi perah*. Agro Media Pustaka. Jakarta
- Taylor, R.E. 1984. *Beef production and beef industry: a beef produser's perspective*. Macmillan publishing company, Newyork.
- Thalib, C. 2002. Sapi Bali di daerah sumber bibit dan peluang pengembangannya. *Wartazoa*. (12).
- Tisman, R dan W.P.B. Putra. 2015. Relationship between body measurements and Body weight in Bali (*Bos javanicus*) and Bali cross (*Bos taurus* x *Bos javanicus*) bulls in Muaro Jambi Regency of Indonesia. *J. Appl. Anim. Sci*. 8(2): 33-42.
- Van Ornum, K.M, Bailey.C.M, Ringkob.T.P, and Koh. Y.O. 1987. Growth traits and composition of two and three-way-cross intact male progeny of *Bos taurus* and *Bos indicus* x *Bos taurus* dams. *J. Anim Sci*. 65(1):16-32
- Wadi. R. 2015. *Variasi Ukuran Tubuh dan Bobot Badan Sapi Bali Umur Sapih di Kota Mataram*. Fakultas Peternakan. Universitas Mataram. *Journal Fak. Peternakan Unram*.
- Wakchaure, R., S. Ganguly and P.K. Praveen. 2016. *Genotype X Environment Interaction in Animal Breeding: A Review in Biodiversity Conservation in Changing Climate*. Lenin Media Private Limited, Delhi, India.
- Widi, T.SM. 2015. *Mapping the impact of crossbreeding in smallholder cattle systems in Indonesia*. Thesis. Wageningen University.
- Wikipedia contributors. 2018. "Morphometrics," *Wikipedia, The Free Encyclopedia*, <https://en.wikipedia.org/w/index.php?title=Morphometrics&oldid=870960551>(Diakses pada tanggal 29 Januari 2019).
- Wilson, L.L., H.B. Roth, J.H. Ziegler, and J.D. Sink. 1977. Bovine Metacarpal and Metatarsal Dimensions: Sex Effects, Heritability Estimates and Relation to Growth and Carcass Characteristics. *J. Anim. Sci*. 44 : 932-938.
- Wiyatma, M. F., 2007. Perbandingan indek perdagangan sapi-sapi indonesia (sapi Bali, madura,PO) dengan sapi Australian Commercial Cross (ACC). *Jurnal Ilmu Ternak*. 1 (7): 22-25.
- Wythe L.D., J.F.A. Orts, and G.T. King. 1961. Bone-Muscle Relationships in Beef Carcasses. *J. Anim. Sci*. 20 (1).