

DAFTAR PUSTAKA

- Afrianti, R., Dedi, N., dan Dira, 2016, Pengujian Efektivitas Penyembuhan Luka Mencit Diabetes Melitus Yang Diberikan Sediaan Krim Ekstrak Etanol Daun Bandotan, *Scientia.*, 6 (1) 2087-5045.
- Alonso, F. C., Jornet, P. L., Torres, M. J. J., and Domingo, A. O., 2008, Analysis of the Histopathological Artifacts in Punch Biopsies of the Normal Oral Mucosa, *Med. Oral. Patol. Oral. Ci., Bucal.*, 13(10), 636–639.
- Aminah Syarifah, Tezar R, Muflihani Y. 2015. Kandungan Nutrisi Dan Sifat Fungsional Tanaman Kelor (*Moringa Oleifera*). *Buletin. Pertanian. Perkotaan.*, 5 (2), 35- 44
- Ananto, Farizky., Eko S.H., Nayla B.N., 2015, Gel daun kelor sebagai antibiotik alami pada pseudomonas aeruginosa secara in vivo Elevation (Kelor Leaves as Antibiotics for Pseudomonas): In Vivo Method To Determine Antibacterial Activity Of Moringa Leaves Gel As Natural Antibiotics Againsts Pseudomonas Aeruginasa, *Pharmacy.*, 12 (1) 1693- 3591.
- Anwar, F., Latif, S., Ashraf, M. and Gilani, A.H., 2007, Moringa oleifera: A Food Plant with Multiple Medicinal Uses, *Phytotherap. Research.*, 21, 17-25.
- Ashok, P.K. and Upadhyaya, K, 2012. Tannins are astringent, *J. Pharmacogn. Phytochem.*, 1, 45-50.
- Auwal, M.S., Tijani, A.N Sadiq, M.A. Saka, S. I.A. Mairiga, I. A Shuaibu, A., Adawaren, E. and Gulani, I.A., 2013, Antibacterial and haematological activity of Moringa oleifera aqueous seed extract in wistar albino rats. *Sokoto. Journal. Of. Veterinary. Science.*, 11 (1): 28-37.
- Arabshahi-D, S., Devi D.V., Urooj A., 2007. Evaluation of antioxidant activity of some plant extracts and their heat, pH and storage stability, *Food. Chem.*, 100: 1100-1105.
- Badr, G., Hozzein, W.N., Badr, B.M., Al Ghamdi, A., Saad Eldien, H.M. and Garraud, O., 2016, Bee Venom Accelerates Wound Healing in Diabetic Mice by Suppressing Activating Transcription Factor-3 (ATF-3) and Inducible Nitric Oxide Synthase (iNOS)-Mediated Oxidative Stress and Recruiting Bone Marrow-Derived Endothelial Progenitor Cells, *Journal of Cellular Physiology*, 231(10) : 2159-2171.

- Bamishaiye, E.I., Olayemi, F.F., Awagu, E.F., and Bamishaiye, O.M., 2011, Proximate and Phytochemical Composition of *Moringa Oleifera* Leaves at Three Stages of Maturation, *Advanced Journal of Food Science and Technology*, 3(4), 2011, 233-237.
- Barku, V. Y. A., Boye, A., Ayaba, S., and Barku, V. Y. A., 2013, Phytochemical Screening and Assessment of Wound Healing Activity of the Leaves of *Anogeissus Leiocarpus*, *European Journal Of Experimental Biology*, 3(4):18-25
- Biswas, A.K., Chatli, M. K., and Sahoo, J., 2012. Antioxidant potential of curry (*Murraya koenigii* L.) and Mint (*Mentha spicata*) Leaf extracts and their effect on colour and oxidative stability of raw ground pork meat during refrigeration storage, *J. Food. Chem.*, 133:467-472.
- Bobbie P., 2011, The Medicinal Qualities of *Moringa Oleifera*, *holist. Nurs. Prac.*, 25(2):80-87.
- Broughton, G., Janis, J., and Attinger, C., 2006, The Basic Science of Wound Healing. *Plast. Reconstr. Surg.*, 117.
- Chithra, P., Sajithlal, G., and Chandrakasan, G., 1998, Influence of Aloe vera on collagen characteristics in healing dermal wounds in rats. *Mol. Cell. Biochem.*, 181:71-76.
- Chunmark et al., 2008, The *In Vitro* and *Ex Vivo* Antioxidant Properties, Hypolipidaemic and Antiatherosclerotic Activities of Water Extract of *Moringa Oleifera* Lam. Leaves, *J. Ethnopharmacol.*, 116:439-446 .
- Dahiru, D., Onubiyi, J., and Umaru, H. 2006. Phytochemical screening and antiulcerogenic effect of *moringa oleifera* aqueous leaf extract. *Afr. J. Trad. CAM.*, 3(3), 70-75.
- Dillard, C. J., and German, J. B., 2000, Review Phytochemicals : Nutraceuticals and Human Health, *Journal Of The Science of Food and Agriculture*, 80(12):1744-1756.
- Djamaludin, A.M.. 2009. "Pemanfaatan Khitosan Dari Limbah Krustasea Untuk Penyembuhan Luka Pada Mencit". Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Bogor.
- Duarte, C. M. E., Quirino, M. R. S., Patrocínio, M. C., & Anbinder A.L. 2011. Effects of *Chamomilla recutita* (L.) on Oral Wound Healing in Rats. *Journal section: Oral Medicine and Pathology*. 6:716-21.
- Fahey, jed. W. 2005. *Moringa oleifera*: A Review of the Medical Evidence for Its Nutritional, Therapeutic, and Prophylactic Properties. Part 1. tree for life

journal 1 (5). <http://www.tfljournal.org/article.php/20051201124931586> .

- Febiati F. 2016. “uji efektifitas sediaan gel getah ajrak cina untuk pengobatan luka bakar pada tikus putih” . Fakultas Kedokteran dan ilmu kesehatan. Universitas islam negeri syarif hidayatullah. Jakarta.
- Flanagan. 2016. Physiology Of Wound Healing. *Journal Of Wound Care Magonlinelibrary*. 9(6):299-300
- Foidl N, Makkar HPS, Becker K., 2001, The Potential Use of *Moringa Oleifera* for Agriculture and Industrial Uses, *Managua*, Nicaragua.;1-20.
- Fukai, F., Suzuki, H., & Suzuki, K. 1991. Rat plasma fibronectin contains two distinct chemotactic domains for fibroblastic cells. *J. Biol. Chem*, 266:8807.
- Gonzalez, A., Andrade, Z., Costa, T., & Medrado, A., 2015, Wound Healing - A Literature Review, *An Bras Dermatol*, 91(5): 614-20.
- Gurtner, G.C., 2007, Wound Healing: Normal and Abnormal. In: Thorne C.H. (ed), *Grab and Smith’s Plastic Surgery*, 6th ed., Lippincott Williams and Wilkins, Philadelphia, pp. 15-22
- Hakkinen, L., Uitto, V., & Larjava, H. (2000). Cell Biology of Gingival Wound Healing. *Periodontology*, 127-152.
- Hanafiah, O. A., Hanafiah, D. S., Bayu, E. S., Abidin, T., Ilyas, S., Nainggolan, M., & Syamsudin, E, (n.d.), Quantity Differences of Secondary Metabolites (Saponins, Tannins, and Flavonoids) from Binahong Plant Extract (*Anredera Cordifolia* (Ten.) Steenis) Treated and Untreated with Colchicines that Play a Role in Wound Healing, *world journal of dentistry*, 8(4):296–299.
- Harborne, J.B,1987, *Metode Fitokimia, Penuntun cara Modern Menganalisis Tumbuhan*. Terbitan II.Penerbit ITB.Bandung.
- Hazrati, M., Mehrabani, D., Japoni A., Montasery, H, Azarpira N., Hamidian A.R., & Tanideh, N. 2010. Effect of Honey on Healing of *Speudomonas aureginosa* Infected Burn Wounds in Rat. *Journal of Applied Animal Research*, 37:2, 161-165.

- Hermawan, O., Satyantini, W. H., dan Prayogo, P., 2016, penambahan kitosan terhadap perubahan jumlah total hemosit dan daya tahan terhadap stres salinitas pada udang vaname (*Litopenaus Vannamei*). *J.A.F.H.*, 5(3): 100-105.
- Iswanto H., Kuswandari, S., dan Mahendra, P. K. W., 2016, Pengaruh Aplikasi Topikal Propolis 10% Terhadap Penyembuhan Luka Pasca Pencabutan Gigi dan Desidui Persistensi, *J. Ked. Gi.*, 7(2):80- 85.
- Iqbal S., and Bhanger M.I., 2006, Effect of Season and Production Location on Antioxidant Activity of *Moringa Oleifera* Leaves Grown in Pakistan, *J. J. F. C. A.*, 19: 544-551.
- Jasek, W., 2007, *Austria-codex*, Osterreichischer, Vienna, 983-985.
- Johnson N.R., Kazoullis, A., Bobinskas, A.M., Jones, L., Hutmacher, D.W., and Lynham, A., 2014, Bacterial comparison of preoperative rinsing and swabbing for oral surgery using 0.2% chlorhexidine. *J.I.C.D.*, 6(3) : 193-194.
- Jones, M.L., 2010, Mastering the Trichrome Stain, *Connection*, 79-84
- Krinke, G. J., 2000, *The Laboratory Rat*, CA : Academic Press, San Siego, 150-152.
- Kurniawan, H., 2010, Efek Daun Kelor (*Moringa Oliefera*) Dalam Mempercepat Penurunan Tanda Inflamasi Eritema Pada Luka Steril Pada Marmut (*Cavia Parcellus*), *The Indonesian Journal Of Health Science*, 1(1):24-30.
- Kumar V., Cotran, R.S., Robbins, S.L., 2013, *Buku ajar patologi*, EGC, Jakarta 1 (7): 189
- Lacey, R.W., and Catto, A., 1993, Action of Povidone Iodine Against Methicillin-Sensitive and – Resistant Cultures. *Postgrad. Med. J.*, 69(3):78-83.
- Miles, A.E.W., and Grigson, C., 2003, *Colyer's Variations and Diseases of the Teeth of Animals*, Cambridge University Press, Australia, hal. 135.
- Martelli, M.E., 2012, *Topical Medicine Application*, <http://health.yahoo.net/galecontent/topical-medicine-application>. 3/05/2014
- Mutsaers, S., Laurent, G., Bishop, J., and McGrouteher, G., 1997, Mechanisms of Tissue Repair: From Wound Healing to Fibrosis, *Int. J. Biochem. Cell Biol.*, Vol.29, 5-17.

- Musfiroh, I., and Budiman, A.N.H.I., 2018, The Optimization of sodium carboxymethyl Cellulose (NA-CMC) Synthesized from water Hyacinth with Mixed Solvent using Succinic Acid and Epichlorohydrin as Crosslinker. *Res. J. Chem. Environ.* 22(1) 47-53.
- Mustafida, R.Y., Munawir, Al., Dewi, R., ekstrak etanol buah mahkota dewa (*Phaleria macrocarpa* (Scheff.) Boerl.) pada Membran Korio Alantois (CAM) Embrio Ayam. *E-Jurnal Pustaka Kesehatan.* 2(1): 4 – 8.
- Nanci, A., 2003, *Ten Cate's Oral Histology Development, Structure, and Function*, Mosby Elsevier, Canada, 401-404.
- Oliver, R. J., Sloan, P., & Pemberton, M. N., 2004, Oral Biopsies: Methods and Applications, *British Dental Journal*, 196(6): 329–333
- Paikra, B. K., & Gidwani, B., 2017, Phytochemistry and Pharmacology of *Moringa Oleifera* Lam, *J. Pharmacopuncture*, 20(3): 194–200.
- Putra, I. W. D. P., Dharmayuda, A. A. G. O., Sudimartini, L.M., 2016, Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L) di Bali, *Indonesia Medicus Veterinus*, 5(5):464-473.
- Putri. 2016. Tesis “Pengaruh Ekstrak Daun Kelor (*Moringa oleifera*) Terhadap Kecepatan Angiogenesis Paska Ekstraksi Gigi Tikus Wistar”. Fakultas Kedokteran Gigi. Universitas Erlangga. Surabaya.
- Rahmawati I., 2015, Perbedaan efek perawatan luka menggunakan gerusan daun petai cina (*Leucaena glauca*, Benth) dan povidone iodine 10% dalam mempercepat penyembuhan luka bersih pada marmot, *jurnal wiyata*, 2(1):73-78.
- Rathi, B.S., Bondhankar, S.L., and Baheti, A.M., 2006, Evaluation Of Aqueous Leaves Extract Of *Moringa Oleifera* Linn For Wound Healing in Albino Rats. *Indian Journal Of Experimental Biology.* 44:898-901.
- Robson, M.C., Steed, D.L., and Franz, M.G., (2001), Wound Healing: Biologic Features and Approaches to Maximize Healing Trajectories, *Curr. Probl. Surg.*, 38(2):72-140.
- Sandhu, S.V., Gupta, S., Bansal, H., and Singla, K., 2012, Collagen in Health and Disease, *Journal of Orofacial Research*, 2(3):153-159.

- Serhang, C., and Chiang, N., 2004, Novel Endogenous Small Molecules as The Checkpoint Controls in Inflammation and Resolution Entree for Resolemics, *Rheum. Dis. Clin. North Am*, 30:69.
- Seoane, J., Varela-Centelles, P. I., Limeres-Posse, J., and Seoane-Romero, J. M., 2013, A punch Technique for Gingival Incisional Biopsy, *Laryngoscope*, 123(2), 398–400.
- Sihombing M., Tumniah S., 2011. Perubahan Nilai Hematologi, Biokimia Darah, Bobot Badan Tikus Putih pada Umur Berbeda. *Jurnal Veteriner*, 12(1): 58-64 .
- Smith, M.S., 1988, *Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis*. Edisi I . Jakarta : UI Press. Hal: 37- 39.
- Subowo, 2009, *Histologi umum*. Edisi II Bandung: Bumi Aksara.
- Tandelilin, R.T.C., Sofro, A.S.M., Santoso, A.S., Soesatyo, M.H.N.E., and Asmara, W., 2006, The Density of Collagen Fiber in Alveolus Mandibular Bone of Rabbit after Augmentation with Powder Demineralized Bone Matrix Post Incisivus Extraction, *Majalah Kedokteran Gigi*, 39(2):43-47.
- Victor, P., 2007. Atlas Histologi diFiore dengan Korelasi Fungsional. Edisi 11. Jakarta: EGC Penerbit Buku Kedokteran.
- Vijay, L., and Kumar, U. 2012. Effect of *Moringa Oleifera* Linn on Normal and Dexamethasone Suppressed Wound Healing, *Asian Pac. J. Trop. Biomed.* 5219-5223
- Velnar, T., Bailey, T., & Smrkolj, V., (2009), The Wound Healing Process: An Overview of The Cellular and Molecular Mechanisms, *The Journal of International Medical Research*, 37: 1528-1542.
- Wchankit, S., Sasithanasate, S., Sangvanich, W., & Thunyakipisal, P., (2009), Acemannan Stimulates Gingival Fibroblast Proliferation; Expressions of Keratinocyte Growth Factor-1, Vascular Endothelial Growth Factor, and Tye 1 Collagen; and Wound Healing, *Journal of Pharmacological Science Society*, 09:525-531.
- Yuhernita, 2014, Pengaruh Pemberian Gel Dari Ekstrak Metanol Daun Jarak Tintir (*Jatropha multifida* Linn.) Terhadap Kepadatan Serabut Kolagen dan Jumlah Angiogenesis dalam Proses Penyembuhan Luka. Prosiding Seminar Nasional dan Workshop “Perkembangan Terkini Sains Farmasi dan Klinik IV”. Fakultas Kedokteran Universitas YARSI. Jakarta.

- Zhang, Q., Su, W., Shi, S., Smith, P., Xiang, A., Wong, A., Kwon, C., 2010, Human Gingiva-Derived Mesenchymal Stem Cell Elicit Polarization of M2 Macrophages and Enhance Cutaneous Wound Healing. *Stem Cells Express*, 28:1856-1868.
- Zulfa. 2008. Perbandingan Penyembuhan Luka Terbuka Menggunakan Balutan Madu Atau Balutan Normal Salin Povidone Iodine. *Jurnal Keperawatan Indonesia*, 12(1) 34- 39.