

## DAFTAR PUSTAKA

- Abdullah, B., Muhammad, S.A.F.A.S., and Mahmood, N.A.N., 2017, Production of Biofuel via Hydrogenation of Lignin from Biomass, *New Adv. Hydrog. Process. Fundam. Appl.* 289–305.
- Abouloula, N.C., Rizwan, M., Selvanathan, V., Abdullah, C.I., Hassan, A., Yahya, R., and Oueriagli, A., 2018, A novel application for oil palm empty fruit bunch: extraction and modification of cellulose for solid polymer electrolyte, *Ionics (Kiel)*, 1–10.
- Alloreung, dan David, 2010, *Budidaya Kelapa Sawit*, Aska Media, Bogor.
- Aulia, F., Marpongahtun, dan Gea, S., 2013, Studi Penyediaan Nanokristal Selulosa Dari Tandan kosong sawit (TKS), *J. Sainia Kim.* ,1, 1–5.
- Batancut, T. dan Darmanto, W., 2014, Sifat Korosif Surfaktan MES (Metil Ester Sulfonat) dari Minyak Sawit dalam Pemilihan Bahan Surface Facilities untuk Aplikasi EOR (Enhanced Oil Recovery), *J. Agroindustrial Technol.* ,24, 105–113.
- Bera, A., Ojha, K., and Kumar, T., 2011, Interfacial Tension and Phase Behavior of Surfactant-Brine-Oil System, *Colloid Surf. A.*, 383,114-119.
- Börjesson, M and Westman G., 2015, Crystalline nanocellulose—preparation, modification, and properties : Cellulose-fundamental aspects and current trends, *Intech Open*, 159-191.
- BPMIGAS, 2009, Spesifikasi Teknis Surfaktan untuk Aplikasi EOR, BPMIGAS, Jakarta.
- Danarti, S.F., 2017, Sintesis dan Karakterisasi Butil Lignosulfonat dan Selulosa Sulfat dari Limbah Batang Tembakau Sebagai Surfaktan untuk Bahan Injeksi Kimia pada Proses *Enhanced Oil Recovery* (EOR), *skripsi*, Program Studi Kimia, Universitas Gadjah Mada.
- del Río, J.C., Lino, A.G., Colodette, J.L., Lima, C.F., Gutiérrez, A., Martínez, Á.T., Lu, F., Ralph, J., and Rencoret, J., 2015, Differences in the chemical structure of the lignins from sugarcane bagasse and straw, *Biomass Bioenerg.*, 81, 322–338.
- Doherty, W.O.S., Mousavioun, P., and Fellows, C.M., 2011, Value-adding to cellulosic ethanol : Lignin polymers, *Ind. Crop. Prod.*, 33, 259–276.
- Eni, H., Suwartiningsi dan Sugihardjo, 2007, Studi Penentuan Fluida Injeksi Kimia, *Prosiding Simposium Nasional IATMI*, 25-28 Juli, Yogyakarta.
- Fadila, F., 2018, Synthesis of Octyl Lignosulfonic Acid and Cellulose Sulfate Surfactant From Sawdust For Enhanced Oil Recovery Application, ,

*Undergraduate Thesis*, Departemen Kimia FMIPA, Universitas Gadjah Mada.

- Fatwa, N.D., 2011, Pembuatan Sodium Lignosulfonat (SLS) dari Isolat Lignin Tandan Kosong Kelapa Sawit (TKKS) dengan katalis NaOH pada Proses Sulfonasi, *Tesis*, Teknik Kimia Fakultas Teknik UGM, Yogyakarta.
- Fiona, P.R., Eva, L.M., dan Yusuf, M.T., 2012, Pembuatan Surfaktan Natrium Lignosulfonat dari Tandan Kosong Kelapa Sawit dengan Sulfonasi Langsung, *J. Tek. Kim.*, 1(18),41-46.
- Fitriyatus, A., Fauzi, A., dan Juanda, B., 2017, Peramalan Penyediaan dan Konsumsi Bahan Bakar Minyak Indonesia dengan Model Sistem Dinamik Prediction of Fuel Supply and Consumption in Indonesia with System Dynamics, *Model Pendahuluan*, 17, 118–137.
- George, A.S., Jack, H.P., and Kenneth, R., 1992, Enhanced Oil Recovery Using Alkylated, Sulfonated, Oxidized Lignin Surfactants, *United States Patent*, 5094295, New York.
- Gullichsen J., 2000, *Chemical Pulping*, TAPPI Press, USA.
- Hafraoui, Samira Elazzouzi Nishiyama, Y., Putaux, J.-L., Heux, L., Dubreuil, F., and Rochas, C., 2008, The Shape and Size Distribution of Crystalline Nanoparticles Prepared by Acid Hydrolysis of Native Cellulose, *Biomacromolecules*, 57–65.
- Harkin, J.M., 1969. Lignin and its uses. <http://www.fpl.fs.fed.us/documnts/fplrn/fplr0206.pdf>, Diakses pada November 2018.
- Harmaja, S., Andi, N., dan Netti, H., 2012, Studi Isolasi dan Rendemen Lignin dari Tandan Kosong Kelapa Sawit (TKKS), *J. Tek. Kim.*, USU, 1(1), 20-24.
- Harmsen, P.F.H., Hujigen, W.J.J., Lopez, L.M.B., and Bakker, R.R.C., 2010, Literature Review of Physical and Chemical Pretreatment Processes for Lignocellulosic Biomass, *Food & Biobased Research*, 10(13), 1-49.
- Hendaryati, D.D. dan Arianto, Y., 2016, Statistik Perkebunan Indonesia Komoditas Kelapa Sawit 2015-2017, Direktorat Jendral Perkebunan, Jakarta.
- Hermawan, F., 2016, Sintesis Etoksi Lignosulfonat dari Limbah Batang Tembakau Sebagai Surfaktan, *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada.
- Indarti, S., 2014, Outlook Komoditi Kelapa Sawit, Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal - Kementerian Pertanian, Jakarta.
- Kepka, C., Penhoat, M., Barbrym D., and Rolando, C., 2009, Alkylation of Substituted Phenols in DMF by MeI using TMGN (bis-1,1,8,8-

(tetramethylguanidino)naphthalene) a Proton Sponge as Base : A Kinetic Study by NMR Spectroscopy, *Proceeding of 13th International Electronic Conference on Synthetic Organic Chemistry*, Paris.

- Khalid, M., Ratnam, C.T., Chuah, T.G., Ali, S., and Choong, T.S.Y., 2008, Comparative study of polypropylene composites reinforced with oil palm empty fruit bunch fiber and oil palm derived cellulose, *Mater. Des.*, 29, 173–178.
- Lee, H.V., Hamid, S.B.A., and Zain, S.K., 2014, Conversion of Lignocellulosic Biomass to Nanocellulose: Structure and Chemical Proses, *Sci. World. J.*, Hindawi Publishing Corporation, 1-21
- Maharani, I.T., 2017, Sintesis dan Uji Kinerja Asam Butil Lignosulfonat dan Selulosa Sulfat dari Tandan Kosong Kelapa Sawit Sebagai Surfaktan untuk Bahan Enhanced Oil Recovery (EOR), *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada.
- McMurry, J., 2008, *Organic Chemistry*, 7th Ed, Thomson Brooks Cole, New York.
- Molnes, S.N., Mamonov, A., Paso, K.G., Strand, S., and Syverud, K., 2018, Investigation of a new application for cellulose nanocrystals: a study of the enhanced oil recovery potential by use of a green additive, *Cellulose*, 25, 2289–2301.
- Moon, R.J., Martini, A., Nairn, J., Youngblood, J., Martini, A., and Nairn, J., 2011, Cellulose nanomaterials review : structure , properties and nanocomposites, *Chem. Soc. Rev.*, 40, 3941–3994.
- Nazir, M.S., Wahjoedi, B.A., Yussof, A.W., and Abdullah, M.A., 2013, Eco-Friendly Extraction and Characterization of Cellulose from Oil Palm Empty Fruit Bunches, *Bioresourc.*, 8, 2161–2172.
- Neetu, B.P.K., Gupta., and Naithani, S., 2008, Preparation of Cellulose Sulfate from Lantana Camara by Direct Esterification Method, *J. Appl. Polym. Sci.*, 108, 2895-2901
- Nopianto, E., 2011, Uji Kerja Surfaktan MES (Metil Ester Sulfonat) dari Stearin Sawit Untuk Enhanced Water Flooding, *Skripsi*, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Oktavian, R., 2011, Kajian Kinerja Surfaktan Alkil Poliglikosida (APG) untuk Aplikasi Enhanced Water Flooding, *Skripsi*, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Palamae, S., Dechatiwongse, P., Choorit, W., Chisti, Y., and Prasertsan, P., 2017, Cellulose and hemicellulose recovery from oil palm empty fruit bunch (EFB) fibers and production of sugars from the fibers, *Carbohydr. Polym.*, 155, 491–497.

- Palonen, H., 2004, *Role of lignin in the enzymatic hydrolysis of lignocellulose VTT Biotechnology*, Helsinki University of Technology, Finland
- Rifat, M., 2016, Sintesis Asam Etoksi Lignosulfonat Sebagai Surfaktan dari Limbah Tandan Kosong Kelapa Sawit, *Skripsi*, Departemen Kimia FMIPA, Universitas Gadjah Mada.
- Robles, E., Fernández-Rodríguez, J., Barbosa, A.M., Gordobil, O., Carreño, N.L.V., and Labidi, J., 2018, Production of cellulose nanoparticles from blue agave waste treated with environmentally friendly processes, *Carbohydr. Polym.*, 183, 294–302.
- Robles, J.D., Sanchez, R., Espinosa, E., Savy, D., Mazzei, P., Piccolo, A., and Rodriguez, A., 2017, Isolation and Characterization of *Gramineae* and *Fabaceae* Soda Lignins, *Int. J. Mol. Sci.*, 18 (327), 1-17.
- Sa'adah, A.F., Fauzi, A., dan Juanda, B., 2018, Peramalan Penyediaan dan Konsumsi Bahan Bakar Minyak Indonesia dengan Model Sistem Dinamik Prediction of Fuel Supply and Consumption in Indonesia with System Dynamics, *J. Ekon. dan Pembang. Indones.*, 17, 118–137.
- Sandersen, S.B., 2012, Enhanced Oil Recovery with Surfactant Flooding, Thesis, Department of Chemical and Biochemical Engineering Technical University of Denmark, Kongens Lyngby.
- Savy, D., Mazzei, P., Roque, R., Nuzzo, A., Bowra, S., and Santos, R., 2015, Structural recognition of lignin isolated from bioenergy crops by subcritical water: Ethanol extraction, *Fuel Process. Technol.*, 138, 637– 644.
- Sheng, J.J., Leonhardt, B., and Gmbh, W.H., 2015, Status of Polymer-Flooding Technology, *J. Can. Pet. Technol.*, 116–126.
- Smook, G.A., 1992, *Handbook for Pulp and Paper Technologist*, 2th Edition, Angus Wilde publication, Vancouver
- Sun, J.X., Sun, X.F., Zhao, H., and Sun, R.C., 2004, Isolation and characterization of cellulose from sugarcane bagasse, *J. Agric. Food Chem.*, 84, 331–339.
- Viera, R.G.P., 2007, Synthesis and Characterization of Methylcellulose from Sugar Cane Baggase Cellulose, *Carbohydr. Polym.*, 67, 182-189.
- Wang, A., Liu, J., and Wang, Q., 2007, Synthesis and Characterization of chitosangpolyacrylic acid/sodium Humate Superabsorbent, *Carbohydr. Polym.*, 70, 166-173
- Wibowo, E.B., Buntoro, A. dan Natsir M., 2007, Upaya Peningkatan Perolehan Minyak Menggunakan Metode Chemical Flooding Di Lapangan Limau, *Proceeding Simposium Nasional IATMI 25*, 28 Juli 2007, UPN “Veteran” Yogyakarta.



Yao, S.J., 2000, An Improved Process For The Preparation Of Sodium Cellulose Sulfate, *Chem. Eng. J.*, 78 (2-3), 199 – 204.