

## DAFTAR PUSTAKA

- Abu-Zied, R.H. 2012. Effect of the Red Sea brine-filled deeps (Shaban and Kebrit) on the composition and abundance of benthic and planktonic foraminifera. *Arab J. Geodesi* : 1-18.
- Aksu, A.E., R.N. Hiscott, M.A. Kaminski, P.J. Mudie, H. Gillespie, T. Abrajano, and D. Yaşar. 2002. Last glacial – Holocene paleoceanography of the Black Sea and Marmara Sea : stable isotopic, foraminiferal and coccolith evidence. *Marine Geology* 190 : 119-149.
- Alve, E. 1991. Foraminifera, climatic change and pollution: a study of a late Holocene sediments in Drammensfyord, SE Norway. *The Holocene*, 1 (3): 243-261.
- Armstrong, H. and M. Brasier. 2005. *Microfossils 2<sup>nd</sup> Edition*. Blackwell Publishing. Malden. pp: 143, 145.
- Badan Informasi Geospasial (BIG). 2015. *Peta Indonesia*. Diakses di : <http://www.big.go.id/download/>
- Baohua, L., J. Zhimin, and W. Pinxian. 1997. *Pulleniatina obliquiloculata* as a paleoceanographic indicator in the southern Okinawa trough during the last 20.000 years. *Marine Micropaleontology* 32:59-69.
- Bè, A.W.H. and W.H. Hamlin. 1962. Ecology of recent planktonic foraminifera. *Micropaleontology* 13(1):87-106.
- Benhard, J.M. and B.K. Sen Gupta. 1999. Foraminifera of oxygen-depleted environments. *Modern Foraminifera* 1 : 201-216.
- Bijma, J. and C. Hemleben. 1994. Population dynamics of the planktic foraminifer *Globigerinoides sacculifer* (Brady) from the central Red Sea. *Deep-Sea Research I* 41(3):485-510.
- Bolli, H.M., J.B. Saunders and K. Perch-Nelson. 1985. *Plankton Stratigraphy*. Cambridge University Press. Cambridge. pp: 184, 203, 219, 227, 228, 232, 243, 252, 253.
- Boltovskoy, E. and R. Wright. 1976. *Recent Foraminifera*. Dr. W. June, B. V. Publisher. p: 515.
- Bonfardeci, A., A. Caruso, A. Bartolini, F. Bassinot, M. Blanc-Valleron. 2018. Distribution and ecology of *Globigerinoides ruber* – *Globigerinoides elongatus* morphotypes in the Azores region during the late Pleistocene – Holocene. *Paleogeography, Paleoclimatology, Paleoecology* 491 : 92-111.
- Boudagher-Fadel, M.K. 2015. *Biostratigraphic and Geological Significance of Planktonic Foraminifera*. UCL Press. UK. Pp: 1-29.

- Buzas, M. A. Dan T.G. Gibson. 1969. Species diversity: benthonic foraminifera in Western North Atlantic. *Science* 163(3862) : 72–75.
- Cushman, J.A. 1948. *Foraminifera : Their Classification and Economic Use*, 4th Ed. Harvard University Press. Cambridge.
- Clark, P.U., A.S. Dyke, J.D. Shakun, A.E. Carlson, J. Clark, B. Wohlfarth, J.X. Mitrovica, S.W. Hostetler, A.M. McCabe. 2009. The Last Glacial Maximum. *SCIENCE* 325 : 710-714.
- Corliss, B. H. and C. Chen. 1988. Morphotype patterns of Norwegian Sea deep-sea benthic foraminifera and ecological implications. *Geology* 16(8) : 716 – 719.
- De Deckker, P., N.J. Tapper, and S. van der Kaars. 2002. The status of the Indo-Pacific Warm Pool and adjacent land at the Last Glacial Maximum. *Global and Planetary Change* 35: 25-35.
- Ding, X., F. Bassinot, F. Guichard, Q.Y. Li, N.Q. Fang, L. Labeyrie, R.C. Xin, M.K. Adisaputra, and K. Hardjawidjaksana. 2006. Distribution and ecology of planktonic foraminifera from the seas around the Indonesian Archipelago. *Marine Micropaleontology* 58 : 114-134.
- Ding, X., F. Bassinot, F. Guichard, and N.Q. Fang. 2013. Indonesian throughflow and monsoon activity records in the Timor Sea Since the last glacial maximum. *Marine Micropaleontology* 101 : 115-126.
- Encyclopedia of Life. 2019. Diakses di : <https://www.eol.org>
- Fachrudy, M.A., R. Munir, dan I. Mandang. 2005. Analisis spasial pergerakan massa air di Laut Halmahera dan Laut Banda menggunakan metode *empirical orthogonal function* (EOF). *Seminar Nasional dan Workshop Geofisika FMIPA Universitas Mulawarman* : 1-9.
- Frerichs, W. E. 1970. Distribution and ecology of benthonic foraminifera in the sediments of the Andaman Sea. *Foraminiferal Res. Contrib.* 21(4): 123-147.
- Funnel, B.M. and W.R. Riedel (ed). 1971. *The Micropaleontology of Oceans*. Cambridge University Press. Cambridge. p : 132.
- Gordon, A.L. 2005. Oceanography of the Indonesian seas and their troughflow. *Oceanography* 18(4) : 14-27.
- Gustiantini, L., K.A. Maryunani, R. Zuraida, C. Kissel, F. Bassinot, dan Y. Zaim. 2015. Distribusi foraminifera di Laut Halmahera dari glasial akhir sampai resen. *Jurnal Geologi Kelautan* 13(1) : 25-36.
- Gustiantini, L. 2018. Paleoclimate reconstructions by multiproxy approaches in the Halmahera Sea since the Late Pleistocene – Holocene (Disertation). ITB. Bandung.
- Hallock, P. and A.R. Larsen. 1979. Coiling direction in *Amphistegina*. *Marine Micropaleontology* 4 : 33—44.

- Hallock, P., B.H. Lidz, E.M. Cockey-Burkhard and K.B. Donnelly. 2003. Foraminifera as bioindicator in coral reef assessment and monitoring : the FORAM index. *Environmental Monitoring and Assessment* 81:221-238.
- Hammer, Ø., Harper, D.A.T., and P. D. Ryan (2001): PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica* 4 (1): 9.
- Hasanudin, M. 1998. Arus lintas indonesia (ARLINDO). *Oseana* 23(2) : 1 – 9.
- Hasemann, M. 2019. *Foraminifera.eu Project*. Diakses di : <http://www.foraminifera.eu>
- Haq, B.U. and A. Boersma (ed). 1978. *Introduction to Marine Micropaleontology*. Elsevier Science Publishing Co. Inc. New York. p : 1.
- Haq, B.U. and A. Boersma (ed). 1983. *Introduction to Marine Micropaleontology*. Elsevier Biomedical. New York. pp: 19-78.
- Hayward, W.B. 2004. Foraminifera-based estimates of paleobathymetry using modern analogue technique, and the subsidence history of the early Miocene Waitemata Basin. *New Zealand Journal of Geology & Geophysics* 47 : 749-767.
- Herho, S.H.S. 2017. *Paleoklimatologi untuk Pemula*. Perkumpulan Studi Ilmu Kemasyarakatan ITB. Bandung. p : 19, 41.
- Holbourn, A.E. and A.S. Henderson. 2002. Re-Illustration and Revised Taxonomy for Selected Deep-Sea Benthic Foraminifers. *Paleontologica Electronica*. pp: 70, 152, 184, 196, 278, 384, 390, 602.
- Jones, D.K. 1969. *Introduction to Microfossils*. Hefner Publishing Company. New York. p : 406.
- Jones, R.W. 2014. *Foraminifera and Their Applications*. Cambridge University Press. Cambridge. pp : 20.
- Jurnaliah, L., Winantris, dan L. Fauzielly. 2017. Metode kuantitatif foraminifera kecil dalam penentuan lingkungan. *Bulletin of Scientific Contribution* 15(3) : 211-216.
- Kuhnt, W., A.Holbourn, R. Hall, M. Zuvela, and R. Käse. 2004. Neogene history of the Indonesian throughflow. *Continent-Ocean Interactions within East Asian Marginal Seas. Geophysical Monograph* 149 : 299-320.
- Kitazato, H. and S. Matsushita. 1996. Laboratory observations of sexual and asexual reproduction of *Trochammina hadai* Uchio. *Trans. Proc. Paleont. Soc. Japan, N.S.* 182: 454-466.
- Krebs, C.J. 1989. *Ecological Methodology*. Harper & Row Inc. Publisher. New York. p : 579.

- Kucera, M. 2007. Planktonic Foraminifera as Tracers of Past Oceanic Environments, in *Development in Marine Geology* vol.1. Elsevier. Amsterdam. pp : 213-262.
- Linsley, B.K. 1990. The record of deglaciation in the Sulu Sea : evidence for the younger dryas event in the tropical western pacific. *Paleoceanography* 5(6):1.025-1.039.
- Lisiecki, L. E. and M.E. Raymo. 2004. Pliocene-Pleistocene stack of 57 globally distributed benthic  $\delta^{18}\text{O}$  records. *Paleoceanography* 20 : 1 – 17.
- Loeblich, A.R. and H. Tappan. 1988. *Foraminiferal Genera and Their Classification*. Van Nostrand Reinhold. New York. pp: 21, 88, 114, 124, 137, 140, 167, 176, 196, 203, 206, 211, 216, 218, 220, 228, 235, 270.
- Loeblich, A.R. and H. Tappan. 1994. *Foraminiferal of the Sahul Shelf and Timor Sea*. Cushman Foundation for Foraminiferal Research.Inc. USA. pp: 154.
- Ludwig, J.A. and J.F. Reynolds. 1988. *Statistical Ecology : A Primer Methods and Computing*. John Wiley dan Sons. New York. p : 337.
- Metcalf, I., J.M.B. Smith, M. Morwood, and I. Davidson (ed). 2001. *Faunal and Floral Migration and Evolution in SE Asia-Australia*. A.A. Balkema Publisher. Lisse. Pp: 227-236.
- Mohtadi, M., D.W. Oppo, S. Steinke, J.W. Stuut, R.D. Pol-Holz, D. Hebbeln and A. Lückge. 2011. Glacial to Holocene swings of the Australian–Indonesian monsoon. *Nature Geoscience* 4 : 540-544.
- Moore, R.C., C.G. Lalicker and A.G. Fischer. 1952. *Invertebrate Fossil*. McGraw-Hill Book Company, Inc. New York. pp: 40, 42.
- Mulyadi, H.A. 2015. Respon foraminifera bentik terhadap pencemaran pesisir. *Lonawarta* 21(1) : 19-26.
- Murray, J. W. 1976. A method of determining proximity of marginal seas to an ocean. *M. Geol.* 22 : 103-119.
- Murray, J.W. 2006. *Ecology and Applications of Benthic Foraminifera*. Cambridge University Press. Cambridge. pp : 37-41, 240.
- Naik, S.S. 2016. A comparison of Mg/Ca ratios in *Globigerinoides ruber* (white) : *sensu stricto* versus a mixture genotypes. *Journal Geological Society of India* 87 : 323-326.
- Natsir, S.M. dan K.T. Dewi. 2015. Foraminifera bentik terkait dengan kondisi lingkungan perairan sekitar Pulau d\Damara, Kepulauan Seribu. *Jurnal Geologi Kelautan* 13(3) : 165-172.
- Nybakken, J.W. dan M.D. Bertness. 2005. *Marine Biology : an Ecological Approach 6<sup>th</sup> edition*. Benjamin Cummings. San Fransisco. pp:19,50,364, 366.

- Patterson, R.T. and E. Fishbein. 1989. Re-examination of the statistical methods used to determine the number of point counts needed for micropaleontological quantitative research. *J. Paleont* 63(2) : 245-248.
- Phleger, F.B. 1951. Foraminifera distribution. *The Geological Society of America Memoir 46*. Marine Foraminifera Laboratory. Woods Hole Oceanographic Institution.
- Postuma, J.A. 1971. *Manual of Planltonik Foraminifera*. Elsevier Publiding Co. London. pp: 229, 301, 303, 335, 375, 389.
- Rahardjo, W., 1982. *Mikropaleontologi: Diktat Kuliah*. Lab. Mikropaleontologi. Jurusan Teknik Geologi FT-UGM. p : 86.
- Rositasari, R. 2005. Keluarga foraminifera bercangkang pasiran sebagai kelompok oportunis. *Oceana* 30 (3) : 9-19.
- Rositasari, R. 2006. Komposisi jenis foraminifera dan kemunculan cangkang abnormal pada *Ammonia beccarii* di Teluk Jakarta sebagai indikator lingkungan tercemar. *Ilmu Kelautan* 11(2):87-94.
- Rositasari, R. dan Y. Witasari. 2011. Kajian paleoklimat berdasarkan karakteristik mineral dan foraminifera di Pesisir Cirebon, Jawa Barat. *Oseanologi dan Limnologi di Indonesia* 37(1) : 19 – 28.
- Saverin, K.P. 1983. Test morphology of benthic foraminifera as a discriminator of biofasies. *Marine Micropalentology* 8 : 65-76.
- Scott, D.B., F.S. Medioti and C.T. Schafer. 2001. *Monitoring in Coastal Environments Using Foraminifera and Thecamoebian Indicators*. Cambridge University Press. Cambridge. pp: 3, 4, 54.
- Seears, H.A., K.F. Darling, and C.M. Wade. 2012. Ecological partitioning and diversity in tropical planktonic foraminifera. *BMC Evolutionary Biology* : 12-54.
- Sen Gupta, B.K (ed). 2003. *Modern Foraminifera*. Kluwer Academic Publisher. New York. p : 13.
- Sholihah, G.A., R. Zuraida dan B. Marhaeni. 2017. Analisis fosil foraminifera pada sedimen laut di Selat Makasar. *Jurnal Kelautan Nasional* 12(2):83-89.
- Sidiq, A., S. Hadisusanto, dan K.T. Dewi. 2016. Foraminifera bentonik kaitanya dengan kualitas perairan di wilayah barat daya Pulau Morotai, Maluku Utara. *Jurnal Geologi Kelautan* 14(1) : 13-22.
- Sijinkumar, A.V., B.N. Nath, G. Possnert, and A. Aldahan. 2011. *Pulleniatina* minimum events in the Andaman Sea (NE Indian Ocean): Implications for winter monsoon and thermocline changes. *Marine Micropaleontology* 81 : 88-94.
- Smith, T.M. and R.L. Smith. 2012. *Elements of Ecology 8<sup>th</sup> edition*. Pearson Benjamin Cummings. USA. p : 2.

- Soetoto. 2013. *Geologi Dasar*. Ombak. Yogyakarta. p: 53.
- Speight, M. and P. Henderson. 2010. *Marine Ecology Concepts and Applications*. John Wiley & Sons Ltd. West Sussex. p : 1.
- Todd, R. 1994. *Planktonic Foraminifera from Deep-Sea Cores off Eniwetok Atoll*. United States Government Printing Office. Washington. p : 1093.
- Tozuka, T., T. Qu and T. Yamagata. 2007. Dramatic impact of the South China Sea on the Indonesia Troughflow. *Geophysical Research Letters* 36 : 1-5.
- Valchev, B. 2003. On the potential of small benthic foraminifera as paleoecological indicators: recent advances. *Annual University of Mining and Geology "St. Ivan Rilski"* 46 (1) : 189-194.
- Valentina, B., R. Zuraida, and B. Marheni. 2018. Foraminifera spatial analysis as bioindicator in Java Sea to Flores Sea. *IOP Conf. Series : Earth and Environmental Science* 176 : 1-7.
- Van Marle, L.J., J.E. van Hinte, and A.J. Nederbragt. 1987. Plankton percentage of the foraminiferal fauna in seafloor samples from the Australian-Irian Jaya continental margin, Eastern Indonesia. *Marine Geology* 77: 151-156.
- van Marle, L.J. 1988. Bathymetric distribution of benthic foraminifera on the Australian-Irian Jaya continental margin, Eastern Indonesia. *Marine Micropaleontology* 13 : 97-152.
- WoRMS Editorial Board. 2019. *World Register of Marine Species*. Diakses di : <http://www.marinespecies.org> at VLIZ
- Wyrtki, K. 1961. *Physical Oceanography of the Southeast Asian Waters in Naga Report 2*. Scripps Inst. Of Oceanography.
- Xu, J., W. Kuhnt, A. Holbourn, M. Regenberg, and N. Andersen.. 2010. Indo-Pacific Warm Pool variability during the Holocene and Last Glacial Maximum. *Paleoceanography* 25 : 1-16.
- Zuraida, R., R.A. Troa, M. Hendrizan, E. Triarso, L. Gustiantini, N. Nurdin, W.S. Hantoro, dan S. Liu. 2015. Penentuan siklus glasial-interglasial terakhir pada sedimen dasar laut Kawasan Lepas Pantai Pelabuhanratu. *J. Segara* 11(2):93-101.