



DAFTAR PUSTAKA

- Abbas, M., Rao, B.P., Reddy, V., and Kim, C., 2014, Fe₃O₄/TiO₂ Core/shell Nanocubes: Single-batch Surfactantless Synthesis, Characterization and Efficient Catalysts for Methylene Blue Degradation, *Ceram. Int.*, 40, 11177–11186.
- Ahn, T., Kim, J. H., Yang, H. M., Lee, J. W., and Kim, J. D., 2012. Formation Pathways of Magnetite Nanoparticles by Coprecipitation Method. *J. Phys. Chem. C*, 116, 6069–6076.
- Aliramaji, S., Zamanian, A., and Sohrabijan, Z., 2015, Characterization and Synthesis of Magnetite Nanoparticles by Innovative Sonochemical Method, *Procedia Materials Science*, 11, 265 – 269.
- Asahi, R., Morikawa, T., Ohwaki, T., Aoki, K., and Taga, Y., 2001, Visible-Light Photocatalysis in Nitrogen-Doped Titanium Oxides, *Science*, 293, 269–271.
- Banisharif, A., Elahi, S.H., Firooz, A.A., Khodadadi1, A.A., dan Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9 (4), 193-202.
- Chen, X., Sun, H., Zhang, J., Guo, and Y., Kuo, D., 2019, Cationic S-Doped TiO₂/SiO₂ Visible-Light Photocatalyst Synthesized by Co-Hydrolysis Method and Its Application for Organic Degradation, *J. Mol. Liq.*, 273, 50-57.
- Devi, L. G., and Kavitha, R., 2014, Enhanced photocatalytic activity of sulfur doped TiO₂ for the decomposition of phenol: A new insight into the bulk and surface modification, *Mat. Chem. Phys.*, 143, 1300-1308.
- Detle, C., Perez-Osorio, M. A., Kley, C. S., Punke, P., Patrick, C. E., Jacobson P., Giustino F., Jung, S. J., Kern, K., 2014, TiO₂ with a Bandgap in The Visible Region, *Nano Lett.*, 14, 6533–6538.
- Ficai, D., Andronescu, E., Ficai, A., Voicu, G., Vasile, B., Ionita, V., and Guran, C., 2012, Synthesis and Characterization of Mesoporous Magnetite Based Nanoparticles. *Curr. Nanosci.*, 8, 875-879.
- Hamdaoui, O., dan Chiha, M., 2006, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran. *Acta Chim. Slov.* 54, 407-418.
- Han, C., Pelaez, M., Likodimos, V., Kontos, A.G., Falaras, P., O’Shea, K., and Dionysiou, D.D., 2011, Innovative Visible Light-Activated Sulfur Doped TiO₂ Films for Water Treatment, *Appl. Catal. B Environ.*, 107, 77–87.
- Henderson, M. A., 2011, A Surface Science Perspective on TiO₂ Photocatalysis, *Surface Science Report*, 66, 185-297.



- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Houas, A., Lachbeb, H., Khisbi, M., Elaloui, E., Guillard, C., and Herman J. M., 2001, Photocatalytic Degradation Pathway Of Methylene Blue In Water, *Appl. Catal. B. Environ.*, 31, 145-157.
- Kumar, S. G., and Devi, L. G., 2011, Review on Modified TiO₂ photocatalysis under UV/Visible Light : Selected Result and Related Mechanisme on Interfacial Charge Carrier Transfer Dynamics, *J. Phys. Chem.*, 115, 13211-13241.
- Lachbeb, H., Puzenat, E., Houas, A., Khisbi, M., Elaloui, E., Guillard, C., and Herman J. M., 2002, Photocatalytic Degradation of Various Types of Dyes (Congo Red, Crocein Orange G, Methyl Red and Methylene Blue) in Water by UV Irradiated Titania, *Appl. Catal. B. Environ.*, 39, 15-90.
- Li, W., dan Wu, H., 2017, Sodium Citrate Functionalized Reusable Fe₃O₄@TiO₂ Photocatalyst For Water Purification, *Chem. Phys. Lett.*, 686, 178-182.
- Lin, Y.H., Hsueh, H.T., Chang, C.W., and Chu, H., 2016, The Visible Light-driven Photodegradation of Dimethyl Sulfide on S-doped TiO₂: Characterization, Kinetics, and Reaction Pathways, *Appl. Catal. B Environ.*, 199, 1–10.
- Liu, S., dan Chen, X., 2008, A Visible Light Response TiO₂ Photocatalyst Realized by Cationic S-Doping and Its Application for Phenol Degradation, *J. Hazard. Mater.*, 152, 48–55.
- Lucarelli, L., Nadtochenko, V., dan Kiwi, J., Environmental Photochemistry : Quantitative Adsorption and FTIR Studies during The TiO₂-photocatalyzed Degradation of Orange, *Langmuir*, 16, 1102-1108.
- Machado, K. M. G., and Matheus, D. R., Biodegradation of Remazol Brilliant Blue R by Ligninolytic Enzymatic Complex Produced by *Pleurotus Ostreatus*, *Braz. J. Microbiol.*, 37, 468-473.
- Mcmanamon, C., Connell, J.O., Delaney, P., Rasappa, S., Holmes, J.D., and Morris, M.A., 2015, A Facile Route to Synthesis of S-doped TiO₂ Nanoparticles for Photocatalytic Activity, *J. Mol. Catal. A. Chem.*, 406, 51–57.
- Mital, G. S., dan Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chin. Sci. Bull.*, 56, 1639-1657.
- Nishikiori, H., Hayashibe, M., Fujii, T., 2013, Visible Light-Photocatalytic Activity of Sulfate-Doped Titanium Dioxide Prepared by the Sol–Gel Method, *Catalysts*, 3, 363-377.
- Ohno, T., Akiyoshi, M., Umebayashi, T., Asai, K., Mitsui, T., and Matsumura, M., 2004, Preparation of S-doped TiO₂ Photocatalysts and Their Photocatalytic Activities Under Visible Light, *Appl. Catal. A Gen.*, 265, 115–121.



- Olowoyo, J.O., Kumar, M., Jain, S.L., Shen, S., Zhou, Z., Mao, S.S., et al., 2018, Reinforced Photocatalytic Reduction of CO₂ to Fuel by Efficient S-TiO₂: Significance of Sulfur Doping, *Int. J. Hydrogen Energy*, 43, 17682–17695.
- Pelaez, M., Nolan, N. T., Pillai, S. C., Seery, M. K., Falaras, P., Kontos, A. G., Dunlop, P. S. M., Hamilton, J. W. J., Byrne, J. A., O'Shea, K., Entezari, M. H., Dionysiou, D. D., 2012, A Review on The Visible Light Active Titanium Dioxide Photocatalysts for Environmental Applications, *Appl. Catal. B : Environmental*, 125, 331-349
- Periyat, P., Pillai, S.C., McCormack, D.E., Colreavy, J., and Hinder, S.J., 2008, Improved High-Temperature Stability and Sun-Light-Driven Photocatalytic Activity of Sulfur-Doped Anatase TiO₂, *J. Phys. Chem*, 112, 7644–7652.
- Riyani, K., Setyaningtyas. T., dan Dwiasih, D. W., 2012, Pengolahan Limbah Cair Batik menggunakan Fotokatalis TiO₂-Dopan-N dengan Bantuan Sinar Matahari, *Valensi*, 2, 581-587.
- Sartika, D., 2014, Investigasi Pengaruh Ukuran Partikel, Konsentrasi dan Sifat Magnetik Adsorben Nanopartikel Fe₃O₄ terhadap Adsorpsi Logam Co dan Fe dalam Larutan, *Tesis*, Departemen Fisika FMIPA UGM, Yogyakarta.
- Schneider, J., Matsuoka, M., Takeuchi, M., Zhang, J., Horiuchi, Y., Anpo, M., and Bahnemann, D. W., 2014, Understanding TiO₂ Photocatalysis: Mechanisms and Materials, *Chem. Rev.*, 114, 9919–9986.
- Szatmáry, L., Bakardjieva, S., Subrt, J., Bezdi, P., Brezová, V., and Korenko, M., 2011, Sulphur Doped Nanoparticles of TiO₂, *Catal. Today.*, 161, 23–28.
- Takeshita, K., Yamakata, A., Ishibashi, T., Onishi, H., Nishijima, K., and Ohno, T., 2006, Transient IR Absorption Study of Charge Carriers Photogenerated in Sulfur-Doped TiO₂, *Photochem. Photobiol. A : Chemistry*, 177, 269-275.
- Tayade, R.J., Natarajan, T. S., and Bajaj, H. C., 2009, Photocatalytic Degradation of Methylene Blue Dye Using Ultraviolet Light Emitting Diodes, *Ind. Eng. Chem. Res.*, 48, 10262-10267.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, Gadjah Mada University Press, Yogyakarta.
- Umabayashi, T. Yamaki, T., Itoh, H., and Asai, K., 2002, Band Gap Narrowing of Titanium Dioxide by Sulfur Doping, *Appl. Phys. Lett.*, 81, 454.
- Unsoy, G., Gunduz, U., Oprea, O., Ficai, D., Sonmez, M., Radulescu, M., Alexie, M., and Ficai, M., 2015, Magnetite: From Synthesis to Applications, *Current Topics in Medicinal Chemistry*, 15, 1622-1640.
- Usman, M., Byrne, J. M., Chaudhary, A., Orsetti, S., Hanna, K., Ruby, C., Kappler, A., and Haderlein, S. B., 2018, Magnetite and Green Rust: Synthesis, Properties, and Environmental Applications of Mixed-Valent Iron Minerals, *Chem. Rev.*, 118, 3251–3304



- Wei, Y., Han, B., Hua, X., Lin, Y., Wang, X., and Deng, X., 2012, Synthesis of Fe₃O₄ Nanoparticles and Their Magnetic Properties, *Procidia Engineering*, 27, 632-637.
- Wunderlich, W., Oekermann, T., and Miao L., 2004, Electronic Properties Nano-Porous TiO₂ and ZnO Thin Films Comparison of Simulations and Experiments, *J. Ceram Process. Res.*, 57, 1579-1584.
- Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., and Zhang, Q., 2014, A Facile Approach for The Synthesis of Magnetic Separable Fe₃O₄@TiO₂, Core-Shell Nanocomposites as Highly Recyclable Photocatalysts, *Appl. Surf. Sci.*, 288, 51–59.
- Xu, C., Rangaiah, G. P., and Zhao, X. S., 2014, Photocatalytic Degradation of Methylene Blue by Titanium Dioxide: Experimental and Modeling Study, *Ind. Eng. Chem. Res.*, 53, 14641–14649.
- Yamashita, H., Ichihashi, Y., Takeuchi, M., Kishiguchi, S., Anpo, M., and Ivanov, S., 2018, Synthesis of Magnetic Core-shell Fe₃O₄@TiO₂ Nanoparticles from Electric Arc Furnace Dust for Photocatalytic Degradation of Steel Mill Wastewater, *Catal. Today*, 40, 115–121.
- Zeng, M., 2013, Influence of TiO₂ Surface Properties on Water Pollution Treatment and Photocatalytic Activity, *Bull. Korean Chem. Soc.*, 34, 953-956.