

VI. DAFTAR PUSTAKA

- Alen, Y., Agresa, F. L., Yuliandra, Y. 2017. Analisis Kromatografi Lapis Tipis (KLT) dan Aktivitas Antihiperurisemia Ekstrak Rebung *Schizotachyum brachycladum* Kurz pada Mencit Putih Jantan. *Jurnal Sains Farmasi & Kimia* 3(2): 146-152
- Allen, D. G., Green, D. P., Bolton, G. E., Jaykus, L. A., dan Cope, W. G. 2005. Detection and Identification of Histamine-Producing Bacteria Associated with Harvesting and Processing Mahimahi and Yellowfin Tuna. *Journal of Food Protection* 68(8): 1676-1682
- Antoine, F. R., Wei, C. I., Little, R. C., dan Marshall, M. R. 1999. HPLC method for analysis of free amino acids in fish using o-phthalaldehyde precolumn derivatization. *J. of Agric. and Fd Chem.* 47(12): 5100–5107.
- Baranyi, J. & T.A. Roberts. 1995. Mathematics of predictive food microbiology. *Int Journal of Microbiology* 26: 199-218
- Beuk, J.F., Chornock F. W., Rice E. E. 1948. <http://www.jbc.org/>. Diakses pada 5 September 2019.
- Borade, P. S., Ballar, C. C., Lee, D. K. C. 2007. A fishy cause of sudden near fatal hypotension. *Resuscitation* 72(1): 158-160
- Chen, R., Deng, Y., Yang, L., Wang, J., dan Xu, F. 2016. Determination of Histamine by High-Performance Liquid Chromatography After Precolumn Derivatization with o-Phthalaldehyde-Sulfite. *Journal of Chromatographic Science* 54(4): 547-553
- Davin-Regli, A., dan Pagès, J.M. 2015. *Enterobacter aerogenes* and *Enterobacter cloacae*; Versatile Bacterial Pathogens Confronting Antibiotic Treatment. *Front Microbiology* 18:6.
- Dityanawarman, A. 2018. Analisis Hubungan Suhu Dengan Parameter Pertumbuhan Bakteri Penghasil Histamin Pada Ikan Cakalang. Fakultas Pertanian. Universitas Gadjah Mada. Thesis
- [DKP] Departemen Kelautan dan Perikanan. 2007a. Keputusan Direktur Jenderal Pengolahan dan Pemasaran Hasil Perikanan No. 010/DJ-P2HP/2007 tentang Program Monitoring Hasil Perikanan. Jakarta: DKP
- Dwidjoseputro, D. 1994. Dasar-Dasar Mikrobiologi. Cet ke-12. Jakarta: Djambatan.
- [EC] European Commission. 2004. Regulation (EC) No 853/2004 of the European Parliament and of the Council of 29 April 2004 laying down specific hygiene rules for food of animal origin. *Official J of European Union* 226: 22-82.
- [EC] European Commission. 2011. Notification list in Rapid Alert System for Food and Feed (RASFF) Portal. <https://webgate.ec.europa.eu/rasff-window/portal/index>. (diakses 31 Desember 2018)
- Ekawati, Yulia. 2014. Perubahan Komposisi Asam Amino dan Mineral Ikan Cakalang (*Katsuwonus pelamis*) Akibat Proses Penggorengan. Skripsi. Institut Pertanian Bogor.
- Emborg, J & P. Dalgaard. 2008. Growth, inactivation and histamine formation of *Morganella psychrotolerans* and *Morganella morgani* — development and evaluation of predictive models. *International Journal of Food Microbiology* 128: 234–243.
- Enjalbert, F., Richard, C., Attisso, M., & Cremieux, A. 1979. Detection and significance of histidine decarboxylase (HDC) in “Klebsiella”, “Enterobacter”, and “Serratia”. *Annales de Microbiologie*: 385-388
- Fitri, R. 2012. Jenis Asam Amino Terpenting. <http://www.amazine.co>. Diakses pada 24 September 2018.



- Food and Drug Administration. 2011. Fish and Fishery Products Hazards and Controls Guidance 4th Edition. Florida.
- Freitas, R. 2018. <https://fishbase.org/summary/107>. Diakses pada 2 September 2019.
- Fujii, T., Hiraishi, A., Kobayashi, T., Yoguchi, R., & Okuzumi, M. 1997. Identification of the psychrophilic histamine-producing marine bacteria previously referred to as the N-group bacteria. *Fisheries Science* 63: 807-810.
- Gonowiak, Z, R. Gajevska, and E. Lipka. 1990. Histidine decarboxylase activity and free histidine and histamine levels in fish meat. *Pantstw Zokl Hiq.* 41(1-2): 50–57.
- Nieto-Alamilla, G., Márquez-Gómez, R., García-Gálvez, A., Morales-Figueroa, G., dan Arias-Montaña, J. 2016. The Histamine H₃ Receptor: Structure, Pharmacology, and Function. *Molecular Pharmacology* 90(5): 649-673
- Hayun., Nelly, D. L., dan Masrijal, C. D. P. 2007. Penetapan Kadar Triprolidina Hidroklorida dan Pseudoefedrina Hidroklorida dalam Sediaan Sirup Obat Influenza secara Kromatografi Lapis Tipis Densitometri. *Majalah Ilmu Kefarmasian* 4(2): 59-72.
- Heruwati, E. S., Sophia, R. A., dan Mangunwardoyo, W. 2008. Penghambatan Enzim L-Histidine Decarboxylase dari Bakteri Pembentuk Histamin Menggunakan Asam Benzoat. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan* 3(2): 97-106.
- Irianto, H. E. 2008. Teknologi Penanganan dan Penyimpanan Ikan Tuna Segar Di Atas Kapal. *Squalen* 3(2): 41-50
- Januar, H.I. 2009. Perbandingan Beberapa Metode Analisis Histamin untuk Produk Perikanan. *Squalen* 4(2): 48-54
- Jarvis, W. R., dan Highsmith, A. K. 1983. Bacterial Growth and Endotoxin in Lipid Emulsion. *Journal of Clinical Microbiology* 19(1): 17-20.
- Joshi, P. and Bhoir, V. S. 2011. Study of Histamine Forming Bacteria in Commercial fish samples of Kalyan city. *International Journal of Current Scientific Research*, 1 (2): 39-42.
- Kanki, M., Yoda, T., Tsukamoto, T., & Shibata, T. 2002. *Klebsiella pneumoniae* produces no histamine: *Raoultella planticola* and *Raoultella ornithinolytica* strains are histamine producers. *Applied and Environmental Microbiology* 68: 3462-3466.
- Kawabata, T., Ishizaka, K., Miura, T., & Sasaki, T. 1956. Studies on the food poisoning associated with putrefaction of marine products e VII. An outbreak of allergy-like food poisoning caused by “sashimi” of *Parathunnus mebachi* and the isolation of causative bacteria (in Japanese with English abstract) *Bulletin of the Japanese Society of Scientific Fisheries* 22: 41-47.
- Keer M, Paul L, Sylvia A, Carl R. 2002. *Effect of storage condition on histamine formation in fresh and canned tuna*. Victoria: Comissioned by Food Safety Unit.
- Kimura, B., Hokimoto, S., Takahashi, H., & Fujii, T. 2000. *Photobacterium histaminum* Okuzumi et al. 1994 is a later subjective synonym of *Photobacterium damsela* subsp. *damsela* (Love et al. 1981) Smith et al. 1991. *International Journal of Systematic and Evolutionary Microbiology* 50: 1339-1342.
- [KKP] Kementerian Kelautan dan Perikanan. 2017. Analisis data pokok Kementerian Kelautan dan Perikanan 2017. Pusat Data Statistik dan Informasi KKP. Jakarta



- Lehane, L. dan Olley, J. 1999. Histamine (scombroid) fish poisoning: a review in a risk assessment framework. National office of Animal and Plant Health. Canberra.
- Lieber, E. R. dan Taylor, S. L. 1978. Thin-Layer Chromatographic Screening Methods for Histamine in Tuna Fish. *Journal of Chromatography A* 153: 143-152
- Ma, H., Shieh, K.J., dan Lee, S.L. 2006. Application of ELISA Technique. *Nature and Science* 42: 45-57
- Madigan, M. T. 2009. *Brock Biology of Microorganisms Twelfth Edition*. Pearson Benjamin Cummings.
- Mahaliyana, A.S., Jinadasa, B.K., Liyanage, N.P., Jayasinghe, G.D., dan Jayamame, S.C. 2015. Nutritional Composition of Skipjack Tuna (*Katsuwonus pelamis*) Caught from the Oceanic Waters around Sri Lanka. *American Journal of Food and Nutrition* 3: 106-111
- Mangunwardoyo, W., Sophia, R.A., & Heruwati, E.S. (2007). Seleksi dan pengujian aktivitas enzim L-Histidine Decarboxylase dari bakteri pembentuk histamine. *Makara Sains*, 11(2), 104- 109.
- Margareta, G. 2019. Pertumbuhan dan Produksi Histamin oleh *Citrobacter freundii* CK01 pada Berbagai Suhu. Universitas Gadjah Mada. Skripsi.
- Maulana, Hilman., Afrianto, Eddy., dan Rustikawati, Ike. 2012. Analisis Bahaya dan Penentuan Titik Pengendalian Kritis Pada Penanganan Tuna Segar Utuh Di PT. Bali Ocean Anugrah Linger Indonesia Bena-Bali. *Jurnal Perikanan dan Kelautan* 3(4): 1-5
- McLauchlin, J., Little, C. L., Grant, K. A., dan Mithani, V. 2006. Scombrototoxic Fish Poisoning. *Journal of Public Health* 28: 61-62
- Muchtadi T. R. dan S. K. Betty. 1980. Petunjuk Praktikum Mikrobiologi Hasil Pertanian 2. Departemen Pendidikan Tinggi dan Kebudayaan. Jakarta.
- Nahla, T.K. dan Farag, H.E.S.M. 2005. Histamine and Histamine Producing Bacteria in Some Local and Imported Fish and Their Public Health Significance. *Research Journal of Agriculture and Biological Sciences* 1(4): 329-336.
- Ndaw A, Zinedine A, Bouseta A. 2007. Assessment of histamine formation during fermentation of sardine (*Sardina pilchardus*) with lactic acid bacteria. *World Journal of Dairy and Food Science* 2(2): 42-48.
- Nurhajati, T., Soepranionondo, K., dan Lokapirnasari, W. P. 2016. Uji Aktivitas Pertumbuhan *Enterobacter cloacae* Selulotik Aerob Rumén-1 Isolat Asal Limbah Cairan Rumén Sapi Peranakan Ongole. *Jurnal Veteriner* 17(3): 383-388
- Nurjanah, Hidayat T, Perdana SM. 2015. Analisis Faktor-faktor yang memengaruhi konsumsi ikan pada wanita dewasa di Indonesia. *Jurnal Pengolahan Hasil Perikanan Indonesia* 18(1): 11-18
- Bjornsdottir-Butler, K., Green, D. P., Bolton, G. E., dan McClellan-Green, P. D. 2015. Control of Histamine-Producing Bacteria and Histamine Formation in Fish Muscle by Trisodium Phosphate. *Journal of Food Science* 80: 1253-1258.
- Pramundita, B. 2018. Pengaruh Waktu Tunda Proses Terhadap Kadar Histamin Ikan Tuna *Skipjack* dan *Yellowfin* pada Berbagai Ukuran. Institut Pertanian Bogor. Skripsi.
- Rashedi, M., Dorcheh, M. P., Salajegheh, M., Mohammadi, A., Hajimirzaei, M. R., dan Rahimi, E. 2013. Determination of Histamine in Iranian Cheese using Enzyme-Linked Immunosorbent Assay (ELISA) Method. *African Journal of Biotechnology* 12(3).
- Ratkowsky, D.A., R.K. Lowry, T.A. McMeekin, A.N. Stokes & R.E. Chandler. 1982. Model for bacterial culture growth rate throughout the entire biokinetic temperature range. *Journal of Bacteriology* 154: 1222-1226



- Rhee JE, Rhee JH, Ryu PY, Choi SH. 2002. Identification of the *cadBA* operon from *Vibrio vulnificus* and its influence on survival to acid stress. *FEMS Microbiol Lett* 208: 245–251
- Rolfe MD, Rice CJ, Lucchini S, Pin C, Thompson A, Cameron AD, Alston M, Stringer MF, Betts RP, Baranyi J, Peck MW. 2012. Lag phase is a distinct growth phase that prepares bacteria for exponential growth and involves transient metal accumulation. *Journal of Bacteriology* 194(3): 686-701.
- Seumahu, C., dan Fransina, E. 2009. Analisis Kandungan Histamin Sebagai Bioindikator Kualitas Produk Perikanan Pada Ikan Jenis *Scombridae* Secara Spektrofotometri Berdasarkan Lamanya Waktu Penyimpanan. Seminar Nasional Himpunan Kimia Indonesia.
- Shahidi F, Botta JR. 1994. *Seafoods: Chemistry, Processing Technology, and Quality*. London : Blackie Academic and Professional : 10-33.
- Tabor, H., dan Hayaishi, O. 1951. The Enzymatic Conversion of Histidine to Glutamic Acid. *Journal of Biology Chemistry* 194: 171-175
- Tao, Z., Sato, M., Han, Y., Tan, Z., Yamaguchi, T., dan Nakano, T. 2011. A Simple and Rapid Method for Histamine Analysis in Fish and Fishery Products by TLC Determination. *Food Control* 72: 1154-1157
- Yesudhasan, P. 2013. Distribution patterns of toxic metals in the marine oyster *Saccostrea cucullata* from the Arabian Sea in Oman: spatial, temporal, and size variations. *Springerplus* 2: 282-290
- Yu, H., Zhuang, D., Hu, X., Zhang, S., He, Z., Zeng, M., Fang, X., Chen, J., dan Chen, X. 2018. Rapid Determination of Histamine in Fish by Thin-Layer Chromatography-Image Analysis Method Using Diazotized Visualization Reagent Prepared with *p*-Nitroaniline. *Analytical Methods* 27.